Presented by

.....

..... *193*

22500031453

NINETEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

[ABSTRACTS OF 1873.]

Presented to both Houses of Parliament by Command of Her Majesty.



WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call ser
No. WA

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1877.

C.—1847. *Price* 1*s.* 8*d.*]

In the present Report will be found some Tables illustrative of the Mortality from Small-pox experienced by infants under twelve months of age.

These Tables seem to furnish the most conclusive evidence as to the great saving of human life effected, even at the earliest ages, by the Vaccination Act. They are inserted chiefly for the purpose of fortifying the public mind against the erroneous doctrines promulgated by anti-vaccinators, which, if left unnoticed, might ultimately be received as true.

Appended to my Report will be found an approximate Life Table for Scotland, computed in our Statistical Department from the data which became available on the publication of the Scottish Census of 1871. The Table will be found of interest, when compared with the Life Table founded on the Census data of 1841, contributed by Dr. Farr to the Fifth Annual Report of the Registrar-General for England.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1873 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1873,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1873,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1873,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1873,	xiii

Births.

Births in 1873, and their Proportion to the Population, with relative Tables,	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1873 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

Marriages.

Number of Marriages in 1873, and their Proportion to the Population,	xv
Influence of Density of Population on the Marriages,	xvi
Proportion of Legitimate Children to the Marriages in Scotland and England,	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1873, and 1855–1873, with relative Tables,	xvi & xix
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xx & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1873, and their Proportion to the Population, . . xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1873, with relative Tables, ... xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1861–1873, ... xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Five Great Groups of Districts, during the year 1873, ... xxiv
Mortality of Female lower than that of the Male at about every period of life, . . xxv
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxvi
Causes of Death in 1873, with relative Tables, ... xxviii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxviii
Small-pox Deaths in Scotland for nineteen years, ... xxxvii
Particulars relative to Vaccination in Scotland, with relative Tables, . . . xxxviii
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xl
The Nineteen most fatal Diseases in England and Scotland in 1873, ... xli

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1873.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . xlvi
Table showing the Meteorology of Scotland during each month of the year 1873, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xlvii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1873, . . xlviii
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1873, ... xlviii
Influence of Season, etc., on the Mortality at different Ages li
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1873, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, ... li

APPENDIX.

Letter from Dr. Robertson to Registrar-General, with Life-Table, . . . liv
Vaccinations in the several Counties of Scotland during 1873, ... lxiv

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1873, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1873, also of the Illegitimate Births, in every Registration District, . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1873; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Page

Table of the Civil Condition of the Parties who married in 1873; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1873, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1873, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1873, together with the Populations in 1861 and 1871, ... 30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1873, together with the Male Populations in 1861 and 1871, ... 32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1873, together with the Female Populations in 1861 and 1871, ... 34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1873, ... 36
Do. Males, ... 38
Do. Females, ... 40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1873, ... 42
Do. Males, ... 44
Do. Females, ... 46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1873, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1873, ... 60
Do. Males, ... 62
Do. Females, ... 64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1873, ... 66
Do. Males, ... 68
Do. Females, ... 70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1873, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1873, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1873, ... 96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 98–101
Do. Males, ... 102–105
Do. Females, ... 106–109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life, ... 110–113
Do. Males, ... 114–117
Do. Females, ... 118–121
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ... 122–125
Do. Males, ... 126–129
Do. Females, ... 130–133

Page

Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ... 134–137
Do. Males, ... 138–141
Do. Females, ... 142–145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ... 146–149
Do. Males, ... 150–153
Do. Females, ... 154–157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ... 158–161
Do. Males, ... 162–165
Do. Females, ... 166–169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 170–173
Do. Males, ... 174–177
Do. Females, ... 178–181
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 182–185
Do. Males, ... 186–189
Do. Females, ... 190–193
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 194–197
Do. Males, ... 198–201
Do. Females, ... 202–205
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 206–209
Do. Males, ... 210–213
Do. Females, ... 214–217
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 218–221
Do. Males, ... 222–225
Do. Females, ... 226–229
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 230–233
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 234–237
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 238–241
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 242–245
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1873, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 246

Constitution of the Compound Districts, ... 247
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 248
Index to Districts, ... 249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

DURING 1873 the condition of the people of Scotland was materially affected by the marked fall in the prices of coal and iron, by a tendency to general reduction in the rate of wages, by the disappointments of those engaged in the cotton trade, by an indifferent harvest, and by excessive rainfall in autumn. It might naturally have been expected that such circumstances would have led to a diminished Marriage-rate; but this was by no means the case, for the marriage-rate of 1873 was the highest ever recorded in these Reports. It must be noted, however, that it was towards the end of the year that the disturbance of commercial activity was most apparent, and that till the beginning of autumn the prosperity of the country had experienced no check. The Death-rate was unusually high, and during the last nineteen years has only thrice (namely, in 1863, 1864, and 1869) been higher. The causes of this excessive death-rate were pro-

---

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1873, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1

bably atmospheric, as is indicated by the unusual frequency of deaths from diseases of the respiratory organs, which are notoriously apt to prove most formidable in cold and rainy weather, such as our meteorological record shows to have prevailed during 1873. Many deaths were likewise due to Small-pox, though the violence of the epidemic seemed to have considerably abated since 1872.

POPULATION.

The estimates of Population used in this Report are understood to apply to the middle of the year. They are obtained from the Census Enumerations of males and females in 1861 and 1871, the average rates of increase or decrease during the decennial period being assumed to have prevailed since the Census of 1871. In Table II. are stated the estimated

TABLE II.—POPULATION of SCOTLAND in its FIVE new GROUPS of DISTRICTS, by the Censuses of 1861 and 1871, and estimated to the middle of 1873.

Five New Groups of Districts.	Census 1861.			Census 1871.			Estimated to 30th June 1873.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns .	407,839	477,116	884,955	502,021	566,535	1,068,556	526,046	588,861	1,114,907
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	166,945	180,441	347,386
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	378,512	412,869	791,381
Mainland-Rural . .	513,554	548,239	1,061,793	508,787	540,327	1,049,114	507,720	538,563	1,046,283
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,586	70,380	130,966
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,639,809	1,791,114	3,430,923

TABLE III.—BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS in SCOTLAND, 1855–1873.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

number of males and females in each of the Groups of Registration Districts, into which, for some years past, we have, in the construction of these Reports, considered Scotland as divided. It is unnecessary again to explain the constitution of these Groups of Districts—this having been very fully done in the Seventeenth Detailed Annual Report. The new mode of grouping has been found very useful for statistical purposes, and especially when information is required as to the growth of communities, and as to the influence on public health that proceeds from the more or less dense aggregation of human beings in the Towns and Rural Districts of Scotland. It will be observed that the population is supposed to be slowly decreasing in the Rural Districts, both Mainland and Insular, and to be increasing at a far more rapid rate in the Groups constituted by Small Towns, the Large Towns, and Eight Principal Towns.

The population of Scotland, as on 30th June 1873, according to our estimate, consisted of 1,639,809 males, 1,791,114 females, or, in all, of 3,430,923 persons.

BIRTHS.

The Births registered in Scotland during 1873 were 119,700—the largest number hitherto recorded. The births were consequently 349 for every ten thousand of estimated population; or, in other words, the birth-rate was 3·49 per cent., and scarcely differed from the high rate recorded in 1872. This rate, however, falls slightly short of the average rate of the last ten years. Since 1868 it does not appear to have been surpassed. It may be well here incidentally to remark that there is in Scotland no provision for the registration of still-births, such as exists in various foreign countries. The statistician cannot but regret the absence of such a provision, when he finds it impossible to ascertain with anything like precision the number of females who become mothers in any given year; and the

---

Table IV.—Percentage of Births, Deaths, and Marriages in the Five new Groups of Districts of Scotland, to the Population during each of the years 1855–1873.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Mar-riages.	Births.	Deaths.	Mar-riages.	Births.	Deaths.	Mar-riages.	Births.	Deaths.	Mar-riages.	Births.	Deaths.	Mar-riages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3 062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2 040	0·634	3·052	1·689	0 546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2 691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3 545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2 524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453

medical inquirer well knows that it is precisely in the cases of mothers who have given birth to dead children that fatal consequences are most apt to follow delivery. No record being kept of still-births, it becomes very probable that many mothers of still-born children (and especially of illegitimate still-born children) have their deaths erroneously attributed to causes unconnected with recent delivery. Hence, by reference to official statistics, it cannot be ascertained with desirable accuracy, either here or in England, what proportion of females die in consequence of the act of parturition.

The birth-rate was in the Large Towns higher than in any other of the Registration Groups; the births being 14,033, and at the rate of 4·039 per cent. A rate so high as this has not hitherto been recorded in any of the Registration Groups. In the Eight Principal Towns, the 41,500 births were at the rate of 3·722. In the Small Towns the births were 28,841, and at the rate of 3·657, which slightly exceeds the rates of the last four years. In the Mainland-Rural Districts there were

---

Table V*a*.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1873, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1873.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	498,697	19487	3·908	1835	9·4	14499	2·907	4910	0·984
Edinburgh .	208,322	6783	3·256	571	8·4	4578	2·198	1958	0·940
Dundee . .	128,250	4955	3·864	596	12·0	3281	2·558	1229	0·958
Aberdeen .	91,626	3090	3·372	325	10·5	2120	2·314	725	0·791
Greenock .	64,029	2678	4·182	168	6·3	2220	3·469	556	0·868
Paisley . .	48,437	1875	3·871	109	5·8	1589	3·281	520	1·074
Leith . .	49,099	1885	3·839	109	5·8	1084	2·208	485	0·988
Perth . .	26,447	747	2·825	67	9·0	637	2·409	211	0·798

Occasional Table V*b*.—Showing the state of Illegitimacy in All Scotland: in the Five New Groups of Registration Districts, in each of the Principal Towns, and in Two Counties during 1873.

Localities.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1873.	Number of Illegitimate Children born during 1873.	Percentage of Illegitimate Children to the Unmarried and Widowed Women, aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	460,611	10,925	2·37	9·1
Principal Towns . . .	161,662	3,780	2·34	9·1
Large Towns . . .	45,643	1,088	2·38	7·6
Small Towns . . .	99,595	2,318	2·33	8·0
Mainland-Rural . . .	134,290	3,547	2·64	11·1
Insular-Rural . . .	19,421	192	0·99	5·7
Glasgow	67,256	1,835	2·73	9·4
Edinburgh . . .	35,376	571	1·61	8·4
Dundee	22,289	596	2·67	12·0
Aberdeen . . .	13,485	325	2·41	10·5
Greenock	6,850	168	2·45	6·3
Paisley	7,187	109	1·52	5·8
Leith	5,404	109	2·02	5·8
Perth	3,815	67	1·76	9·0
County Wigtown . . .	5,585	208	3·72	18·6
County Banff . . .	7,753	276	3·56	15·4

registered 31,963 births, being at the rate of 3·056 per cent.—the lowest rate that has prevailed in these districts since 1858. In the Insular-Rural Districts there were 3363 births, which occurred at the rate of 2·568—the lowest rate that has been recorded since 1855. The above numbers, and a glance at the birth columns of Tables III. and IV., show that the popula-

TABLE VI.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1873, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

	Divisions and Counties.	Population Estimated to middle of year 1873.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
	SCOTLAND	3,430,923	119700	3·4889	10925	9·1	76946	2·2427	26748	0·7796
	1. Principal Town Dists. .	1,114,907	41500	3·722	3780	9·1	30008	2·692	10594	0·950
	2. Large Town Districts .	347,386	14033	4·039	1088	7·8	9306	2·679	3140	0·904
	3. Small Town Districts .	791,381	28841	3·657	2318	8·3	17357	2·193	6130	0·775
	4. Mainland-Rural Dists.	1,046,283	31963	3·056	3547	11·1	18098	1·730	6291	0·601
	5. Insular-Rural Dists. .	130,966	3363	2·568	192	5·7	2177	1·662	593	0·453
	Divisions.									
I.	Northern	126,478	3065	2·423	236	7·7	2084	1·648	624	0·493
II.	North-Western . .	166,151	4258	2·563	279	6·6	2843	1·711	738	0·444
III.	North-Eastern . .	399,044	12654	3·171	1807	14·3	6804	1·705	2546	0·638
IV.	East-Midland . . .	567,816	18542	3·265	1794	9·7	11719	2·064	4168	0·734
V.	West-Midland . .	252,918	8306	3·284	593	7·1	5534	2·188	1719	0·680
VI.	South-Western . .	1,225,750	50230	4·038	3859	7·7	33783	2·756	11592	0·946
VII.	South-Eastern . .	490,365	16569	3·379	1402	8·5	10242	2·089	4030	0·822
VIII.	Southern	202,401	6076	3·002	955	15·7	3937	1·963	1331	0·658
	Counties.									
1	Shetland	31,594	713	2·257	30	4·2	440	1·393	144	0·456
2	Orkney	31,027	781	2·517	50	6·4	518	1·670	179	0·577
3	Caithness.	40,748	1032	2·532	118	11·4	729	1·789	199	0·488
4	Sutherland	23,109	539	2·332	38	7·1	397	1·718	102	0·441
5	Ross and Cromarty .	82,018	2037	2·484	84	4·1	1267	1·545	358	0·436
6	Inverness	84,133	2221	2·640	195	8·8	1576	1·873	380	0·452
7	Nairn	8,378	247	2·949	14	5·7	154	1·839	45	0·537
8	Elgin	44,604	1212	2·717	192	15·8	736	1·672	244	0·547
9	Banff	59,477	1788	3·006	276	15·4	984	1·671	371	0·624
10	Aberdeen.	251,417	8320	3·309	1176	14·1	4376	1·741	1681	0·669
11	Kincardine	35,168	1087	3·091	149	13·7	554	1·575	205	0·583
12	Forfar	247,897	8662	3·494	965	11·1	5474	2·208	1982	0·800
13	Perth	127,377	3385	2·657	339	10·0	2560	2·010	770	0·605
14	Fife	162,092	5490	3·387	415	7·5	3064	1·890	1207	0·745
15	Kinross	7,737	178	2·301	19	10·7	159	2·055	44	0·569
16	Clackmannan . . .	22,713	827	3·641	56	6·8	462	2·034	165	0·727
17	Stirling	94,447	3658	3·873	280	7·7	2149	2·275	815	0·863
18	Dumbarton	62,721	2292	3·654	138	6·0	1437	2·291	443	0·706
19	Argyll	78,653	1971	2·506	147	7·5	1568	1·994	366	0·465
20	Bute	17,097	385	2·252	28	7·3	380	2·223	95	0·556
21	Renfrew	201,568	7787	3·864	518	6·7	5838	2·897	1793	0·895
22	Ayr.	201,084	8033	3·995	633	7·9	4816	2·395	1822	0·906
23	Lanark	823,098	34410	4·181	2708	7·9	23129	2·810	7977	0·969
24	Linlithgow	41,874	1714	4·093	148	8·6	923	2·204	337	0·805
25	Edinburgh	341,032	11503	3·373	932	8·1	7308	2·143	2994	0·878
26	Haddington	37,782	1162	3·076	109	9·4	782	2·070	255	0·675
27	Berwick	36,359	1017	2·797	107	10·5	615	1·691	200	0·550
28	Peebles	12,429	362	2·921	35	9·7	190	1·529	66	0·531
29	Selkirk	20,889	811	3·882	71	8·8	424	2·030	178	0·852
30	Roxburgh	47,947	1562	3·258	181	11·6	941	1·963	344	0·717
31	Dumfries	74,605	2169	2·907	343	15·8	1544	2·070	474	0·635
32	Kirkcudbright . . .	41,955	1229	2·929	223	18·1	747	1·780	272	0·648
33	Wigtown	37,894	1116	2·945	208	18·6	705	1·860	241	0·636

tion of our Rural Districts continues to decrease, or at least that it is less prolific than our town population.

Of the 119,700 births registered in the whole of Scotland, 10,925 were

TABLE VII.—BIRTHS in SCOTLAND, 1855–1873; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84

TABLE VIII.—BIRTHS, 1873. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	21223	20277	41500	19312	18408	37720	1911	1869	3780	463	1
Large Towns . .	7241	6792	14033	6696	6249	12945	545	543	1088	175	–
Small Towns . .	14912	13929	28841	13722	12801	26523	1190	1128	2318	348	6
Mainland-Rural .	16344	15619	31963	14551	13865	28416	1793	1754	3547	382	8
Insular-Rural .	1747	1616	3363	1644	1527	3171	103	89	192	42	–
SCOTLAND . . .	61467	58233	119700	55925	52850	108775	5542	5383	10925	1410	15

TABLE IX.—PROPORTION OF BIRTHS in 1873. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportions of Mothers who bare Twins and Triplets in Scotland and the Five Groups of Districts in 1873.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·722	9·1	104·7	104·9	102·2	90	41500
Large Towns .	4·040	7·8	106·6	107·2	100·4	80	–
Small Towns	3·657	8·3	107·2	107·2	105·5	83	4807
Mainland-Rural	3·056	11·1	104·6	104·9	102·2	84	3995
Insular-Rural .	2·568	5·7	108·1	107·7	115·7	80	–
SCOTLAND . . .	3·4889	9·1	105·5	105·8	103·0	85	7980

illegitimate. The rate of illegitimacy for the whole country was accordingly 9·1 per cent. of the total births; and it is satisfactory to observe that this rate has been steadily decreasing for the last six years, and that it has not been lower since 1858. From Tables V*a*. and VI. all the usual information may be gathered regarding the comparative frequency of illegitimate births in various localities; but it is to Table V*b*. that we would refer the reader who is inclined to regard the amount of illegitimacy in Towns or Districts as inversely proportionate to the amount of female virtue in each. It is obvious that the unmarried and widowed women living between the ages of, say, 15 and 45, are the only possible mothers of bastard children; and hence the morality of unmarried females in any locality can be more fairly gauged by comparing the numbers of possible mothers with the numbers of illegitimate children, than by contrasting the number of bastards with the total number of births. The last two columns of the Occasional Table V*b*. give very different views of the frequency of illegitimacy, according as the total births, or total numbers of possible mothers, are contrasted with the registered numbers of illegitimates. It is right here to explain, that among the legitimate births are included a certain number of children, which, in accordance with the statements of the mothers, we might possibly be held warranted in relegating to the category of illegitimate children. In our Tables, however, it has been our invariable practice to enter as legitimate all children born in wedlock.

Of the 119,700 children born in Scotland in 1873, 61,467 were males and 58,233 females. For every hundred female births there were 105·5 male births. This preponderance of males is not so great as usual; and it is rather remarkable that it is decidedly more conspicuous among the legitimate than among the illegitimate births. This is quite contrary to what has been hitherto almost uniformly observed in Scotland. For every hundred legitimate female births there were 105·8 males; for every hundred illegitimate female births, only 103 males.

In England, during 1873, there were for every hundred legitimate female births, 103·9 males; for every hundred illegitimate female births, only 103·1 males.

In Holland, for every hundred legitimate female births there were 104·7 males; and for every hundred illegitimate female births, 104·2 males.

In Austria, for every hundred live and legitimate female births there were 106·4 males, while among the live illegitimate births, there were for every hundred boys, 105·6 girls.

In Sweden, for every hundred live legitimate female births there were 105·1 males; and for every hundred live illegitimate female births, 104·3 males.

Twin births occurred in Scotland 1410 times during 1873; triplet births, 15 times. Hence it appears that one mother in 84·9 gave birth to twins, and that one in 7980 bore triplets.

MARRIAGES.

The number of Marriages registered in Scotland in 1873 was 26,748, being 1107 more than were registered in 1872. This corresponds to a marriage-rate of 77·96 for every ten thousand of estimated population. So high a rate has never been recorded in these reports. The nearest approximation to it was the rate of 1872, which, however, amounted to only

75·43 per ten thousand of population. The average rate of the ten years terminating with 1872 was nearly 71·3 per ten thousand. The increase in the marriage-rate may be held as a proof that the population of the country at large was not during 1873 subjected to any very serious depressing influence, and, in particular, that there was no considerable amount of commercial distress during the greater part of the year. As has uniformly been observed in Scotland, there was an obvious connection between the density of the population and the marriage-rate in the different Groups of Registration Districts. The rate was highest in the Principal Towns, being 95 per ten thousand inhabitants, or a trifle lower than the rate experienced in 1872. In the Large Towns the rate was 90·4 per ten thousand, and much above the rate of any former year. In the Small Towns the rate of 77·5 per ten thousand likewise surpassed that of any year for which record exists.

TABLE X.—MARRIAGES, 1873. Number of Marriages contracted in Scotland and in its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	12187	3728	1350	3094	3736	279	45·56	35·18	42·99	50·47	59·39	47·05
Free Church . .	5806	2347	592	1038	1592	237	21·71	22·15	18·86	16·93	25·31	40·00
United Presb. Church	3596	1455	441	1053	609	38	13·44	13·73	14·04	17·18	9·68	6·41
Roman Catholic Ch.	2451	1361	434	486	146	24	9·16	12·87	13·82	7·93	2·32	4·05
Episcopal Church .	648	426	76	83	63	–	2·42	4·02	2·42	1·35	1·00	0·00
Other Denominations	1853	1087	244	372	136	14	6·93	10·26	7·77	6·07	2·16	2·36
Denomin. not stated	10	–	–	1	9	–	0·04	0·00	0·00	0·02	0·14	0·00
Irregular Marriages .	197	190	3	3	–	1	0·74	1·79	0·10	0·05	0·00	0·13
Total Marriages .	26748	10594	3140	6130	6291	593	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—MARRIAGES, 1855–1873. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1873.

Years.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197

In the Mainland-Rural Districts the rate was 60·1 per ten thousand, being likewise greatly in excess of former years. In the Insular-Rural Districts alone the rate was considerably below the average of former years, and only amounted to 45·3 per ten thousand inhabitants.

TABLE XII.—Proportion of MARRIAGES, 1855–1873. Percentage of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during each of the Years 1855–1873.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0 31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74

TABLE XIII.—MARRIAGES, 1873. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	1	–	–	–	–	–	–	–	1	–	–
15—16	–	18	–	7	–	2	–	7	–	1	–	1
16—17	4	93	2	29	1	14	–	28	1	22	–	–
17—18	26	447	9	149	2	83	9	104	6	106	–	5
18—19	180	1220	67	451	34	186	53	331	26	240	–	12
19—20	745	2007	306	837	100	256	190	503	144	395	5	16
20—21	1274	2343	490	946	188	283	326	572	261	515	9	27
21—25	9344	9809	3646	3824	1153	1131	2320	2263	2128	2382	97	209
25—30	7652	6066	3052	2395	901	692	1676	1275	1831	1506	192	198
30—35	3373	2311	1360	915	358	227	647	521	850	577	158	71
35—40	1618	1242	642	532	144	136	357	278	429	271	46	25
40—45	995	642	389	262	92	71	235	124	238	165	41	20
45—50	673	317	288	147	81	35	130	74	149	59	25	2
50—55	406	134	179	64	41	11	77	26	100	29	9	4
55—60	220	57	75	26	21	7	55	14	62	9	7	1
60—65	127	13	56	4	13	3	24	4	33	2	1	–
65—70	59	7	18	1	6	1	22	2	13	3	–	–
70—75	22	–	7	–	2	–	5	–	7	–	1	–
75—80	7	–	2	–	1	–	1	–	3	–	–	–
80—85	2	–	2	–	–	–	–	–	–	–	–	–
Not stated	21	21	4	5	2	2	3	4	10	8	2	2
Total	26748	26748	10594	10594	3140	3140	6130	6130	6291	6291	593	593

The number of marriages that were registered during the year was 26748; and the number of live legitimate births registered during the same period being 108775, the births may be stated as in the proportion of 4·07 live legitimate children to each marriage. The extraordinary number of marriages during the last two years makes the above number rather lower than that obtained from the facts analysed in our Report for 1871. The marriages during 1873 in England were 205,615, the live legitimate births, 786,617; hence, for every marriage there were 3·82—a number which is, as usual, lower than that obtained from the experience of Scotland. In Sweden, a country in which the Life Statistics are believed to be kept with great accuracy, the marriages of 1873 numbered 31,257, and the live legitimate births, 117,159. From these figures it is computed that for each marriage there were 3·75 live legitimate children—a number lower than that above stated for England, and of course considerably lower than that which we have recorded for Scotland.

In Table X. will be found the number of marriages celebrated in the whole country, and in its several Groups of Registration Districts, by clergymen of each of the principal religious denominations, and likewise the

---

TABLE XIV.—MARRIAGES, 1873. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1873.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·57	3·62	4·36	4·11	2·81	0·84	11·15	13·90	17·28	15·87	12·16	5·73
20—25	39·69	39·05	42·71	43·17	37·97	17·88	45·43	45·03	45·02	46·24	46·05	39·80
25—30	28·63	28·81	28·69	27·35	29·11	32·39	22·68	22·62	22·03	20·80	23·94	33·39
30—35	12·61	12·85	11·40	10·55	13·51	26·64	8·65	8·64	7·22	8·50	9·17	11·98
35—40	6·05	6·06	4·59	5·82	6·82	7·76	4·64	5·02	4·32	4·54	4·31	4·21
40—45	3·72	3·66	2·93	3·83	3·78	6·91	2·40	2·48	2·26	2·03	2·62	3·37
45—50	2·51	2·72	2·58	2·12	2·37	4·21	1·19	1·38	1·11	1·20	0·94	0·34
50 and above	3·15	3·20	2·68	3·00	3·47	3·03	0·79	0·89	0·70	0·75	0·68	0·84
Not stated	0·07	0·03	0·06	0·05	0·16	0·34	0·07	0·04	0·06	0·07	0·13	0·34
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XV.—MARRIAGES, 1855–1873. Number and Proportion of Men and Women in Scotland, at each quinquennial period of age, who contracted Marriage during the Years 1855–1873.

Ages.	Men.		Women.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	12489	2·95	53991	12·74
20—25	162278	38·30	193082	45·57
25—30	126332	29·82	102125	24·10
30—35	53080	12·53	37051	8·75
35—40	27763	6·55	18903	4·46
40—45	16752	3·95	9742	2·30
45—50	10571	2·49	4794	1·13
50 and above	13853	3·27	2961	0·70
Age not stated	601	0·14	1070	0·25
Total	423719	100·00	423719	100·00

number registered as *irregular*, by which expression is to be understood, marriages that were registered but in which there was no previous publication of banns.

Of 26,748 marriages, 12,187 are registered as having been celebrated by ministers of the Established Church of Scotland, 5806 by ministers of the Free Church, 3596 by clergymen of the United Presbyterian Church, 2451 by Roman Catholic priests, 648 according to the forms of the Church of England, 1853 according to the customs of various other denominations, which it is deemed unnecessary to enumerate, 10 by ministers of unspecified denominations, and 197 in an Irregular manner.

TABLE XVI.—MARRIAGES in SCOTLAND, 1855–1873. Numbers.

Years.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851

TABLE XVII.—MARRIAGES in SCOTLAND, 1855–1873. Proportions.

Years.	Percentage who Married under 21 years.		Percentage who Married				Percentage who Signed				Proportion in every 100 Marriages between			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18

It must not, however, be understood that these numbers warrant any deduction as to the relative strength of the various religious denominations

TABLE XVIII.—MARRIAGES, 1873. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1873.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND		90·38	81·33	9·62	18·67	8·33	22·91	84·67	3·04	8·85	3·18
	GROUPS.										
	PRINCIPAL TOWNS . .	89·56	77·86	10·44	22·14	8·25	22·83	82·30	4·24	9·17	4·11
	LARGE TOWNS	87·29	77·48	12·71	22·52	10·35	26·21	84·96	3·34	8·02	3·53
	SMALL TOWNS	90·03	81·96	9·97	18·04	9·43	25·20	85·58	2·56	8·92	2·79
	MAINLAND-RURAL . .	94·93	90·30	5·07	9·70	6·96	20·35	87·27	1·51	8·77	1·73
	INSULAR-RURAL . . .	76·73	61·89	23·27	38·11	2·36	10·29	88·53	1·19	7·59	1·52
	DIVISIONS.										
I.	NORTHERN . . .	94·39	85·10	5·61	14·90	2·56	10·74	90·54	1·76	5·93	1·44
II.	NORTH-WESTERN	74·93	58·13	25·07	41·87	1·49	10·70	87·26	0·68	10·16	1·22
III.	NORTH-EASTERN	97·33	93·44	2·67	6·56	5·70	19·36	86·57	2·16	8·88	2·20
IV.	EAST-MIDLAND .	95·15	86·49	4·85	13·51	9·19	19·03	84·72	2·45	9·41	3·24
V.	WEST-MIDLAND .	89·99	82·90	10·01	17·10	6·28	22·11	85·46	3·03	8·03	3·20
VI.	SOUTH-WESTERN	85·60	73·46	14·40	26·54	10·39	28·04	84·13	3·68	8·20	3·88
VII.	SOUTH-EASTERN .	94·99	89·78	5·01	10·22	6·70	20·55	83·30	3·40	10·42	2·66
VIII.	SOUTHERN . . .	96·99	93·99	3·01	6·01	6·85	17·96	85·35	1·88	9·77	2·25
	COUNTIES.										
1	Shetland . . .	93·06	74·31	6·94	25·69	4·17	4·17	88·19	2·08	6·95	2·08
2	Orkney	97·77	94·41	2·23	5·59	4·47	17·32	89·94	1·12	6·71	2·24
3	Caithness . . .	96·48	93·47	3·52	6·53	0·05	10·55	92·46	2·51	4·52	0·50
4	Sutherland . . .	86·27	67·65	13·73	32·35	0·98	8·82	91·18	0·98	5·88	0·98
5	Ross & Cromarty	70·95	53·07	29·05	46·93	1·40	8·38	88·27	0·84	9·22	1·12
6	Inverness . . .	78·68	62·89	21·32	37·11	1·58	12·89	86·32	0·53	11·05	1·32
7	Nairn	86·67	82·22	13·33	17·78	4·44	22·22	88·88	6·67	4·44	0·00
8	Elgin	94·67	89·35	5·33	10·65	4·51	20·08	87·70	1·64	8·61	2·05
9	Banff	95·42	88·41	4·58	11·59	5·39	15·96	86·79	1·08	8·62	2·96
10	Aberdeen . . .	98·33	95·24	1·67	4·76	6·25	20·34	86·26	2·37	8·92	2·26
11	Kincardine . . .	98·05	95·12	1·95	4·88	3·41	16·10	86·79	1·95	10·24	0·98
12	Forfar	92·28	77·75	7·72	22·25	10·54	20·38	84·05	3·33	8·43	4·14
13	Perth	98·05	95·71	1·95	4·29	6·10	12·21	84·65	2·08	10·52	2·36
14	Fife	97·68	94·12	2·32	5·88	9·86	19·55	85·58	1·33	10·19	2·65
15	Kinross	100·00	95·45	0·00	4·55	4·54	20·45	90·91	2·27	4·54	2·27
16	Clackmannan . .	96·36	90·30	3·64	9·70	9·70	30·30	84·85	1·82	11·52	1·21
17	Stirling	91·90	85·40	8·10	14·60	9·57	27·24	85·03	2·58	7·24	4·05
18	Dumbarton . .	87·36	78·33	12·64	21·67	4·29	21·67	83·07	5·64	8·35	2·71
19	Argyll	88·53	82·24	11·47	17·76	1·91	15·03	86·61	0·82	9·56	1·91
20	Bute	91·59	85·28	8·41	14·72	4·21	7·37	85·26	3·16	7·37	3·16
21	Renfrew . . .	84·83	70·50	15·17	29·50	8·53	26·49	82·43	3·01	8·87	5·30
22	Ayr	88·47	77·00	11·53	23·00	12·62	29·92	85·84	3·07	7·85	2·96
23	Lanark	85·12	73·20	14·88	26·80	10·29	27·83	84·12	3·96	8·12	3·77
24	Linlithgow . . .	85·76	78·04	14·24	21·96	12·76	38·27	85·58	4·15	6·22	2·37
25	Edinburgh . . .	95·69	90·31	4·31	9·69	6·11	29·81	82·23	3·67	11·12	2·94
26	Haddington . .	92·16	89·02	7·84	10·98	7·06	16·08	88·24	1·18	9·41	1·18
27	Berwick . . .	98·50	94·00	1·50	6·00	6·50	10·50	85·00	2·00	9·50	3·00
28	Peebles . .	100·00	90·92	0·00	9·08	3·03	21·21	83·33	1·52	13·64	0·00
29	Selkirk	98·88	98·88	1·12	1·12	6·18	16·85	87·64	2·81	7·87	1·12
30	Roxburgh . . .	97·97	94·48	2·03	5·52	7·27	21·22	89·53	1·45	7·56	1·45
31	Dumfries . . .	98·73	95·78	1·27	4·22	5·06	16·67	84·60	2·11	9·28	3·16
32	Kirkcudbright .	97·06	95·59	2·94	4·41	6·62	16·91	81·25	2·21	12·87	1·84
33	Wigtown . . .	92·12	87·97	7·88	12·03	9·96	17·01	85·48	1·66	10·37	2·07
	EDINBURGH . .	96·88	92·13	3·12	7·87	4·95	18·90	82·18	3·78	11·08	2·96
	GLASGOW . .	85·95	72·36	14·05	27·64	8·94	24·54	82·38	4·62	8·51	4·48

throughout Scotland. It often happens that in selecting the celebrant of a marriage the choice of the contracting parties is determined by necessity, convenience, or even it may be by caprice. All that can be fairly assumed from the circumstance of a marriage being registered as performed by the clergyman of any denomination of Christians, is that the parties married were understood by him to profess the faith of Christians.

Of the whole marriages, 45·56 per cent. were celebrated by ministers of the Established Church of Scotland, 21·71 per cent. by ministers of the Free Church, 13·44 by those of the United Presbyterian Church, 9·16 per cent. by those of the Roman Catholic Church, 2·42 per cent. by Episcopalian clergymen, 6·93 per cent. according to the rites of minor denominations, 0·04 per cent. according to the practice of unspecified denominations, and 0·74 per cent. in an irregular manner, without previous proclamation of banns, or without religious ceremony.

Of 26,748 men who married in 1873, the age was recorded in all but 21 instances. In 2229 cases, or 8·33 per cent. of all the marriages recorded, the husband had not attained the age of 21 years. Of the females married during the year, the ages of 21 were not ascertained, 20 were aged 60 years and upwards, and 6129, or 22·91 per cent., were under 21 years of age. One girl in the Mainland-Rural Group of Districts is stated to have been married under the age of 15 years.

In 22,648 instances, or 84·89 per cent. of all marriages, bachelors espoused spinsters; in 2368 cases, or in 8·88 per cent., widowers were united to spinsters; in 851, or 3·18 per cent. of all marriages, widowers and widows entered into wedlock; and 813 bachelors became the husbands of widows, constituting 3·05 per cent. of the whole marriages of 1873. The percentage of men and women who at the time of their marriage signed the register in writing, or merely appended their mark, is illustrated in the first four columns of Table XVIII., which thus furnish a rude approximation to the state of elementary education in each county of Scotland. It appears that in the Counties of Ross and Cromarty, and of Inverness, from 21 to 29 per cent. of men who are married sign the marriage register with a mark; while the females marrying in these counties adhibit their marks in from 37 to nearly 47 out of every hundred instances of marriage. In other parts of the country a much larger proportion of the males who marry can write their names; but in no less than ten counties one-fifth at least of the females resort to a 'mark' when called upon to sign the marriage register. Although some improvement in national education is indicated by the figures given in Table XVIII. in successive years, it is probable that some time must yet elapse before the accomplishment of writing becomes very general among the adult population of such Counties as Ross, Sutherland, and Inverness. It will naturally be some years before the recent Education Acts, which apply to the young, will produce their full effect upon men and women aged 21 and upwards.

In accordance with custom there are appended to Table XVIII. two lines in which the state of Edinburgh and Glasgow is contrasted in relation to the frequency of 'marks' in the marriage-register. Every year there seems to be some slight sign of improvement in the numbers that apply to Glasgow; but when one considers the large influx of poor and uneducated Irish children by which its population is annually recruited, it seems hopeless to expect that for a generation at least the state of education among all adults will be as satisfactory in Glasgow as in Edinburgh.

DEATHS.

The Deaths registered in all Scotland during 1873 were 76,946, and consequently occurred at the rate of very nearly 224 for every ten thousand of estimated population. During the ten years terminating with 1872, the average death-rate for every ten thousand inhabitants of Scotland was 223, which was likewise the average death-rate of the year 1872. Hence the mortality of 1873 contrasts unfavourably with that which prevailed during the last few years.

In England, the death-rate of 1873 was 211 per ten thousand, and the mean of the ten previous years having been 226, the rate of mortality in 1873 was 15 per ten thousand of population below the average, thus indicating a more satisfactory state of public health than existed in Scotland.

TABLE XIX.—DEATHS of MALES and FEMALES in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1873.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157

TABLE XX.—Percentage of MALE and FEMALE DEATHS to the Population in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1873.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085		See	Note	
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114		on	p. 28.	
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654

As regards the Five Groups of Districts into which for Registration purposes it has been found convenient to divide Scotland, the deaths were,—30,008 in the Eight Principal Towns, 9306 in the Large Towns, 17,357 in the Small Towns, 18,098 in the Group of Mainland-Rural Districts, and 2177 in the Insular-Rural Districts.

The proportion of deaths to estimated population was in the Principal Towns, 26·92 per thousand, 26·79 in the Large Towns, 21·93 in the Small Towns, 17·3 in the Mainland-Rural Group, and 16·62 in the Insular-Rural Districts. It may be here remarked that in every Group, except the Principal Towns, the general death-rate of 1873 was somewhat higher than that of 1872.

It seems superfluous to occupy our space in pointing out how clearly the general death-rate of each Group of Districts is seen to be influenced by the degree of aggregation of its population. The general death-rate is, however, by no means an infallible guide to the relative salubrity of different localities. As we have in former Reports pointed out, the composition of the population in each locality is a very important element in all such comparative views. The relative numbers of infants, of adolescents, of adults, of males and of females, and the mortality that prevails among those belonging to each of these classes, should all be known before any very decided opinions as to the salubrity of different localities are warranted. The Census data for 1861 and 1871, and the information arranged in our Tables XIX.–XXVII., enable any one interested in such subjects to study the mortality of each of our Registration Groups and Principal Towns in a thorough manner. However such mortality is regarded, whether as affecting males or females, infants, children under five years of age, or persons of adult age, the doctrine appears to be amply justified which connects the general death-rate of a population with the degree of density with which it is aggregated.

The death-rate in the Eight Principal Towns of Scotland was, in 1873,

TABLE XXI.—TOWN DEATHS, 1863–1873. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.
Glasgow . . .	13329	13674	13914	12829	12578	13832	15648	13955	15790	14053	14499
Edinburgh . . .	4593	4678	4858	4813	4765	4781	5406	4715	5447	5484	4578
Dundee	2714	3105	3000	3130	2952	2917	3564	3185	3336	3491	3281
Aberdeen . . .	1750	2139	1981	2324	1824	2029	1787	1927	1997	2119	2120
Greenock . . .	1876	1929	1675	1488	1433	1658	1750	1674	1772	1697	2220
Paisley	1218	1521	1410	1345	1335	1221	1449	1352	1453	1430	1589
Leith	913	928	948	924	1064	973	1169	1059	1081	1338	1084
Perth	652	871	729	613	569	626	694	641	550	587	637

TABLE XXII.—Proportion of TOWN DEATHS, 1863–1873. Annual Percentage of Deaths to the Population in each of the Principal Towns of Scotland.

Towns.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	Mean Annual Mortality.	1873.
Glasgow .	3·22	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	3·104	2·91
Edinburgh	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·547	2·20
Dundee .	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·811	2·56
Aberdeen	2·27	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·35	2·386	2·31
Greenock	3·99	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	2·73	2·780	3·47
Paisley .	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·622	3·28
Leith .	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·358	2·21
Perth . .	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·461	2·41

26·92 for every thousand of estimated population (Table XXVIII.). The highest death-rate, 3·47 per cent., was recorded in Greenock. In Glasgow the rate was 2·91 per cent.; in Edinburgh, 2·2 per cent.; in Dundee, 2·56 per cent.; in Aberdeen, 2·31 per cent.; in Paisley, 3·28 per cent.; in Leith, 2·21 per cent.; and in Perth, 2·41 per cent. (Table XXII). In Greenock and Paisley only these rates were higher than those furnished by the ten years ending with 1872. In Edinburgh, Leith, and Dundee, so low a death-rate had not prevailed in any one of the ten years.

The deaths in All Scotland were 76,946, and of these 39,037 occurred in males and 37,909 in females. When these numbers are contrasted with

Table XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the year 1873.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8322	6628	3580	2876	1113	876	1939	1494	1527	1256	163	126
— 2	3320	2981	1692	1458	413	426	716	664	452	386	47	47
— 3	1450	1415	680	686	179	199	338	330	237	176	16	24
— 4	951	902	449	424	130	120	199	192	156	149	17	17
— 5	695	677	306	303	79	93	176	160	123	112	11	9
0– 5 Years	14738	12603	6707	5747	1914	1714	3368	2840	2495	2079	254	223
5–10	1870	1748	801	768	249	175	420	434	367	342	33	29
10–15	1055	958	429	355	137	126	247	236	220	213	22	28
15–20	1324	1262	474	475	169	155	319	299	325	293	37	40
20–30	2817	2640	1075	1116	349	336	654	567	642	544	97	77
30–40	2264	2396	1028	1001	293	290	423	501	460	517	60	87
40–50	2543	2462	1131	1114	318	320	558	480	489	491	47	57
50–60	2977	2798	1163	1156	353	312	704	617	698	637	59	76
60–70	3620	3623	1237	1323	438	399	799	804	1042	992	104	105
70–80	3629	4286	856	1156	373	448	872	1039	1384	1429	144	214
80–90	1892	2642	290	505	145	220	432	585	901	1153	124	179
90–100	273	459	30	63	21	43	68	76	121	238	33	39
100 and above	8	16	–	1	1	1	3	5	3	8	1	1
Not stated	27	16	6	1	6	1	2	5	8	7	5	2
All Ages	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157

Table XXIV.—Percentage of Deaths to the Population at each Age, 1873.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15·934	13·025	19 945	16·511	19·968	16·012	15·509	12·329	10·343	8·715	10·773	8·273
— 2	7·325	6·788	11·369	10·114	8·614	9·161	6·811	6 332	3·328	2·954	3·333	3·618
— 3	3·076	3·099	4·581	4·658	3·653	4·105	2·922	3·002	1·655	1·292	1·051	1·615
— 4	2·053	1·998	3·091	2·982	2·715	2·593	1·771	1·728	1·104	1·093	1·043	1·092
— 5	1·542	1·553	2·211	2·259	1·721	2·058	1·612	1·514	0·878	0·828	0·644	0·583
0– 5 Years	6·242	5·498	8·819	7·746	7·762	7·107	5·921	5·138	3·524	3·046	3·261	3·023
5–10	0·893	0·857	1·288	1·247	1·160	0·838	0·825	0·876	0·550	0·529	0·420	0·395
10–15	0·543	0·516	0·758	0·637	0·696	0·668	0·524	0·522	0·351	0·364	0·282	0·382
15–20	0·774	0·736	0·874	0·803	0·973	0·872	0·799	0·768	0·608	0·594	0·598	0·615
20–30	1·082	0·884	1·069	0·988	1·261	1·088	1·185	0·872	0·913	0·681	1·320	0·752
30–40	1·198	1·046	1·489	1·219	1·490	1·231	1·016	0·979	0·875	0·855	0·928	0·639
40–50	1·688	1·374	2·294	1·842	2·040	1·801	1·617	1·183	1·064	0·974	0·881	1·035
50–60	2·952	2·090	3·608	2·778	3·240	2·466	2·782	2·019	1·861	1·494	1·238	1·217
60–70	4·900	3·792	6·778	4·925	6·652	4·623	4·734	3·647	3·706	3·007	2·766	2·197
70–80	10·255	8·639	13·198	9·950	13·411	10·646	10·544	9·017	9·147	7·527	5·882	5·720
80–90	22·757	19·746	26·752	21·227	26·459	21·696	24·913	20·447	21·880	19·533	16·337	15·911
90–100	46·271	36·673	37·975	36·500	65·625	45·745	54·400	34·081	42·606	38·720	46·479	35·455
100 and above	50·000	29·630	0·000	8·491	65·890	18·483	28·572	55·555	29·703	36·364	41·264	47·393
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
Total	2·381	2·117	2·895	2·512	2·915	2·516	2·343	2·056	1·803	1·661	1·683	1·644

the estimates of male and female population which are contained in Table II., it is found that for every thousand persons the deaths amounted to 22·43; for every thousand males, 23·81; and for every thousand females only 21·17. The general death-rate for males is consequently higher than in 1872; that for females is, however, rather less than it was last year. It is of course well understood that the male deaths are always more numerous than the female. For every hundred females born in Scotland there are at least 105·5 male births, yet our estimates of population, founded upon the Census enumeration of 1871, show that for every hundred males living at the middle of 1873 there were living fully 109·2 females. The preponderance of male births, we have good reason to believe, has been annually occurring for generations; hence the present redundancy of the female population can only have been brought about by a comparatively rapid disappearance of the male population. This may, perhaps, be in some slight degree due to the greater numbers of males that emigrate; but it is perfectly understood that the greater mortality of the males at almost every period of life is the only cause that deserves serious consideration, when we seek for an explanation of the living females having become more numerous than the living males. This cause is effective in every district of Scotland, as reference to Tables XIX.–XXV. will clearly show. It is most instructively illustrated by Table XXIV. From this Table it may readily be seen that during the first year of life, that in which deaths are by far most numerous, the mortality of males greatly exceeded that of females, not only in Scotland at large, but in every one of its Five Groups of Registration Districts. During the second year of life, there was an excess of male mortality in all the Groups except the Large Towns and the Insular-Rural Districts. During the third year of life, the death-rate of females exceeded that of males in all the Town Districts, though not in either of the Rural Groups; but during the fourth year of life, the deaths of males again preponderated. Of those aged between four and five years, the females died at a comparatively high rate in the Principal Towns and Large Towns, and although elsewhere the male mortality was the larger, yet the influence of the large numbers constituting the population of the great towns causes the

Table XXV.—Percentage of Deaths at each Age to the Total Deaths, 1873.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·32	17·48	23·51	19·46	23·35	19·30	21·86	17·60	16·68	14·04	15·98	10·89
— 2	8·50	7·86	11·11	9·86	8·67	9·38	8·07	7·82	4·94	4·32	4·61	4·06
— 3	3·71	3·73	4·47	4·64	3·76	4·38	3·81	3·89	2·59	1·97	1·57	2·07
— 4	2·44	2·38	2·95	2·87	2·73	2·64	2·24	2·26	1·70	1·67	1·67	1·47
— 5	1·78	1·79	2·01	2·05	1·66	2·05	1·98	1·89	1·34	1·25	1·08	0·78
0– 5	37·75	33·24	44·05	38·88	40·17	37·75	37·96	33·46	27·25	23·25	24·91	19·27
5–10	4·79	4·61	5·26	5·20	5·22	3·85	4·74	5·11	4·01	3·82	3·24	2·51
10–15	2·70	2·53	2·72	2·40	2·87	2·78	2·78	2·78	2·40	2·38	2·16	2·42
15–20	3·39	3·33	3·11	3·21	3·55	3·41	3·60	3·52	3·55	3·28	3·63	3·46
20–30	7·22	6·96	7·06	7·55	7·32	7·40	7·37	6·68	7·01	6·08	9·51	6·66
30–40	5·80	6·32	6·75	6·77	6·15	6·39	4·77	5·90	5·02	5·78	5·88	7·52
40–50	6·51	6·49	7·43	7·54	6·67	7·05	6·29	5·66	5·34	5·49	4·61	4·93
50–60	7·63	7·38	7·64	7·82	7·40	6·87	7·94	7·27	7·62	7·12	5·78	6·57
60–70	9·27	9·54	8·22	8·94	9·19	8·79	9·02	9·47	11·39	11·09	10·19	9·08
70–80	9·30	11·34	5·62	7·82	7·83	9·87	9·84	12·24	15·13	15·99	14·11	18·49
80–90	4·85	6·97	1·90	3·42	3·04	4·85	4·87	6·89	9·84	12·89	12·15	15·46
90–100	0·70	1·21	0·20	0·43	0·44	0·95	0·77	0·90	1·32	2·66	3·24	3·37
100 and above	0·02	0·04	0·00	0·01	0·02	0·02	0·03	0·06	0·03	0·09	0·10	0·09
Not stated	0·07	0·04	0·04	0·01	0·13	0·02	0·02	0·06	0·09	0·08	0·49	0·17
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

excessive female mortality felt in them slightly to preponderate likewise in Scotland regarded as a whole.

At every period of life after the fifth year the rate of male mortality in 1873 exceeded the female rate. This must, however, be regarded as in some slight degree an exceptional circumstance, for between the ages of 10 and 15 the female death-rate is in general slightly higher than the male rate.

The subject of infant mortality is well illustrated in several of our Tables, and especially in Table XXIV., which exhibits the percentage of deaths to the population of each Group of Districts at certain ages. During the whole period of childhood, and more particularly during the first year of life, the mortality is seen to vary exceedingly in the different groups. Thus the male mortality of infants under one year of age was in the Principal Towns and Large Towns about 20 per cent.; in the Small Towns, 15½ per cent.; in the Mainland-Rural, 10·3; and in the Insular-Rural, 10·8 per cent. If attention be directed to the figures expressing the male mortality during the first quinquennial period of life, it may be seen that in the Principal Towns, it was in 1873, 8·8 per cent.; in the Large Towns, 7·8 per cent.; in the Small Towns, 5·9 per cent.; in the Mainland and Insular-Rural Districts, 3·5 and 3·3 per cent. respectively. Similar figures occur year after year in these Detailed Reports, and very clearly demonstrate that life in a crowded city is far more trying to the health of children than residence in our agricultural or island districts, accompanied as it too often must be in the latter case with poverty and privation.

But it is not merely at the earlier stages of life that the baneful effects of town life and dense aggregation of population are made manifest. If Table XXIV. be examined, it will be found that at every age, even up to the utmost limit of life, there is a decided increase of mortality as we proceed from the sparsely-peopled Insular and Mainland-Rural Districts to the Towns, and that it is in the Principal and Large Towns that this mortality has its maximum. In former years notice has been taken of the great mortality of males aged between 20 and 30 years in the Insular-Rural

TABLE XXVI.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1873.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3255	876	804	422	471	266	265	97
— 2	1783	402	280	181	234	135	113	22
— 3	732	134	127	90	142	78	50	13
— 4	475	85	86	49	83	58	30	7
— 5	328	67	59	30	71	33	16	5
0– 5 Years	6573	1564	1356	772	1001	570	474	144
5-10	826	159	132	111	160	127	33	21
10-15	395	87	73	60	74	55	17	23
15–20	495	120	89	69	61	70	26	19
20-30	1088	329	204	151	211	104	64	40
30-40	964	345	239	124	148	81	77	51
40-50	1053	395	289	118	139	108	83	60
50-60	1072	422	277	136	141	117	88	66
60-70	1077	507	336	190	135	152	96	67
70-80	714	428	209	239	108	137	84	93
80-90	219	198	71	132	34	57	40	44
90-100	20	24	6	18	5	9	2	9
100 and above	1	–	–	–	–	–	–	–
Not stated	2	–	–	–	3	2	–	–
ALL AGES	14499	4578	3281	2120	2220	1589	1084	637

Districts, which is so great as considerably to exceed that of males of like age in the Principal and Large Towns. The same observation again meets our view in the Tables for 1873. Perhaps it cannot be better explained than by reference to the fact, that the Deaths by Drowning constitute a considerable proportion of the deaths of males at this age in the Insular Districts. We know what a number of young fishermen annually meet a watery grave on the coasts of our islands, and it has been explained in our Report for 1872, that bodies washed ashore on our islands are presumed to have belonged to natives of the soil in which they are interred.

In Tables XXIII. and XXV. another mode of regarding the mortality in different places, and at various ages, is afforded. The numbers dying at each specified age are here contrasted with the total deaths at All Ages; and again the gradation in the death-rates of the several Groups of Districts becomes apparent. During the first five years of life, 44 per cent. of All Deaths of males occur in the Principal Towns; 40 per cent. in the Large Towns; 38 per cent. in the Small Towns; 27 per cent. in the Mainland-Rural, and 25 per cent. in the Insular-Rural Districts. It is unnecessary to review the facts of a similar nature stated for other ages; it may, however, be mentioned that the excess of male deaths between the ages of 20 and 30 in the Insular Districts, to which attention was called in the preceding paragraph, is again very distinctly brought out in Table XXV. Such deaths constitute no less than 9½ per cent. of all male deaths occurring in the Insular-Rural Districts, while they amount to only 7 per cent. in the Mainland-Rural Districts; and in no District, except the Islands, do they constitute much above 7 per cent. of All Deaths.

Table XXV. affords likewise great facilities for estimating the comparative longevity of the inhabitants of the Five Groups of Districts. Of course implicit credence should not be accorded to the wonderful tales of extreme old age which pass current in our Highland and Island Districts; but it may be safely assumed that the number of deaths occurring at the age of seventy and upwards in each district are annually stated with great accuracy. If then the cases of females only be considered, we can find from Table XXV. that there died at the age of seventy and upwards in 1873, 19·6 per cent. of those dying in All Scotland, 11·7 per cent. in the Principal Towns, 15·7 per cent. in the Large Towns, 20·2 per cent. in

TABLE XXVII.—PERCENTAGE of DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1873.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·60	14·68	20·69	14·47	21·23	18·36	15·95	14·56
— 2	13·33	8·06	8·62	7·22	12·39	10·95	7·94	3·44
— 3	5·52	2·61	3·57	3·75	7·74	6·17	3·35	2·04
— 4	3·73	1·74	2·49	1·95	4·51	4·60	2·12	1·09
— 5	2·72	1·42	1·77	1·30	4·06	2·71	1·25	0·85
0- 5 Years	9·66	6·09	7·76	6·10	10·50	8·87	6·52	4·54
5-10	1·50	0·74	0·89	1·04	2·13	2·23	0·56	0·72
10-15	0·79	0·44	0·54	0·63	1·18	1·01	0·34	0·85
15-20	0·99	0·56	0·65	0·75	1·05	1·32	0·59	0·75
20-30	1·08	0·80	0·88	1·00	1·71	1·31	0·71	0·95
30-40	1·41	1·20	1·40	1·09	1·58	1·37	1·11	1·48
40-50	2·14	1·91	2·21	1·36	2·32	2·32	1·76	2·06
50-60	3·41	2·83	3·35	2·02	3·67	3·42	2·82	3·14
60-70	6·10	5·26	6·73	3·93	5·97	6·42	5·28	4·48
70-80	11·36	10·01	11·24	10·68	12·63	12·95	11·59	12·02
80-90	19·73	24·21	22·19	24·40	20·73	27·67	30·77	26·35
90-100	21·74	38·10	20·00	42·86	25·00	47·37	28·57	56·25
100 and above	12·50	–	–	–	–	–	–	–

the Small Towns, 31·7 per cent. in the Mainland-Rural Districts, and 37·6 per cent. in the Insular-Rural Group.

NOTE.—In reference to Table XX., the last four columns of which are left blank, except for the years 1871, 1872, and 1873, it is necessary to explain that the alterations upon the constitution of the Mainland and Insular-Rural Districts have been such that we do not feel justified in attempting to adjust the numbers of males and females in these Districts between 1855 and 1870.

CAUSES OF DEATH.

The total number of registered Deaths was 76,946, but the actual cause of death was certified so as to be available for statistical purposes in only 75,397 cases; hence 1549 deaths, or 2·05 per cent. of all that occurred, were due to Unspecified Causes. In must not, however, be inferred that a medical certificate stating the cause of death was obtained in almost every instance; on the contrary, the authority for the assigned cause of death is frequently obtained by the Registrars from the parents, relatives, or intelligent friends of the deceased, but effect is never given to their information when medical testimony can be procured. Whenever a certificate from a duly registered medical practitioner is forthcoming, it is the duty of the Registrar to record the fact. Of course the sparseness of the population, and the scarcity of medical men, render the occurrence of deaths from Unknown or Unspecified Causes more frequent in some parts of the country than in others. In Edinburgh, the percentage of Deaths from Unspecified Causes in 1873 was only 0·2, while in the Insular-Rural Districts it was nearly 13·4, and in Shetland alone about 13·9.

The deaths from Diseases of the Zymotic Class were 14,956, constituting 19·84 per cent. of all deaths from Specified Causes. This mortality from Zymotic Diseases is considerably lower than that which we have had occasion of late years to report. On referring to Table XXVIII. it will be seen that these diseases proved fatal to 469 out of every hundred thousand males, to 423 out of a like number of females, and to 445 out of every hundred thousand persons in Scotland.

In Table XXXII. the principal Zymotic Diseases are so arranged as to show, firstly, the number of deaths which each has caused at five different periods of life; and, secondly, the percentage of deaths from each cause at each period. When it is considered that the contagious exanthemata, and such diseases as Hooping-cough, Croup, and Diarrhœa are classified among the Zymotic Diseases, it is only natural to expect that an enormous proportion of deaths from this class of complaints must be found among infants and children. Such indeed is the case, and of the total deaths from Zymotic Diseases that were registered in 1873, fully 73 per cent. occurred among persons under 15 years of age, and nearly 58 per cent. among children under five years old. There are, however, certain diseases in this class which do not obey this law. Thus, of the deaths from the Group of Fevers, including five distinct forms of disease, at least 58 per cent. are seen to have taken place among persons aged 15 and upwards; and if the deaths from Typhus and Typhoid Fevers only be reviewed, it will be found that about 63 per cent. of them occurred among adults. Smallpox too is another important exception to the law—not, as we have excellent reason for believing, because the young are less liable to suffer from Smallpox than the old, but because such is the protective influence of vaccination,

that a fatal case of Smallpox in a vaccinated child is now fortunately a rarity. There can be little doubt that an unvaccinated child is more likely to contract, and to die of, Smallpox than an unvaccinated adult.

To children during the first five years of life, Hooping-cough was the most fatal Zymotic, and more than 94 per cent. of deaths from this cause took place at this tender age. Diarrhœa was next in order of fatality, and of a hundred deaths from this cause, nearly 67 per cent. occurred at ages under five years. Next followed Scarlatina, with 60 per cent., and Measles, with 91 per cent. of deaths at this early age; then Croup and Diphtheria with 88 and 66 per cent. of deaths respectively. In this brief review the diseases are ranged according to the number of deaths which each caused at the first period of life in Table XXXII.

Between the ages of 15 and 60, there were 1203 deaths from Fevers, constituting very nearly 49 per cent. of all registered deaths from these complaints; there were likewise 683 deaths from Smallpox, being nearly 67 per cent. of all that occurred. It may be here observed that the benefits of vaccination were not secured by statute to children in Scotland till 1864; and consequently the proportion of the unvaccinated among the members of the population aged between 15 and 60 must in 1873 have been far greater than in a few years it will become.

Among persons above 60 years of age there were 463 deaths from Diarrhœa, being 21½ per cent. of all deaths from this cause; 228 deaths from Fevers, or 9 per cent. of all that occurred; 144 deaths from Dysentry, or 49 per cent. of all fatal cases.

For every hundred thousand persons living in the Principal Towns, there were from Zymotic Diseases 591 deaths. In the other Groups of Districts the rates were: 557 in the Large Towns, 456 in the Small Towns, 265 in the Mainland; and 256 in the Insular-Rural Group.

We have next to pass in review the deaths from Zymotic Diseases registered in each of the Eight Principal Towns of Scotland. In doing this, it will be merely necessary to note the chief particulars contained in Tables XXX. and XXXI., and to arrange the towns as in former Reports according to the proportion of the population of each which was in 1873 destroyed by diseases of the Zymotic Class.

(1.) In Greenock Zymotic Diseases cut off 1118 of every hundred thousand inhabitants, and thus caused 32·25 per cent. of All Deaths that occurred. Smallpox, with 9·14 per cent., Scarlatina with 6·05 per cent., Measles with 4·11 per cent., and Fevers (principally Enteric) with 3·23 per cent. of All Deaths, were the ruling epidemics.

(2.) In Paisley the Zymotic deaths were 832 to every hundred thousand of estimated population, and constituted 25·36 per cent. of the mortality from All Causes. Scarlatina alone caused 13·64 per cent. of all deaths. Other epidemic disorders appear to have been comparatively in abeyance. Even Fevers contributed only 2·29 per cent. to the general mortality.

(3.) In Glasgow there were 631 Zymotic deaths for every hundred thousand persons living, and the deaths of this class consequently amounted to 21·82 per cent. of the total mortality of the city. Measles and Scarlatina each caused 4 per cent. of the deaths from All Causes; Diarrhœa, 3·23 per cent.; Fevers, and especially Enteric Fever, 2·59 per cent.; Hooping-cough, 2·12 per cent.; and Smallpox, 1·58 per cent.

(4.) In Dundee the Zymotic deaths were 578 to every hundred thousand inhabitants, and thus bore the proportion of 22·57 per cent. to the gross mortality. By far the most fatal epidemic disorder was Diarrhœa, which accounted for 6·5 per cent. of all deaths. Next in order of fatality are

found Fevers (Typhus being by far the most frequent form), causing 3·44 per cent. of the deaths; Diphtheria, with 3·2 per cent.; Hooping-cough, with 1·98 per cent.; and Scarlatina, with 1·13 per cent.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2243	2381	2117	2692	2895	2510	2679	2855	2516
1. Zymotic Class . . .	445	469	423	591	639	548	557	579	536
2. Uncertain Seat . .	83	71	93	84	71	96	89	80	98
3. Tubercular Class .	356	366	346	448	462	436	460	466	455
4. Nervous System . .	215	232	199	258	285	235	261	287	237
5. Organs of Circulation	134	145	124	146	153	140	151	154	148
6. Respiratory Organs	373	406	342	524	571	481	455	511	403
7. Organs of Digestion	155	167	144	173	183	164	186	206	168
8. Urinary Organs . .	41	59	24	46	65	29	34	47	22
9. Generative Organs .	16	–	31	19	–	35	15	–	34
10. Locomotive Organs .	15	18	13	18	23	13	16	21	11
11. Skin, etc.	3	3	3	4	3	4	3	4	2
12. Malformation . . .	7	9	6	7	9	6	6	7	6
13. Premature Debility .	112	132	93	138	168	112	143	173	116
14. Atrophy	17	15	18	19	19	19	25	23	26
15. Age	185	153	214	113	86	137	190	158	220
16. Sudden Deaths . .	4	4	4	6	7	4	6	7	5
17. Violent Deaths . .	84	132	41	99	152	51	82	123	35
Small-pox	33	41	26	42	54	32	75	89	62
Measles	43	44	42	81	89	74	46	42	50
Scarlatina	66	72	61	102	111	94	56	59	54
Diphtheria	36	37	34	35	37	35	42	44	41
Hooping-cough . .	48	45	50	57	56	58	67	58	76
Croup	34	40	28	38	45	32	46	55	37
DIARRHŒA . .	64	68	61	96	105	89	78	75	82
Dysentery	9	10	8	8	8	8	13	15	11
Cholera	4	5	2	4	6	3	7	10	4
Influenza	4	3	4	3	2	4	3	2	3
ALL FEVERS, viz.	73	76	70	84	94	73	83	92	73
Typhus . .	19	20	17	28	31	25	17	21	14
Enteric . .	44	46	43	43	50	36	57	65	48
Relapsing . .	1	1	1	1	1	1	1	1	2
Continued . .	6	5	6	7	6	8	6	4	7
Infantile . .	3	4	3	5	6	3	2	1	2
Metria	7	–	14	10	–	19	8	–	16
Erysipelas	9	11	8	12	13	11	10	13	7
Dropsy	19	18	20	19	19	20	21	18	24
Cancer	46	34	57	44	29	58	49	39	58
Scrofula	21	23	19	27	29	26	20	24	15
Tabes Mesenterica .	30	36	24	40	51	31	42	44	43
PHTHISIS . . .	246	240	252	304	294	313	300	281	318
Hydrocephalus . .	58	67	51	77	88	67	98	116	83
Apoplexy	49	51	47	61	63	59	50	51	49
Paralysis	63	64	62	59	63	54	78	82	74
Epilepsy	8	8	8	9	11	8	11	10	12
Convulsions . . .	33	37	29	49	58	42	46	56	37
BRONCHITIS . .	247	255	240	369	390	350	304	307	300
Pneumonia . . .	90	111	70	118	140	97	117	157	80
Teething	23	25	21	35	38	33	24	22	25
Enteritis	27	31	24	30	34	26	37	42	33
All Liver Diseases .	35	37	33	37	40	35	40	43	36
CHILDBIRTH . .	10	–	19	12	–	24	8	–	16
Burns and Scalds .	8	8	7	9	10	8	7	7	7
Drowning	19	34	6	17	32	4	20	35	5
Fracture & Contusion	31	56	9	41	72	12	31	57	7

(5.) In Aberdeen the Zymotic Diseases were fatal to 492 out of a hundred thousand living, and caused 21·27 per cent. of deaths from All Causes. To Scarlatina, 4·92 per cent.; to Hooping-cough, 3·92 per cent.;

Hundred Thousand Persons of the Population in 1873, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Persons living.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2193	2343	2143	1730	1803	1661	1662	1683	1644
1. Zymotic Class . . .	456	477	436	265	272	257	256	251	259
2. Uncertain Seat . .	80	71	89	83	72	93	71	57	83
3. Tubercular Class .	355	370	340	236	242	230	236	251	221
4. Nervous System . .	212	217	206	168	178	159	107	150	68
5. Organs of Circulation	132	151	114	128	138	119	47	59	36
6. Respiratory Organs	326	363	292	238	256	222	197	181	210
7. Organs of Digestion	160	171	150	130	143	118	81	80	81
8. Urinary Organs . .	38	51	26	41	62	21	27	49	8
9. Generative Organs .	16	–	30	14	–	27	16	–	29
10. Locomotive Organs .	12	15	11	13	15	12	27	27	28
11. Skin, etc.	3	3	2	3	3	2	2	–	3
12. Malformation . . .	10	12	7	7	7	6	1	2	–
13. Premature Debility .	119	141	98	75	82	67	46	63	31
14. Atrophy	19	16	22	11	10	12	11	2	18
15. Age	165	143	186	244	205	282	464	382	565
16. Sudden Deaths . .	2	1	2	3	3	2	2	4	–
17. Violent Deaths . .	89	140	42	69	109	32	62	110	20
Small-pox	33	43	24	13	14	11	16	19	13
Measles	35	35	36	10	9	11	14	11	16
Scarlatina	69	78	61	32	34	31	35	42	29
Diphtheria	42	42	42	32	35	29	16	17	15
Hooping-cough . .	52	48	55	29	29	29	41	36	44
Croup	38	45	31	21	25	17	37	34	39
DIARRHŒA . .	59	63	54	34	36	33	12	15	10
Dysentery	10	11	10	7	9	6	8	6	10
Cholera	4	5	3	2	3	1	–	–	–
Influenza	3	4	3	4	4	4	10	10	10
ALL FEVERS, viz.	82	78	84	55	54	56	55	44	61
Typhus . . .	15	15	15	11	11	11	22	25	20
Enteric . . .	55	50	59	37	37	37	26	17	34
Relapsing . .	2	2	1	–	–	–	2	2	2
Continued . .	6	6	6	4	3	5	5	–	5
Infantile . .	4	5	3	3	3	3	–	–	–
Metria	7	–	14	5	–	10	4	–	7
Erysipelas	9	15	6	8	9	7	3	4	2
Dropsy	19	17	21	18	18	17	30	23	36
Cancer	45	36	54	48	36	59	35	29	41
Scrofula	22	25	19	16	18	14	9	10	8
Tabes Mesenterica .	27	32	23	18	22	15	11	17	7
PHTHISIS . . .	248	242	250	172	171	173	197	200	194
Hydrocephalus . .	58	69	48	30	31	28	19	25	13
Apoplexy	49	51	47	38	41	36	19	29	11
Paralysis	68	63	72	62	60	64	36	49	24
Epilepsy	8	5	11	6	6	6	8	10	7
Convulsions . . .	26	27	26	16	17	16	17	21	11
BRONCHITIS . .	209	216	203	145	145	145	83	78	86
Pneumonia	83	103	64	62	80	46	30	25	34
Teething	23	28	19	11	13	9	2	2	2
Enteritis	32	35	30	21	25	17	8	11	5
All Liver Diseases .	33	33	34	33	35	31	29	32	26
CHILDBIRTH . .	9	–	17	7	–	15	11	–	21
Burns and Scalds .	8	8	9	6	6	5	4	4	5
Drowning	20	34	7	21	34	8	28	59	2
Fracture & Contusion	30	53	8	25	43	8	16	25	8

to Fevers, 3·64 per cent.; to Diarrhœa, 2·88 per cent.; and to Diphtheria, 118 per cent. of the total deaths were attributed.

(6.) In Leith the Zymotic deaths were 439 per hundred thousand of

---

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	1984	1969	1998	2194	2206	2182	2079	2029	2130
2. Uncertain Seat	369	300	439	313	244	383	333	278	389
3. Tubercular Class	1585	1536	1635	1666	1595	1738	1718	1630	1808
4. Nervous System	958	973	942	959	984	935	975	1005	943
5. Organs of Circulation	598	608	588	543	530	556	563	538	590
6. Respiratory Organs	1661	1705	1615	1945	1972	1918	1697	1789	1600
7. Organs of Digestion	691	700	681	643	633	654	695	722	666
8. Urinary Organs	181	246	115	171	225	115	127	165	87
9. Generative Organs	72	–	145	69	–	140	56	–	114
10. Locomotive Organs	68	76	59	65	78	52	59	73	45
11. Skin, etc.	13	14	12	13	12	14	10	13	7
12. Malformation	32	36	28	27	30	24	23	24	22
13. Premature Debility	498	555	439	514	580	447	535	606	460
14. Atrophy	74	64	85	69	65	74	92	81	103
15. Age	823	641	1010	420	298	545	711	555	874
16. Sudden Deaths	17	19	15	21	24	18	22	24	20
17. Violent Deaths	377	556	192	364	525	204	307	467	141
Small-pox	149	174	124	157	186	126	281	313	248
Measles	192	187	198	302	307	297	172	146	199
Scarlatina	295	302	288	379	384	374	210	206	215
Diphtheria	159	157	162	132	126	137	159	154	163
Hooping-cough	212	189	235	212	192	231	250	201	302
Croup	150	166	134	142	155	129	171	193	147
DIARRHŒA	285	284	286	358	362	354	292	261	324
Dysentery	39	40	38	29	27	30	48	51	45
Cholera	16	20	12	15	20	11	26	34	18
Influenza	16	14	18	11	9	14	11	9	13
ALL FEVERS, viz.	326	321	331	308	324	294	309	324	293
Typhus	83	84	82	104	108	101	65	73	56
Enteric	198	194	202	158	171	145	211	229	192
Relapsing	4	4	4	3	3	3	4	2	7
Continued	25	21	30	26	20	33	22	15	29
Infantile	16	18	13	17	22	12	7	5	9
Metria	33	–	68	37	–	75	31	–	63
Erysipelas	42	47	37	43	44	42	37	45	29
Dropsy	86	77	96	72	67	78	79	64	94
Cancer	204	141	268	164	101	229	183	135	232
Scrofula	94	98	89	101	99	102	73	86	60
Tabes Mesenterica	132	150	115	150	176	123	155	154	156
PHTHISIS	1099	1008	1192	1129	1016	1246	1121	986	1263
Hydrocephalus	260	280	239	285	303	267	368	405	329
Apoplexy	217	215	219	227	219	235	187	178	197
Paralysis	280	267	293	218	219	216	291	287	295
Epilepsy	36	32	40	35	36	33	43	36	49
Convulsions	145	154	136	183	199	167	173	197	150
BRONCHITIS	1102	1072	1133	1369	1347	1393	1133	1076	1194
Pneumonia	399	465	333	437	485	388	436	549	320
Teething	102	106	98	131	132	131	89	77	101
Enteritis	123	132	113	111	118	103	139	148	130
All Liver Diseases	156	155	156	138	137	140	148	152	143
CHILDBIRTH	43	–	87	46	–	94	31	–	63
Burns and Scalds	34	33	34	35	36	33	25	24	27
Drowning	86	144	27	63	109	15	73	124	20
Fracture & Contusion	140	233	44	151	249	50	115	199	27

population, and constituted 19·88 per cent. of deaths from All Causes. Fevers were the most fatal epidemic diseases, causing 5·08 per cent. of the total deaths. It may be here remarked that in Dundee, Leith, and Perth the most

Diseases to the Total Deaths from Specified Causes in 1873.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	Small Town Districts.			Mainland-Rural Districts.			Insular-Rural Districts.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2077	2035	2121	1543	1516	1550	1543	1507	1574
2. Uncertain Seat	366	303	433	478	399	559	430	342	505
3. Tubercular Class	1617	1581	1654	1366	1345	1388	1421	1507	1347
4. Nervous System	965	927	1004	974	991	957	642	902	416
5. Organs of Circulation	601	645	555	741	767	715	281	354	218
6. Respiratory Organs	1486	1548	1421	1380	1423	1336	1182	1073	1277
7. Organs of Digestion	730	728	732	753	798	708	488	479	495
8. Urinary Organs	174	219	128	236	347	124	164	297	49
9. Generative Organs	72	–	148	81	–	164	95	–	178
10. Locomotive Organs	57	62	52	77	81	73	164	160	168
11. Skin, etc.	12	14	10	15	19	10	11	–	20
12. Malformations	44	52	36	38	40	36	5	11	–
13. Premature Debility	542	603	479	432	458	405	276	377	188
14. Atrophy	87	70	106	62	53	70	64	11	109
15. Age	755	610	906	1415	1139	1697	2853	2295	3336
16. Sudden Deaths	9	8	11	16	19	14	11	23	–
17. Violent Deaths	405	596	206	402	605	194	371	662	119
Small-pox	150	182	116	74	79	68	95	114	79
Measles	161	148	174	58	52	65	85	68	99
Scarlatina	315	332	296	188	190	186	212	251	178
Diphtheria	190	178	203	184	195	173	95	103	89
Hooping-cough	235	205	267	166	159	173	244	217	267
Croup	173	193	151	123	141	105	223	205	237
DIARRHŒA	267	270	264	199	198	201	74	91	59
Dysentery	48	48	47	43	49	37	48	34	59
Cholera	19	22	17	10	15	6	–	–	–
Influenza	14	15	13	23	20	25	58	57	59
ALL FEVERS, viz.	373	339	410	321	304	339	335	296	267
Typhus	69	66	73	66	63	69	133	148	119
Enteric	250	213	289	213	207	221	159	103	108
Relapsing	7	10	4	2	1	2	11	11	10
Continued	28	28	28	23	18	29	32	34	30
Infantile	19	22	16	17	15	18	–	–	–
Metria	34	–	70	29	–	59	20	–	40
Erysipelas	42	53	30	45	50	40	16	23	10
Dropsy	88	72	104	102	100	104	180	134	218
Cancer	207	154	263	278	200	358	212	171	247
Scrofula	98	105	91	93	100	85	53	57	50
Tabes Mesenterica	125	136	114	104	120	89	69	103	40
PHTHISIS	1130	1047	1216	996	950	1043	1188	1199	1188
Hydrocephalus	264	293	233	173	175	171	111	148	79
Apoplexy	223	217	228	223	229	216	116	171	69
Paralysis	310	269	353	357	332	383	217	296	149
Epilepsy	35	19	52	33	32	35	48	57	40
Convulsions	120	116	125	94	93	96	96	126	69
BRONCHITIS	953	921	986	840	808	873	498	468	525
Pneumonia	378	441	313	361	442	277	180	148	208
Teething	107	120	94	64	72	57	11	11	10
Enteritis	146	148	144	119	138	100	48	68	30
All Liver Diseases	153	143	163	190	195	185	175	194	158
CHILDBIRTH	41	–	84	43	–	88	69	–	129
Burns and Scalds	38	35	42	33	33	32	27	23	30
Drowning	89	144	32	120	192	47	170	354	10
Fracture & Contusion	136	228	40	144	238	48	95	148	50

prevalent form of Fever during 1873 was Typhus, although in most of the other large towns, in Scotland viewed as a whole, and in every one of its Five Registration Group of Districts, Enteric Fever seems to have caused a far greater number of deaths. 4·44 per cent. of the total mortality of Leith was due to Diarrhœa; 2·31 per cent. to Croup and to Measles; 2·22 per cent. to Hooping-cough; and 1·2 per cent. to Scarlatina.

(7.) In Edinburgh the Zymotic deaths removed 390 out of every hundred thousand of estimated population, constituting 17·73 per cent. of the whole mortality of the city. Fevers seem to have been the most destructive epidemic, causing 3·7 per cent. of all deaths registered: 3·52 per cent. of deaths were due to Diarrhœa; 2·95 per cent. to Measles; 2·01 per cent. to Hooping-cough; 1·16 per cent. to Scarlatina; and 1·03 per cent. to Croup.

(8.) In Perth the Zymotic deaths to a hundred thousand of population were 331, or 13·72 per cent. of All Deaths. Fevers (chiefly Typhus) caused 4·41 per cent. of the gross mortality; Diarrhœa, 3·78 per cent.; Croup, 1·1 per cent.

Small-pox, during 1873, was still epidemic in some parts of Scotland. The total deaths attributed to this disease were 1126, being 33 out of every hundred thousand of the population of the whole country, and 1·49 per

---

Table XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the year 1873, allowing for causes not specified.

Diseases and Classes of Disease.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Total Deaths . . .	2893	2198	2558	2314	3467	3281	2208	2409
Zymotic Class . . .	631	390	578	492	1118	832	439	331
Tubercular Class . .	534	354	358	331	436	562	327	414
Brain, etc.	255	246	243	269	296	309	223	308
Heart, etc.	132	178	148	127	160	138	125	232
Respiratory Organs .	630	397	510	368	511	454	451	350
Organs of Digestion .	195	126	148	148	195	250	161	148
Premature Debility . .	147	101	181	102	179	125	131	118
Old Age	82	103	124	164	119	266	102	255
Violent Deaths . . .	105	74	98	78	179	98	76	84
Small-pox	46	7	11	1	317	19	6	–
Measles	116	65	20	23	143	52	51	11
Scarlatina	116	25	29	114	210	447	27	4
Diphtheria	33	16	82	27	64	31	8	19
Hooping-cough . . .	61	44	60	91	62	19	49	8
Croup	40	23	51	28	50	52	51	27
Diarrhœa	93	77	166	67	90	82	98	91
Dysentery	7	4	17	9	3	8	4	19
Cholera	3	7	2	2	10	4	6	–
Fevers, viz.	75	81	88	84	113	76	112	106
Typhus	14	37	54	36	16	17	59	65
Enteric	50	40	31	36	50	23	35	30
Relapsing . . .	1	1	1	1	–	2	2	–
Continued . . .	6	1	–	3	42	21	8	11
Infantile	4	2	2	8	5	13	8	–
Dropsy	18	7	23	23	37	52	16	8
Cancer	33	76	30	48	42	52	43	49
Phthisis	353	229	282	228	308	422	182	300
Apoplexy	56	67	66	59	80	84	29	57
Paralysis	59	55	65	54	53	111	88	103
Bronchitis	455	260	358	275	301	332	323	228
Pneumonia	133	95	133	60	157	84	102	103
Teething	44	11	30	33	60	54	20	23

cent. of the mortality from All Diseases. There were 533 deaths from Small-pox in the county of Lanark, 227 in that of Renfrew, 85 in Ayrshire, and 67 in Stirlingshire. In other parts of the country the violence of the epidemic appeared to have expended itself during the preceding years. The town of Greenock suffered rather severely, and the disease assumed epidemic proportions likewise (though in a decidedly less degree) in Glasgow and in Paisley.

The mortality from Small-pox in the Large Towns was 75 for every ten thousand of population; in the Principal Towns, 42; in the Small Towns, and in the whole of Scotland, 33; in the Insular-Rural Districts, 16; and in the Mainland-Rural Districts, 13, in a like number of inhabitants.

Of children under five years of age 263 were cut off by Small-pox during 1873. Every physician knows what a rare event is the death, by Small-pox, of a properly vaccinated child, and it seems hardly possible to resist the conclusion that a very large proportion of these 263 deaths might have been saved but for the apathy of parents and guardians who neglected the statutory duty of securing for the infants under their charge the benefits of vaccination within a reasonable period after their birth. While again introducing the Tables XXXV. and XXXVI., which have already been published in our Tenth Annual Report on Vaccination, we feel once more

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the year 1873.

Diseases and Classes of Disease.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2182	1773	2257	2127	3225	2536	1988	1372
Tubercular Class	1844	1613	1400	1432	1257	1714	1480	1719
Brain, etc.	880	1120	952	1163	854	943	1008	1277
Heart, etc.	455	810	576	548	462	420	564	962
Respiratory Organs	2177	1805	1995	1589	1474	1383	2044	1451
Organs of Digestion	674	571	580	638	563	765	730	615
Premature Debility	507	462	708	440	517	382	592	489
Old Age	284	468	485	709	341	809	462	1058
Violent Deaths	364	337	384	336	517	299	342	347
Small-pox	158	30	43	5	914	57	27	–
Measles	400	295	79	99	411	159	231	47
Scarlatina	400	116	113	492	605	1364	120	16
Diphtheria	114	74	320	118	184	95	37	78
Hooping-cough	212	201	235	392	180	57	222	31
Croup	137	103	198	123	143	159	231	110
Diarrhœa	323	352	650	288	258	248	444	378
Dysentery	24	17	67	38	9	25	18	78
Cholera	11	31	9	9	27	13	27	–
Fevers, viz.	259	370	344	364	323	229	508	441
Typhus	47	169	210	156	46	51	268	268
Enteric	173	182	122	156	144	70	157	126
Relapsing	3	4	3	5	–	6	9	–
Continued	21	4	–	14	120	64	37	47
Infantile	15	11	9	33	13	38	37	–
Dropsy	64	33	91	99	106	159	74	31
Cancer	114	344	119	208	120	159	194	205
Phthisis	1221	1044	1101	983	887	1287	823	1246
Apoplexy	193	306	256	255	231	255	129	236
Paralysis	171	252	253	232	152	338	397	425
Bronchitis	1574	1182	1400	1187	868	1013	1461	946
Pneumonia	461	433	522	260	452	255	462	425
Teething	152	48	116	142	184	166	92	94

called upon to record here our opinion, that the period during which a newly-born child may legally be permitted in Scotland to remain unvaccinated is too long, and should be reduced to two months as in England, or at the very utmost to four months after birth. It may be gathered from our Tables that, out of 119,810 children born in 1873, there were still alive six months after birth 109,283, and that of these there had been vaccinated, as the Act directs, 105,177, or 96·243 per cent.; that 39, or 0·036 per cent., were insusceptible to vaccination in consequence of having had Small-pox; and that 163, or 0·149, were insusceptible, having been vaccinated in an irregular manner without having certificates from the operator; that 2629, or 2·406, were lost sight of and were presumed to remain unvaccinated; and finally, that in no less than 1113 instances, or 1·018 per cent., post-

---

TABLE XXXII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1873.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5–10	10–15	15–60	Above 60	Total.
Small-pox . . .	263	70	89	683	21	1126	23·4	6·2	7·9	60·6	1·9	100
Measles	1320	100	13	16	1	1450	91·0	6·9	0·9	1·1	0·1	100
Scarlatina . . .	1346	639	145	94	3	2227	60·4	28·8	6·5	4·2	0·1	100
Diphtheria . . .	799	276	61	58	9	1203	66·4	22·9	5·1	4·8	0·8	100
Hooping-cough .	1508	82	6	1	1	1598	94·3	5·1	0·4	0·1	0·1	100
Croup	992	128	8	4	–	1132	87·6	11·3	0·7	0·4	–	100
Diarrhœa . . .	1434	45	7	203	463	2152	66·7	2·1	0·3	9·4	21·5	100
Dysentery . . .	60	2	2	86	144	294	20·4	0·7	0·7	29·2	49·0	100
Cholera	54	9	1	40	17	121	44·6	7·4	0·8	33·1	14·1	100
All Fevers, viz. .	493	339	200	1203	228	2463	20·0	13·8	8·1	48·9	9·2	100
Typhus . . .	49	39	43	418	79	628	7·8	6·2	6·8	66·6	12·6	100
Enteric . . .	267	240	139	722	127	1495	17·8	16·1	9·3	48·3	8·5	100
Relapsing. . .	7	2	3	14	5	31	22·6	6·4	9·7	45·2	16·1	100
Simple Contd. .	79	32	15	49	17	192	41·1	16·7	7·8	25·5	8·9	100
Infantile . . .	91	26	–	–	–	117	77·8	22·2	–	–	–	100
Syphilis	147	–	–	29	4	180	81·7	–	–	16·1	2·2	100
Erysipelas . . .	137	4	6	82	87	316	43·4	1·3	1·9	25·9	27·5	100
All Zymotics . .	8649	1724	571	2929	1083	14956	57·8	11·5	3·8	19·6	7·3	100
All other Diseases, exclud'g Zymotics	18692	1894	1442	20554	19408	61990	30·1	3·1	2·3	33·2	31·3	100
Total Deaths . .	27341	3618	2013	23483	20491	76946	35·6	4·7	2·6	30·5	26·6	100

TABLE XXXIII.—Percentage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0— 5	27,341	8,649	18,692	31·7	68·3
5—10	3,618	1,724	1,894	47·7	52·3
10—15	2,013	571	1,442	28·4	71·6
15—60	23,483	2,929	20,554	12·5	87·5
Above 60	20,491	1,083	19,408	5·3	94·7
0—15	32.972	10,944	22,028	33·2	66·8
15 and upwards	43,974	4,012	39,962	9·1	90·9

ponements had on medical authority been authorized. Adding together these two last classes, it may be computed that from various circumstances 3742, constituting 3·424 per cent. of those who attained the age of six months, had been suffered to escape the provisions of the Vaccination Act.

TABLE XXXIV*a*.—SMALL-POX DEATHS in SCOTLAND.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1865	383
1856	1,306	1866	200
1857	845	1867	100
1858	332	1868	15
1859	682	1869	64
1860	1,495	1870	114
1861	766	1871	1,442
1862	426	1872	2,448
1863	1,648	1873	1,126
1864	1,741		

TABLE XXXIV*b*.—Illustrating the MORTALITY FROM ALL CAUSES, and from SMALL-POX alone, among Children in the First Year of Life, in Scotland; distinguishing those aged between 0 and 6 months from those aged between 6 and 12 months.

N.B.—The data embraced in this Table have reference to the Ten Years, 1855–1864 inclusive, *i.e.*, to the period immediately before that at which the Scottish Vaccination Act came into operation.

YEARS.	Children at Middle of Year.	Living at Ages from 0 to 6 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.	Living at Ages from 6 to 12 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000
1855	89493	46250	7650	14378	189	409	43243	4041	9345	242	560
1856	90025	46525	7893	16965	169	363	43500	4165	9575	226	520
1857	90522	46782	8032	17169	120	256	43740	4159	9508	144	329
1858	90983	47020	8325	17705	69	147	43963	4297	9774	44	100
1859	91408	47240	7514	15906	70	148	44168	4009	9077	92	208
1860	91797	47441	8599	18126	202	426	44356	4814	10853	220	495
1861	92237	47668	7906	16585	110	231	44569	3963	8892	118	265
1862	93067	48097	8163	16972	50	104	44970	4393	9769	71	158
1863	93965	48561	8445	17391	248	511	45404	4680	10308	188	414
1864	94840	49014	9360	19097	245	500	45826	4820	10518	168	367
Totals	918337	474598	81887	17254	1472	310	443739	43341	9769	1513	341

TABLE XXXIV*c*.—Illustrating the MORTALITY FROM ALL CAUSES, and from SMALL-POX alone, among Children in the First Year of Life, in Scotland, during the nine years 1865–1873; distinguishing those aged between 0 and 6 months from those aged between 6 and 12 months.

YEARS.	Living at Middle of Year.	Living at Ages from 0 to 6 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.	Living at Ages from 6 to 12 mths.	Died by All Causes.	Rate per 100000.	Died of Small-pox.	Rate per 100000.
1865	95732	49473	9329	18857	83	168	46259	4770	10312	19	41
1866	96624	49944	9296	18616	43	86	46690	4619	9893	21	45
1867	97523	50399	9074	18004	22	44	47124	4447	9437	9	19
1868	98434	50869	8979	17651	5	10	47565	4621	9715	3	6
1869	99352	51344	9539	18598	12	23	48008	5115	10654	5	10
1870	100278	51822	9545	18419	22	42	48456	4621	9536	11	23
1871	101208	52303	9917	18961	167	319	48905	5217	10668	39	80
1872	102149	52789	9972	18895	298	565	49360	4748	9619	80	162
1873	103101	53281	10069	18898	153	287	49820	4881	9797	25	50
Totals	894401	462214	85720	18546	805	174	432187	43039	9958	212	49

How desirable it is that this number should in future years be diminished most reasonable men will agree; and how the curtailment of the period of permissive inaction at present accorded to parents and guardians of infants would operate in securing such diminution need not again be explained.

It seems necessary here to introduce some notice of a doctrine of a very astounding and mischievous kind which is being paraded by certain anti-vaccinators in England; and which, as it wears a semblance of medical authority, it is worth while to contradict and prove to be contrary to fact. It appears that an Austrian physician of the name of Keller had medical charge, during the years 1871 and 1872, of the employées on some of the German railways, and had occasion to witness the progress of an epidemic of Small-pox among them and their families. Keller appears to have arrived at the conclusion, that the circumstance of vaccination having been performed, is a matter of absolute indifference as affecting the chances of a child's dying of Small-pox. Now a parodox like this was of course very welcome to our native anti-vaccinators, many of whom have no doubt accepted it. But before enunciating such a doctrine Dr Keller should have published the numbers of children vaccinated and unvaccinated at each age,—say under 12 months of age,—who belonged to the families of his railway employées, and should have given a separate note of all the deaths from Small-pox that occurred in each of these classes during the time over which his observations extended. This, however, Dr Keller has not done, and possibly never may do; but, till it is done, no statistician will attach much value to his doctrine regarding the inefficacy of Vaccination. It is well known that since the Vaccination Act was introduced into Scotland in 1864, less than $3\frac{1}{3}$ per cent. of all children living between the ages of 6 months and 12 months are unvaccinated. This may be at once seen by any one who carefully examines Table XXXVI. But of the somewhat larger nnmber of children living at

TABLE XXXV.—VACCINATIONS in SCOTLAND, 1864–1873, and proportion to the Births each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	·966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
10 Years.	Percentage	88·008	0·706	0·258	0·046	0·202	8·500	2·280	100·000

ages under six months, a far larger proportion, probably not less than 35 per cent., are unvaccinated. The mortality from Small-pox is, as might naturally be expected, very different in these two classes of infants. It is exhibited for each of the nine years, 1865–1873, in Table XXXIV*c*. In each year the result of the comparison is to the same effect; and it appears that, on an average, the Small-pox mortality of the younger exceeds that of the older class in the ratio of 3·5 to 1. But there is no difference between these two classes of infants by which this great difference in mortality can be explained except that, while the older class are with a few exceptions vaccinated, fully a third of the younger class are not so protected. The natural conclusion is, that many lives of children aged from six to twelve months would be sacrificed to Small-pox but for the protection afforded to them through the wise provisions of the Vaccination Act. A thorough anti-vaccinator, however, would certainly not accept this conclusion, but would rather seek to explain the diminished death-rate from Small-pox during the second period by reference to the acknowledged fact, that deaths from All Causes united are more frequent during the first than during the second six months of life. He would urge that the more numerous deaths from Small-pox at the earlier age are due to an assumed greater liability to Small-pox on the part of very young children. Possibly this explanation might likewise occur to a statistician professing to examine the subject dispassionately, but without reference to the probabilities suggested by accumulated medical observation. There are, however, two answers which completely demolish this assumption. In Table XXXIV*c*. it may be seen that the mortality from All Causes was among children under six months old *less than double* of that which prevailed among children aged between six and twelve months; while the mortality from Small-pox was among the former class *nearly four times* greater than in the latter. No rejoinder to this can be imagined, except the

TABLE XXXVI.—VACCINATIONS in SCOTLAND, 1864–1873, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	199265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	2620·0	105165·3
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
10 Years.	Percentage	96·184	0·772	0·282	0·051	0·220	2·491	100·000

anti-vaccinators should think proper to assert that vaccination has nothing to do with it, but that children under six months old are at least four times as prone to Small-pox as children aged from six to twelve months are. But our second answer thoroughly disposes of any such anticipated rejoinder. We simply introduce Table XXXIV*b*., which exhibits the state of matters in Scotland as regards deaths from All Causes and from Small-pox during each of the ten years 1855–1864, and we beg careful attention to the fact that during these years the Vaccination Act had not come into operation, although it became the law of the land in 1864, and had been anticipated by the voluntary efforts of many medical men who bestirred themselves in diffusing the benefits of Vaccination in 1863. It is perfectly certain that the proportion of unvaccinated children, aged between six and twelve months, must have been far higher during the years 1855–1864, than during the years 1865–1873. But what now becomes of the explanation which we have supposed an anti-vaccinator to make? Considering the deaths from All Causes in Table XXXIV*b*. we find those of the younger to bear to those of the older class of infants a ratio of less than two to one. But the average rate of mortality from Small-pox is seen to have been during these years somewhat higher among the older than among the younger infants; and that too in spite of the fact that the numbers for 1864 are included in Table (*b*). The supposition that infants under six months old are enormously more prone to Small-pox than infants between six and twelve months old is consequently quite untenable; and, on the contrary, our figures would rather tend to support the old doctrine, that there are certain contagious diseases (Small-pox being one of them) to which infants at the breast are not so subject as infants a little older are. Whatever may be the state of matters in Austria, it is tolerably clear that Dr. Keller's doctrine does not apply to

Table XXXVII.—DEATHS from FEVER in 1873.

Fevers.	Rural Districts.		Town Districts.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage of Total Fever Deaths.
Typhus . . .	140	22·4	488	26·6
Enteric . . .	404	64·6	1091	59·3
Relapsing . . .	5	0·8	26	1·4
Simple Continued . .	47	7·5	145	7·9
Infantile . . .	29	4·7	88	4·8
All Fevers . .	625	100·0	1838	100·0

Table XXXVIII.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Nine Years 1865–1873; specifying those from Typhus and Enteric Fever.

Months.	Total Fever Deaths.	Typhus.	Enteric.	Months.	Total Fever Deaths.	Typhus.	Enteric.
January .	1421	944	329	July . .	987	660	244
February .	1259	828	297	August .	874	527	268
March .	1344	905	316	September .	851	495	285
April . .	1195	829	268	October .	1042	578	356
May . .	1150	765	289	November .	1201	724	333
June . .	1050	715	259	December .	1232	699	383

Scotland in the case of children aged between nothing and twelve months; and we shall say no more about it.

The death of an infant duly vaccinated and under a year old from Small-pox is quite a rare event, and there can be little doubt that almost every death of the 4002 recorded in Tables XXXIV. (*b*) and (*c*) occurred among the unvaccinated. Now of these deaths, 1725 occurred at ages between six and twelve months; and these deaths, it is our settled conviction, would, under a perfectly administered Vaccination Act, have been few indeed.

The deaths attributed to Fevers during 1873 were 2463, constituting 73 deaths to every hundred thousand of estimated population, and 3·26 per cent. of the whole deaths from Specified Causes. In these Reports the attempt is made to classify separately five different forms of disease which in common parlance are included under the general term Fever. Till within the last few years, by far the most common form of Fever in Scotland was Typhus. At times, too, there have been extensive outbreaks of what is termed Relapsing Fever; but of late there has been a marked abatement in the frequency of deaths registered as Typhus, and the disease termed Enteric, Gastric, or Typhoid Fever has become the most destructive fever in all the Registration Groups of our country. Relapsing Fever may be said to have become nearly unknown. The relative frequency of Typhus and Enteric Fever during 1873, in all Scotland, was as 19 to 44; in the Principal Towns, as 28 to 43; in the Large Towns, as 17 to 57; in the Small Towns, as 15 to 55; in the Mainland-Rural Districts, as 11 to 37; in the Insular-Rural Districts, as 22 to 26. In Glasgow the relative frequency of deaths from Typhus and Enteric Fever was as 14 to 50; in Edinburgh, as 37 to 40; in Dundee, as 54 to 31; in Aberdeen, as 36 to 36; in Greenock, as 16 to 50; in Paisley, as 17 to 23; in Leith, as 59 to 35; and in Perth, as 65 to 30. These numbers likewise express the mortality from each cause in every hundred thousand of population. There seems to

TABLE. XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1873, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	247	Bronchitis	223
Phthisis	246	Phthisis	223
Age	185	Atrophy, Debility, and Premature Birth	176
Heart, etc., Diseases of	134	Age	127
Atrophy, Debility, Premature Birth	129	Heart, etc., Diseases of	123
Pneumonia	90	Convulsions	114
All Fevers	73	Pneumonia	99
Scarlatina	66	Diarrhœa	95
Diarrhœa	64	All Fevers	59
Paralysis	63	Scarlatina	57
Hydrocephalus	58	Paralysis	55
Apoplexy	49	Apoplexy	53
Hooping-cough	48	Cancer	45
Cancer	46	Hooping-cough	42
Measles	43	Liver Diseases	35
Diphtheria	36	Measles	32
Liver Diseases	35	Hydrocephalus	31
Croup	34	Fractures and Contusions	31
Smallpox & Convulsions (each)	33	Tabes Mesenterica	30

be considerable fluctuation in the annual relation of deaths from Typhus and Typhoid or Enteric Fever—thus, in Dundee, the relative frequency of Typhus was in 1873 rather remarkable, while in 1872 the predominance of Enteric Fever was even more decided. Perhaps the most rational course for the statistician would be to disregard the circumstance of *relative* frequency in the case of these two diseases, and to confine himself to recording merely the death-rate from each cause in each locality.

Scarlatina caused 66 deaths in every hundred thousand of population, and as usual was most fatal in the Principal Towns, of which Greenock, and especially Paisley, suffered severely.

Diarrhœa ranked next in order of fatality among the epidemic diseases, proving the cause of 64 deaths to every hundred thousand of the people of Scotland. Its incidence was most severely felt in the Principal Towns, and especially in Dundee.

Hooping-cough was fatal to 48 out of every hundred thousand of population. It prevailed more extensively in the Large Towns than in any of the other Registration Groups. Of the Principal Towns, Aberdeen alone can be said to have been seriously visited by this epidemic. It is generally observed that females are more apt than males to succumb to Hooping-cough; and during 1873 there were from this cause 121 female for every 100 male deaths.

Measles caused 43 deaths in every hundred thousand of population. The deaths from this disease were very trifling in number in the Mainland-Rural Districts, but as usual were far more frequent in the Principal Towns. In Glasgow, and still more in Greenock, the deaths from Measles considerably exceeded the average experienced in the other towns.

The deaths from Diphtheria and from Croup were 36 and 34 respectively for every hundred thousand of population, and were rather more frequent in the Large Towns than in any other of the Registration Groups. Of the Principal Towns, Dundee suffered most from Diphtheria, and Paisley from Croup.

The deaths from the remaining Zymotic diseases were not so numerous as to require special comment here.

To Diseases of Uncertain Seat, 2779 deaths were ascribed. This is equivalent to a mortality of 83 per hundred thousand of population, or of 3·69 per cent. on the total deaths. A large majority of such deaths occurred in females.

Dropsy was the registered cause of 651 deaths. It is presumed that such a cause would seldom occur in a death-certificate given by a qualified medical man; he would prefer to state the pathological condition on which the *symptom* dropsy depended. It is quite certain that just in proportion to the frequency with which Dropsy figures in our statistics, the numbers of deaths referred to such headings as Disease of the Heart, of the Kidney, of the Liver, Ovary, etc., become too few. When, however, as in many cases is inevitable, the cause of death is not certified by a medical informant, such entries as 'Dropsy' must be expected to be frequent. In the Insular-Rural Districts, they constitute, in the case of females, fully 2 per cent. of all recorded causes of death. It is, however, obvious that even in certain of our Principal Towns there is still some laxity in returning or accepting Dropsy as a cause of death. Thus, in Edinburgh, out of every ten thousand deaths in 1873, only 33 were certified as due to Dropsy, but in Greenock the corresponding number was 106, and in Paisley actually 159!

To Cancer there were ascribed 542 deaths of males and of 995 females.

For every hundred thousand of each sex there accordingly died of Cancer 34 males and 57 females.

115 deaths were attributed to Hœmorrhage of Unspecified Seat; 199 to Abscess; 64 to Ulcers; 13 to Fistula; 183 to Mortification; and 17 to Gout, whereof 7 occurred in persons who had not attained the age of 60.

This exhausts the catalogue of Diseases of Uncertain Seat. Tubercular Diseases accounted for 11,952 deaths, of which 5872 occurred in males and 6080 in females. This mortality is equivalent to 356 for every hundred thousand of population, and to 15·85 per cent. of the total deaths registered during the year. These numbers look sufficiently formidable, and yet they do not much exceed the average of former years, and are decidedly lower than those which we had occasion to record for 1872. The deaths were rather more frequent in the Large Towns than in the Eight Principal Towns; but in each of these groups the population suffered at nearly double the rate experienced in the two Rural Groups. Of the total deaths, Tubercular Diseases caused 17·18 per cent. in the Large Towns, 16·66 per cent. in the Principal Towns, 16·17 per cent. in the Small Towns, 14·21 per cent. in the Insular-Rural Districts, and 13·66 per cent. in the Mainland-Rural Group. It should however be noted that the proportion of fatal Tubercular cases in like numbers of the population was precisely the same in both the Rural Groups. The rate per hundred thousand inhabitants was in Paisley, 562; in Glasgow, 534; in Greenock, 436; in Perth, 414; in Dundee, 358; in Edinburgh, 354; in Aberdeen, 331; and in Leith, 327.

Consumption is, of all Diseases of the Tubercular Class, by far the most destructive. In 1873 it caused 8286 deaths, of which 1392, or 16·8 per cent. occurred at ages under 15; 5501, or 66·4 per cent., between the ages of 15 and 45; and 1293, or 16·8 per cent., in persons aged 45 and upwards. The deaths from Consumption were more frequent among females than among males in all the five groups, except in the Insular-Rural, where, as in former years, the males appear to have suffered in higher proportion than the females. It would be superfluous to point out again how clearly Consumption illustrates the law connecting mortality with density of population. Of a hundred thousand inhabitants of each of the Principal Towns, there died of Consumption, in Paisley, 422; in Glasgow, 353; in Greenock, 308; in Perth, 300; in Dundee, 282; in Edinburgh, 229; in Aberdeen, 228; and in Leith, 182. This is not the first occasion on which we have had occasion to remark that in Leith the death-rate from Consumption is remarkably low. In 1873 it very little exceeded the rate observed in the Mainland-Rural Districts.

Of the remaining Tubercular Diseases, Hydrocephalus caused 1960 deaths; Tabes Mesenterica, 999; and Scrofula, 707. From each of these diseases males appear to have died in higher proportion than females.

Diseases of the Nervous System caused 7223 deaths, being 215 for every hundred thousand of population, and 9·58 per cent. of the deaths from All Causes. These numbers indicate a mortality exceeding considerably the heavy rate recorded for 1872. Diseases of this class are everywhere more frequent among males than among females. Their incidence in 1873 is chiefly manifested in the Large and Principal Towns; and of the latter, Greenock, Perth, and Paisley furnish the largest proportion of deaths.

From Diseases of the Heart and Circulatory System, the deaths were 4510, being at the rate of 134 to every hundred thousand of population, and 5·98 per cent. of the total mortality of the country. We observe that, as usual, males have everywhere suffered at a higher rate than females from diseases of this class. The deaths were more frequent in the Large and

Principal Towns than elsewhere. They were comparatively rare in the Insular-Rural Districts, a circumstance which is probably connected with the inability of non-medical informants to furnish the true cause of death in many cases which were returned to the Registrars as deaths from Dropsy, Apoplexy, Debility, and Old Age.

The Deaths from Diseases of the Respiratory System were 12,524, being 16·61 per cent. of the whole mortality experienced during the year, and at the rate of 373 deaths out of every hundred thousand inhabitants of Scotland. Everywhere, except in our Insular-Rural population, the males died in higher proportion than females. The deaths were far more numerous in the Towns, and particularly in the Principal Towns than elsewhere. For every hundred thousand of population there died in the Principal Towns, 524; in the Large Towns, 455; in the Small Towns, 326; in the Mainland-Rural Districts, 238; and in the Insular-Rural Group, 197; in Glasgow, 630; in Greenock, 511; in Dundee, 510; in Paisley, 454; in Leith, 451; in Edinburgh, 397; in Aberdeen, 368; and in Perth, 350. Bronchitis alone caused 8038 deaths, exceeding in number those attributed to Consumption, and constituting 11·02 per cent. of the Deaths from All Causes. In every hundred thousand of population the death-rate from Bronchitis was 247 in All Scotland, 369 in its Principal Towns, but only 145 in its Mainland-Rural, and 83 in its Insular-Rural population. It is hardly credible that this last number should be correct; and again we are obliged to express our belief that very many of the deaths among our poor Islanders, which were really due to Bronchitis, have been, in consequence of imperfect information and in the absence of medical certificate, registered under Old Age, etc.

To Pneumonia, 3012 deaths were attributed; to Pleurisy, 274; to Asthma, 463; to Laryngitis, 146; to Lung Disease of Unspecified Nature, 321.

From Diseases of the Digestive System, the deaths were 5208, being 155 to a hundred thousand of the population, and 6·91 per cent. of All Deaths throughout Scotland. The mortality of males considerably exceeded that of females, and the deaths were especially numerous in the Towns. The diseases comprised in this class are very numerous. The most destructive were: Teething, with 770 deaths; Enteritis, with 924; Unspecified Diseases of the Stomach, etc., with 824; various Diseases of the Biliary Organs, with 1174; Ileus, with 267; Peritonitis, with 395; and Gastritis, with 225. The deaths from Hernia were 127, of which 63 occurred in males and 64 in females. Of those who died of Hernia, only 16 or about $\frac{1}{8}$th part were under 20 years of age; while 81, or nearly 64 per cent., were 60 years old or more. Similar observations have been made in former years, so that there is good ground for considering the danger of death from Hernia to be chiefly confined to those passed the middle stage of life.

Diseases of the Urinary System caused 1367 deaths, being 1·81 per cent. of deaths from All Causes. They were fully twice more frequent in males than in females. From Nephritis and Nephria combined there were 496 deaths, 452 from Disease of the Urinary System of Unspecified Nature, 136 from Cystitis, 105 from Diabetes, 82 from Ischuria, 64 from Stone, 18 from Stricture of the Urethra, and 14 from the Disease of the Suprarenal Capsules, tabulated as Addison's Disease.

From Diseases of the Generative System there were 541 deaths, only one of which occurred in the case of a male. Of these deaths, 325 were attributed to childbirth, but to these there should be added 251 fatal cases of Metria, so that the deaths resulting from puerperal causes may be roughly

stated as 576. The number of live children born in 1873 was 119,700. After making correction for the twin and triplet births, we estimate the number of mothers of live children as 118,990; and of this number 0·49 per cent., or about 1 in 207 died in childbirth. If, however, we assume, as seems not unreasonable, that 5 per cent. of stillbirths occurred in Scotland during 1873, the computed number of mothers must be raised to 124,939, and the mortality from registered puerperal causes would become only 1 in 217. But, as has been elsewhere explained, it is just among mothers who have given birth to dead children that the mortality of childbearing is most serious, and beyond all doubt the deaths of such mothers, especially when their offspring has been illegitimate, are apt to find their way into our statistics as deaths from Peritonitis, Inflammation, Consumption, etc.

From Diseases of the Uterus there were 124 deaths; from Ovarian Tumours, 69; and from various diseases grouped under the heading Paramenia, 23.

Diseases of the Organs of Locomotion caused 512 deaths. Of these 238 were due to Affections of the Joints, 214 to Rheumatism, and 60 to Diseases of Bones.

There were 96 deaths from Diseases of the Skin; whereof 22 were caused by Carbuncle, 7 by Phlegmon, and 67 by Disease of Unspecified Nature.

From Malformations there were 244 deaths, whereof 138 occurred in males; from Infantile Debility, 3755, of which 2123 occurred in males; from Atrophy, 560; and from Old Age, 6203, of which 3753 were females. No confidence can be felt in the accuracy of a return in which Old Age is given as the Cause of Death. In the Insular-Rural Districts, fully 28½ per cent. of All Deaths were referred to Old Age, while in the Principal Towns only 4⅕th. per cent. were so referred. But in the Insular-Rural Districts only 18 per cent. of those who died had attained the age of 80, and in the Principal Towns only 2·9 per cent. Hence it appears Old Age often figures as the Cause of Deaths that take place before the completion of the 'fourscore,' and that this is more especially apt to occur among our Islanders.

To Sudden Deaths, without specified cause, 128 deaths were ascribed.

There were 2839 Violent Deaths, 2124 of which occurred among males. Of these deaths 1057 were due to Fractures and Contusions, 649 to Drowning, 262 to Suffocation, 253 to Burns and Scalds, 148 to Drunkenness, 133 to Violent Causes of undefined nature, 105 to Want of Breast-milk, 61 to Hanging, 54 to Cold, 47 to Poison, 38 to Cuts and Stabs, 18 to Wounds from Firearms, 10 to Privation, 2 to Neglect, and 2 to Poisoned Wounds.

Suicide occurred in 120 cases, of which 90 were males and 30 females. Self-destruction was accomplished in 47 cases by Hanging, in 27 by Throat-Cutting, in 25 by Drowning, by Gunshot in 6, by Precipitation in 2, by other undefined means 8, and by Poison in 5. Prussic Acid, Opium, Laudanum, and Vermin-killer were each used in a single case, and in the remaining instance the nature of the poison employed was not communicated to the Registrar.

The deaths of twenty-four persons aged 100 years and upwards were registered, but of course we cannot guarantee the correctness of the list. Of these very aged persons 8 were males and 16 females. The oldest among the males were a pensioner and a road-contractor, aged respectively 105 and 103. Of the females, the eldest was a pauper, aged 107, and a farmer's widow, aged 106.

Weather and its Influence on the Mortality.

The nature of the influence which the state of the weather has upon the fatality of many diseases in Scotland is a very interesting subject of inquiry, and one for the prosecution of which the Detailed Tables between pages 48 and 246 give great facilities. It cannot be said that this subject is yet worked out; on the contrary, it seems probable that it is only beginning to receive that attention which it deserves, and that valuable results will ultimately reward the labours of future inquirers in this direction. The influence of temperature, barometic pressure, atmospheric moisture, ozone, and sunlight, appear to require separate investigation and in separate localities, for the general averages deduced from observations made at from 50 to 60 different stations, cannot, we should think, lead to any very reliable results in tracing the influence of weather upon disease. Hitherto, in the course of Reports similar to the present, the general average deduced from the observations of temperature is the only one to which we have felt at liberty to attach much importance. Attention has been called to the unmistakeable effect of a sudden and long-continued fall of temperature in favouring the diffusion or increasing the mortality of most of the Zymotic Diseases with which we are familiar. The influence of cold and wet weather in increasing the mortality from the principal Diseases of the Respiratory System has likewise been from year to year pointed out in our Reports. We have, besides, whenever unusual heat has prevailed throughout the country in summer, had occasion to note the simultaneous frequency of Diarrhœa among the population; but besides these illustrations of the effects of temperature, few have hitherto been offered in our Reports.

In the present Report we present the usual Tables numbered XL. to XLVII., by means of which the general effects of temperature may be studied, and as the Tables are almost self-explanatory, it will be unnecessary to make much comment upon their teachings.

Table XL. affords the means of comparing the monthly mean temperatures and the proportion of Deaths in 1873 with those of the ten years, 1855–1864. During these ten years, January and February were the coldest months, the former averaging 37°·2, the latter 37°·4 Fahr.; after which followed December, 38°·6, and then March, 39°·8. In 1873, how-

Table XL.—Monthly Mortality and Mean Temperature in Scotland during 1873, compared with the mean of the Ten Years 1855–1864.

Months.	Year 1873.				1855–1864.	
	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per annum, or 1000 per Month.	Proportion.	Mean Temperature.
January .	39°·2	6587	6587	1008	1134	37°·2
February .	35°·4	7242	8016	1226	1193	37°·4
March . .	39°·7	7614	7614	1165	1145	39°·8
April . .	44°·8	6762	6990	1069	1083	44°·1
May . .	46°·9	6959	6959	1065	1010	49°·5
June . .	55°·9	6210	6417	981	956	55°·6
July . .	58°·5	6150	6150	941	895	57°·6
August .	56°·4	5583	5583	854	856	57°·3
September	51°·4	5339	5517	844	843	52°·8
October .	44°·3	5730	5730	877	858	47°·2
November	41°·2	5950	6148	940	954	40°·2
December	42°·5	6731	6731	1030	1073	38°·6
Year	46°·3	76,857	78,442	12,000	12,000	46°·7

ever, February was by far the coldest month, the mean temperature being only 35°·4, while January was the second coldest, with a mean temperature of 39°·2; after which followed March with a mean temperature of 39°·7; then November, 41°·2; and December, 42°·5.

The year 1872 closed with a December not greatly different from the average, but one degree colder than the weather during January 1873. The daily deaths during December, therefore, numbered 223, while those of January 1873 only numbered 212 daily.

During the first eighteen days of January 1873, the weather was comparatively mild, but boisterous, with hurricanes and deluges of rain from the west and south-west. On the 19th the weather changed, and wintry weather set in, the wind veering to the north-west, when snow fell heavily, accompanied by a smart frost. This continued more or less to the close of the month. As the longer continuance of mild weather gave tone to the month, and the mean temperature was higher than that of the previous month, the daily deaths were fewer, only numbering 212 daily.

February was our most wintry month, the ground being rarely free from snow, and the frosts often intense. The general direction of the wind during this month was from the north, north-east, and north-west. This proved the coldest month of the year, the mean temperature being only 35°·4, and the natural consequence was that the deaths were heaviest this month, amounting to 259 daily.

During March the weather varied much, and was very unsteady. The first part of the month was comparatively mild, with the wind chiefly from

---

TABLE XLI.—Meteorology of Scotland for 1873, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1873, as stated in the Quarterly Reports.

1873.	Jan.	Feb.	Mar.	Apr.	May	June	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	60°·7	62°·5	65°·5	70°·3	70°·5	80°·3	90°·5	77°·0	76°·2	63°·0	60°·5	60°·8	90°·5
Lowest Temp. in do.	11°·0	8°·0	15°·0	20°·0	25°·0	29°·0	35°·3	30°·0	28°·0	20°·0	18°·3	15°·0	8°·0
Mean Day Temp. . .	43°·7	41°·0	45°·2	52°·2	54°·2	63°·7	66°·1	63°·0	58°·5	50°·7	46°·3	47°·2	52°·6
Mean Night Temp. .	34°·7	29°·9	34°·1	37°·5	39°·6	48°·1	51°·0	49°·7	44°·2	37°·8	36°·0	37°·7	40°·0
Daily Range	9°·0	11°·1	11°·2	14°·7	14°·6	15°·6	15°·1	13°·3	14°·3	12°·9	10°·2	9°·6	12°·4
Mean Temperature .	39°·2	35°·4	39°·7	44°·8	46°·9	55°·9	58°·5	56°·4	51°·4	44°·3	41°·2	42°·5	46°·3
Highest Temperature in sun	87°·0	102°·0	105°·0	126°·0	140°·3	134°·8	131°·2	137°·5	135°·5	111°·0	89°·0	77°·8	140°·3
Lowest on grass at night	8°·2	2°·4	12°·0	16°·0	12°·4	23°·0	30°·0	25°·0	20°·0	16°·2	12°·0	14°·0	2°·4
Wet-bulb Temperature	37°·6	33°·2	37°·4	42°·0	44°·1	52°·9	55°·8	53°.7	48°·6	42°·1	39°·0	40°·9	43°·9
Dew-point Temperature	35°·8	30°·9	35°·4	39°·2	41°·1	50°·2	53°·4	51°·6	46°·4	40°·2	37°·2	38°·9	41°·7
Humidity of Air . .	89	86	88	82	81	82	84	86	85	88	89	88	86
Elastic force of Vapour (inches)	0·211	0·174	0·207	0·240	0·259	0·365	0·410	0·383	0·316	0·250	0·222	0·237	0·273
Number of Rainy Days	20	9	15	10	15	13	21	19	18	17	15	16	188
Amount of Rain (inch.)	5·37	1·45	2·32	0·70	2·69	1·74	4·57	4·21	4·36	5·47	3·32	3·13	39·33
Amount of Cloud . .	6·7	5·8	6·9	6·4	6·5	6·7	6·5	7·0	6·1	6·4	6·7	6·6	6·5
Hours of Sunshine . .	66	101	113	165	208	207	216	177	167	122	73	75	1690
Mean Barometer (in.)	29·459	30·106	29·818	30·046	29·919	29·894	29·795	29·779	29·839	29·682	29·829	29·984	29·846
Easterly Winds (number of days) . .	6	7	15	12	12	9	4	6	5	5	10	0	91
Westerly Winds (do.)	17	13	8	9	12	14	17	19	17	19	14	25	184
Births	10381	9307	10522	10521	10870	9892	9910	9338	9727	10173	9021	10076	119738
Deaths	6587	7242	7614	6762	6959	6210	6150	5583	5339	5730	5950	6731	76857
Marriages	3388	1554	1676	1580	1212	3898	2624	1583	1609	1857	2580	3169	26730
Daily Births	335	332	339	351	351	326	320	301	324	328	301	325	328
Daily Deaths . . .	212	259	245	225	225	207	198	180	178	185	198	217	211

the south-west and west. During the second week, however, east, north-east, and north-west winds prevailed, with occasional falls of snow and pretty intense frost, while easterly winds with dull foggy weather and occasional falls of sleet prevailed till the close of the month. This unfavourable weather kept the mortality high, so that March proved the second more fatal month of the year, 245 deaths occurring daily over Scotland.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1873.

1873.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	40°·2	35°·9	39°·7	45°·3	47°·9	56°·6	59°·2	57°·1	52°·8	44°·8	41°·9	42°·6
Highest Temperature	54°·8	49°·2	56°·0	68°·5	66°·8	79°·5	84°·4	73°·0	76°·2	62°·3	56°·4	57°·2
Lowest Temperature	21°·5	12°·7	26°·0	28°·5	29°·0	40°·0	41°·1	36°·1	33°·1	24°·0	24°·5	27°·0
Rainfall in inches	5·45	1·64	2·09	0·24	2·94	1·47	4·10	3·67	3·85	5·11	2·46	2 36
Easterly Winds (days)	7	6	19	12	14	10	5	7	5	4	10	–
Westerly Winds (days)	19	18	9	12	14	17	21	21	21	24	17	28
Total Deaths	2441	2795	2859	2567	2650	2448	2483	2216	2176	2379	2352	2638
Daily Deaths	79	99	92	85	85	81	80	71	72	77	78	85
Zymotic Diseases	439	469	468	437	474	483	542	643	560	645	574	701
Small-pox	27	33	25	23	17	13	9	28	46	69	83	94
Measles	32	60	109	118	160	150	106	67	27	29	22	77
Scarlatina	69	50	39	24	31	45	44	83	119	214	213	216
Diphtheria	35	39	31	17	23	24	30	26	27	43	31	39
Hooping-Cough	54	86	69	76	76	55	39	39	42	33	38	37
Croup	41	44	46	29	26	18	18	23	32	52	38	53
All Fevers	93	69	65	65	65	68	59	65	65	92	82	98
Diarrhœa	44	40	37	45	41	71	194	259	152	68	28	35
Dysentery	5	6	5	7	3	–	8	15	8	7	2	2
Cholera	–	–	–	1	–	5	10	10	7	4	1	2
Consumption	265	315	343	311	351	322	298	226	214	218	194	232
Diseases Respiratory Organs	511	708	690	561	555	441	382	229	268	383	541	538
Heart, etc., Diseases	139	152	158	155	121	133	100	110	112	124	113	141
Brain, etc., Diseases	233	237	243	255	261	248	245	182	214	204	215	231
Debility and Premat. Birth	134	142	127	124	123	132	150	137	126	134	91	116
Age	114	151	153	122	129	94	107	82	95	103	115	84

The Paisley highest temperatures being manifestly erroneous for a great portion of the year, are excluded from the above table.

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1873.

No. of Week.	Week ending	Deaths.	Temperature. Mean.	Highest	Lowest.	Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature. Mean.	Highest	Lowest.	Rain, in inches
			°	°	°					°	°	°	
1	January 4	586	40·0	51·0	25·0	0·813	27	July 5	546	57·6	72·0	41·5	0·430
2	11	580	44·9	54·0	30·7	1·250	28	12	500	58·8	70·0	46·0	0·697
3	18	519	43·4	54·8	33·4	2·390	29	19	537	56·1	71·0	41·1	1·028
4	25	524	34·3	46·0	21·5	0·823	30	26	629	64·4	84·4	46·5	0·755
5	February 1	562	36·4	45·7	23·0	0·460	31	August 2	556	58·1	68·9	43·0	1·881
6	8	648	32·8	41·9	14·0	0·336	32	9	563	57·9	73·0	43·1	0·643
7	15	746	37·1	48·0	22·0	0·030	33	16	508	58·1	71·2	36·1	0·865
8	22	705	41·2	49·2	23·8	0·047	34	23	508	55·1	68·9	38·9	0·801
9	March 1	709	32·0	41·0	12·7	1·219	35	30	492	58·1	71·4	46·0	0·945
10	8	655	40·4	52·0	31·0	1·031	36	September 6	519	53·5	69·2	39·5	1·089
11	15	711	38·2	48·8	28·8	0·655	37	13	471	52·5	64·4	33·1	0·687
12	22	645	38·7	49·0	26·0	0·229	38	20	485	52·4	66·2	39·3	1·681
13	29	648	41·8	55·0	33·5	0·137	39	27	477	54·5	76·4	35·5	0·086
14	April 5	595	44·7	55·4	35·0	0·170	40	October 4	487	49·6	70·0	36·3	2·879
15	12	607	45·1	64·9	31·0	0·061	41	11	502	45·9	60·0	24·5	1·067
16	19	604	45·6	63·4	34·5	0·050	42	18	540	45·3	57·4	29·7	0·273
17	26	545	43·0	68·5	29·0	0·064	43	25	556	42·2	62·0	26·0	1·000
18	May 3	612	50·1	64·0	37·2	0·178	44	November 1	584	42·3	54·2	24·0	0·633
19	10	601	45·1	59·0	32·0	1·731	45	8	533	40·6	53·4	25·0	1·199
20	17	588	45·6	63·0	32·0	0·259	46	15	534	41·5	51·4	26·5	0·127
21	24	585	47·9	63·5	30·8	0·795	47	22	621	38·5	53·0	24·8	0·139
22	31	630	50·8	66·8	37·0	0·092	48	29	598	45·6	56·0	33·3	0·721
23	June 7	604	55·8	71·0	37·5	0·110	49	December 6	602	44·6	54·4	31·0	0·569
24	14	582	56·8	73·0	42·3	0·411	50	13	538	42·5	54·2	26·0	0·004
25	21	584	58·6	79·5	43·3	0·099	51	20	554	43·7	57·2	31·2	0·484
26	28	535	57·5	74·0	44·7	0·591	52	27	548	40·9	52·0	28·9	0·986

As an error ran through the Paisley maximum temperate observations, they are discarded from the above table.

April was characterized by an unusually small fall of rain, and a most unprecedented large proportion of north and east winds, which rendered the month very trying for delicate persons. The consequence of this was, that April had the third highest number of deaths, viz. 225 deaths daily.

May was equally characterized by the excessive predominance of northerly and easterly winds, which reduced its mean temperature nearly 2½ degrees below its average. Apparently as a consequence of this, the mortality in May exceeded that of December, remaining as high as in April, consequently May furnished 225 deaths daily.

The average kind of weather prevailed during June, but there was a considerable want of rain, and the winds were rather boisterous. Under the influence of the more genial weather, the deaths fell to 207 daily.

July was characterized by a high mean temperature, 58°·5; a large rainfall, 4°·57 inches; and the southerly direction of the winds. The deaths fell to 198 daily.

August had a lower temperature than usual, 56°·4, but a large depth of rain, viz. 4°·21 inches, and an unusual amount of south-westerly winds. As usual when the temperature is not high, the deaths continued to fall, so that only 180 occurred daily.

September resembled July and August in that it had a large rainfall, 4°·36 inches, with a great preponderance of westerly winds, and

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1873, and Proportion at each Age in every Hundred Deaths per Month.

Months.	Actual Number of Deaths in 1873.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	928	250	778	485	2441	38·0	10·2	31·9	19·9	100·0
February	1006	255	906	628	2795	36·0	9·1	32·4	22·5	100 0
March	1114	260	893	592	2859	39·0	9·1	31·2	20·7	100·0
April	1015	247	787	518	2567	39·6	9·6	30·6	20·2	100·0
May	1117	292	741	500	2650	42·1	11·0	28·0	18·9	100·0
June	1064	277	691	416	2448	43·5	11·3	28·2	17·0	100·0
July	1131	261	728	363	2483	45·5	10·5	29·4	14·6	100·0
August	1050	244	575	347	2216	47·4	11·0	26·0	15·6	100 0
September	949	262	586	379	2176	43·5	12·1	27·0	17·4	100·0
October	995	295	685	404	2379	41·8	12·4	28 8	17·0	100 0
November	961	308	656	427	2352	40·9	13·1	27·9	18·1	100·0
December	1155	330	751	402	2638	43·8	12·5	28·5	15·2	100·0
Year	12,485	3,281	8,777	5,461	30,004	41·6	10·9	29·3	18·2	100·0

TABLE XLV.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1873.

Months.	Relative Number of Deaths, 1873.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	925	250	778	485	2441	957
February	1114	282	1002	694	3092	1212
March	1114	260	893	592	2859	1121
April	1049	255	813	535	2652	1039
May	1117	292	741	500	2650	1039
June	1099	286	714	480	2529	991
July	1131	261	728	363	2483	973
August	1050	244	575	347	2216	868
September	981	271	605	391	2248	882
October	995	295	685	404	2379	932
November	993	318	678	441	2430	952
December	1155	330	751	402	2638	1034
Year	12,723	3,344	8,973	5,634	30,617	12,000

a mean temperature of 51°·4. The lowest monthly mortality of the year was, therefore, as usual, attained this month, and only 178 deaths occurred daily.

With the descent of temperature from this month the deaths increased, so that they numbered 185 daily during October, 198 daily during November, and 217 daily during December.

October was by far the wettest month of the year, having the excessive rainfall of 5°·47 inches, and winds chiefly from the west-south-west.

In November the weather did not greatly differ from the average, unless it were in the more frequent storms of winds which occurred, doing considerable damage to trees and the shipping.

During December the peculiarity occurred that its mean temperature was 1°·3 higher than that of November. This resulted from the unprecedented absence of the cold northerly and easterly winds, and the unusually large quantity of south and westerly winds.

We do not attempt to show in a tabular form the influence of season on the different diseases which cut off the inhabitants of all Scotland; but the Abstracts of the Monthly Returns, summarized for the leading diseases in the accompanying Table XLII., shows the facts for the Eight Principal Towns of Scotland during the year 1873.

From this Table it will be seen that Small-pox is powerfully influenced

---

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

TABLE XLVII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS	116,968	26,075	70,744	40,868	254,655	12,000

by season. Thus, the deaths were 33 in February; and as the season became milder and advanced, the deaths declined, so that they numbered 25 in March, 23 in April, 17 in May, 13 in June, and attained their lowest point, viz., 9 deaths in July. After this, with the fall of the season, they increased, the deaths from Small-pox numbering 28 in August, 46 in September, 69 in October, 83 in November, and 94 in December.

Scarlatina had only 44 deaths in July, but as the season advanced the deaths increased to 83 in August, 119 in September, 214 in October, 213 in November, and 216 in December. Hooping-cough had its highest mortality in February, the coldest month, viz., 86 deaths, and declined with the advance of the season, the deaths numbering 69 in March, 76 in April and in May, 55 in June, and 39 in July and August. Fever was lowest in July and highest in December and January.

On the other hand, the Bowel Diseases appeared to increase with the increase of the mean temperature. Thus, Diarrhœa only caused 41 deaths in May, but 71 in June, 194 in July, and 259 in August.

Other diseases appeared to increase in fatality under the influence of the northerly and easterly winds, which blow with such force and constancy during the months of March, April, May, and well into June. Thus, Consumption, which caused 265 deaths in January, caused 315 in February, 343 in March, 351 in May, and 322 in June. Measles appeared to follow the same course of mortality, for 32 only died from that cause in January, but 60 in Februry, 109 in March, 118 in April, 160 in May, and 150 in June, after which the mortality rapidly fell to 106 in July, 67 in August, and 27 in September.

The Inflammatory Affections of the Respiratory Organs exhibited in a very striking manner the influence of lowering of temperature on the mortality. Thus, only 229 deaths were caused by these diseases in August, but 268 in September, 383 in October, 541 in November, and 538 in December; the coldest month of the year, viz. February, yielding 708 deaths, and the second coldest month, viz. March, furnishing 690 deaths.

It is interesting to trace, year by year, the influence of season on the mortality at different ages. To throw light on this subject, Tables XLIV.

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Nineteen Years 1855-1873.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	*d.*		*s.*	*d.*
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	5
1866	49	11	71,348	89	6
1867	64	5	69,068	138	0
1868	63	9	69,416	137	6
1869	48	2	75,875	99	6
1870	46	10	74,165	104	6
1871	56	10	74,712	77	3
1872	57	0	75,794	132	0
1873	58	8	76,946	158	6

and XLV. have been prepared, and to render the comparison accurate, the months in Table XLV. are equalized to 31 days, and the deaths at each of the four ages adjusted to that number of days.

By this latter Table, it appears that for children under five years of age, the healthiest month of the year, and that during which the fewest deaths occurred, was January, when only 925 deaths happened. September, with its 981 deaths, was the next most healthy month for children at that age; then November, 993 deaths; then October, 995 deaths; April, 1049; and August, 1050 deaths. The most fatal month for children under five years of age was December, with its 1155 deaths; then July, the warmest month of the year, with its 1131 deaths; then May, with 1117 deaths; then February and March, each with 1114 deaths; and June, with 1099 deaths.

For persons from five to twenty years of age the influence of season on their mortality was considerably different. Accordingly, for persons of that age, the most healthy month was August, and the most fatal, December. Thus, in August, the healthiest month, only 244 deaths occurred; then followed January, 250 deaths; April, 255; March, 260; July, 261; and September, 271. December, on the other hand, was the most fatal month, causing 330 deaths to persons of this age; then November, 318 deaths; then October, 295; May, 292; June, 286; and February, 282 deaths.

The influence of season on the mortality of persons from 20 to 60 years of age did not correspond with that seen at the lower ages; for the healthiest months were August and September, and the most fatal months, February and March. Thus, the healthiest month for persons at this age was August, when 575 deaths occurred; then September, 605 deaths; then November, 678; then October, 685; then June, 714; and July, 728 deaths. February was the most fatal month, and caused 1002 deaths; then March, 893 deaths; then April, 813; then January, 778; then December, 751; and May, 741 deaths.

On the mortality of persons above sixty years of age season had much the same effect as on those in the prime of life, the most healthy months being July and August, the most fatal, February and March. Thus, for persons above sixty years of age, August had the smallest mortality, viz. 347 deaths; then July, 363 deaths; September, 391; December, 402; October, 404; and November, 441. February, on the other hand, was the most fatal month, causing 694 deaths; then March, 592 deaths; then April, 535; then May, 500; then January, 485; and June, 480 deaths.

Tables XLVI. and XLVII. are, as in former Reports, given as a *resumé* of ten years' observations, with which it is useful to compare the observations of 1873; and, in compliance with old custom, we likewise insert Table XLVIII., in which the mortality of each of the last nineteen years is given, together with the average prices of wheat and of potatoes.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 8*th August* 1877.

APPENDIX.

LETTER TO THE REGISTRAR-GENERAL FOR SCOTLAND, WITH TABLES GIVING AN APPROXIMATION TO THE LAW OF MORTALITY IN SCOTLAND AT THE PERIOD OF THE CENSUS 1871.

APPENDIX.

Letter to the Registrar-General for Scotland, by William Robertson, M.D.

SIR,

I BEG respectfully to submit to you the results of a first attempt to construct a Scottish Life Table out of the materials afforded by the Census enumeration of 1871, and by the Registered Deaths of that year. The attempt was suggested by Dr. Farr's Explanation of his English Life Table No. I., which appeared in the Registrar-General's Fifth Annual Report—that for 1843. The data on which that Table was based were, the Census enumeration of 1841, the Registered Deaths of the same year, and the Registered Births of the two years, 1840 and 1841. Precisely similar data for Scotland, obtained thirty years later, constitute Table I. of this Appendix.

The processes followed and the assumptions made in dealing with these data, so as to deduce some of the ordinary columns of a Life Table, are nearly the same as those used by Dr. Farr. These prefatory pages, and a few notes appended to the Tables themselves, will suffice to explain any peculiarity in the procedure here adopted. It may be remarked that Dr. Farr's data for his Life Table No. I. were preferable to those applicable to Scotland, the English numbers being nearly five times as large as the Scotch; but on the other hand there can be no question that both Births and Deaths were in 1871 registered in Scotland more completely than similar events were registered in England in 1841.

It is vexatious that Census enumerations give a very imperfect idea of the number of persons living in each year of life. Not only do the figures furnished by the enumerators exhibit the startling variations due to the practice of expressing the age, in cases where doubt is felt, in round numbers; but, as is notorious, an absurd vanity induces many persons, and especially females, to understate their age at all periods of life between 30 and 65. An element of uncertainty thus finds its way into our Census numbers. It seems hopeless to attempt to remove it. A correct Life Table can only be framed by contrasting the numbers of those who attain each age with the numbers of those who die during each year of life. In Scotland it may be assumed that the ages of those who *die* are correctly stated. There may be a little looseness in referring an unknown age to 20, 25, 30, 35, and so on, but the error is about as likely to be in the direction of overstating as of understating an age. Wilful misrepresentation of the age of a person 'dying' is probably as rare as it would be foolish. But it is far otherwise with the catalogue of the 'living.' In the second volume of the Census 1871 in Scotland, cap. ii. p. 2, any one interested in this subject will, in the first two columns, find a list of the numbers of each sex enumerated at each year of life; and this list obviously contains such a mass of error that it is unfit for any scientific use. An instance or two will suffice to prove this. The females aged 60 are stated to number 21,008, while those aged 59 are 9008, and those aged 61 are 7485! Again, the sum of the females aged 56, 57, 58, and 59 is given as 43,014; while the

sum of females aged 60, 61, 62, and 63 is 46,531—actually exceeding by 3517 the numbers of those living in the younger period! For the construction of a true Life Table, or for such a delicate mathematical process as the calculation of annuities, it is plain that figures such as these cannot be used. It is only after grouping the enumerated ages into quinquennial periods, making various assumptions (more or less probable), and expending no inconsiderable amount of arithmetical labour, that such approximations to the truth as are presented in the following Tables can be arrived at; and it is perhaps even questionable whether it is worth while to devote so much trouble with such faint prospect of success to these computations.

It seems merely necessary to add here a brief sketch of the assumptions made in calculating these Tables. Firstly, it is assumed that the numbers of the living and dying are accurately stated for each of the first five years of life. To this assumption there seems no particular objection. Secondly, it is assumed that the rates of mortality between the ages 15 and 55, and between 55 and 95, increase annually in geometrical progression. The common ratios of each of these series may be easily found, and interpolation performed, when the rates of mortality at the above specified ages are determined. In determining these rates for the English Table, Dr. Farr applied a correction to the whole series of observed quinquennial rates between the ages 15 and 95; but the mode of effecting the correction does not clearly appear from the details given in the Registrar-General's Report. No correction has been applied to the observed rates recorded in Table I. of this Appendix. The rate for the quinquennium, 15–20, is assumed to be correct for the age 17; that for 50–55 is held correct for the age 52; and that for 90–95 is held to represent the true rate at 92 years of age. It is admitted that the interpolation effected by means of these assumptions is to a certain extent an arbitrary process. Should any person care to apply more refined methods to our data, he will find in Table I. the materials on which to operate.

The notes appended to the Tables will point out any other assumptions that may have been made. In conclusion, it should be stated, that the general Death-rate in Scotland in 1871 was higher than that of England in 1841, and that hence it is not unnatural to find this approximate Scottish Table giving to the expectation of life, at most ages, values somewhat lower than Dr. Farr assigns in his First English Table.

I have the honour to be,

Sir,

Your obedient Servant,

WILLIAM ROBERTSON, M.D.

8th August 1877.

[I desire to express here my obligations to a young friend, Mr. A. H. Morgan, of the Scottish Equitable Assurance Society, who has rendered me valuable assistance in preparing these Tables for the press, and in checking some of the more laborious steps in their computation.—W. R.]

I.—POPULATION, DEATHS, AND MORTALITY IN SCOTLAND, 1871.

Age.	Population calculated for 1st July 1871.			Deaths Registered in 1871.			Annual Mortality per Cent.			One Death in Persons Living.
	Persons.	Males.	Females.	Persons.	Males.	Females.	Mean.	Males.	Females.	
0–1	101208	51173	50035	15145	8358	6787	14·949	16·333	13·565	6·69
1–2	87568	44407	43161	6232	3163	3069	7·117	7·123	7·111	14·05
2–3	91087	46197	44890	3103	1550	1553	3·408	3·355	3·460	29·34
3–4	89758	45374	44384	2035	1023	1012	2·268	2·255	2·280	44·09
4–5	87035	44178	42857	1443	713	730	1·659	1·614	1·703	60·28
0– 5	456656	231329	225327	27958	14807	13151	6·119	6·401	5·836	16·34
5–10	405700	205088	200612	3782	1926	1856	·932	·939	·925	107·30
10–15	372929	190324	182605	2153	1023	1130	·579	·538	·619	172·71
15–20	336374	167707	168667	2653	1313	1340	·789	·783	·794	126·74
20–25	293084	138755	154329	2887	1462	1425	·989	1·054	·923	101·11
25–30	255404	116273	139131	2696	1203	1493	1·054	1·035	1·073	94·88
30–35	220765	100319	120446	2404	1160	1244	1·095	1·156	1·033	91·32
35–40	189711	84866	104845	2445	1134	1311	1·293	1·336	1·250	77·34
40–45	176062	80184	95878	2327	1105	1222	1·327	1·378	1·275	75·36
45–50	147699	67424	80275	2436	1227	1209	1·663	1·820	1·506	60·13
50–55	135001	61054	73947	2626	1340	1286	1·967	2·195	1·739	50·84
55–60	105237	47598	57639	2587	1231	1356	2·470	2·586	2·353	40·49
60–65	98607	43137	55470	3249	1530	1719	3·323	3·547	3·099	30·09
65–70	67689	29238	38451	3153	1505	1648	4·717	5·147	4·286	21·20
70–75	54567	22894	31673	3726	1699	2027	6·911	7·421	6·400	14·47
75–80	28898	11782	17116	3101	1384	1717	10·890	11·747	10·032	9·18
80–85	15904	6194	9710	2488	1005	1483	15·749	16·225	15·273	6·35
85–90	5447	1995	3452	1373	532	841	25·515	26·667	24·363	3·92
90–95	1474	490	984	499	178	321	34·475	36·327	32·622	2·90
95–100	341	99	242	140	45	95	42·356	45·455	39·256	2·36
100 & upwards	79	23	56	29	15	14	45·109	65·217	25·000	2·21
All Ages	3367628	1606773	1760855	74712	36824	37888	2·222	2·292	2·152	45·00

The above population numbers are derived from the Census enumeration of 1871. The rate of increase is assumed to be that observed between 1861 and 1871. The persons whose ages were not specified at the Census are here distributed according to the numbers enumerated at each specified age. The small number of Deaths at unspecified ages Registered during 1871 are distributed in proportion to the relative frequency of Deaths at various specified ages.

BIRTHS.		
Year.	Males.	Females.
1870	58959	56431
1871	60029	56099
	118988	112530
Mean	59494	56265

II.—MORTALITY PER CENT.

Ages.	Males.	Females.	Ages.	Males.	Females.
0	16·333	13·565	49	2·009	1·626
1	7·123	7·111	50	2·069	1·663
2	3·355	3·460	51	2·131	1·701
3	2·255	2·280	*52	2·195	1·739
4	1·614	1·703	53	2·261	1·778
5	1·347	1·389	54	2·328	1·819
6	1·125	1·134	55	2·398	1·860
7	·939	·925	56	2·581	2·010
8	·840	·854	57	2·777	2·171
9	·752	·788	58	2·989	2·346
10	·672	·727	59	3·217	2·535
11	·601	·671	60	3·462	2·739
12	·538	·619	61	3·726	2·960
13	·598	·663	62	4·010	3·198
14	·664	·709	63	4·316	3·455
15	·738	·759	64	4·645	3·733
16	·760	·776	65	4·999	4·034
*17	·783	·794	66	5·380	4·358
18	·806	·812	67	5·790	4·709
19	·831	·830	68	6·231	5·088
20	·855	·849	69	6·706	5·498
21	·881	·868	70	7·217	5·940
22	·907	·888	71	7·767	6·419
23	·934	·908	72	8·359	6·935
24	·962	·929	73	8·996	7·494
25	·991	·950	74	9·682	8·097
26	1·021	·971	75	10·420	8·748
27	1·051	·993	76	11·214	9·453
28	1·083	1·016	77	12·069	10·214
29	1·115	1·039	78	12·989	11·036
30	1·148	1·062	79	13·979	11·924
31	1·183	1·087	80	15·045	12·602
32	1·218	1·111	81	16·192	13·921
33	1·254	1·136	82	17·426	15·041
34	1·292	1·162	83	18·754	16·252
35	1·330	1·188	84	20·184	17·560
36	1·370	1·215	85	21·722	18·974
37	1·411	1·243	86	23·378	20·501
38	1·453	1·271	87	25·160	22·151
39	1·497	1·300	88	27·078	23·934
40	1·542	1·329	89	29·142	25·861
41	1·588	1·359	90	31·363	27·943
42	1·635	1·390	91	33·754	30·192
43	1·684	1·422	*92	36·327	32·622
44	1·734	1·454	93	39·096	35·248
45	1·786	1·487	94	42·076	38·085
46	1·840	1·520	95	45·284	41·151
47	1·894	1·555	96	48·735	44·464
48	1·951	1·590	97	52·450	48·042

* For the five first years of life the mortalities in this Table are the same as those given in the Table I. The mortality at 17, at 52, and at 92, is assumed to be that of the quinquennial period, to which each of these ages belongs in Table I. By means of logarithms applied to these numbers geometrical series are obtained representing the mortality, first at all ages between 15 and 55, and then between 55 and the lower limit embraced in this Table, *i.e.*, between 55 and 97. In interpolating the mortalities between 5 and 15 use was likewise made, at the ages 7 and 12, of the mortality of the second and third quinquennial periods. It is deemed unnecessary to print the logarithms from which the mortalities have been computed for this Table.

III.—MALES.

Age.	*Probability of Living a Year = p.	Logarithms of p.	Age.	Age.	*Probability of Living a Year = p.	Logarithms of p.	Age.
		—				—	
0	·8595194	1·9342557	0	49	·9801100	1·9912747	49
1	·9312054	1·9690415	1	50	·9795218	1·9910141	50
2	·9669873	1·9854208	2	51	·9788750	1·9907272	51
3	·9777013	1·9902062	3	52	·9782882	1·9904668	52
4	·9839809	1·9929867	4	53	·9776425	1·9901801	53
5	·9866200	1·9941499	5	54	·9769878	1·9898892	54
6	·9888107	1·9951131	6	55	·9763040	1·9895851	55
7	·9906539	1·9959219	7	56	·9745186	1·9887902	56
8	·9916351	1·9963519	8	57	·9726106	1·9879390	57
9	·9925082	1·9967341	9	58	·9705504	1·9870181	58
10	·9933025	1·9970815	10	59	·9683391	1·9860275	59
11	·9940079	1·9973899	11	60	·9659691	1·9849691	60
12	·9946339	1·9976633	12	61	·9634213	1·9838163	61
13	·9940377	1·9974029	13	62	·9606880	1·9825824	62
14	·9933818	1·9971162	14	63	·9577515	1·9812529	63
15	·9926472	1·9967949	15	64	·9545111	1·9797810	64
16	·9924286	1·9966993	16	65	·9512306	1·9782858	65
17	·9922004	1·9965994	17	66	·9476093	1·9766293	66
18	·9919725	1·9964996	18	67	·9437289	1·9748473	67
19	·9917243	1·9963910	19	68	·9395725	1·9729303	68
20	·9914863	1·9962867	20	69	·9351174	1·9708651	69
21	·9912286	1·9961738	21	70	·9303532	1·9686479	70
22	·9909709	1·9960609	22	71	·9252336	1·9662514	71
23	·9907035	1·9959437	23	72	·9197636	1·9636762	72
24	·9904261	1·9958221	24	73	·9139123	1·9609045	73
25	·9901386	1·9956960	25	74	·9086023	1·9583748	74
26	·9898422	1·9955660	26	75	·9009600	1·9547055	75
27	·9895449	1·9954355	27	76	·8938149	1·9512471	76
28	·9892284	1·9952965	28	77	·8861785	1·9475212	77
29	·9889118	1·9951576	29	78	·8780314	1·9435101	78
30	·9885858	1·9950143	30	79	·8693424	1·9391909	79
31	·9882395	1·9948622	31	80	·8600764	1·9345370	80
32	·9878939	1·9947103	32	81	·8502052	1·9295248	81
33	·9875382	1·9945539	33	82	·8397062	1·9241274	82
34	·9871632	1·9943889	34	83	·8285380	1·9183124	83
35	·9867880	1·9942238	35	84	·8174879	1·9124813	84
36	·9863929	1·9940500	36	85	·8040609	1·9052890	85
37	·9859887	1·9938720	37	86	·7906866	1·8980044	86
38	·9855744	1·9936895	38	87	·7765144	1·8901496	87
39	·9851411	1·9934935	39	88	·7615093	1·8816752	88
40	·9846980	1·9933030	40	89	·7456424	1·8725306	89
41	·9842450	1·9931032	41	90	·7288850	1·8626590	90
42	·9837825	1·9928991	42	91	·7112006	1·8519921	91
43	·9833007	1·9926863	43	92	·6925700	1·8404637	92
44	·9828091	1·9924691	44	93	·6729681	1·8279945	93
45	·9822982	1·9922433	45	94	·6524030	1·8145160	94
46	·9817678	1·9920088	46	95	·6307627	1·7998660	95
47	·9812377	1·9917742	47	96	·6081372	1·7840016	96
48	·9806784	1·9915266	48	97	·5844889	1·7667756	97

Note.—The sign — over the Columns of Logarithms applies to all the indices in the Columns, which are *negative.*

* These probabilities of living for a year are, at all ages after 4, deduced from the mortality per cent. given in Table II., by the formula :—

$$p = \frac{100 - \frac{m}{2}}{100 + \frac{m}{2}}$$

III.—FEMALES.

Age.	*Probability of Living a Year = p.	Logarithms of p.	Age.	Age.	*Probability of Living a Year = p.	Logarithms of p.	Age.
		—				—	
0	·8793746	1·9441739	0	49	·9838713	1·9929383	49
1	·9313321	1·9691046	1	50	·9835070	1·9927775	50
2	·9659860	1·9849708	2	51	·9831333	1·9926124	51
3	·9774529	1·9900959	3	52	·9827600	1·9924474	52
4	·9831055	1·9926001	4	53	·9823768	1·9922781	53
5	·9862057	1·9939675	5	54	·9819739	1·9920999	54
6	·9887239	1·9950750	6	55	·9815714	1·9919219	55
7	·9908923	1·9960264	7	56	·9801000	1·9912704	56
8	·9914964	1·9962911	8	57	·9785232	1·9905711	57
9	·9921509	1·9965777	9	58	·9768120	1·9898110	58
10	·9927564	1·9968427	10	59	·9749671	1·9889900	59
11	·9933123	1·9970858	11	60	·9729800	1·9881040	60
12	·9938291	1·9973117	12	61	·9708315	1·9871439	61
13	·9933918	1·9971206	13	62	·9685233	1·9861101	62
14	·9929350	1·9969208	14	63	·9660366	1·9849936	63
15	·9924384	1·9967036	15	64	·9633540	1·9837859	64
16	·9922700	1·9966299	16	65	·9604575	1·9824782	65
17	·9920913	1·9965517	17	66	·9573504	1·9810705	66
18	·9919127	1·9964735	18	67	·9539934	1·9795454	67
19	·9917341	1·9963953	19	68	·9503821	1·9778983	68
20	·9915459	1·9963128	20	69	·9464911	1·9761165	69
21	·9913575	1·9962303	21	70	·9423132	1·9741953	70
22	·9911591	1·9961434	22	71	·9378059	1·9721130	71
23	·9909613	1·9960566	23	72	·9329632	1·9698738	72
24	·9907527	1·9959653	24	73	·9277679	1·9674388	73
25	·9905450	1·9958742	25	74	·9200600	1·9638160	74
26	·9903310	1·9957830	26	75	·9161861	1·9619861	75
27	·9901191	1·9956874	27	76	·9097362	1·9589155	76
28	·9898916	1·9955876	28	77	·9028229	1·9556026	77
29	·9896637	1·9954876	29	78	·8949941	1·9518202	78
30	·9894361	1·9953878	30	79	·8874692	1·9481533	79
31	·9891890	1·9952792	31	80	·8814500	1·9451976	80
32	·9889513	1·9951749	32	81	·8698495	1·9394440	81
33	·9887044	1·9950664	33	82	·8601102	1·9345541	82
34	·9884472	1·9949535	34	83	·8496939	1·9292625	83
35	·9881900	1·9948405	35	84	·8385732	1·9235410	84
36	·9879232	1·9947232	36	85	·8267010	1·9173484	85
37	·9876467	1·9946017	37	86	·8140508	1·9106515	86
38	·9873700	1·9944800	38	87	·8005772	1·9034032	87
39	·9870838	1·9943541	39	88	·7862407	1·8955555	88
40	·9867877	1·9942237	40	89	·7710009	1·8870549	89
41	·9865016	1·9940978	41	90	·7548246	1·8778461	90
42	·9861959	1·9939632	42	91	·7376800	1·8678680	91
43	·9858802	1·9938242	43	92	·7195278	1·8570476	92
44	·9855647	1·9936852	44	93	·7003334	1·8453048	93
45	·9852398	1·9935419	45	94	·6800722	1·8325550	94
46	·9849146	1·9933986	46	95	·6587204	1·8186946	95
47	·9845700	1·9932466	47	96	·6362327	1·8036160	96
48	·9842255	1·9930946	48	97	·6126300	1·7871984	97

Note.—The sign — over the Columns of Logarithms applies to all the indices in the Columns, which are *negative.*

* These probabilities of living for a year are, at all ages after 4, deduced from the mortality per cent. given in Table II., by the formula :—

$$p = \frac{100 - \frac{m}{2}}{100 + \frac{m}{2}}$$

IV.—SCOTTISH LIFE TABLE, 1871.

Ages.	Living.	Males.	Females.	Dying in the next year.	Males.	Females.
0	100000	51395	48605	13083	7220	5863
1	86917	44175	42742	5974	3039	2935
2	80943	41136	39807	2712	1358	1354
3	78231	39778	38453	1754	887	867
4	76477	38891	37586	1258	623	635
5	75219	38268	36951	1023	513	510
6	74196	37755	36441	833	422	411
7	73363	37333	36030	677	349	328
8	72686	36984	35702	612	309	303
9	72074	36675	35399	553	275	278
10	71521	36400	35121	498	243	255
11	71023	36157	34866	450	217	233
12	70573	35940	34633	406	193	213
13	70167	35747	34420	441	213	228
14	69726	35534	34192	475	235	240
15	69251	35299	33952	517	260	257
16	68734	35039	33695	525	265	260
17	68209	34774	33435	536	271	265
18	67673	34503	33170	545	277	268
19	67128	34226	32902	555	283	272
20	66573	33943	32630	565	289	276
21	66008	33654	32354	574	295	279
22	65434	33359	32075	585	301	284
23	64849	33058	31791	594	307	287
24	64255	32751	31504	606	314	292
25	63649	32437	31212	615	320	295
26	63034	32117	30917	623	324	299
27	62411	31793	30618	634	332	302
28	61777	31461	30316	645	339	306
29	61132	31122	30010	656	345	311
30	60476	30777	29699	665	351	314
31	59811	30426	29385	675	358	317
32	59136	30068	29068	685	364	321
33	58451	29704	28747	695	370	325
34	57756	29334	28422	705	377	328
35	57051	28957	28094	715	383	332
36	56336	28574	27762	723	388	335
37	55613	28186	27427	734	395	339
38	54879	27791	27088	743	401	342
39	54136	27390	26746	753	407	346
40	53383	26983	26400	762	413	349
41	52621	26570	26051	770	419	351
42	51851	26151	25700	779	424	355
43	51072	25727	25345	788	430	358
44	50284	25297	24987	795	435	360
45	49489	24862	24627	804	440	364
46	48685	24422	24263	811	445	366
47	47874	23977	23897	819	450	369
48	47055	23527	23528	826	455	371
49	46229	23072	23157	832	459	373
50	45397	22613	22784	839	463	376
51	44558	22150	22408	846	468	378
52	43712	21682	22030	851	471	380

IV.—SCOTTISH LIFE TABLE—*continued.*

Ages.	Living.	Males.	Females.	Dying in the next year.	Males.	Females.
53	42861	21211	21650	855	474	381
54	42006	20737	21269	861	477	384
55	41145	20260	20885	865	480	385
56	40280	19780	20500	912	504	408
57	39368	19276	20092	959	528	431
58	38409	18748	19661	1008	552	456
59	37401	18196	19205	1057	576	481
60	36344	17620	18724	1106	600	506
61	35238	17020	18218	1154	623	531
62	34084	16397	17687	1202	645	557
63	32882	15752	17130	1248	666	582
64	31634	15086	16548	1292	686	606
65	30342	14400	15942	1333	702	631
66	29009	13698	15311	1371	718	653
67	27638	12980	14658	1404	730	674
68	26234	12250	13984	1434	740	694
69	24800	11510	13290	1458	747	711
70	23342	10763	12579	1476	750	726
71	21866	10013	11853	1486	749	737
72	20380	9264	11116	1488	743	745
73	18892	8521	10371	1483	734	749
74	17409	7787	9622	1481	712	769
75	15928	7075	8853	1443	701	742
76	14485	6374	8111	1409	677	732
77	13076	5697	7379	1366	649	717
78	11710	5048	6662	1316	616	700
79	10394	4432	5962	1250	579	671
80	9144	3853	5291	1166	539	627
81	7978	3314	4664	1103	496	607
82	6875	2818	4057	1020	452	568
83	5855	2366	3489	930	406	524
84	4925	1960	2965	837	358	479
85	4088	1602	2486	745	314	431
86	3343	1288	2055	652	270	382
87	2691	1018	1673	561	228	333
88	2130	790	1340	476	189	287
89	1654	601	1053	394	153	241
90	1260	448	812	321	121	200
91	939	327	612	255	95	160
92	684	232	452	198	71	127
93	486	161	325	150	53	97
94	336	108	228	110	37	73
95	226	71	155	79	26	53
96	147	45	102	55	18	37
97	92	27	65	36	11	25
98	56	16	40	...	...	...
99, 100, 101, 102, 103, 104, 105	(63)	(18)	(45)	...	...	...

V.—YEARS OF LIFE + $\frac{1}{2}\,l_m$.

Age.	Persons.	Males.	Females.	Age.	Persons.	Males.	Females.
0	4139217	2070902	2068315	51	898399	424790	473609
1	4039217	2019507	2019710	52	853841	402640	451201
2	3952300	1975332	1976968	53	810129	380958	429171
3	3871357	1934196	1937161	54	767268	359747	407521
4	3793126	1894418	1898708	55	725262	339010	386252
5	3716649	1855527	1861122	56	684117	318750	365367
6	3641430	1817259	1824171	57	643837	298970	344867
7	3567234	1779504	1787730	58	604469	279694	324775
8	3493871	1742171	1751700	59	566060	260946	305114
9	3421185	1705187	1715998	60	528659	242750	285909
10	3349111	1668512	1680599	61	492315	225130	267185
11	3277590	1632112	1645478	62	457077	208110	248967
12	3206567	1595955	1610612	63	422993	191713	231280
13	3135994	1560015	1575979	64	390111	175961	214150
14	3065827	1524268	1541559	65	358477	160875	197602
15	2996101	1488734	1507367	66	328135	146475	181660
16	2926850	1453435	1473415	67	299126	132777	166349
17	2858116	1418396	1439720	68	271488	119797	151691
18	2789907	1383622	1406285	69	245254	107547	137707
19	2722234	1349119	1373115	70	220454	96037	124417
20	2655106	1314893	1340213	71	197112	85274	111838
21	2588533	1280950	1307583	72	175246	75261	99985
22	2522525	1247296	1275229	73	154866	65997	88869
23	2457091	1213937	1243154	74	135974	57476	78498
24	2392242	1180879	1211363	75	118565	49689	68876
25	2327987	1148128	1179859	76	102637	42614	60023
26	2264338	1115691	1148647	77	88152	36240	51912
27	2201304	1083574	1117730	78	75076	30543	44533
28	2138893	1051781	1087112	79	63366	25495	37871
29	2077116	1020320	1056796	80	52972	21063	31909
30	2015984	989198	1026786	81	43828	17210	26618
31	1955508	958421	997087	82	35850	13896	21954
32	1895697	927995	967702	83	28975	11078	17897
33	1836561	897927	938634	84	23120	8712	14408
34	1778110	868223	909887	85	18195	6752	11443
35	1720354	838889	881465	86	14107	5150	8957
36	1663303	809932	853371	87	10764	3862	6902
37	1606967	781358	825609	88	8073	2844	5229
38	1551354	753172	798182	89	5943	2054	3889
39	1496475	725381	771094	90	4289	1453	2836
40	1442339	697991	744348	91	3029	1005	2024
41	1388956	671008	717948	92	2090	678	1412
42	1336335	644438	691897	93	1406	446	960
43	1284484	618287	666197	94	920	285	635
44	1233412	592560	640852	95	584	177	407
45	1183128	567263	615865	96	358	106	252
46	1133639	542401	591238	97	211	61	150
47	1084954	517979	566975	98	119	34	85
48	1037080	494002	543078	99 to 105	* (63)	(18)	(45)
49	990025	470475	519550				
50	943796	447403	496393				

Note.—This Table is derived from Table IV., by summing the numbers in the columns headed 'Living,' at each age up to the last age in the Table.

* These numbers, included in brackets both here and in Table IV., are to be regarded as mere approximate estimates to the true numbers.

VI.—EXPECTATION OF LIFE.

Ages.	Persons.	Males.	Females.	Ages.	Persons.	Males.	Females.
0	40·89	39·79	42·05	50	20·29	19·28	21·29
1	45·97	45·22	46·75	51	19·66	18·68	20·64
2	48·33	47·52	49·16	52	19·04	18·07	19·98
3	48·99	48·13	49·88	53	18·40	17·46	19·32
4	49·10	48·21	50·02	54	17·77	16·85	18·66
5	48·91	47·99	49·87	55	17·13	16·23	17·99
6	48·58	47·63	49·56	56	16·48	15·61	17·32
7	48·12	47·16	49·12	57	15·86	15·01	16·66
8	47·57	46·61	48·56	58	15·24	14·42	16·02
9	46·97	45·99	47·97	59	14·64	13·84	15·39
10	46·33	45·34	47·35	60	14·05	13·28	14·77
11	45·65	44·64	46·69	61	13·47	12·73	14·17
12	44·94	43·91	46·01	62	12·91	12·19	13·58
13	44·19	43·14	45·29	63	12·37	11·67	13·00
14	43·47	42·40	44·59	64	11·83	11·16	12·44
15	42·77	41·68	43·90	65	11·32	10·67	11·90
16	42·08	40·98	43·23	66	10·81	10·19	11·37
17	41·41	40·29	42·56	67	10·32	9·73	10·85
18	40·73	39·60	41·89	68	9·85	9·28	10·35
19	40·06	38·92	41·23	69	9·39	8·85	9·86
20	39·38	38·24	40·57	70	8·94	8·42	9·39
21	38·72	37·56	39·91	71	8·52	8·02	8·94
22	38·05	36·89	39·26	72	8·10	7·63	8·48
23	37·39	36·22	38·60	73	7·70	7·25	8·07
24	37·23	35·56	37·95	74	7·31	6·88	7·66
25	36·08	34·89	37·30	75	6·94	6·52	7·28
26	35·42	34·24	36·65	76	6·59	6·19	6·90
27	34·77	33·58	36·01	77	6·24	5·86	6·54
28	34·12	32·93	35·36	78	5·91	5·55	6·18
29	33·47	32·29	34·71	79	5·60	5·25	5·85
30	32·84	31·64	34·07	80	5·29	4·97	5·53
31	32·20	31·00	33·43	81	4·99	4·69	5·21
32	31·56	30·37	32·79	82	4·71	4·43	4·91
33	30·97	29·73	32·15	83	4·44	4·18	4·61
34	30·29	29·10	31·51	84	4·19	3·94	4·36
35	29·65	28·47	30·88	85	3·95	3·71	4·10
36	29·03	27·85	30·24	86	3·72	3·50	3·86
37	28·40	27·22	29·60	87	3·50	3·29	3·63
38	27·77	26·60	28·97	88	3·29	3·10	3·40
39	27·15	25·98	28·33	89	3·09	2·92	3·19
40	26·52	25·37	27·69	90	2·90	2·74	2·99
41	25·90	24·75	27·06	91	2·73	2·57	2·80
42	25·27	24·14	26·42	92	2·56	2·42	2·62
43	24·65	23·53	25·79	93	2·39	2·27	2·50
44	24·03	22·92	25·14	94	2·24	2·14	2·29
45	23·41	22·32	24·51	95	2·08	1·99	2·13
46	22·78	21·71	23·87	96	1·94	1·86	1·97
47	22·16	21·10	23·23	97	1·79	1·76	1·81
48	21·54	20·50	22·58	98	1·63	1·63	1·63
49	20·92	19·89	21·94				

Note.—The expectation or average afterlifetime at any age is obtained from Tables V. and IV. as follows:—

Divide the number in Table V. corresponding to the *next higher* year of life by the number living at the age according to Table IV.; and then add ·5 to the quotient. Thus, at 71 the expectation of male life is $\frac{75261}{10013} + \cdot 5 = 8\cdot 02$ years.

VACCINATIONS IN SCOTLAND—1873.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	SCOTLAND,	105177	1113	162	39	163	10527	2629	119810
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS,	35780	111	65	14	92	4337	1110	41509
2	LARGE TOWNS,	12264	70	16	15	29	1338	317	14049
3	SMALL TOWNS,	25697	304	18	9	28	2437	503	28996
4	MAINLAND-RURAL,	28823	366	60	1	13	2191	427	31881
5	INSULAR-RURAL,	2613	262	3	0	1	224	272	3375
	DIVISIONS.								
1	NORTHERN,	2481	179	5	0	3	203	201	3072
2	NORTH-WESTERN,	3374	348	24	0	6	327	185	4264
3	NORTH-EASTERN,	11561	81	17	0	1	915	87	12662
4	EAST-MIDLAND,	16579	74	32	0	41	1660	173	18559
5	WEST-MIDLAND,	7283	141	6	7	13	633	237	8320
6	SOUTH-WESTERN,	43947	96	50	30	96	4786	1269	50268
7	SOUTH-EASTERN,	14540	117	19	1	7	1496	401	16581
8	SOUTHERN,	5412	77	9	1	2	507	76	6084
	COUNTIES.								
	I. NORTHERN.								
1	Shetland,	523	19	0	0	0	43	132	717
2	Orkney,	713	25	0	0	0	34	9	781
3	Caithness,	789	123	2	0	2	76	41	1033
4	Sutherland,	456	12	3	0	1	50	19	541
	II. NORTH-WESTERN.								
5	Ross and Cromarty,	1666	159	4	0	2	155	54	2040
6	Inverness,	1708	189	20	0	4	172	131	2224
	III. NORTH-EASTERN.								
7	Nairn,	222	2	1	0	0	18	5	248
8	Elgin or Moray,	1101	14	1	0	0	79	16	1211
9	Banff,	1610	20	2	0	0	141	15	1788
10	Aberdeen,	7628	36	10	0	1	605	47	8327
11	Kincardine,	1000	9	3	0	0	72	4	1088
	IV. EAST-MIDLAND.								
12	Forfar,	7600	23	23	0	38	895	86	8665
13	Perth,	3046	16	4	0	1	275	52	3394
14	Fife,	5034	34	5	0	2	390	29	5494
15	Kinross,	160	0	0	0	0	17	1	178
16	Clackmannan,	739	1	0	0	0	83	5	828
	V. WEST-MIDLAND.								
17	Stirling,	3281	18	2	0	12	286	61	3660
18	Dumbarton,	2000	13	3	7	0	199	75	2297
19	Argyll,	1663	108	1	0	1	131	74	1978
20	Bute,	339	2	0	0	0	17	27	385
	VI. SOUTH-WESTERN.								
21	Renfrew,	6780	14	27	11	25	727	206	7790
22	Ayr,	7292	27	3	6	0	652	71	8051
23	Lanark	29875	55	20	13	65	3407	992	34427
	VII. SOUTH-EASTERN.								
24	Linlithgow,	1496	10	3	0	0	165	42	1716
25	Edinburgh,	16073	69	10	1	1	1041	311	11506
26	Haddington,	1031	20	2	0	5	94	14	1166
27	Berwick,	918	6	1	0	1	82	12	1020
28	Peebles,	314	4	3	0	0	30	11	362
29	Selkirk,	708	8	0	0	0	84	11	811
	VIII. SOUTHERN.								
30	Roxburgh,	1393	9	0	1	0	144	16	1563
31	Dumfries,	1876	54	6	0	2	196	37	2171
32	Kirkcudbright,	1115	11	1	0	0	92	13	1232
33	Wigtown,	1028	3	2	0	0	75	10	1118

IRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1873.

1873.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND, - -	3,062,294	3,360,018	61467	58233	119700	5542	5383	10925	39037	37909	76946	26748	42754	19,639,377
GROUPS OF DISTRICTS.														
PRINCIPAL TOWNS .	884,955	1,068,556	21223	20277	41500	1911	1869	3780	15227	14781	30008	10594	11492	
LARGE TOWNS . .	277,333	337,469	7241	6792	14033	545	543	1088	4766	4540	9306	3140	4727	
SMALL TOWNS . .	701,528	772,875	14912	13929	28841	1190	1128	2318	8869	8488	17357	6130	11484	
MAINLAND-RURAL .	1,061,793	1,049,114	16344	15619	31963	1793	1754	3547	9155	8943	18098	6291	13865	
INSULAR-RURAL .	136,785	132,004	1747	1616	3363	103	89	192	1020	1157	2177	593	1186	
DIVISIONS.														
NORTHERN, . . .	130,422	127,191	1583	1482	3065	129	107	236	1001	1083	2084	624	981	2,387,221
NORTH-WESTERN, .	167,242	166,351	2192	2066	4258	122	157	279	1398	1445	2843	738	1415	4,739,876
NORTH-EASTERN, .	366,870	393,199	6477	6177	12654	896	911	1807	3402	3402	6804	2546	5850	2,364,425
EAST-MIDLAND, .	523,822	559,676	9482	9060	18542	938	856	1794	5822	5897	11719	4168	6823	2,644,646
WEST-MIDLAND, .	242,487	251,088	4272	4034	8306	289	304	593	2836	2698	5534	1719	2772	2,698,379
SOUTH-WESTERN, .	1,008,273	1,183,218	25851	24379	50230	1957	1902	3859	17494	16289	33783	11592	16447	1,466,557
SOUTH-EASTERN, .	413,116	475,523	8483	8086	16569	740	662	1402	5178	5064	10242	4030	6327	1,186,736
SOUTHERN, . . .	210,062	203,772	3127	2949	6076	471	484	955	1906	2031	3937	1331	2139	2,072,688
COUNTIES.														
I. NORTHERN.														
Shetland, . . .	31,670	31,608	372	341	713	19	11	30	196	244	440	144	273	598,726
Orkney, . . .	32,395	31,274	408	373	781	29	21	50	262	256	518	179	263	
Caithness,* . . .	42,200	41,011	533	499	1032	60	58	118	357	372	729	199	303	448,866
Sutherland,* . . .	24,157	23,298	270	269	539	21	17	38	186	211	397	102	142	1,339,629
II. NORTH-WESTERN.														
Ross and Cromarty, .	82,427	82,093	1059	978	2037	36	48	84	636	631	1267	358	770	2,016,375
Inverness, . . .	84,815	84,258	1133	1088	2221	86	109	195	762	814	1576	380	645	2,723,501
III. NORTH-EASTERN.														
Nairn,*	8,347	8,372	126	121	247	4	10	14	68	86	154	45	93	127,906
Elgin (or Moray),* .	44,305	44,549	643	569	1212	94	98	192	364	372	736	244	476	312,346
Banff.*	56,020	58,883	938	850	1788	149	127	276	523	461	984	371	804	413,791
Aberdeen,* . . .	223,417	246,298	4205	4115	8320	576	600	1176	2174	2202	4376	1681	3944	1,262,098
Kincardine,* . . .	34,781	35,097	565	522	1087	73	76	149	273	281	554	205	533	248,284
IV. EAST-MIDLAND.														
Forfar,*	206,750	240,049	4462	4200	8662	495	470	965	2721	2753	5474	1982	3188	569,840
Perth,*	133,198	128,550	1704	1681	3385	183	156	339	1268	1292	2560	770	825	1,644,690
Fife,*	155,021	160,924	2798	2692	5490	222	193	415	1533	1531	3064	1207	2426	328,427
Kinross,* . . .	8,731	7,918	85	93	178	10	9	19	65	94	159	44	19	49,812
Clackmannan,* . .	20,122	22,235	433	394	827	28	28	56	235	227	462	165	365	31,876
V. WEST-MIDLAND.														
Stirling,* . . .	88,138	93,345	1910	1748	3658	137	143	280	1141	1008	2149	815	1509	298,579
Dumbarton,* . . .	54,179	61,116	1167	1125	2292	71	67	138	755	682	1437	443	855	172,677
Argyll, ...	83,859	79,661	998	973	1971	71	76	147	771	797	1568	366	403	2,083,126
Bute,*	16,311	16,966	197	188	385	10	18	28	169	211	380	95	5	143,997
VI. SOUTH-WESTERN.														
Renfrew,* . . .	168,746	195,305	4049	3738	7787	273	245	518	2986	2852	5838	1793	1949	162,428
Ayr,*	199,083	200,908	4090	3943	8033	298	335	633	2512	2304	4816	1822	3217	735,262
Lanark,*	640,444	787,005	17712	16698	34410	1386	1322	2708	11996	11133	23129	7977	11281	568,868
VII. SOUTH-EASTERN.														
Linlithgow,* . . .	39,045	41,379	905	809	1714	85	63	148	499	424	923	337	791	81,114
Edinburgh,* . . .	273,792	328,138	5838	5665	11503	491	441	932	3669	3639	7308	2994	4195	234,926
Haddington,* . . .	37,626	37,755	609	553	1162	60	49	109	386	396	782	255	380	179,142
Berwick,* . . .	36,488	36,382	516	501	1017	50	57	107	316	299	615	200	402	297,161
Peebles,* . . .	11,264	12,218	184	178	362	17	18	35	94	96	190	66	172	227,869
Selkirk,* . . .	14,901	19,651	431	380	811	37	34	71	214	210	424	178	387	166,524
VIII. SOUTHERN.														
Roxburgh,* . . .	49,568	48,241	809	753	1562	89	92	181	451	490	941	344	621	428,494
Dumfries,* . . .	75,904	74,842	1094	1075	2169	156	187	343	749	795	1544	474	625	705,946
Kirkcudbright,* . .	42,680	42,087	651	578	1229	116	107	223	358	389	747	272	482	610,343
Wigtown,* . . .	41,910	38,602	573	543	1116	110	98	208	348	357	705	241	411	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these asurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurents of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the nsus of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These annels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	915	902	11	5	16	–	–	–	6	13	19	3
	(2) Burra and Quarff,	890	952	8	19	27	–	–	–	2	6	8	8
2	Delting, . . .	1975	1862	18	20	38	1	1	2	11	7	18	10
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	2113	1970	19	18	37	2	–	2	12	10	22	11
	(2) Sandwick and Cunningsburgh, . .	2337	2326	26	31	57	2	–	2	15	13	28	8
	(3) Fair Isle, . .	380	226	3	5	8	–	–	–	–	2	2	2
4	Fetlar, etc.—												
	(1) Fetlar, . . .	548	517	3	3	6	–	–	–	6	2	8	1
	(2) North Yell, . .	932	893	12	10	22	–	–	–	2	7	9	3
5	Lerwick, . . .	3631	4180	58	48	106	5	4	9	44	42	86	48
6	Mid and South Yell, .	1784	1843	22	23	45	1	2	3	10	22	32	2
7	Nesting, etc.—												
	(1) Nesting, . .	855	868	17	12	29	1	–	1	2	7	9	7
	(2) Lunnasting, . .	880	822	14	4	18	2	–	2	5	4	9	–
	(3) Whalsay and Skerries	848	989	13	20	33	–	–	–	5	6	11	2
8	Northmavine, . .	2585	2602	26	27	53	1	1	2	16	19	35	7
9	Sandsting and Aithsting,	2670	2806	30	24	54	1	1	2	14	19	33	18
10	Tingwall, etc.—												
	(1) Tingwall, . .	1554	1442	14	14	28	2	1	3	8	18	26	5
	(2) Whiteness & Weisdale	1143	1049	12	10	22	–	–	–	9	15	24	3
11	Unst, ...	3060	2780	33	28	61	1	–	1	13	19	32	3
12	Walls, etc.—(1) Walls, .	1365	1325	15	14	29	–	1	1	7	9	16	3
	(2) Sandness, .	606	646	14	5	19	–	–	–	6	2	8	–
	(3) Papa-Stour, .	366	351	4	1	5	–	–	–	–	1	1	–
	(4) Foula, . .	233	257	-	–	–	–	–	–	3	1	4	–
	Total,	31670	31608	372	341	713	19	11	30	196	244	440	144
	2. Orkney.												
13	Birsay, ...	1774	1597	18	19	37	–	–	–	13	7	20	5
14	Deerness, . . .	813	863	9	7	16	–	–	–	5	8	13	3
15	Eday and Pharay, . .	979	905	9	13	22	–	–	–	5	7	12	6
16	Evie and Rendall, . .	1408	1340	22	15	37	2	–	2	7	12	19	7
17	Firth and Stennes, . .	1493	1434	13	15	28	2	1	3	19	7	26	5
18	Harray, . . .	819	727	9	7	16	1	–	1	10	4	14	5
19	Holm and Paplay, . .	834	935	14	12	26	–	–	–	8	7	15	10
20	Hoy and Græmsay, .	556	581	13	5	18	–	–	–	2	8	10	4
21	KIRKWALL & St Ola .	4422	4261	53	54	107	6	7	13	47	41	88	29
22	North Ronaldshay, .	532	539	8	6	14	–	–	–	7	2	9	3
23	Orphir, . . .	1133	1040	13	7	20	–	1	1	8	9	17	4
24	Rousay and Egilsay, .	1152	1101	20	21	41	–	–	–	6	14	20	8
25	St Andrews, . . .	868	870	8	7	15	1	–	1	9	7	16	2
26	Sanday, . . .	2145	2053	22	31	53	2	–	2	15	12	27	8
27	Sandwick, . . .	1225	1153	11	7	18	–	–	–	6	8	14	9
28	Shapinshay, . . .	973	949	13	11	24	1	1	2	6	3	9	4
29	South Ronaldshay and Burray, . . .	3282	3228	46	47	93	3	3	6	24	25	49	25
30	Stromness, . . .	2540	2403	35	17	52	5	–	5	18	34	52	6
31	Stronsay, . . .	1228	1305	14	17	31	1	1	2	13	7	20	8
32	Walls, etc.—(1) Walls, .	1254	1107	13	14	27	2	3	5	15	9	24	8
	(2) Flotta, .	420	423	5	3	8	–	2	2	5	4	9	5
33	Westray, etc.—(1) Westray	2153	2090	34	34	68	3	2	5	11	21	32	15
	(2) Papa-Westray,	392	370	6	4	10	–	–	–	3	–	3	–
	Total,	32395	31274	408	373	781	29	21	50	262	256	518	179

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: THURSO.

Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
3. Caithness.												
Bower,	1746	1700	11	30	41	–	3	3	13	16	29	6
Canisbay,	2730	2729	36	47	83	3	2	5	20	19	39	9
Dunnet,	1861	1661	19	13	32	1	–	1	12	13	25	13
Halkirk,	2864	2664	40	27	67	2	4	6	23	25	48	15
Latheron,	8571	7400	100	63	163	12	7	19	66	68	134	37
Olrig,	2059	2028	18	23	41	3	6	9	15	14	29	8
Reay,	2476	2331	26	23	49	3	5	8	21	19	40	11
Thurso	5561	5754	101	74	175	10	7	17	48	62	110	31
Watten,	1491	1453	14	17	31	1	4	5	13	14	27	7
WICK,	12841	13291	168	182	350	25	20	45	126	122	248	62
Total,	42200	41011	533	499	1032	60	58	118	357	372	729	199
4. Sutherland.												
Assynt—(1) Kirkton,	553	487	6	5	11	–	1	1	5	8	13	2
(2) Stoer,	2625	2519	26	32	58	1	–	1	18	21	39	15
Clyne,	1886	1733	20	16	36	2	–	2	17	23	40	10
Criech—(1) Bonar,	1982	1854	13	22	35	1	1	2	12	11	23	8
(2) Rosehall,	539	670	12	3	15	1	–	1	5	3	8	2
DORNOCH,	2885	2764	25	31	56	4	4	8	16	31	47	9
Durness,	1109	1049	12	10	22	1	1	2	8	6	14	2
Eddrachillis—(1) Scourie,	727	648	3	7	10	–	1	1	6	6	12	2
(2) Kinlochbervie,	914	882	11	19	30	1	1	2	5	11	16	6
Farr—(1) Kirkton,	1251	1190	16	14	30	3	1	4	9	15	24	4
(2) Strathy,	852	829	10	11	21	1	2	3	12	3	15	6
Golspie,	1615	1804	19	22	41	–	1	1	13	17	30	10
Kildonan,	2132	1916	32	29	61	1	3	4	20	24	44	10
Lairg,	961	978	18	9	27	2	–	2	6	8	14	5
Loth,	610	583	6	9	15	–	–	–	2	3	5	2
Rogart,	1439	1341	17	11	28	2	1	3	16	11	27	4
Tongue,	2077	2051	24	19	43	1	–	1	16	10	26	5
Total,	24157	23298	270	269	539	21	17	38	186	211	397	102
II. NORTH-WESTERN.												
5. Ross and Cromarty. *Mainland.*												
Alness,	1178	1053	9	7	16	–	–	–	5	4	9	1
Applecross—(1) Applecross,	1064	1129	10	13	23	1	1	2	5	6	11	5
(2) Shieldaig,	1480	1341	24	14	38	2	–	2	10	8	18	10
Avoch,	1788	1828	27	29	56	1	1	2	17	16	33	9
Contin,	c. 852	893	11	12	23	1	1	2	7	10	17	4
CROMARTY,	2300	2180	34	33	67	–	2	2	16	21	37	9
DINGWALL,	2412	2443	21	30	51	–	3	3	12	17	29	11
Edderton,	836	860	11	9	20	–	1	1	10	11	21	1
Fearn,	2083	2135	29	36	65	1	1	2	18	12	30	8
Fodderty,	c. 2212	2086	17	22	39	4	–	4	17	18	35	4
Gairloch—												
(1) Northern District,	1927	1669	20	14	34	–	2	2	15	9	24	9
(2) Southern District,	3522	3379	34	27	61	1	1	2	30	21	51	9
Glenshiel,	485	463	6	3	9	1	–	1	6	5	11	–
Killearnan,	1494	1272	18	11	29	1	2	3	8	5	13	2
Kilmuir-Easter,	1295	1281	11	10	21	–	–	–	14	8	22	1
Kiltearn,	1634	1496	9	21	30	1	3	4	8	11	19	3
Kincardine—												
(1) Kincardine,	1346	1299	16	13	29	1	1	2	10	12	22	3
(2) Strathoykel,	400	386	3	3	6	–	–	–	2	2	4	–
Kinlochluichart,	c. 714	704	7	8	15	–	–	–	5	1	6	1
Kintail,	890	753	6	8	14	–	–	–	8	9	17	2
Knockbain,	2485	2155	21	14	35	–	4	4	19	16	35	7

No. of District.	Registration Districts.	Population.		Total Briths, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
74	Lochalsh, . . .	2413	2319	33	8	41	2	2	4	17	12	29	15
75	Lochbroom—												
	(1) Lochbroom, . .	3577	3167	43	30	73	4	–	4	24	35	59	15
	(2) Coigach, . .	1285	1239	27	15	42	–	1	1	12	10	22	8
76	Lochcarron, . . .	1592	1629	18	16	34	1	1	2	10	12	22	8
77	Logie-Easter, . . .	932	912	10	10	20	–	1	1	10	9	19	2
78	Nigg, ...	1253	1201	14	7	21	–	–	–	6	6	12	5
79	Resolis, ...	1568	1527	17	15	32	–	1	1	11	9	20	10
80	ROSEMARKIE, . .	1545	1441	18	17	35	–	5	5	20	15	35	7
81	Rosskeen, . . .	3766	3808	45	46	91	5	3	8	25	38	63	14
82	TAIN	3294	3221	38	39	77	5	4	9	35	38	73	9
83	Tarbat, ...	2269	2182	19	21	40	–	–	–	7	17	24	10
84	Urquhart & Logie Wester,	3147	2863	15	25	40	–	4	4	23	32	55	3
85	Urray, ...	c. 2343	2296	20	24	44	1	–	1	19	17	36	13
	Insular.												
a86	Barvas, ...	4609	4950	82	97	179	1	1	2	34	35	69	46
b86	Carloway, . . .	2204	2702	55	41	96	–	–	–	24	25	49	6
87	Lochs, ...	3568	4162	75	63	138	–	2	2	32	28	60	27
88	STORNOWAY, . . .	8668	9510	152	141	293	2	–	2	75	61	136	49
89	Uig, ...	2007	2159	34	26	60	–	–	–	10	10	20	12
	Total,	82427	82093	1059	978	2037	36	48	84	636	631	1267	358
	6. INVERNESS.												
	Mainland.												
a90	Abernethy & Kincardine,	1928	1752	28	23	51	10	9	19	15	14	29	12
b90	Alvie, ...	833	882	13	11	24	2	2	4	3	4	7	4
91	Ardersier, . . .	1239	1284	36	24	60	4	2	6	22	21	43	12
92	Boleskine etc.—												
	(1) Boleskine, . .	813	681	9	11	20	1	–	1	6	5	11	–
	(2) Fort-Augustus .	930	897	7	10	17	–	1	1	8	7	15	5
93	Cromdale & Inverallan, (Now 128*b* *infra.*)												
94	Croy and Dalcross, .	1873	1841	16	23	39	2	4	6	10	9	19	13
95	Daviot and Dunlichty, .	1741	1598	16	15	31	–	1	1	12	10	22	2
a96	Dores, ...	1506	1401	12	13	25	1	1	2	9	10	19	7
b96	Duthil, etc.—(1) Duthil,	1609	1530	22	12	34	8	4	12	9	17	26	5
	(2) Rothiemurchus,	319	342	3	2	5	–	–	–	–	3	3	1
97	Glenelg—(1) Glenelg, .	800	714	9	7	16	1	–	1	6	5	11	3
	(2) Knoydart, .	574	499	9	3	12	–	1	1	5	8	13	1
	(3) North Morar,	469	440	12	7	19	–	–	–	3	1	4	3
98	INVERNESS, . .	16162	18552	260	269	529	14	33	47	230	235	465	112
99	Kilmonivaig—												
	(1) Glengarry, . .	625	550	6	4	10	–	–	–	1	5	6	3
	(2) Lochaber, . .	1651	1417	15	15	30	–	1	1	16	9	25	4
100	Kilmorack, . . .	2852	2728	27	17	44	–	2	2	34	22	56	7
101	Kiltarlity, . . .	2839	2537	13	17	30	2	1	3	23	16	39	7
102	Kingussie and Insh, .	2033	2101	30	29	59	3	5	8	15	14	29	5
103	Kirkhill, ...	1757	1582	13	17	30	1	1	2	12	12	24	6
104	Laggan, ...	986	950	11	10	21	–	1	1	6	9	15	2
105	Moy and Dalarossie, .	1026	1005	9	6	15	–	–	–	8	6	14	2
106	Petty, ...	1671	1549	21	19	40	–	–	–	9	12	21	5
107	Urquhart, etc.—												
	(1) Urquhart, . .	2294	2215	30	23	53	1	2	3	18	12	30	8
	(2) Glenmoriston, .	617	565	1	5	6	–	–	–	1	3	4	1
	Insular.												
108	Barra, ...	1853	1997	35	40	75	4	4	8	29	32	61	3
109	Bracadale, . . .	1335	1113	12	6	18	3	1	4	7	12	19	1
110	Duirinish, . . .	4775	4422	66	62	128	2	2	4	37	40	77	19
111	Harris—(1) Harris, .	3769	3668	87	51	138	12	1	13	26	37	63	20
	(2) Bernera, .	336	381	7	11	18	–	–	–	2	4	6	1
	(3) St Kilda, .	78	71	–	–	–	–	–	–	–	1	1	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
112	Kilmuir—(1) Kilmuir,	1561	1362	14	21	35	2	4	6	8	10	18	8
	(2) Stenscholl,	1311	1228	19	21	40	–	–	–	5	10	15	4
113	North Uist,	3959	4107	57	69	126	3	5	8	38	47	85	18
114	Portree—(1) Portree,	2579	2328	32	33	65	5	4	9	20	26	46	7
	(2) Raasay,	580	600	10	10	20	–	–	–	3	8	11	5
115	Sleat,	2330	2233	28	24	52	2	1	3	21	20	41	11
116	Small Isles,	567	522	6	6	12	–	1	1	5	6	11	2
117	Snizort—(1) North,	961	803	8	13	21	–	1	1	5	6	11	3
	(2) South,	1652	1500	13	18	31	–	3	3	14	16	30	7
118	South Uist—												
	(1) Benbecula,	1544	1651	22	23	45	–	3	3	10	6	16	7
	(2) Howmore,	1763	1818	26	31	57	1	3	4	12	24	36	16
	(3) Boisdale,	2051	2280	29	27	56	2	–	2	19	15	34	5
119	Strath,	2664	2562	34	30	64	–	5	5	20	25	45	12
	—— Total,	84815	84258	1133	1088	2221	86	109	195	762	814	1576	380
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1330	1197	13	18	31	1	–	1	6	9	15	3
121	Auldearn,	1328	1279	22	19	41	2	2	4	13	10	23	5
122	Cawdor,	1203	1027	16	17	33	1	–	1	6	11	17	3
123	NAIRN,	4486	4869	75	67	142	–	8	8	43	56	99	34
	Total,	8347	8372	126	121	247	4	10	14	68	86	154	45
	8. Elgin (or Moray).												
124	Abernethy, etc.—(Now 90*a supra.*)												
125	Alves,	1010	1018	31	11	42	1	2	3	7	10	17	3
126	Bellie,	1967	2013	24	30	54	1	6	7	17	16	33	8
127	Birnie,	411	375	9	6	15	1	–	1	4	2	6	4
*a*128	Boharm,	1412	1337	23	19	42	4	7	11	9	11	20	3
*b*128	Cromdale—												
	(1) Cromdale & Advie.	1308	1295	14	9	23	3	2	5	7	10	17	6
	(2) Inverallan	2635	2522	36	29	65	4	9	13	19	28	47	14
129	Dallas,	1102	1060	3	21	24	1	8	9	9	7	16	6
130	Drainie,	3028	3293	68	57	125	6	6	12	28	18	46	33
131	Duffus,	3308	3716	65	46	111	4	3	7	41	32	73	22
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke,	1247	1238	13	11	24	3	1	4	10	10	20	3
134	Edinkillie,	1303	1286	14	18	32	1	1	2	9	11	20	6
135	ELGIN (incl. Burgh),	9866	9703	119	107	226	26	16	42	85	98	183	62
136	New Spynie,	518	573	7	9	16	3	4	7	4	8	12	3
137	FORRES (incl. Burgh),	4112	4562	66	67	133	10	15	25	40	42	82	19
138	Kinloss,	1315	1112	14	8	22	1	1	2	7	7	14	5
139	Knockando,	1736	1909	19	29	48	5	4	9	16	22	38	6
140	Rafford,	1055	1101	21	15	36	3	2	5	12	6	18	–
141	Rothes,	2407	2148	33	22	55	12	5	17	13	12	25	12
142	St Andrews-Lhanbryde,	1344	1286	15	15	30	1	3	4	6	4	10	10
143	Speymouth,	689	634	10	11	21	2	1	3	2	4	6	1
144	Urquhart,	2532	2368	39	29	68	2	2	4	19	14	33	18
	Total,	44305	44549	643	569	1212	94	98	192	364	372	736	244
	9. Banff.												
145	Aberlour,	1520	1632	19	19	38	2	2	4	18	11	29	9
146	Alvah,	1467	1436	13	10	23	2	2	4	11	12	23	8
147	BANFF (incl. Burgh),	7740	8425	149	136	285	26	21	47	73	91	164	59
148	Botriphnie,	867	785	10	5	15	1	1	2	2	2	4	4
149	Boyndie,	1711	1854	30	26	56	2	1	3	15	16	31	9
150	CULLEN (pt. of Burgh),	1821	2056	39	32	71	3	4	7	21	18	39	16
151	Deskford,	1031	972	10	12	22	3	4	7	4	8	12	6
152	Enzie,	2072	2251	37	40	77	6	4	10	19	17	36	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
153	Fordyce—(1) Fordyce } (2) Portsoy, }	4145	c. 2050	39	38	77	10	10	20	13	9	22	15
			c. 2100	36	29	65	6	6	12	42	27	69	18
154	Forglen,	783	845	13	13	26	2	1	3	3	5	8	2
a155	Gamrie,	3019	3151	42	46	88	3	6	9	24	15	39	25
b155	Glenrinnes,	439	466	3	5	8	2	1	3	5	1	6	–
156	Grange,	1909	1876	24	23	47	5	7	12	15	11	26	15
157	Inveravon—(1) Inveravon,	868	890	17	12	29	2	2	4	2	5	7	3
	(2) Glenlivat,	1771	1718	26	26	52	6	4	10	12	22	34	9
158	Inverkeithny,	880	1000	16	15	31	4	2	6	5	6	11	6
159	Keith,	5943	5891	100	83	183	20	17	37	61	46	107	35
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	4	6	10	–	–	–	3	8	11	1
	(2) Tomintoul,	960	799	9	7	16	1	–	1	11	5	16	7
161	Marnoch,	3289	3294	54	51	105	9	7	16	36	26	62	18
162	Mortlach,	2801	2737	44	38	82	8	7	15	27	22	49	15
163	Ordiquhill,	764	761	10	9	19	3	2	5	5	5	10	3
164	Rathven,	4922	6659	119	111	230	10	5	15	56	44	100	38
165	Rothiemay,	1414	1370	26	17	43	9	4	13	9	12	21	11
166	St Fergus,	1608	1633	17	21	38	3	6	9	18	10	28	16
167	SEAFIELD,	1725	1755	32	20	52	1	1	2	13	7	20	12
	Total,	56020	58883	938	850	1788	149	127	276	523	461	984	371
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41962	47077	869	821	1690	107	114	221	606	604	1210	369
	(2) Old Machar (Burgh),	31938	41104	678	722	1400	46	58	104	423	487	910	356
	(3) Do. (Landward),	1298	1373	24	19	43	1	2	3	5	8	13	9
169	Aberdour,	1837	1945	32	38	70	6	7	13	17	18	35	13
170	Aboyne,	1160	1351	24	23	47	2	4	6	9	9	18	10
171	Alford,	1264	1396	15	17	32	3	5	8	5	8	13	5
172	Auchindoir,	1593	1545	29	19	48	13	6	19	14	11	25	3
173	Auchterless,	1782	1971	30	31	61	6	1	7	13	8	21	11
174	Belhelvie,	1807	1833	25	23	48	5	1	6	5	11	16	12
175	Birse,	1284	1198	17	7	24	1	1	2	4	6	10	9
176	Bourtie,	547	499	8	6	14	3	–	3	1	3	4	3
177	Cabrach,	794	775	10	9	19	2	2	4	6	4	10	4
178	Cairney,	1490	1525	25	16	41	6	5	11	6	10	16	8
179	Chapel of Garioch,	2023	1928	24	22	46	1	4	5	13	7	20	7
180	Clatt,	511	483	7	5	12	1	2	3	2	3	5	3
181	Cluny,	1254	1366	26	17	43	7	5	12	13	9	22	7
182	Coull,	792	824	13	6	19	2	1	3	3	5	8	3
183	Crathie and Braemar,	1574	1566	19	27	46	2	1	3	15	16	31	7
184	Crimond,	892	887	12	15	27	–	2	2	12	9	21	3
185	Cruden,	2743	3124	47	59	106	7	10	17	25	17	42	23
186	Culsamond,	1165	896	10	12	22	1	1	2	8	6	14	4
187	Daviot,	614	597	6	8	14	–	1	1	3	1	4	1
188	Drumblade,	926	931	13	15	28	1	4	5	12	5	17	8
189	Drumoak,	996	1032	9	12	21	–	3	3	4	8	12	5
190	Dyce,	585	945	21	19	40	2	3	5	8	12	20	7
191	Echt,	1287	1259	23	13	36	6	3	9	8	4	12	5
192	Ellon,	3239	3036	45	49	94	7	9	16	22	23	45	14
193	Fintray,	1003	1108	22	18	40	2	4	6	9	6	15	3
194	Forgue,	1397	1332	19	14	33	2	4	6	10	4	14	8
195	Foveran,	1891	1859	34	36	70	4	6	10	13	12	25	8
196	Fraserburgh	4511	5301	143	158	301	14	16	30	51	44	95	37
197	Fyvie,	3264	3306	56	54	110	12	11	23	16	21	37	14
198	Gartly,	1029	972	14	15	29	4	–	4	9	5	14	2
199	Glass,	1049	1061	16	16	32	5	2	7	3	11	14	6
200	Glenbucket,	552	570	8	10	18	1	1	2	5	1	6	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	34	34	68	5	3	8	12	14	26	15
202	Huntly	4329	4374	65	64	129	19	14	33	31	30	61	23
203	Insch,	1565	1596	31	17	48	5	1	6	10	11	21	8
204	INVERURIE,	2668	2970	49	45	94	3	12	15	21	20	41	20
205	Keig,	811	886	12	10	22	2	2	4	5	9	14	3
206	Keithhall,	933	874	12	11	23	–	3	3	5	4	9	5
207	Kemnay,	832	1300	34	31	65	3	5	8	8	11	19	7
208	Kildrummy,	590	660	10	8	18	1	1	2	7	5	12	6
209	Kincardine O'Neil,	2186	2000	25	31	56	5	10	15	14	13	27	13
210	King-Edward—												
	(1) King-Edward,	1050	1058	13	19	32	2	1	3	7	4	11	5
	(2) New Byth,	1793	2053	47	47	94	9	11	20	20	21	41	18
211	KINNELLAR,	691	601	10	13	23	3	3	6	5	3	8	6
212	Kinnethmont,	1187	1062	18	13	31	4	3	7	6	4	10	1
213	KINTORE,	1895	2158	36	30	66	4	1	5	16	15	31	13
214	Leochel-Cushnie,	1173	1232	4	5	9	–	1	1	5	5	10	6
215	Leslie,	577	532	8	10	18	–	–	–	3	4	7	2
216	Logie-Buchan,	762	808	25	18	43	3	5	8	2	3	5	4
217	Logie-Coldstone,	932	900	8	17	25	1	3	4	3	8	11	6
218	Longside,	3008	3321	69	53	122	14	9	23	21	22	43	18
219	Lonmay,	2142	2245	43	34	77	7	3	10	20	16	36	14
220	Lumphanan,	1251	1239	11	17	28	1	5	6	7	12	19	4
221	Methlic,	2157	2084	38	37	75	8	4	12	14	13	27	10
*a*222	Midmar,	1091	1127	16	9	25	4	1	5	8	6	14	3
*b*222	Millbrex,	1357	1484	20	21	41	6	6	12	9	11	20	15
223	Monquhitter,	2303	2670	35	41	76	10	10	20	15	13	28	13
224	Monymusk,	988	996	12	13	25	2	2	4	2	6	8	2
225	New Deer,	3736	4147	72	59	131	15	13	28	44	35	79	28
226	Newhills,	3463	4210	88	68	156	5	9	14	43	46	89	37
*a*227	New Machar,	1556	1520	21	20	41	3	2	5	12	8	20	8
*b*227	New Pitsligo,	2609	3090	58	51	109	10	20	30	25	26	51	21
228	Old Deer,	4392	4434	75	64	139	14	9	23	31	33	64	28
229	Old Meldrum,	2343	2330	32	41	73	7	9	16	12	10	22	20
230	Oyne,	1127	1050	14	15	29	2	1	3	8	4	12	7
231	Peterculter,	1483	1668	20	20	40	2	3	5	13	10	23	6
232	PETERHEAD	9796	11506	265	247	512	22	26	48	114	108	222	104
233	Pitsligo,	1890	2218	43	47	90	5	9	14	14	14	28	18
234	Premnay,	916	997	19	15	34	4	4	8	12	8	20	14
235	Rathen,	2554	2850	40	48	88	6	5	11	24	22	46	15
236	Rayne,	1514	1409	20	20	40	4	3	7	10	14	24	6
*a*237	Rhynie,	1061	1195	17	18	35	2	5	7	12	13	25	7
*b*237	Savoch,	2061	1961	34	30	64	6	4	10	7	10	17	18
238	Skene,	1831	1842	24	19	43	3	–	3	7	18	25	10
239	Slains,	1266	1355	22	23	45	3	4	7	14	8	22	8
240	Strathdon,	1735	1761	20	30	50	2	–	2	11	13	24	12
241	Strichen,	2409	2254	43	33	76	14	8	22	12	19	31	9
242	Tarland,	970	983	14	25	39	3	5	8	7	5	12	7
243	Tarves,	2377	2288	35	37	72	8	5	13	16	14	30	12
244	Tough,	874	760	12	15	27	2	6	8	8	5	13	4
245	Towie,	839	798	13	14	27	4	1	5	3	7	10	3
246	Tullynessle and Forbes,	957	970	13	13	26	2	1	3	6	8	14	6
247	Turriff,	3693	4348	76	76	152	12	18	30	37	29	66	25
248	Tyrie,	833	869	11	10	21	3	2	5	2	3	5	5
*a*249	Udny,	1623	1626	26	30	56	3	5	8	10	7	17	7
*b*249	Ythan Wells,	1517	1494	20	28	48	7	5	12	6	6	12	8
	Total,	223417	246298	4205	4115	8320	576	600	1176	2174	2202	4376	1681

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot, . . .	932	924	6	20	26	–	5	5	3	6	9	3
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	15	20	35	–	3	3	12	11	23	9
	(2) Portlethen, . .	1687	1789	27	25	52	2	9	11	15	14	29	9
252	Banchory-Ternan, . .	2947	2875	36	42	78	10	6	16	26	19	45	13
253	BENHOLM, . . .	1574	1569	30	21	51	2	2	4	15	14	29	8
254	BERVIE, . . .	1561	1843	38	32	70	7	3	10	17	18	35	10
255	Dunnottar, . . .	1828	2102	25	43	68	5	5	10	12	14	26	15
256	Durris, ...	1109	1021	18	15	33	3	1	4	3	6	9	6
257	Fettercairn, . . .	1700	1539	21	21	42	2	1	3	7	10	17	5
258	Fetteresso—												
	(1) Fetteresso, . .	3575	3585	50	50	100	10	5	15	48	47	95	21
	(2) Cookney, . .	1952	2080	46	27	73	3	5	8	14	10	24	11
259	Fordoun, . . .	2297	2113	31	31	62	4	4	8	14	18	32	16
260	Garvock, . . .	458	476	12	3	15	3	1	4	–	3	3	–
261	Glenbervie, . . .	1219	1073	19	10	29	1	3	4	8	6	14	6
262	Kinneff and Catterline, .	1054	1062	16	16	32	3	2	5	7	9	16	7
263	Laurencekirk, . . .	2110	2174	31	37	68	3	4	7	16	17	33	19
264	Maryculter, . . .	1055	1110	12	8	20	1	–	1	4	6	10	5
265	Marykirk, . . .	2068	1771	28	25	53	6	5	11	11	18	29	7
266	Nigg, ...	2074	2348	63	44	107	4	6	10	26	21	47	23
267	St Cyrus, . . .	1552	1585	27	23	50	2	2	4	11	9	20	10
268	Strachan, . . .	870	795	14	9	23	2	4	6	4	5	9	2
	Total,	34781	35097	565	522	1087	73	76	149	273	281	554	205
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno, . . .	1054	1007	11	22	33	–	3	3	4	6	10	6
270	Airlie, ...	845	778	12	10	22	–	1	1	1	6	7	4
271	Arbirlot, . . .	960	919	15	11	26	3	1	4	8	3	11	2
272	ARBROATH, . .	17831	20169	338	329	667	31	23	54	204	218	422	159
273	Auchterhouse, . .	706	721	9	10	19	1	–	1	5	3	8	–
274	Barry, ...	2465	3008	41	44	85	4	3	7	32	29	61	20
275	BRECHIN, . . .	8810	9514	143	148	291	18	27	45	90	93	183	62
276	Carmylie, . . .	1286	1309	23	24	47	7	6	13	6	10	16	7
277	Careston, . . .	225	209	7	–	7	1	–	1	2	1	3	1
278	Cortachy and Clova, .	653	554	7	8	15	–	–	–	4	2	6	1
279	Coupar-Angus, . .	2642	2797	48	37	85	8	6	14	24	24	48	17
280	CRAIG, ...	2177	2402	45	35	80	3	1	4	25	23	48	15
281	Dun, ...	552	565	12	3	15	1	1	2	2	2	4	4
282	DUNDEE—												
	(1) St Peter, .		22894	464	439	903	52	48	100	246	280	526	194
	(2) St Mary, .		23582	520	484	1004	83	76	159	431	403	834	251
	(3) St Clement, .	91664	25090	508	461	969	69	64	133	316	311	627	335
	(4) St Andrew, .		38082	872	784	1656	71	77	148	504	522	1026	342
	(5) Lochee, . .		11076	209	214	423	26	30	56	127	141	268	107
283	Dunnichen, . . .	1932	1536	27	19	46	5	2	7	12	16	28	16
284	Eassie and Nevay, . .	748	586	9	6	15	1	–	1	2	2	4	5
285	Edzell, ...	1025	976	11	8	19	2	2	4	8	2	10	1
286	Farnell, ...	703	580	10	10	20	3	1	4	3	4	7	5
287	Fearn, ...	439	348	5	8	13	–	–	–	–	–	–	1
288	FORFAR, . . .	10838	12585	264	209	473	36	17	53	156	143	299	86
289	Glammis, . . .	1980	1813	19	26	45	2	3	5	12	11	23	8
290	Glenisla, . . .	1008	925	11	5	16	1	–	1	10	3	13	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	476	404	7	6	13	–	–	–	3	–	3	3
292	Inverarity,	961	888	10	9	19	–	3	3	8	4	12	5
293	Inverkeillor,	1792	1521	22	27	49	–	1	1	6	10	16	7
294	Kettins,	962	855	11	13	24	–	–	–	7	4	11	3
295	Kingoldrum,	473	409	5	3	8	–	1	1	–	1	1	–
296	Kinnell,	816	766	9	14	23	1	4	5	4	3	7	4
297	Kinnettles,	447	405	4	6	10	1	2	3	2	1	3	3
298	Kirkden,	1862	1623	30	32	62	1	2	3	9	16	25	13
299	Kirriemuir,	7359	6420	98	83	181	12	18	30	74	78	152	37
300	Lethnott and Navar,	446	318	6	1	7	2	–	2	–	1	1	1
301	Liff, Benvie, and Invergowrie,	1430	1357	16	28	44	3	2	5	12	12	24	2
302	Lintrathen,	898	756	13	12	25	4	2	6	2	9	11	5
303	Lochlee,	495	424	3	–	3	2	–	2	4	3	7	3
304	Logie-Pert,	1483	1251	10	12	22	–	–	–	9	4	13	9
305	Lunan,	259	248	4	4	8	–	–	–	1	1	2	2
306	Lundie,	442	400	8	6	14	–	–	–	3	4	7	7
307	Mains, etc.—(1) Mains,	1392	1927	35	37	72	2	4	6	16	14	30	18
	(2) Strathmartine,	789	822	13	21	34	–	4	4	7	4	11	3
308	Marytown,	417	396	6	11	17	–	3	3	5	1	6	–
309	Menmuir,	796	761	17	10	27	1	–	1	6	2	8	3
310	Monifieth,	5052	7252	132	123	255	6	3	9	70	73	143	45
311	Monikie,	1460	1397	23	13	36	1	1	2	6	6	12	12
312	MONTROSE,	15668	15783	216	230	446	13	17	30	170	181	351	91
313	Murroes,	763	751	12	9	21	1	–	1	3	5	8	2
314	Newtyle,	1139	931	17	18	35	4	2	6	7	10	17	4
315	Oathlaw,	399	452	4	8	12	1	–	1	2	3	5	–
316	Panbride,	1299	1331	21	21	42	–	1	1	16	9	25	16
317	Rescobie,	747	748	10	13	23	1	2	3	4	4	8	2
318	Ruthven,	265	247	2	3	5	–	–	–	2	1	3	1
319	St Vigeans,	2553	2513	29	36	65	7	5	12	12	19	31	18
320	Stracathro,	546	503	3	7	10	–	–	–	–	2	2	–
321	Tannadice,	1438	1286	14	20	34	2	1	3	8	2	10	7
322	Tealing,	883	879	12	10	22	2	–	2	9	8	17	5
	Total,	206750	240049	4462	4200	8662	495	470	965	2721	2753	5474	1982
	13. Perth.												
323	Aberdalgie,	295	342	3	4	7	–	–	–	1	1	2	1
324	Aberfeldy,	2402	2286	31	16	47	2	1	3	22	25	47	10
325	Aberfoyle,	565	432	6	5	11	–	1	1	1	5	6	–
326	Abernethy,	1960	1744	23	28	51	7	3	10	13	13	26	13
327	Abernyte,	310	253	2	4	6	–	–	–	2	3	5	1
*a*328	Alyth,	3198	3151	43	55	98	9	7	16	36	30	66	16
*b*328	Ardoch,	1418	1316	21	15	36	5	2	7	7	10	17	5
329	Auchterarder,	4208	3795	55	58	113	4	10	14	33	44	77	33
330	Auchtergaven,	2562	2141	28	26	54	7	3	10	19	21	40	7
331	Balquhidder,	746	743	13	8	21	3	1	4	11	7	18	6
332	Bendochy,	549	474	7	8	15	1	–	1	4	5	9	3
333	Blackford,	2041	1836	18	26	44	2	1	3	12	14	26	7
334	Blair-Athol,	1553	1718	28	27	55	1	2	3	22	6	28	3
335	Blairgowrie,	4423	4832	75	65	140	6	5	11	48	62	110	37
336	Callander,	1676	1870	27	25	52	–	1	1	23	21	44	6
337	Caputh,	1728	1571	17	13	30	–	–	–	9	13	22	12
338	Cargill,	1647	1411	21	23	44	2	2	4	13	9	22	9
339	Clunie,	699	603	9	7	16	–	–	–	7	5	12	4
340	Collace,	534	456	7	4	11	1	2	3	5	3	8	5
341	Comrie,	2226	1911	20	23	43	2	1	3	21	30	51	9
342	Crieff,	4490	4598	56	64	120	5	12	17	52	49	101	26

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS,	1423	1354	9	13	22	2	1	3	13	7	20	6
344	Dowally,	486	461	2	4	6	–	–	–	8	5	13	–
345	Dron,	376	343	3	3	6	–	–	–	–	2	2	3
346	Dull,	753	677	5	3	8	–	–	–	5	4	9	2
347	Dunbarney,	1035	913	10	10	20	–	2	2	10	5	15	4
348	Dunblane,	2528	2765	52	47	99	6	3	9	34	38	72	12
349	Dunkeld,	1086	881	12	9	21	1	1	2	6	12	18	5
350	Dunning,	2084	1832	18	31	49	5	4	9	25	18	43	8
351	Errol,	2759	2504	36	35	71	3	4	7	23	19	42	15
352	Findo-Gask,	399	369	4	6	10	–	1	1	3	2	5	3
353	Forgandenny,	739	632	11	8	19	3	–	3	4	5	9	2
354	Forteviot,	595	567	11	13	24	3	1	4	2	3	5	6
*a*355	Fortingall,	1244	1014	14	17	31	1	1	2	9	12	21	4
*b*355	Foss,	381	270	2	2	4	–	1	1	3	1	4	2
356	Fowlis-Easter,	317	291	7	5	12	2	–	2	4	–	4	1
357	Fowlis-Wester,	1276	1028	13	14	27	1	3	4	5	7	12	9
358	Glendevon,	138	105	2	1	3	–	–	–	–	1	1	–
359	Inchture,	659	659	13	15	28	–	2	2	3	6	9	4
360	Kenmore,	1515	1215	20	12	32	3	1	4	12	14	26	11
361	Killin,	1681	1977	19	14	33	2	–	2	11	15	26	8
362	Kilmadock,	3312	3170	35	42	77	1	2	3	51	43	94	17
363	Kilspindie,	665	679	11	9	20	1	–	1	4	6	10	2
364	Kincardine,	1778	1484	17	19	36	2	1	3	12	12	24	9
365	Kinclaven,	758	607	10	6	16	1	–	1	5	3	8	3
366	Kinfauns,	657	578	5	7	12	2	1	3	4	3	7	5
367	Kinloch-Rannoch,	1147	921	11	8	19	3	–	3	6	10	16	5
368	Kinnaird,	318	299	5	2	7	–	–	–	5	2	7	–
369	Kinnoull,	796	723	9	9	18	–	1	1	7	2	9	3
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	8	9	17	1	1	2	3	11	14	2
	(2) Glenshee,	334	241	2	3	5	–	1	1	1	2	3	2
371	Lecropt,	538	535	12	8	20	–	–	–	5	3	8	3
372	Lethendy, etc.—												
	(1) Lethendy,	235	179	1	3	4	–	–	–	2	1	3	1
	(2) Kinloch,	295	251	2	2	4	–	–	–	–	–	–	1
373	Little Dunkeld,	2089	2352	29	28	57	2	2	4	28	40	68	9
374	LOGIE,	3483	4553	41	50	91	2	1	3	47	35	82	23
375	Logiealmond,	815	646	10	7	17	1	4	5	6	5	11	4
376	Logierait,	1902	1739	28	22	50	5	3	8	21	19	40	7
377	Longforgan,	1823	1753	39	29	68	2	1	3	20	13	33	9
378	Madderty,	536	523	4	6	10	1	1	2	2	2	4	2
379	Meigle,	1122	1003	13	10	23	3	–	3	8	11	19	8
380	Methven,	2290	2073	20	20	40	5	2	7	13	19	32	8
381	Moneydie,	252	244	2	2	4	–	–	–	1	1	2	1
382	Monzie,	461	413	1	5	6	–	–	–	1	2	3	–
383	Monzievaird and Strowan,	782	744	10	12	22	1	–	1	1	5	6	4
384	Moulin,	1605	1561	19	11	30	2	–	2	8	9	17	9
385	Muckhart,	615	612	8	9	17	3	–	3	5	6	11	3
*a*386	Muthill,	2001	1916	13	25	38	3	4	7	21	15	36	10
*b*386	Persie,	839	820	16	10	26	–	–	–	11	9	20	3
387	PERTH,	26094	26382	370	377	747	34	33	67	311	326	637	211
388	Port of Menteith,	1375	1243	14	13	27	–	2	2	12	9	21	7
389	Rattray,	2234	2586	40	35	75	5	6	11	16	28	44	17
390	Redgorton,	1596	1401	20	15	35	1	–	1	16	10	26	10
391	Rhynd,	297	327	3	3	6	–	–	–	1	1	2	2
392	St Madoes,	280	290	6	6	12	1	–	1	2	1	3	–
393	St Martins,	904	735	9	15	24	1	4	5	4	5	9	5
*a*394	Scone,	2153	2185	25	18	43	3	3	6	18	20	38	9
*b*394	Strathfillan,	411	342	5	3	8	–	1	1	4	6	10	2
*c*394	Tenandry,	595	530	2	6	8	–	1	1	6	3	9	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
395	Tibbermore,	1182	1128	13	12	25	1	1	2	10	7	17	11
396	Trinity-Gask,	488	415	9	7	16	3	–	3	1	1	2	2
397	Tulliallan,	2410	2184	32	30	62	4	1	5	28	33	61	18
398	Weem,	215	186	2	2	4	–	–	–	–	1	1	3
	Total,	133198	128550	1704	1681	3385	183	156	339	1268	1292	2560	770
	14. Fife.												
399	Abbotshall,	808	674	8	8	16	2	–	2	2	1	3	1
400	Abdie,	1257	1057	12	20	32	2	1	3	8	11	19	6
401	Aberdour,	1874	1697	23	31	54	1	2	3	15	16	31	11
402	ANSTRUTHER-EASTER,	1155	1239	21	25	46	4	–	4	7	9	16	6
403	ANSTRUTHER-WESTER,	421	545	10	6	16	1	–	1	5	8	13	1
404	Arngask,	705	565	13	3	16	1	–	1	4	5	9	2
405	Auchterderran,	3457	4017	115	101	216	10	10	20	43	44	87	41
406	AUCHTERMUCHTY,	3285	2958	44	45	89	4	10	14	25	35	60	16
407	Auchtertool,	609	529	13	12	25	4	1	5	3	11	14	3
408	Ballingry,	736	982	30	28	58	1	1	2	13	10	23	12
409	Balmerino,	815	717	13	15	28	1	1	2	12	8	20	8
410	Beath,	2390	3534	112	100	212	7	6	13	46	26	72	44
411	BURNTISLAND,	3670	3872	67	54	121	6	6	12	40	37	77	32
412	Cameron,	1362	1158	17	14	31	4	1	5	7	7	14	7
413	Carnbee,	1157	1088	14	18	32	1	1	2	10	7	17	7
414	Carnock,	2925	1764	28	29	57	–	–	–	11	14	25	6
415	Ceres,	2723	2381	27	30	57	8	3	11	15	30	45	15
416	Collessie,	1530	1703	31	20	51	2	1	3	14	13	27	9
417	CRAIL,	1948	1864	27	30	57	2	1	3	13	15	28	13
418	Creich,	377	387	4	5	9	1	–	1	1	3	4	2
419	Cults,	800	767	14	12	26	2	1	3	6	5	11	4
420	CUPAR,	6750	7102	91	92	183	11	6	17	70	73	143	41
421	Dairsie,	638	687	13	9	22	1	1	2	4	6	10	2
422	Dalgetty,	1569	1310	24	29	53	–	2	2	10	13	23	10
423	Dunbog,	414	395	8	7	15	–	–	–	2	2	4	2
424	DUNFERMLINE—												
	(1) Burgh,	13506	14963	324	290	614	19	16	35	188	160	348	192
	(2) Landward,	7609	8293	161	141	302	9	5	14	92	78	170	62
425	Dunino,	370	325	2	4	6	–	–	–	–	1	1	2
426	DYSART,	8842	9682	175	167	342	7	11	18	98	82	180	91
427	Elie,	826	775	7	14	21	2	–	2	8	1	9	7
428	FALKLAND,	2937	3069	39	43	82	4	7	11	27	25	52	16
429	Ferry-Port-on-Craig,	2013	2674	56	41	97	6	2	8	26	40	66	17
430	Flisk,	230	212	2	6	8	–	–	–	–	2	2	4
431	Forgan,	1326	2243	25	35	60	1	1	2	17	26	43	13
432	INVERKEITHING,	3196	3131	53	55	108	5	4	9	26	32	58	11
433	Kemback,	896	1056	12	12	24	1	–	1	9	3	12	8
434	Kennoway,	2012	1703	14	15	29	3	1	4	20	22	42	6
435	Kettle,	2474	2323	28	27	55	2	6	8	23	19	42	6
436	KILCONQUHAR,	2431	2018	30	29	59	4	3	7	18	14	32	14
437	Kilmany,	656	651	13	11	24	1	–	1	4	6	10	6
438	KILRENNY,	2534	2945	52	60	112	8	4	12	22	25	47	18
439	KINGHORN,	2349	2602	28	50	78	2	4	6	33	39	72	28
440	Kinglassie,	1266	1082	19	23	42	1	2	3	9	15	24	10
441	Kingsbarns,	937	922	13	19	32	1	2	3	6	6	12	10
442	KIRKCALDY,	11117	12835	244	205	449	20	9	29	126	132	258	105
443	Largo,	2626	2318	29	41	70	2	4	6	16	18	34	16
444	Leslie,	4332	4294	71	55	126	7	5	12	46	37	83	30
445	Leuchars,	1903	1727	27	31	58	2	4	6	14	21	35	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
446	Logie,	410	402	8	9	17	3	2	5	4	3	7	3
447	Markinch,	5375	5413	98	87	185	5	12	17	60	66	126	36
448	Monimail,	1054	918	16	8	24	1	1	2	7	8	15	7
449	Moonzie,	179	154	4	1	5	–	–	–	–	2	2	–
450	NEWBURGH,	2693	2529	41	35	76	5	5	10	28	23	51	13
451	Newburn,	374	362	3	4	7	–	–	–	4	1	5	2
452	PITTENWEEM,	1710	1803	27	29	56	3	1	4	16	23	39	12
453	ST ANDREWS and St Leonards,	7605	8592	104	112	216	7	10	17	69	50	119	48
454	St Monance (or Abercromby),	1498	1761	30	32	62	1	1	2	14	9	23	14
455	Saline,	1610	1259	22	18	40	1	–	1	10	9	19	9
456	Scoonie,	3257	3178	42	43	85	1	5	6	20	31	51	21
457	Strathmiglo,	2261	2267	31	37	68	3	3	6	12	28	40	4
458	Torryburn,	1229	1051	12	20	32	–	2	2	9	6	15	7
459	Wemyss,	6003	6400	157	140	297	9	6	15	66	59	125	50
	Total,	155021	160924	2798	2692	5490	222	193	415	1533	1531	3064	1207
	15. Kinross.												
460	Cleish,	649	539	9	9	18	2	–	2	7	5	12	2
461	Fossoway and Tulliebole,	1584	1461	17	14	31	2	–	2	13	16	29	5
462	Kinross,	2649	2477	34	31	65	4	5	9	24	30	54	17
463	Orwell,	2399	2248	13	22	35	1	4	5	10	20	30	13
464	Portmoak,	1450	1193	12	17	29	1	–	1	11	23	34	7
	Total,	8731	7918	85	93	178	10	9	19	65	94	159	44
	16. Clackmannan.												
465	Alloa,	8867	9940	210	189	399	13	10	23	114	111	225	58
466	Clackmannan,	4425	4653	81	98	179	3	8	11	54	45	99	48
467	Dollar,	1776	2524	42	24	66	3	3	6	18	19	37	12
468	Tillicoultry,	5054	5118	100	83	183	9	7	16	49	52	101	47
	Total,	20122	22235	433	394	827	28	28	56	235	227	462	165
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1194	1396	25	30	55	2	2	4	23	13	36	16
470	Alva,	3283	4296	97	108	205	10	11	21	43	44	87	25
471	Baldernock,	718	616	3	5	8	–	–	–	3	5	8	2
472	Balfron,	1517	1502	20	14	34	3	2	5	17	23	40	8
473	Bothkennar,	1722	2455	61	59	120	3	7	10	38	26	64	24
474	Buchanan,	705	591	12	7	19	3	–	3	7	6	13	1
475	Campsie,	6483	6739	116	115	231	4	9	13	69	64	133	65
476	Denny,	4988	4993	108	102	210	7	2	9	52	44	96	51
477	Drymen,	1619	1405	22	15	37	–	3	3	9	9	18	5
478	Dunipace,	1731	1733	21	27	48	1	3	4	12	9	21	12
479	FALKIRK—(1) Burgh,	9030	9547	209	183	392	17	18	35	135	127	262	66
	(2) Landward,	7996	8504	206	167	373	9	15	24	114	87	201	97
480	Fintry,	685	499	11	5	16	1	1	2	8	4	12	–
481	Gargunnock,	728	675	12	5	17	1	1	2	8	9	17	2
482	Killearn,	1171	1111	21	12	33	1	1	2	4	8	12	9
483	Kilsyth,	6112	6313	132	153	285	6	12	18	81	72	153	59
484	Kippen,	1722	1568	25	18	43	3	4	7	13	18	31	10
485	Larbert,	4999	5280	100	95	195	6	6	12	71	65	136	32

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
486	Muiravonside, . .	2660	2653	67	59	126	6	6	12	33	16	49	19
487	Polmont, . . .	4111	3910	103	77	180	12	6	18	47	32	79	44
488	St Ninians—												
	(1.) St Ninians, .	4693	5289	103	78	181	11	5	16	87	65	152	37
	(2.) Bannockburn,	3796	4358	86	86	172	5	6	11	46	51	97	29
489	Slamannan, . . .	2916	4164	114	105	219	10	4	14	49	50	99	57
490	STIRLING, . . .	12171	12513	215	204	419	15	18	33	160	148	308	138
491	Strathblane, . . .	1388	1235	21	19	40	1	1	2	12	13	25	7
	Total,	88138	93345	1910	1748	3658	137	143	280	1141	1008	2149	815
	18. Dumbarton.												
492	Arrochar, . .	629	525	4	2	6	–	1	1	3	4	7	1
493	Bonhill, . . .	9059	9593	154	173	327	9	16	25	88	91	179	75
494	Cardross, . . .	4168	4405	87	78	165	3	4	7	51	45	96	30
495	Cumbernauld, . .	3513	3602	68	65	133	5	5	10	43	33	76	28
496	DUMBARTON, . .	8268	11423	269	264	533	14	12	26	178	166	344	89
497	Kilmaronock, . .	1085	978	12	9	21	–	-	–	13	7	20	3
498	Kirkintilloch, . .	8179	8257	191	169	360	21	13	34	90	82	172	74
499	Luss, ...	831	730	7	7	14	1	–	1	12	9	21	6
500	New or East Kilpatrick, . . .	4910	6038	128	124	252	7	3	10	56	54	110	40
501	Old or West Kilpatrick .	5577	5346	121	114	235	7	5	12	113	83	196	42
502	Roseneath, . . .	1626	1780	20	19	39	–	2	2	19	18	37	4
503	Row, ...	6334	8439	106	101	207	4	6	10	89	90	179	51
	Total,	54179	61116	1167	1125	2292	71	67	138	755	682	1437	443
	19. Argyll.												
	Mainland.												
504	Ardchattan, . . .	1381	1172	15	14	29	–	–	–	11	7	18	6
505	Ardnamurchan—												
	(1) Aharacle, . .	1544	1414	21	23	44	–	3	3	7	10	17	7
	(2) Arisaig, . .	1343	1131	11	11	22	–	–	–	5	13	18	2
	(3) Sunart (or Strontian)	759	760	10	5	15	–	–	–	5	6	11	2
	(4) Western District, .	1054	954	9	13	22	1	2	3	12	7	19	3
506	Ballachulish and Corran of Ardgour, . .	919	849	6	9	15	–	2	2	4	6	10	7
507	CAMPBELTOWN, .	8149	8580	132	141	273	9	12	21	91	114	205	77
508	Craignish, . . .	618	481	6	5	11	–	–	–	2	5	7	3
509	Cumlodden and Minard,	c. 1340	c. 1133	19	17	36	1	1	2	19	8	27	8
510	Dunoon and Kilmun, .	5461	6871	80	99	179	7	5	12	79	69	148	40
511	Glassary, . . .	c. 1462	c. 1228	20	11	31	3	–	3	5	12	17	5
512	Glenorchy, ...	869	752	16	5	21	2	1	3	6	3	9	2
513	INVERARAY, . .	1650	1503	16	12	28	–	–	–	20	10	30	4
514	Inverchaolain, . .	424	443	4	7	11	–	–	–	2	3	5	2
515	Kilbrandon & Kilchattan,	2053	2107	30	22	52	2	–	2	11	19	30	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . .	742	684	7	13	20	1	2	3	3	8	11	3
	(2) Kilberry, . .	583	485	9	3	12	–	–	–	4	3	7	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	587	396	4	5	9	–	–	–	4	1	5	3
	(2) Dalavich, . .	230	217	3	2	5	–	–	–	–	3	3	–
518	Kilfinan, . . .	1891	2228	30	32	62	1	1	2	23	22	45	13
519	Killean and Kilchenzie, .	1890	1614	27	15	42	3	2	5	15	16	31	8
520	Kilmalie, . . .	3353	3217	33	33	66	1	3	4	33	38	71	11
521	Kilmartin, . . .	949	869	16	18	34	1	1	2	7	7	14	3
522	Kilmodan, . . .	433	358	3	4	7	–	–	–	3	2	5	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
523	KILMORE AND KILBRIDE, .	2962	3402	46	46	92	3	–	3	41	38	79	16
524	Kilninver, etc.—												
	(1) Kilninver, . .	314	253	1	4	5	–	2	2	1	1	2	–
	(2) Kilmelford, . .	486	506	11	9	20	–	1	1	3	3	6	2
525	Lismore, etc.—												
	(1) Lismore, . .	1023	908	7	12	19	1	4	5	8	4	12	4
	(2) Appin, . . .	825	728	7	8	15	2	1	3	10	10	20	7
	(3) Glencoe & Ballachulish, . . .	1324	1529	22	12	34	1	–	1	12	14	26	4
	(4) Duror, . . .	423	370	3	2	5	–	–	–	2	2	4	1
526	Lochgilphead, . .	3312	3680	42	49	91	3	3	6	52	41	93	15
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	418	436	2	5	7	–	–	–	4	3	7	3
	(2) Kilmorich, . .	284	330	4	1	5	–	–	–	1	4	5	–
528	Morvern, . . .	1226	973	11	12	23	–	2	2	6	10	16	4
529	Muckairn, . . .	965	790	6	6	12	1	2	3	8	9	17	5
530	North Knapdale, . .	1327	1059	6	9	15	–	1	1	5	7	12	4
531	Saddell, etc.—												
	(1) Saddell, . . .	739	645	10	14	24	–	1	1	6	5	11	4
	(2) Skipness. . .	533	500	3	7	10	–	1	1	2	7	9	2
532	Southend, . . .	1214	1044	15	19	34	1	1	2	10	7	17	2
533	South Knapdale, . .	654	548	4	4	8	–	–	–	2	2	4	2
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	309	340	5	4	9	–	–	–	6	2	8	1
	(2) Strachur, . .	563	527	6	8	14	–	1	1	12	4	16	4
535	Tarbert, . . .	1661	1866	30	33	63	–	1	1	19	30	49	14
	Insular.												
536	Bowmore (or Kilarrow), .	2701	2088	31	21	52	7	2	9	27	25	52	5
537	Gigha, ...	467	390	4	4	8	–	–	–	2	5	7	–
538	Iona (merged in 542), .												
539	Jura, etc.—(1) Jura, .	858	775	7	9	16	–	–	–	5	5	10	2
	(2) Colonsay,	598	456	4	5	9	–	1	1	4	3	7	2
540	Kilchoman, . . .	2377	1882	21	20	41	1	6	7	16	16	32	8
541	Kildalton, . . .	2187	1916	19	21	40	1	2	3	24	21	45	7
542	Kilfinichen & Kilvickeon,	2535	2461	28	16	44	4	2	6	17	21	38	5
543	Kilmeny, . . .	1268	924	15	15	30	3	1	4	7	6	13	4
544	Kilninian and Kilmore, .	1641	1189	13	7	20	2	–	2	14	12	26	5
545	Kinlochspelvie, . .	428	388	5	2	7	–	–	–	7	6	13	–
546	Oa, ...	769	367	3	4	7	–	–	–	2	5	7	1
547	Portnahaven, . . .	1059	979	16	8	24	1	–	1	18	12	30	1
548	Salen, ...	604	605	4	9	13	2	–	2	3	2	5	–
549	Tobermory, . . .	1566	1344	9	9	18	2	1	3	17	20	37	2
550	Torosay, . . .	557	454	4	3	7	1	–	1	2	5	7	2
551	Tyree, etc.—(1) Tyree, .	3217	2837	40	27	67	2	3	5	20	30	50	12
	(2) Coll, .	781	723	7	10	17	1	2	3	5	8	13	1
	Total,	83859	79661	998	973	1971	71	76	147	771	797	1568	366
	20. Bute.												
552	Cumbrae, . . .	1236	1613	18	33	51	–	1	1	18	16	34	15
553	Kilbride—												
	(1) Brodick, . .	902	928	8	4	12	1	–	1	8	13	21	3
	(2) Kilbride, . .	1351	1276	9	10	19	–	1	1	8	9	17	5
554	Kilmory, . .	2515	2278	30	19	49	–	3	3	25	27	52	8
555	Kingarth, . . .	905	901	12	4	16	–	–	–	5	8	13	4
556	Lochranza, . . .	824	777	5	5	10	–	–	–	11	8	19	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
557	North Bute, . . .	1351	1393	15	16	31	1	2	3	7	14	21	11
558	ROTHESAY, . .	7227	7800	100	97	197	8	11	19	87	116	203	46
	Total,	16311	16966	197	188	385	10	18	28	169	211	380	95
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	318	327	645	17	13	30	281	244	525	176
	(2) Landward, . .	5670	5679	127	101	228	10	10	20	72	53	125	50
	(3) Johnstone, . .	8142	8590	178	151	329	17	10	27	130	115	245	96
560	Cathcart, . . .	3782	7231	171	135	306	4	3	7	54	73	127	62
561	Eaglesham, . . .	2328	1714	24	19	43	3	4	7	21	12	33	24
562	Eastwood, . . .	11314	13098	253	191	444	26	9	35	181	170	351	105
563	Erskine, ...	1457	1565	23	20	43	2	1	3	16	7	23	3
564	GREENOCK—												
	(1) New, or Middle, .	9446	9592	177	178	355	15	16	31	166	177	343	41
	(2) East, . . .	12135	17061	425	391	816	21	20	41	283	264	547	132
	(3) Old, or West, . .	22313	33141	762	745	1507	47	49	96	719	611	1330	383
565	Houstoun and Killellan, .	2490	2167	38	47	85	3	7	10	23	28	51	17
566	Inchinnan, . . .	619	584	9	5	14	1	–	1	5	–	5	3
567	Inverkip—												
	(1) Inverkip, . .	1188	1393	26	13	39	–	–	–	9	11	20	4
	(2) Gourock, . .	2307	3109	40	34	74	5	2	7	30	39	69	16
568	Kilbarchan, . . .	6348	6093	114	107	221	11	8	19	65	88	153	40
569	Kilmalcolm, . . .	1455	1716	31	27	58	2	1	3	18	25	43	14
570	Lochwinnoch, . .	3821	3816	45	52	97	5	5	10	39	43	82	15
571	Mearns, . . .	3547	3543	68	58	126	6	8	14	24	28	52	22
572	Neilston—												
	(1) Neilston, . .	4577	4633	72	63	135	5	9	14	62	53	115	36
	(2) Barrhead, . .	6436	6503	114	106	220	9	8	17	71	74	145	45
573	PAISLEY, . . .	31538	31910	608	622	1230	40	39	79	522	542	1064	344
574	PORT-GLASGOW, .	7294	9912	272	219	491	14	13	27	137	132	269	124
575	RENFREW, . . .	4650	5908	154	127	281	10	10	20	58	63	121	41
	Total,	168746	195305	4049	3738	7787	273	245	518	2986	2852	5838	1793
	22. Ayr.												
576	Ardrossan—												
	(1) Old Ardrossan, .	3530	3336	70	59	129	4	6	10	40	52	92	52
	(2) New Ardrossan, .	3246	3929	89	66	155	8	1	9	51	34	85	35
577	Auchinleck, . .	4213	6174	132	154	286	2	10	12	60	51	111	42
578	AYR, ...	19659	19172	331	328	659	28	24	52	236	239	475	172
579	Ballantrae, . . .	1483	1277	30	16	46	2	2	4	18	8	26	5
580	Barr, ...	910	672	11	6	17	1	1	2	6	10	16	4
581	Beith, ...	5775	6233	110	130	240	7	12	19	59	55	114	37
582	Colmonell, . . .	2588	2293	26	37	63	7	6	13	24	21	45	15
583	Coylton, ...	1604	1440	33	22	55	1	3	4	16	4	20	16
584	Craigie, ...	730	618	7	7	14	–	1	1	5	3	8	12
585	Dailly, ...	2050	1932	43	28	71	5	5	10	20	17	37	16
586	Dalmellington, . .	4194	6165	178	176	354	3	9	12	65	50	115	47
587	Dalry, ...	11156	10885	215	203	418	11	16	27	117	104	221	96
588	Dalrymple, . . .	1325	1412	26	24	50	2	1	3	13	8	21	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
589	Dreghorn,	3283	3241	75	78	153	8	6	14	40	41	81	34
590	Dundonald—												
	(1) Dundonald,	2095	1507	18	24	42	1	2	3	18	11	29	16
	(2) Troon,	2599	2870	43	41	84	1	3	4	37	38	75	15
591	Dunlop,	1038	1160	16	23	39	1	1	2	12	5	17	9
592	Fenwick,	1532	1318	23	13	36	1	1	2	21	16	37	10
593	Galston,	5254	6331	161	151	312	10	6	16	93	93	186	64
594	Girvan,	7053	5685	114	98	212	18	14	32	72	65	137	50
595	IRVINE,	8607	8462	193	212	405	16	15	31	128	158	286	77
596	Kilbirnie,	5265	4953	109	96	205	4	9	13	62	41	103	47
597	KILMARNOCK,	23556	24072	531	473	1004	34	37	71	382	337	719	254
598	Kilmaurs,	3526	3449	74	75	149	5	3	8	51	38	89	37
599	Kilwinning,	7717	7375	164	160	324	11	15	26	110	88	198	79
600	Kirkmichael,	2823	2254	45	31	76	7	5	12	14	19	33	24
601	Kirkoswald,	2060	1846	15	28	43	3	3	6	10	17	27	7
602	Largs,	3620	4087	48	63	111	4	2	6	45	38	83	20
603	Loudoun,	4840	5525	120	105	225	10	8	18	68	63	131	61
604	Mauchline,	2303	2435	40	35	75	5	2	7	27	22	49	24
605	Maybole,	6713	5900	115	94	209	15	13	28	60	53	113	46
606	Monkton and Prestwick,	1937	1744	25	36	61	2	5	7	24	32	56	21
607	Muirkirk,	3270	3253	85	64	149	7	6	13	39	30	69	32
608	New Cumnock,	2891	3434	73	82	155	8	8	16	50	46	96	37
609	Ochiltree,	1676	1656	20	11	31	3	2	5	16	10	26	9
610	Old Cumnock,	3721	4041	77	103	180	5	12	17	43	59	102	37
611	RICCARTON,	5629	5845	161	138	299	10	14	24	84	68	152	65
612	St Quivox and Newton-upon-Ayr,	1870	1363	26	30	56	6	4	10	13	17	30	12
613	Sorn,	4042	4032	62	61	123	3	2	5	36	50	86	38
614	Stair,	743	734	12	15	27	3	–	3	7	6	13	3
615	Stevenston,	5452	5019	122	134	256	8	11	19	84	63	147	44
616	Stewarton,	4449	4478	64	88	152	3	13	16	55	53	108	34
617	Straiton,	1544	1443	27	20	47	1	3	4	7	11	18	15
618	Symington,	855	792	14	6	20	–	1	1	9	3	12	6
619	Tarbolton,	2669	3219	96	72	168	3	10	13	44	37	81	26
620	West Kilbride,	1988	1847	21	27	48	1	2	3	21	20	41	13
	Total,	199083	200908	4090	3943	8033	298	335	633	2512	2304	4816	1822
	23. Lanark.												
621	Avondale,	6125	5460	83	93	176	7	7	14	54	42	96	64
622	BARONY—												
	(1) MARYHILL,	6734	10235	266	256	522	13	11	24	185	161	346	100
	(2) SPRINGBURN,	8911	13994	352	297	649	30	22	52	316	314	630	88
	(3) Shettlestone,	6914	7517	138	132	270	6	1	7	88	78	166	84
623	Biggar,	1999	2013	34	26	60	4	1	5	26	18	44	17
624	Blantyre,	3092	3472	86	57	143	7	3	10	52	44	96	30
625	Bothwell—												
	(1) Bothwell,	7059	9193	231	199	430	10	4	14	148	114	262	108
	(2) Holytown,	10844	10099	247	272	519	15	17	32	152	138	290	81
*a*626	Cadder—												
	(1) Western,	3023	3261	60	80	140	1	2	3	33	36	69	17
	(2) Eastern,	2925	3203	72	70	142	4	1	5	41	19	60	17
*b*626	Calderhead,	4034	4271	114	103	217	6	6	12	45	46	91	50
627	Cambuslang,	3647	3740	78	71	149	1	4	5	42	39	81	24
628	Cambusnethan,	13118	18709	550	469	1019	30	26	56	289	224	513	224
629	Carluke,	6176	7066	190	146	336	11	9	20	84	84	168	83
630	Carmichael,	836	708	11	9	20	–	1	1	5	3	8	6
631	Carmunnock	734	702	9	13	22	–	–	–	8	2	10	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
632	Carnwath,	3584	5709	131	127	258	13	13	26	52	50	102	56
633	Carstairs,	1345	1718	28	28	56	1	1	2	11	17	28	14
634	Covington and Thankerton,	532	454	10	5	15	1	–	1	1	2	3	4
635	Crawford—												
	(1) Crawford,	694	727	16	12	28	–	3	3	4	4	8	8
	(2) Leadhills,	896	1102	21	20	41	3	1	4	12	17	29	12
636	Crawfordjohn,	980	853	13	14	27	5	1	6	8	7	15	11
637	Culter,	665	593	9	7	16	2	–	2	3	4	7	2
638	Dalserf—												
	(1) Larkhall,	3629	5332	149	127	276	9	10	19	81	64	145	59
	(2) Dalserf,	1247	2009	52	53	105	5	3	8	23	23	46	23
639	Dalziel,	5438	9175	287	272	559	12	8	20	198	140	338	64
640	Dolphinton,	260	231	3	2	5	1	–	1	2	2	4	1
641	Douglas,	2490	2624	40	35	75	7	3	10	27	28	55	25
642	Dunsyre,	312	302	4	2	6	1	–	1	2	1	3	4
643	East Kilbride,	4064	3861	70	48	118	5	3	8	33	29	62	26
644	GLASGOW—												
	(1) Central District,	49678	57279	1259	1177	2436	229	230	459	1160	1061	2221	537
	(2) High,	48119	58466	1277	1226	2503	120	107	227	1337	1077	2414	746
	(3) Bridgeton,	45485	60628	1508	1374	2882	109	109	218	1014	1072	2086	626
	(4) Calton,	36625	38177	720	671	1391	78	67	145	563	581	1144	229
	(5) Clyde,	29975	26044	423	420	843	67	64	131	375	398	773	196
	(6) Blythswood,	28697	33443	443	433	876	31	24	55	306	339	645	496
	(7) Milton,	33360	46393	1122	1006	2128	86	76	162	640	612	1252	468
	(8) Anderston,	40945	52504	1005	977	1982	61	80	141	641	612	1253	463
	(9) Tradeston,	38600	49176	903	921	1824	63	66	129	611	544	1155	692
	(10) Hutchesontown,	44019	55622	1322	1300	2622	76	92	168	774	782	1556	457
645	Glassford,	1938	1430	20	19	39	–	–	–	13	17	30	13
646	Govan—												
	(1) Govan Church,	11297	27116	1045	926	1971	57	55	112	604	586	1190	342
	(2) Park,	2428	5720	147	164	311	5	7	12	70	53	123	86
	(2) Partick,	14859	23918	576	536	1112	12	20	32	402	353	755	245
647	HAMILTON,	14047	16803	394	351	745	28	31	59	231	230	461	167
648	LANARK,	7891	7841	92	117	209	15	11	26	112	89	201	53
649	Lesmahagow,	9266	8709	209	203	412	22	18	40	102	69	171	61
650	Libberton,	836	691	11	8	19	2	2	4	4	3	7	6
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	315	321	636	29	17	46	190	164	354	170
	(2) Landward,	7632	9264	260	254	514	14	17	31	135	132	267	95
652	Old Monkland—												
	(1) Western,	6932	7873	192	167	359	11	10	21	84	87	171	54
	(2) Middle,	15303	18410	447	457	904	28	26	54	230	206	436	208
	(3) Eastern,	7308	7790	191	158	349	11	9	20	110	70	180	58
653	Pettinain,	407	366	3	3	6	–	–	–	2	3	5	2
654	RUTHERGLEN,	9335	10766	225	223	448	5	12	17	135	134	269	129
655	Shotts,	4792	5699	146	141	287	8	5	13	76	64	140	35
656	Stonehouse,	3267	3177	74	70	144	6	3	9	39	20	59	26
657	Symington,	528	442	11	16	27	3	1	4	6	7	13	3
658	Walston,	480	425	5	4	9	–	1	1	1	4	5	1
659	Wandell and Lamington,	380	332	4	4	8	–	–	–	1	2	3	–
660	Wiston and Roberton,	786	680	9	6	15	–	1	1	3	12	15	6
	Total,	640444	787005	17712	16698	34410	1386	1322	2708	11996	11133	23129	7977

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	965	933	14	10	24	3	–	3	8	4	12	5
662	Bathgate—												
	(1) Bathgate . .	6572	6942	173	132	305	13	12	25	89	78	167	62
	(2) Armadale, . .	3562	3187	78	90	168	5	6	11	30	41	71	33
663	Borrowstounness, .	5698	4986	118	103	221	9	10	19	93	63	156	43
664	Carriden, . . .	1821	1799	37	39	76	6	3	9	27	20	47	21
665	Dalmeny, . . .	804	916	17	14	31	3	1	4	9	7	16	5
666	Ecclesmachen, . .	309	329	4	5	9	–	–	–	1	2	3	–
667	Kirkliston, . . .	1907	2172	41	32	73	1	2	3	20	17	37	12
668	LINLITHGOW, . .	5784	5554	95	79	174	15	7	22	72	60	132	36
669	Livingstone, . . .	1366	1727	21	27	48	3	1	4	13	15	28	13
670	QUEENSFERRY, . .	1391	1521	29	39	68	4	4	8	14	16	30	11
671	Torphichen, . . .	1848	1630	33	23	56	1	3	4	20	7	27	8
672	Uphall, ...	1507	2772	66	69	135	3	5	8	28	32	60	12
673	Whitburn, . . .	5511	6911	179	147	326	19	9	28	75	62	137	76
	Total,	39045	41379	905	809	1714	85	63	148	499	424	923	337
	25. Edinburgh.												
674	Borthwick, . . .	1569	1494	22	20	42	4	1	5	12	10	22	11
675	Carrington, . . .	681	712	7	12	19	1	–	1	6	2	8	9
676	Cockpen, . . .	2113	2481	49	43	92	2	1	3	12	17	29	21
677	Colinton, . . .	2656	3644	67	77	144	20	20	40	81	100	181	25
678	Corstorphine, . . .	1579	1788	16	22	38	2	1	3	15	17	32	11
679	Cramond, . . .	2695	3020	47	53	100	3	6	9	25	23	48	12
680	Cranston, . . .	1035	1036	20	16	36	3	1	4	6	7	13	10
681	Crichton, . . .	1304	1223	19	26	45	–	2	2	14	13	27	7
682	Currie, ...	2248	2360	38	37	75	4	5	9	18	17	35	15
683	Dalkeith, . . .	7114	7667	121	124	245	9	7	16	84	91	175	76
684	DUDDINGSTON—												
	(1) PORTOBELLO, .	4366	5481	101	96	197	5	6	11	74	73	147	42
	(2) Landward, . .	857	970	14	21	35	2	–	2	3	7	10	4
685	EDINBURGH—												
	(1) St George, . .	42068	55049	1007	922	1929	73	68	141	534	620	1154	420
	(2) St Andrew, . .	38731	39781	569	535	1104	31	33	64	317	377	694	374
	(3) Canongate . .	30169	33183	620	598	1218	60	45	105	679	494	1173	295
	(4) St Giles, . . .	29679	31960	602	553	1155	116	85	201	369	369	738	322
	(5) Newington, . .	29797	41079	706	671	1377	37	23	60	422	397	819	547
686	Fala and Soutra, . .	382	364	8	2	10	1	–	1	6	1	7	2
687	Glencross, . . .	1217	1153	15	16	31	1	2	3	3	3	6	7
688	Heriot, ...	407	414	10	8	18	1	–	1	5	2	7	1
689	INVERESK, . . .	9518	10068	140	169	309	12	16	28	101	116	217	72
690	Kirknewton and East-Calder, ...	1549	2213	39	52	91	2	9	11	27	25	52	11
691	Lasswade, . . .	5688	7098	127	133	260	12	11	23	56	61	117	49
692	LEITH—												
	(1) North Leith, . .	11562	16582	325	295	620	7	16	23	158	180	338	174
	(2) South Leith, . .	24467	29852	632	633	1265	39	47	86	392	354	746	311
693	Liberton, . . .	3510	3791	60	57	117	4	7	11	40	37	77	21
694	Mid-Calder, . . .	1389	1634	27	27	54	4	4	8	3	16	19	14
695	Newbattle, . . .	2138	2424	48	48	96	3	3	6	19	21	40	19
696	Newton, ...	1553	1181	20	20	40	3	2	5	7	7	14	1
697	Penicuik, . . .	3249	3765	42	53	95	3	3	6	30	37	67	26
698	Ratho, ...	1659	1744	32	22	54	2	1	3	13	19	32	13
698	Stobhill, ...	2364	2447	39	54	93	8	4	12	18	27	45	17

Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
Stow,	1870	1957	34	29	63	4	–	4	10	14	24	13
Temple,	682	658	11	11	22	2	1	3	2	3	5	6
West-Calder,	1927	7865	204	210	414	11	11	22	108	82	190	36
Total,	273792	328138	5838	5665	11503	491	441	932	3669	3639	7308	2994
26. Haddington.												
Aberlady,	1019	1022	11	11	22	2	–	2	10	9	19	11
Athelstaneford,	902	844	11	12	23	1	–	1	6	11	17	2
Bolton,	332	364	5	3	8	–	1	1	6	5	11	1
Dirleton,	1540	1419	14	13	27	1	1	2	9	7	16	7
DUNBAR,	4944	4982	85	71	156	8	7	15	64	67	131	39
Garvald,	891	832	10	13	23	1	1	2	9	5	14	4
Gladsmuir,	1945	1863	24	36	60	2	3	5	15	12	27	17
HADDINGTON,	5548	5735	88	90	178	9	9	18	94	100	194	43
Humbie,	997	967	18	11	29	–	2	2	7	8	15	7
Innerwick,	937	892	13	11	24	–	2	2	6	5	11	2
Morham,	281	204	2	4	6	–	–	–	1	–	1	3
NORTH BERWICK,	2071	2373	40	42	82	3	1	4	20	22	42	11
Oldhamstocks,	615	592	6	3	9	–	1	1	6	2	8	2
Ormiston,	915	911	18	17	35	2	–	2	9	4	13	8
Pencaitland,	1187	1320	22	26	48	4	3	7	3	5	8	4
Prestonkirk,	1960	1931	29	21	50	3	1	4	19	19	38	9
Prestonpans,	2080	2069	46	39	85	4	5	9	14	30	44	18
Salton,	712	647	13	7	20	2	–	2	2	1	3	2
Spott,	555	560	10	9	19	1	–	1	2	3	5	1
Stenton,	692	612	6	3	9	–	1	1	4	1	5	4
Tranent,	4647	4852	109	91	200	14	7	21	57	59	116	39
Whitekirk and Tynninghame,	1113	1073	13	4	17	2	3	5	10	9	19	9
Whittinghame,	710	657	7	7	14	–	1	1	4	2	6	6
Yester,	1033	1034	9	9	18	1	–	1	9	10	19	6
Total,	37626	37755	609	553	1162	60	49	109	386	396	782	255
27. Berwick.												
Abbey St Bathans,	179	195	3	2	5	–	–	–	2	1	3	1
Ayton,	2014	1983	31	27	58	–	1	1	18	15	33	13
Bunkle and Preston,	756	764	10	12	22	3	1	4	4	2	6	2
Channelkirk,	671	705	10	10	20	2	2	4	5	4	9	7
Chirnside,	1502	1413	13	18	31	–	1	1	14	14	28	7
Cockburnspath,	1194	1133	18	16	34	2	–	2	10	8	18	7
Coldingham,	3241	3093	35	50	85	3	5	8	22	19	41	18
Coldstream,	2823	2619	36	42	78	4	6	10	24	25	49	8
Cranshaws,	134	142	1	1	2	–	–	–	1	3	4	–
Dunse,	3595	3602	46	51	97	8	4	12	43	40	83	26
Earlston,	1825	1977	34	24	58	3	4	7	12	19	31	12
Eccles,	1861	1780	21	17	38	1	3	4	11	17	28	4
Edrom,	1592	1513	19	22	41	–	2	2	19	12	31	6
Eyemouth,	1804	2372	49	47	96	4	7	11	31	18	49	10
Fogo,	559	502	9	7	16	2	2	4	4	6	10	3
Foulden,	431	425	6	3	9	1	1	2	3	4	7	3
Gordon,	931	876	12	8	20	2	–	2	8	6	14	7
Greenlaw,	1370	1381	21	20	41	1	3	4	11	16	27	4
Hume,	420	460	6	5	11	1	–	1	2	1	3	4
Hutton,	1067	1077	12	10	22	–	3	3	8	7	15	5
Ladykirk,	564	518	5	8	13	1	–	1	1	5	6	4
Langton,	502	548	6	7	13	–	–	–	3	2	5	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
748	LAUDER, . . .	2198	2120	38	30	68	5	3	8	25	17	42	14
749	Legerwood, . . .	599	525	12	10	22	1	2	3	1	4	5	2
750	Longformacus, . .	448	452	3	8	11	–	1	1	2	2	4	2
751	Merton, . . .	729	734	10	9	19	2	1	3	5	–	5	3
752	Mordington, . . .	377	402	11	2	13	2	–	2	2	2	4	3
753	Nenthorn, . . .	461	434	6	8	14	–	1	1	2	4	6	6
754	Polwarth, . . .	251	249	2	4	6	–	–	–	3	3	6	–
755	Swinton, . . .	964	996	13	14	27	–	2	2	9	13	22	9
756	Westruther, . . .	786	784	9	8	17	1	2	3	6	5	11	2
757	Whitsome, . . .	640	608	9	1	10	1	–	1	5	5	10	3
	Total,	36488	36382	516	501	1017	50	57	107	316	299	615	200
	28. Peebles.												
758	Broughton (merged in 763).												
759	Drumelzier, . . .	209	221	4	4	8	–	–	–	3	1	4	2
760	Eddlestone, . . .	753	700	10	9	19	–	1	1	1	3	4	1
761	Glenholm (merged in 763).												
762	Innerleithen, . . .	1787	2776	49	35	84	6	4	10	24	18	42	20
763	Kilbucho, Broughton, and Glenholm, . . .	723	729	7	20	27	1	2	3	2	4	6	3
764	Kirkurd, . . .	362	294	3	6	9	–	1	1	6	3	9	4
765	Lyne, etc.—												
	(1) Lyne, . . .	81	104	4	–	4	–	–	–	–	–	–	–
	(2) Megget, . . .	53	70	1	–	1	–	–	–	–	–	–	–
766	Manor, . . .	247	271	5	6	11	–	–	–	–	1	1	1
767	Newlands, . . .	987	851	15	12	27	1	1	2	6	7	13	3
768	PEEBLES, . . .	2850	3172	49	35	84	8	4	12	25	33	58	17
769	Skirling, . . .	317	325	3	3	6	–	–	–	1	2	3	–
770	Stobo, ...	478	459	8	10	18	–	–	–	4	2	6	2
771	Traquair, . . .	687	669	13	11	24	–	1	1	4	5	9	5
772	Tweedsmuir, . . .	196	190	1	1	2	–	–	–	3	2	5	1
773	West Linton, . . .	1534	1387	12	26	38	1	4	5	15	15	30	7
	Total,	11264	12218	184	178	362	17	18	35	94	96	190	6[illegible]
	29. Selkirk.												
*a*774	Caddonfoot, . . .	610	699	16	11	27	–	1	1	7	5	12	
*b*774	Ettrick, ...	454	434	6	6	12	–	–	–	4	2	6	
775	GALASHIELS, . .	3268	5921	135	128	263	10	17	27	66	67	133	5
*a*776	Kirkhope, . . .	555	565	5	4	9	1	1	2	2	5	7	
*b*776	LADHOPE, . . .	4154	5317	130	122	252	11	7	18	72	69	141	6
777	Roberton, . . .	640	593	11	10	21	2	–	2	3	4	7	
778	SELKIRK, . . .	4646	5555	118	90	208	12	7	19	57	54	111	4
779	Yarrow, ...	574	567	10	9	19	1	1	2	3	4	7	
	Total,	14901	19651	431	380	811	37	34	71	214	210	424	17
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1511	1391	14	11	25	1	2	3	12	15	27	
781	Ashkirk, . . .	578	550	4	12	16	–	1	1	2	1	3	

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Tot	Mal.	Fem	Total.	
782	Bedrule,	222	292	2	9	11	–	3	3	4	1	5	–
783	Bowden,	864	842	11	14	25	2	2	4	1	5	6	7
784	Castleton,	3688	2202	56	29	85	7	4	11	35	32	67	12
785	Cavers,	1824	1443	30	33	63	2	7	9	8	18	26	9
786	Crailing,	673	657	16	9	25	2	3	5	6	5	11	2
787	Eckford,	957	931	12	10	22	2	3	5	–	5	5	3
787	Edgerston,	359	365	7	12	19	2	–	2	2	2	4	3
788	Ednam,	599	613	5	10	15	2	2	4	2	3	5	3
789	HAWICK,	8726	8733	163	164	327	19	22	41	126	145	271	70
790	Hobkirk,	771	718	15	7	22	2	1	3	4	3	7	7
791	Hownam,	289	238	4	2	6	–	–	–	2	2	4	5
792	JEDBURGH,	5011	4971	75	54	129	8	7	15	36	40	76	36
793	Kelso,	5192	5124	90	82	172	10	4	14	56	63	119	23
794	Kirktown,	421	320	7	4	11	–	–	–	6	–	6	1
795	Lilliesleaf,	772	788	13	9	22	–	1	1	5	2	7	7
796	Linton,	608	570	4	7	11	1	1	2	2	1	3	5
797	Makerston,	380	361	6	8	14	1	2	3	3	2	5	1
798	Maxton,	497	481	7	4	11	–	–	–	3	3	6	–
799	Melrose,	3500	4115	57	54	111	2	1	3	43	40	83	26
800	Minto,	430	431	6	5	11	1	–	1	2	4	6	5
801	Morebattle,	1031	986	12	15	27	3	1	4	5	12	17	11
802	Oxnam,	592	652	10	8	18	2	–	2	2	4	6	6
803	Roxburgh,	1178	1053	15	17	32	2	3	5	10	10	20	8
804	St Boswells,	922	973	8	18	26	–	–	–	6	3	9	6
805	Smailholm,	554	534	9	6	15	–	1	1	–	1	1	4
806	Southdean,	687	674	8	13	21	–	2	2	5	7	12	7
807	Sprouston,	1305	1294	15	11	26	2	1	3	9	5	14	7
808	Stitchel,	425	388	4	6	10	–	1	1	1	2	3	1
809	Teviothead,	438	515	11	7	18	1	3	4	1	6	7	8
810	WILTON,	3357	3936	93	88	181	10	11	21	44	38	82	40
811	Yetholm,	1207	1100	20	15	35	5	3	8	8	10	18	9
	Total,	49568	48241	809	753	1562	89	92	181	451	490	941	344
	31. Dumfries.												
812	ANNAN,	5113	4631	76	59	135	13	10	23	55	64	119	25
813	Applegarth,	935	902	10	17	27	1	1	2	7	6	13	3
813	BRYDEKIRK,	779	731	11	4	15	2	1	3	6	8	14	2
814	Canonbie,	3219	3055	52	47	99	9	9	18	20	24	44	20
815	Carlaverock,	1248	1151	16	17	33	3	4	7	13	14	27	6
816	Closeburn,	1651	1612	17	21	38	3	5	8	9	18	27	8
817	Cummertrees,	1184	1072	13	10	23	2	–	2	11	7	18	8
818	Dalton,	679	577	7	9	16	2	1	3	4	4	8	5
819	Dornock,	856	826	11	11	22	4	2	6	10	4	14	7
820	Dryfesdale,	2509	2825	40	56	96	6	6	12	23	28	51	18
821	DUMFRIES,	13523	14841	224	229	453	27	48	75	200	203	403	118
822	Dunscore,	1554	1504	21	15	36	1	4	5	13	10	23	14
823	Durrisdeer,	1320	1189	19	14	33	5	3	8	10	13	23	15
824	Eskdalemuir,	590	551	6	11	17	2	1	3	5	4	9	3
825	Ewes,	356	338	3	10	13	–	3	3	3	3	6	3
826	Glencairn,	1867	1749	31	17	48	3	2	5	18	18	36	11
827	Graitney (or Gretna),	1620	1395	16	17	33	5	4	9	15	8	23	4
828	Halfmorton,	713	611	6	12	18	2	1	3	5	12	17	3
829	Hoddom,	1568	1520	18	22	40	5	4	9	9	16	25	4
830	Holywood,	1115	1069	14	18	32	–	1	1	11	10	21	5
831	Hutton,	876	842	14	13	27	1	2	3	8	5	13	3
832	Johnstone,	1149	1089	21	13	34	2	5	7	6	9	15	9
833	Keir,	849	828	12	10	22	2	1	3	–	5	5	4
834	Kirkconnel,	996	952	13	25	38	1	–	1	14	12	26	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
835	Kirkmahoe,	1462	1332	19	19	38	4	2	6	15	16	31	7
836	Kirkmichael,	1026	903	19	16	35	1	6	7	7	3	10	2
837	Kirkpatrick-Fleming—												
	(1) Northern Dist.,	493	393	8	3	11	1	–	1	3	4	7	1
	(2) Southern Dist.,	1432	1136	22	15	37	5	1	6	21	14	35	8
838	Kirkpatrick-Juxta,	1025	1091	12	14	26	3	2	5	10	6	16	8
839	Langholm,	2979	3735	60	68	128	4	6	10	30	54	84	17
840	LOCHMABEN,	3087	3085	41	53	94	8	11	19	44	38	82	17
841	Middlebie,	2004	2000	34	19	53	4	4	8	26	15	41	13
842	Moffat,	2232	2543	33	29	62	4	4	8	25	19	44	18
843	Morton,	2253	2099	31	30	61	4	7	11	26	24	50	13
844	Mousewald,	633	647	8	8	16	1	2	3	–	4	4	8
845	Penpont,	1326	1323	24	16	40	–	4	4	8	7	15	5
846	Ruthwell,	1046	972	10	13	23	3	1	4	8	10	18	9
847	St Mungo,	686	658	9	9	18	2	5	7	1	9	10	3
848	SANQUHAR,	2758	2201	20	23	43	1	1	2	20	24	44	11
849	Tinwald,	1079	993	13	18	31	1	–	1	2	8	10	6
850	Torthorwald,	1254	1098	12	10	22	2	5	7	8	7	15	7
851	Tundergarth,	507	510	11	6	17	5	2	7	3	5	8	1
852	Tynron,	446	381	8	5	13	1	2	3	1	4	5	3
*a*853	Wamphray,	559	505	13	5	18	–	1	1	5	1	6	3
*b*853	Wanlockhead,	811	837	10	17	27	1	3	4	10	14	24	7
854	Westerkirk,	537	540	6	2	8	–	–	–	1	4	5	4
	Total,	75904	74842	1094	1075	2169	156	187	343	749	795	1544	474
	32. Kirkcudbright.												
855	Anwoth,	899	827	5	10	15	1	2	3	8	13	21	3
856	Balmaclellan,	890	861	15	11	26	3	2	5	9	6	15	7
*a*857	Balmaghie,	1225	1085	18	10	28	6	4	10	3	5	8	7
*b*857	Bargrennan,	471	428	7	5	12	–	1	1	5	4	9	3
858	Borgue,	1162	1087	22	21	43	2	4	6	8	8	16	10
859	Buittle,	1165	1026	15	13	28	4	2	6	4	8	12	5
860	Carsphairn,	553	545	11	8	19	1	–	1	1	4	5	4
861	Colvend,	1366	1318	16	14	30	6	2	8	11	4	15	10
862	Corsock-Bridge,	544	563	9	5	14	2	3	5	3	5	8	3
863	Crossmichael,	1536	1492	19	22	41	3	5	8	15	15	30	7
864	Dalbeattie,	2054	3163	54	58	112	5	7	12	28	37	65	29
865	Dalry,	1149	1074	14	11	25	7	4	11	6	6	12	6
866	Girthon,	1702	1586	23	25	48	6	7	13	13	11	24	17
867	Irongray,	913	815	17	9	26	4	3	7	5	4	9	2
868	KELLS,	1170	1007	8	15	23	1	1	2	7	8	15	7
869	Kelton,	3436	3222	66	40	106	16	6	22	47	49	96	28
870	Kirkbean,	942	825	11	12	23	3	2	5	8	7	15	4
871	KIRKCUDBRIGHT,	3407	3346	54	39	93	10	8	18	36	37	73	21
872	Kirkgunzeon,	793	661	10	10	20	1	1	2	1	2	3	–
873	Kirkmabreck,	1851	1568	20	23	43	4	4	8	11	19	30	10
874	Kirkpatrick-Durham,	1323	1218	19	12	31	3	2	5	11	12	23	9
875	Lochrutton,	677	656	15	13	28	3	3	6	4	1	5	6
876	Minnigaff,	1518	1329	20	17	37	1	5	6	17	11	28	11
877	New Abbey,	1063	931	9	15	24	1	5	6	7	12	19	6
878	Parton,	572	526	8	4	12	1	1	2	2	1	3	1
879	Rerrick,	1738	1911	23	29	52	4	3	7	12	19	31	13
880	TERREGLES,	580	547	13	8	21	3	–	3	5	3	8	2
881	Tongland,	892	908	15	12	27	1	–	1	6	6	12	4
882	TROQUEER,	4743	5402	89	70	159	10	11	21	50	50	100	24

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
883	Twynholm, . . .	815	717	8	16	24	–	3	3	2	9	11	4
884	Urr, ...	1531	1443	18	21	39	4	6	10	13	13	26	9
	Total,	42680	42087	651	578	1229	116	107	223	358	389	747	272
	33. Wigtown.												
885	Glasserton, . . .	1472	1196	18	15	33	7	2	9	15	7	22	7
886	Inch, ...	2460	2189	33	25	58	6	4	10	20	20	40	19
887	Kirkcolm, . . .	1860	1948	31	24	55	7	4	11	15	14	29	9
888	Kirkcowan, . . .	1434	1352	17	19	36	3	3	6	20	13	33	7
889	Kirkinner, . . .	1716	1548	24	28	52	6	6	12	11	13	24	9
890	Kirkmaiden, . . .	2333	2507	40	42	82	7	7	14	22	13	35	16
891	Leswalt, . . .	1417	1249	23	25	48	2	3	5	7	5	12	12
892	Mochrum, . . .	2694	2450	46	34	80	11	7	18	19	26	45	12
893	New Luce, . . .	731	661	13	11	24	5	1	6	6	3	9	9
894	Old Luce (or Glenluce), .	2800	2449	36	44	80	5	11	16	21	24	45	20
895	Penninghame, . .	3876	3712	51	57	108	9	5	14	49	47	96	23
896	Portpatrick, . . .	2189	1492	19	20	39	4	5	9	17	13	30	6
897	Sorbie, ...	1814	1667	28	18	46	4	5	9	15	12	27	9
898	Stoneykirk, . . .	3228	2993	43	35	78	9	6	15	25	16	41	19
899	STRANRAER, . .	6315	5977	82	78	160	13	12	25	53	65	118	42
900	WHITHORN, . .	2934	2906	45	42	87	9	13	22	19	38	57	16
901	WIGTOWN, . .	2637	2306	24	26	50	3	4	7	14	28	42	6
	Total,	41910	38602	573	543	1116	110	98	208	348	357	705	241

MARRIAGES registered in SCOTLAND in 1873 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	26748	12187	5806	3596	648	2451	1853	10	197	22648	813	2368	851	68	2573	499
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	10594	3728	2347	1455	426	1361	1087	–	190	8719	449	972	452	2	1106	234
LARGE TOWNS	3140	1350	592	441	76	434	244	–	3	2668	105	252	110	5	399	70
SMALL TOWNS	6130	3094	1038	1053	83	486	372	1	3	5246	157	547	171	9	611	110
MAINLAND-RURAL	6291	3736	1592	609	63	146	136	9	–	5490	95	552	109	45	319	61
INSULAR-RURAL	593	279	237	38	–	24	14	–	1	525	7	45	9	7	138	22
DIVISIONS.																
I. NORTHERN	624	268	271	50	1	–	31	–	3	565	11	37	9	2	35	9
II. NORTH-WESTERN	738	189	490	10	1	45	3	–	–	644	5	75	9	5	185	30
III. NORTH-EASTERN	2546	1477	610	175	80	37	161	–	6	2204	55	226	56	5	68	16
IV. EAST-MIDLAND	4168	1915	834	735	162	227	230	2	63	3531	102	392	135	8	202	56
V. WEST-MIDLAND	1719	906	361	216	29	143	64	–	–	1459	52	138	55	15	172	29
VI. SOUTH-EASTERN	11592	4844	2012	1601	234	1746	1096	–	59	9752	426	950	450	14	1669	307
VII. SOUTH-WESTERN	4030	1791	985	635	125	217	204	7	66	3357	137	420	107	9	202	41
VIII. SOUTHERN	1331	797	243	174	16	36	64	1	–	1136	25	130	30	10	40	8
COUNTIES.																
1 Shetland	144	105	16	14	–	–	9	–	–	127	3	10	3	1	10	3
2 Orkney	179	93	38	36	–	–	9	–	3	161	2	12	4	–	4	1
3 Caithness	199	56	129	–	1	–	13	–	–	184	5	9	1	–	7	1
4 Sutherland	102	14	88	–	–	–	–	–	–	93	1	6	1	1	14	3
5 Ross & Cromarty	358	62	286	4	–	3	3	–	–	316	3	33	4	2	104	16
6 Inverness	380	127	204	6	1	42	–	–	–	328	2	42	5	3	81	14
7 Nairn	45	8	18	12	1	3	3	–	–	40	3	2	–	–	6	8
8 Elgin	244	115	74	40	4	5	6	–	–	214	4	21	5	–	13	2
9 Banff	371	217	98	28	4	11	13	–	–	322	4	32	11	2	17	4
10 Aberdeen	1681	996	377	88	58	18	138	–	6	1450	40	150	38	3	28	8
11 Kincardine	205	141	43	7	13	–	1	–	–	178	4	21	2	–	4	1
12 Forfar	1982	715	393	345	128	193	151	–	57	1666	66	167	82	1	153	44
13 Perth	770	396	207	101	23	14	25	1	3	652	16	81	18	3	15	3
14 Fife	1207	699	190	247	9	16	43	1	2	1033	16	123	32	3	28	71
15 Kinross	44	17	11	15	1	–	–	–	–	40	1	2	1	–	–	2
16 Clackmannan	165	88	33	27	1	4	11	–	1	140	3	19	2	1	6	16
17 Stirling	815	437	131	133	6	63	45	–	–	693	21	59	33	9	66	119
18 Dumbarton	443	229	79	53	13	60	9	–	–	368	25	37	12	1	56	96
19 Argyll	366	195	122	22	9	13	5	–	–	317	3	35	7	4	42	65
20 Bute	95	45	29	8	1	7	5	–	–	81	3	7	3	1	8	14
21 Renfrew	1793	698	364	243	57	305	121	–	5	1478	54	159	95	7	272	519
22 Ayr	1822	1054	276	221	28	134	109	–	–	1564	56	143	54	5	210	419
23 Lanark	7977	3092	1372	1137	149	1307	866	–	54	6710	316	648	301	2	1187	2138
24 Linlithgow	337	202	56	27	3	40	9	–	–	289	14	21	8	5	48	74
25 Edinburgh	2994	1205	834	462	115	149	157	6	66	2462	110	333	88	1	129	290
26 Haddington	255	168	37	28	3	14	4	1	–	225	3	24	3	–	20	28
27 Berwick	200	97	33	59	2	3	6	–	–	170	4	19	6	1	3	12
28 Peebles	66	38	11	15	–	–	2	–	–	55	1	9	–	1	–	6
29 Selkirk	178	81	14	44	2	11	26	–	–	156	5	14	2	1	2	2
30 Roxburgh	344	207	44	67	4	6	16	–	–	308	5	26	5	–	7	19
31 Dumfries	474	260	103	61	6	17	26	1	–	401	10	44	15	4	6	20
32 Kirkcudbright	272	188	46	19	4	7	8	–	–	221	6	35	5	5	8	12
33 Wigtown	241	142	50	27	2	6	14	–	–	206	4	25	5	1	19	29

Condition and Age of Persons married in Scotland in 1873.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1873.

CONDITION.	Total Marriages.	AGES AT MARRIAGE.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	22648	–	–	4	26	179	740	1261	9142	7033	2605	920	424	173	69	33	12	7	3	1	–	–	16
	22648	1	18	87	439	1199	1959	2271	9369	5161	1440	454	160	44	21	7	2	1	–	–	–	–	15
Bachelors with Widows.	813	–	–	–	–	–	4	10	138	235	179	91	78	44	21	7	3	2	–	–	–	–	1
	813	–	–	–	–	–	–	2	49	226	231	172	77	37	15	3	–	–	–	–	–	–	1
Widowers with Spinsters.	2368	–	–	–	–	1	–	1	48	331	483	439	351	293	191	113	63	31	14	5	2	–	2
	2368	–	–	6	7	20	45	65	363	583	469	388	244	110	39	20	3	3	–	–	–	–	3
Widowers with Widows.	851	–	–	–	–	–	–	–	3	34	94	163	136	162	122	66	46	19	5	1	–	–	–
	851	–	–	–	–	–	–	1	8	80	162	221	159	124	59	27	7	3	–	–	–	–	–
Condition not stated. Men.	68	–	–	–	–	–	1	2	13	19	12	5	6	1	3	1	3	–	–	–	–	–	2
Condition not stated. Women.	68	–	–	–	1	1	3	4	20	16	9	7	2	2	–	–	1	–	–	–	–	–	2
Total Men.....	26748	–	–	4	26	180	745	1274	9344	7652	3373	1618	995	673	406	220	127	59	22	7	2	–	21
Total Women.....	26748	1	18	93	447	1220	2007	2343	9809	6066	2311	1242	642	317	134	57	13	7	–	–	–	–	21

AGES of MALES married in Scotland in 1873.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1873.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	26748	–	–	4	26	180	745	1274	9344	7652	3373	1618	995	673	406	220	127	59	22	7	2	–	21
GROUPS OF DISTRICTS.																							
Principal Towns .	10594	–	–	2	9	67	306	490	3646	3052	1360	642	389	288	179	75	56	18	7	2	2	–	4
Large Towns . .	3140	–	–	1	2	34	100	188	1153	901	358	144	92	81	41	21	13	6	2	1	–	–	2
Small Towns . .	6130	–	–	–	9	53	190	326	2320	1676	647	357	235	130	77	55	24	22	5	1	–	–	3
Mainland-Rural .	6291	–	–	1	6	26	144	261	2128	1831	850	429	238	149	100	62	33	13	7	3	–	–	10
Insular-Rural .	593	–	–	–	–	–	5	9	97	192	158	46	41	25	9	7	1	–	1	–	–	–	2
DIVISIONS.																							
1. Northern . .	624	–	–	–	–	–	6	11	169	187	110	53	44	16	13	5	2	4	2	–	–	–	2
2. North-Western .	738	–	–	–	–	1	2	8	100	237	194	80	45	27	24	11	3	1	1	–	–	–	4
3. North-Eastern .	2546	–	–	–	2	10	53	80	833	737	363	175	106	71	57	27	15	10	2	2	1	–	2
4. East Midland .	4168	–	–	–	2	37	114	230	1517	1133	498	238	160	109	62	34	22	3	6	1	–	–	2
5. West Midland .	1719	–	–	–	1	10	36	61	551	529	241	116	74	47	17	21	5	5	3	1	–	–	1
6. South-Western .	11592	–	–	2	18	97	413	674	4355	3263	1260	597	384	246	144	66	50	16	3	1	–	–	3
7. South-Eastern .	4030	–	–	1	2	20	90	157	1384	1166	520	282	143	116	61	45	19	13	3	2	1	–	5
8. Southern . .	1331	–	–	1	1	5	31	53	435	400	187	77	39	41	28	11	11	7	2	–	–	–	2
COUNTIES.																							
Shetland . . .	144	–	–	–	–	–	–	7	40	45	25	10	13	1	1	1	1	–	–	–	–	–	–
Orkney . . .	179	–	–	–	–	–	5	3	51	49	33	13	11	5	6	2	–	–	1	–	–	–	–
Caithness . .	199	–	–	–	–	–	–	1	62	59	35	15	12	9	1	2	–	2	–	–	–	–	1
Sutherland . .	102	–	–	–	–	–	1	–	16	34	17	15	8	1	5	–	1	2	1	–	–	–	1
Ross and Cromarty .	358	–	–	–	–	–	–	5	44	116	95	38	22	13	15	6	1	1	–	–	–	–	2
Inverness . .	380	–	–	–	–	1	2	3	56	121	99	42	23	14	9	5	2	–	1	–	–	–	2

AGES of MALES married in Scotland in 1873.

Nairn . . .	45	–	–	–	1	–	1	–	12	15	7	4	3	1	–	–	–	1	–	–	–	–	–
Elgin . . .	244	–	–	–	1	1	4	5	82	62	50	13	8	6	8	1	2	1	–	–	–	–	–
Banff . . .	371	–	–	–	–	–	12	8	127	97	56	28	18	9	7	5	1	3	–	–	–	–	–
Aberdeen . .	1681	–	–	–	–	8	35	62	544	499	221	115	71	46	39	18	11	5	2	2	1	–	2
Kincardine . .	205	–	–	–	–	1	1	5	68	64	29	15	6	9	3	3	1	–	–	–	–	–	–
Forfar . . .	1982	–	–	–	1	26	59	123	711	522	238	115	72	61	29	12	9	1	2	1	–	–	–
Perth . . .	770	–	–	–	–	1	11	25	210	250	117	61	37	25	12	12	6	–	1	–	–	–	2
Fife. . . .	1207	–	–	–	1	8	38	72	513	302	117	52	45	21	20	8	7	–	3	–	–	–	–
Kinross . . .	44	–	–	–	–	–	1	1	18	12	7	1	1	–	1	1	–	1	–	–	–	–	–
Clackmannan . .	165	–	–	–	–	2	5	9	65	47	19	9	5	2	–	1	–	1	–	–	–	–	–
Stirling . . .	815	–	–	–	1	8	28	41	296	242	82	50	25	16	10	7	2	4	3	–	–	–	–
Dumbarton . .	443	–	–	–	–	1	7	11	167	135	59	24	17	10	2	8	2	–	–	–	–	–	–
Argyll . . .	366	–	–	–	–	–	1	6	67	130	80	31	24	13	5	5	1	1	–	1	–	–	1
Bute . . .	95	–	–	–	–	1	–	3	21	22	20	11	8	8	–	1	–	–	–	–	–	–	–
Renfrew . . .	1793	–	–	–	–	13	51	89	634	531	222	117	54	38	21	11	9	2	1	–	–	–	–
Ayr. . . .	1822	–	–	1	–	18	88	123	718	454	189	90	61	34	21	12	9	2	–	1	–	–	1
Lanark . . .	7977	–	–	1	18	66	274	462	3003	2278	849	390	269	174	102	43	32	12	2	–	–	–	2
Linlithgow . .	337	–	–	–	1	6	13	23	154	73	30	12	8	7	3	2	3	1	1	–	–	–	–
Edinburgh . .	2994	–	–	1	1	12	66	103	980	874	414	223	113	92	51	30	16	10	2	2	1	–	3
Haddington . .	255	–	–	–	–	1	6	11	103	71	29	21	5	6	1	1	–	–	–	–	–	–	–
Berwick . . .	200	–	–	–	–	–	3	10	63	65	20	15	5	7	4	5	–	1	–	–	–	–	2
Peebles . . .	66	–	–	–	–	–	–	2	20	23	10	2	3	1	2	3	–	–	–	–	–	–	–
Selkirk . . .	178	–	–	–	–	1	2	8	64	60	17	9	9	3	–	4	–	1	–	–	–	–	–
Roxburgh . .	344	–	–	–	1	–	8	16	120	105	51	15	8	10	6	1	1	2	–	–	–	–	–
Dumfries. . .	474	–	–	–	–	–	7	17	162	139	71	30	14	14	8	3	4	3	1	–	–	–	1
Kirkcudbright. .	272	–	–	1	–	3	7	7	78	91	35	19	8	9	8	4	2	–	–	–	–	–	–
Wigtown. . .	241	–	–	–	–	2	9	13	75	65	30	13	9	8	6	3	4	2	1	–	–	–	1

AGES of FEMALES married in Scotland in 1873.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1873.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	26748	1	18	93	447	1220	2007	2343	9809	6066	2311	1242	642	317	134	57	13	7	–	–	–	–	21
GROUPS of DISTRICTS.																							
Principal Towns	10594	–	7	29	149	451	837	946	3824	2395	915	532	262	147	64	26	4	1	–	–	–	–	5
Large Towns .	3140	–	2	14	83	186	256	283	1131	692	227	136	71	35	11	7	3	1	–	–	–	–	2
Small Towns .	6130	–	7	28	104	331	503	572	2263	1275	521	278	124	74	26	14	4	2	–	–	–	–	4
Mainland-Rural	6291	1	1	22	106	240	395	515	2382	1506	577	271	165	59	29	9	2	3	–	–	–	–	8
Insular-Rural .	593	–	1	–	5	12	16	27	209	198	71	25	20	2	4	1	–	–	–	–	–	–	2
DIVISIONS.																							
1. Northern . .	624	–	–	–	7	14	27	19	232	184	64	46	20	3	4	1	1	–	–	–	–	–	2
2. North-Western .	738	–	–	–	8	9	19	43	245	244	97	36	24	7	1	1	–	–	–	–	–	–	4
3. North-Eastern .	2546	–	1	7	33	87	167	198	968	603	247	125	58	32	14	3	–	1	–	–	–	–	2
4. East Midland .	4168	–	2	10	39	150	235	357	1583	991	385	212	120	58	15	7	2	1	–	–	–	–	1
5. West Midland .	1719	–	1	5	36	82	113	143	627	393	165	80	40	13	14	5	1	1	–	–	–	–	–
6. South-Western .	11592	1	11	56	260	687	1068	1167	4205	2332	866	483	232	137	50	26	4	2	–	–	–	–	5
7 South-Eastern .	4030	–	2	13	51	151	296	315	1435	993	361	202	110	51	28	12	3	2	–	–	–	–	5
8. Southern . .	1331	–	1	2	13	40	82	101	514	326	126	58	38	16	8	2	2	–	–	–	–	–	2
COUNTIES.																							
Shetland . .	144	–	–	–	–	1	4	1	52	55	15	11	3	–	2	–	–	–	–	–	–	–	–
Orkney . . .	179	–	–	–	2	9	11	9	70	38	19	9	9	1	2	–	–	–	–	–	–	–	–
Caithness . .	199	–	–	–	3	2	8	8	75	60	19	15	7	–	–	1	–	–	–	–	–	–	1
Sutherland . .	102	–	–	–	2	2	4	1	35	31	11	11	1	2	–	–	1	–	–	–	–	–	1
Ross and Cromarty .	358	–	–	–	2	3	6	19	118	115	53	19	16	3	1	1	–	–	–	–	–	–	2
Inverness . .	380	–	–	–	6	6	13	24	127	129	44	17	8	4	–	–	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1873.

Nairn . . .	45	–	–	1	1	1	2	5	14	11	5	3	1	1	–	–	–	–	–	–	–	–	–
Elgin . . .	244	–	–	1	1	8	14	25	90	57	25	13	3	4	2	1	–	–	–	–	–	–	–
Banff . . .	371	–	–	1	6	9	15	28	167	74	41	17	5	6	1	–	–	1	–	–	–	–	–
Aberdeen . .	1681	–	1	4	23	65	123	126	616	408	154	85	42	20	10	2	–	–	–	–	–	–	2
Kincardine . .	205	–	–	–	2	4	13	14	81	53	22	7	7	1	1	–	–	–	–	–	–	–	–
Forfar . . .	1982	–	2	6	18	86	120	172	750	432	191	104	67	23	8	2	1	–	–	–	–	–	–
Perth . . .	770	–	–	2	4	10	34	44	281	224	82	44	25	14	5	–	–	–	–	–	–	–	1
Fife . . .	1207	–	–	2	14	41	68	111	488	279	96	57	25	19	2	3	1	1	–	–	–	–	–
Kinross . . .	44	–	–	–	–	–	2	7	15	11	5	1	1	1	–	1	–	–	–	–	–	–	–
Clackmannan .	165	–	–	–	3	13	11	23	49	45	11	6	2	1	–	1	–	–	–	–	–	–	–
Stirling . . .	815	–	–	3	24	52	68	75	298	162	60	35	19	5	10	3	1	–	–	–	–	–	–
Dumbarton . .	443	–	–	1	8	21	26	40	171	98	42	19	9	5	2	1	–	–	–	–	–	–	–
Argyll . . .	366	–	1	–	4	8	16	26	126	101	50	22	6	3	1	1	–	1	–	–	–	–	–
Bute . . .	95	–	–	1	–	1	3	2	32	32	13	4	6	–	1	–	–	–	–	–	–	–	–
Renfrew . . .	1793	–	1	3	30	84	165	192	643	377	144	90	26	25	7	5	–	–	–	–	–	–	1
Ayr . . .	1822	1	–	13	40	121	176	204	652	330	144	72	39	14	10	4	–	1	–	–	–	–	1
Lanark . . .	7977	–	10	40	190	482	727	771	2910	1625	578	321	167	98	33	17	4	1	–	–	–	–	3
Linlithgow .	337	–	1	3	13	35	40	37	130	42	8	11	10	1	1	1	2	1	–	–	–	–	1
Edinburgh . .	2994	–	1	10	34	96	226	226	1039	754	279	165	83	43	24	10	1	1	–	–	–	–	2
Haddington . .	255	–	–	–	3	9	10	19	105	63	30	8	5	3	–	–	–	–	–	–	–	–	–
Berwick . . .	200	–	–	–	1	3	7	10	72	66	17	11	8	2	1	–	–	–	–	–	–	–	2
Peebles . . .	66	–	–	–	–	–	5	9	21	20	6	2	2	–	–	1	–	–	–	–	–	–	–
Selkirk . . .	178	–	–	–	–	8	8	14	68	48	21	5	2	2	2	–	–	–	–	–	–	–	–
Roxburgh . .	344	–	–	1	6	14	22	30	141	77	26	14	7	5	1	–	–	–	–	–	–	–	–
Dumfries . .	474	–	–	–	4	9	32	34	185	118	48	23	14	3	3	–	1	–	–	–	–	–	–
Kirkcudbright .	272	–	1	1	1	13	15	15	102	70	26	11	9	4	3	–	–	–	–	–	–	–	1
Wigtown . .	241	–	–	–	2	4	13	22	86	61	26	10	8	4	1	2	1	–	–	–	–	–	1

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	3062294	3360018	76946	7460	2609	4881	6301	2865	1853	1372	3618	2013	2586	2909	2548
Principal Towns	884955	1068556	30008	2952	1195	2309	3150	1366	873	609	1569	784	949	1152	1039
Large Towns .	274381	334257	9306	951	356	682	839	378	250	172	424	263	324	354	331
Small Towns .	704380	776087	17357	1790	569	1074	1380	668	391	336	854	483	618	679	542
Mainland-Rural	1061793	1049114	18098	1581	457	745	838	413	305	235	709	433	618	638	548
Insular-Rural .	136785	132004	2177	186	32	71	94	40	34	20	62	50	77	86	88
Shetland . .	31670	31608	440	34	3	13	14	9	13	5	14	4	14	14	8
Orkney . .	32395	31274	518	28	6	13	14	6	7	3	15	18	17	25	26
Caithness .	42200	41011	729	55	15	17	22	14	12	7	18	10	29	30	31
Sutherland .	24157	23298	397	39	7	7	10	2	5	2	10	3	5	19	15
Ross & Cromarty	82427	82093	1267	109	27	43	41	20	11	9	34	20	44	34	32
Inverness .	84815	84258	1576	136	29	65	94	39	21	18	50	32	48	47	48
Nairn . .	8347	8372	154	14	2	8	8	5	6	2	9	8	2	5	3
Elgin . .	44305	44549	736	52	22	35	36	10	13	11	34	9	29	23	23
Banff . .	56020	58883	984	106	28	40	55	29	16	16	35	27	33	31	33
Aberdeen .	223417	246298	4376	438	143	249	270	135	93	67	206	112	140	159	147
Kincardine .	34781	35097	554	54	10	20	16	14	4	10	21	13	10	23	21
Forfar . .	206750	240049	5474	653	219	301	396	187	131	98	214	133	170	181	157
Perth . .	133198	128550	2560	207	60	69	97	57	37	35	99	65	62	78	70
Fife . . .	155021	160924	3064	283	87	155	168	69	45	38	104	79	100	117	90
Kinross . .	8731	7918	159	8	9	8	–	2	1	2	4	3	7	9	3
Clackmannan .	20122	22235	462	51	20	38	36	15	11	7	21	10	16	13	13
Stirling . .	88138	93345	2149	216	67	131	169	80	40	34	114	55	79	92	72
Dumbarton .	54179	61116	1437	145	48	74	118	69	35	22	68	39	59	50	58
Argyll . .	83859	79661	1568	89	27	49	94	41	25	25	64	41	56	61	59
Bute . .	16311	16966	380	15	10	12	24	6	6	7	15	12	7	18	18
Renfrew . .	168746	195305	5838	511	198	432	555	309	202	152	386	188	228	252	208
Ayr . .	199083	200908	4816	472	149	327	409	205	145	90	239	164	199	196	130
Lanark . .	640444	787005	23129	2338	952	1961	2626	1141	707	528	1323	666	813	913	814
Linlithgow .	39045	41379	923	120	36	61	108	32	15	19	62	23	29	19	21
Edinburgh .	273792	328138	7308	732	275	460	622	234	154	101	251	133	183	262	244
Haddington .	37626	37755	782	54	19	26	40	30	13	13	41	18	29	28	21
Berwick . .	36488	36382	615	55	19	21	28	11	7	10	21	14	8	24	20
Peebles . .	11264	12218	190	20	7	6	8	–	6	2	6	5	9	9	7
Selkirk . .	14901	19651	424	75	15	34	31	7	5	4	9	6	16	19	16
Roxburgh .	49568	48241	941	109	31	65	68	39	20	9	30	25	25	35	31
Dumfries . .	75904	74842	1544	132	27	77	72	25	29	14	45	42	67	66	70
Kirkcudbright	42680	42087	747	61	20	37	24	7	8	7	29	19	27	29	23
Wigtown . .	41910	38602	705	49	22	27	28	16	10	5	27	17	24	28	16

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—BOTH SEXES.

Glasgow . .	395503	477732	14499	1362	599	1294	1783	732	475	328	826	395	495	571	517
Edinburgh .	170444	201052	4578	419	171	286	402	134	85	67	159	87	120	173	156
Dundee . .	91664	120724	3281	446	147	211	280	127	86	59	132	73	89	113	91
Aberdeen .	73900	88181	2120	209	76	137	181	90	49	30	111	69	69	74	77
Greenock .	43894	59794	2220	207	84	180	234	142	83	71	160	74	61	111	100
Paisley . .	47427	48257	1589	117	50	99	135	78	58	33	127	55	70	59	45
Leith . .	36029	46434	1084	131	52	82	113	50	30	16	33	17	26	32	32
Perth . .	26094	26382	637	61	16	20	22	13	7	5	21	23	19	19	21

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . .	2344	2316	2478	2527	2863	2912	3657	3586	4390	3525	2955	1579	551	181	24	43
Principal Towns .	1033	996	1136	1109	1171	1148	1389	1171	1253	759	529	266	63	30	1	7
Large Towns . .	284	299	329	309	340	325	448	389	482	339	247	118	48	16	2	7
Small Towns . .	460	464	499	539	662	659	782	821	1034	877	696	321	111	33	8	7
Mainland-Rural . .	483	494	468	512	630	705	937	1097	1453	1360	1294	760	276	83	11	15
Insular-Rural . .	84	63	46	58	60	75	101	108	168	190	189	114	53	19	2	7
Shetland . . .	19	10	8	14	14	10	21	26	38	49	37	24	16	5	–	4
Orkney . . .	15	12	10	15	11	15	27	27	50	67	49	30	8	3	–	1
Caithness . . .	18	18	20	10	23	30	31	42	70	68	79	40	14	6	–	–
Sutherland . .	7	12	13	10	12	14	24	16	31	44	47	29	8	6	–	–
Ross and Cromarty .	33	28	30	25	41	52	66	75	119	110	146	69	39	7	2	1
Inverness . . .	53	40	55	40	58	60	81	84	123	108	130	67	38	10	1	1
Nairn . . .	5	2	3	4	7	6	10	8	10	10	12	2	1	2	–	–
Elgin . . .	26	19	20	15	21	24	34	42	63	68	64	32	4	6	1	–
Banff . . .	21	26	17	20	25	31	40	52	82	84	71	43	17	3	–	1
Aberdeen . . .	115	127	127	116	148	128	188	231	328	244	254	145	51	11	2	2
Kincardine . .	13	14	17	16	15	21	28	41	42	41	57	25	5	3	–	–
Forfar . . .	198	167	223	212	220	224	310	286	294	231	155	80	30	4	–	–
Perth . . .	71	71	89	85	125	118	145	138	250	211	176	89	39	11	2	4
Fife	72	91	88	92	124	129	162	204	235	230	175	94	23	7	–	3
Kinross . . .	6	4	2	4	3	6	9	14	18	20	10	6	1	–	–	–
Clackmannan . .	8	10	10	6	21	11	24	31	38	17	22	9	3	1	–	–
Stirling . . .	58	74	57	73	92	73	98	111	124	88	88	39	16	5	2	2
Dumbarton . .	39	53	49	40	59	61	61	59	94	67	47	16	3	3	–	1
Argyll . . .	51	47	50	42	53	58	83	89	128	104	113	75	23	15	3	3
Bute	7	16	7	16	16	11	26	21	37	24	23	15	7	3	–	1
Renfrew . . .	172	156	174	197	198	211	251	213	266	172	112	61	19	8	2	5
Ayr	159	143	143	169	165	167	199	186	232	207	168	95	39	15	–	4
Lanark . . .	746	737	808	797	848	813	996	753	795	510	319	156	45	14	4	6
Linlithgow . . .	19	20	27	25	35	37	39	37	45	33	35	20	4	1	–	1
Edinburgh . . .	250	279	266	310	314	344	395	406	426	289	232	104	29	13	–	–
Haddington . .	27	27	20	26	35	41	38	47	76	52	35	20	5	1	–	–
Berwick . . .	10	16	14	19	24	29	39	44	55	52	42	24	7	2	–	–
Peebles . . .	8	1	8	6	7	8	12	13	16	7	11	5	3	–	–	–
Selkirk . . .	12	7	10	10	9	16	17	24	23	28	16	13	1	1	–	–
Roxburgh . . .	17	19	17	25	31	28	46	61	58	69	54	18	10	1	–	–
Dumfries . . .	46	40	48	38	62	65	90	94	120	110	83	58	14	5	3	2
Kirkcudbright . .	24	15	26	25	26	36	41	53	59	63	42	28	13	4	–	1
Wigtown . . .	19	15	22	25	21	35	26	58	45	48	51	48	16	5	2	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—BOTH SEXES.

Glasgow . . .	485	479	544	509	545	527	624	453	451	263	152	67	14	6	1	2
Edinburgh . . .	163	182	191	204	205	217	260	247	256	172	135	63	13	11	–	–
Dundee . . .	136	103	144	145	141	136	188	148	127	82	47	24	5	1	–	–
Aberdeen . . .	63	61	69	49	76	60	91	99	146	93	83	49	12	6	–	–
Greenock . . .	78	70	78	61	69	72	77	58	76	32	20	14	4	1	–	3
Paisley . . .	50	31	42	66	56	61	73	79	83	54	36	21	7	2	–	2
Leith . . .	34	43	36	47	40	48	42	54	56	28	27	13	2	–	–	–
Perth . . .	24	27	32	28	39	27	34	33	58	35	29	15	6	3	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—MALES.

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1449848	1603143	39037	4229	1427	2666	3320	1450	951	695	1870	1055	1324	1530	1287
Principal Towns	407839	502021	15227	1672	629	1279	1692	680	449	306	801	429	474	570	505
Large Towns .	129933	160176	4766	554	194	365	413	179	130	79	249	137	169	179	170
Small Towns .	335356	371118	8869	1013	334	592	716	338	199	176	420	247	319	379	275
Mainland-Rural	513554	508787	9155	879	257	391	452	237	156	123	367	220	325	354	288
Insular-Rural .	63166	61041	1020	111	13	39	47	16	17	11	33	22	37	48	49
Shetland . .	13053	13103	196	17	3	11	7	4	6	4	7	3	9	8	4
Orkney . .	14924	14355	262	19	3	10	10	1	4	2	8	12	7	16	19
Caithness .	19846	19403	357	33	9	5	14	8	6	4	8	3	13	18	14
Sutherland .	11058	10942	186	17	3	4	2	1	1	1	6	2	4	10	12
Ross & Cromarty	38462	38558	636	60	14	28	20	9	6	3	16	11	26	22	16
Inverness .	39500	39360	762	83	10	34	47	17	9	13	32	12	25	30	18
Nairn . .	3976	3925	68	5	1	6	3	2	2	–	4	6	2	2	1
Elgin . .	20716	20738	364	32	16	20	19	3	7	5	22	3	17	17	11
Banff . .	26401	27826	523	64	19	19	31	12	11	9	16	15	24	23	15
Aberdeen .	105355	116768	2174	242	85	135	154	75	42	38	104	63	67	68	73
Kincardine .	16906	17002	273	31	5	10	11	6	2	4	13	9	5	10	11
Forfar . .	93280	107416	2721	366	130	171	217	94	70	49	120	71	88	79	86
Perth . .	63169	60812	1268	119	32	41	48	28	19	17	47	35	29	37	40
Fife . . .	72714	75206	1533	159	53	85	98	41	24	16	57	41	49	53	39
Kinross . .	4150	3748	65	3	7	2	–	1	1	2	2	3	4	3	1
Clackmannan .	9742	10819	235	30	13	15	20	7	4	5	11	4	7	9	9
Stirling . .	43487	46193	1141	114	42	75	95	42	23	13	52	27	42	55	38
Dumbarton .	26455	29957	755	75	32	33	61	38	19	9	37	18	29	31	39
Argyll . .	40914	38796	771	55	14	27	46	21	7	12	32	17	27	32	38
Bute . .	7201	7616	169	9	6	7	8	2	4	2	6	5	4	12	12
Renfrew . .	79380	93167	2986	292	104	241	284	155	118	85	196	95	104	123	98
Ayr . .	97042	98244	2512	265	78	171	231	119	79	52	129	89	101	106	68
Lanark . .	308263	388392	11996	1324	518	1068	1347	555	346	248	691	371	430	482	400
Linlithgow .	20069	21049	499	73	20	29	52	12	8	14	28	8	19	14	7
Edinburgh .	126276	153784	3669	419	134	271	343	127	83	53	124	65	100	136	118
Haddington .	17866	18069	386	36	9	13	21	16	7	8	14	11	13	15	7
Berwick . .	17354	17361	316	32	9	12	16	6	2	7	12	4	3	15	13
Peebles . .	5588	5902	94	12	5	3	4	–	3	2	2	1	2	2	5
Selkirk . .	7275	9476	214	40	7	20	17	5	1	2	6	4	6	10	10
Roxburgh .	24555	22049	451	59	12	28	30	14	12	5	16	11	12	17	13
Dumfries .	35687	34831	749	71	10	36	40	13	15	4	27	14	34	36	35
Kirkcudbright	19885	19607	358	39	11	20	10	3	5	4	15	12	9	20	10
Wigtown .	19299	17769	348	34	13	16	14	13	5	3	10	10	13	19	7
DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—MALES.																
Glasgow . .	185556	230995	7421	761	313	696	940	354	228	155	426	219	252	292	253
Edinburgh .	76013	91090	2321	246	80	174	222	71	45	31	77	42	65	93	77
Dundee . .	40395	52605	1624	257	86	118	156	62	50	27	71	46	41	45	48
Aberdeen. .	32554	39786	1029	111	46	77	108	48	22	18	58	38	29	30	36
Greenock .	21567	30298	1168	111	47	101	123	71	47	42	78	33	34	61	53
Paisley . .	21913	22269	803	72	26	57	71	38	35	17	66	32	31	23	13
Leith . .	17894	22976	550	78	24	45	60	30	18	12	14	7	14	18	15
Perth . .	11947	12002	311	36	7	11	12	6	4	4	11	12	8	8	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1109	1155	1220	1323	1480	1497	1837	1783	2042	1587	1257	635	206	67	8	27
Principal Towns .	494	534	551	580	580	583	670	567	547	309	196	94	19	11	–	6
Large Towns . .	144	149	160	158	179	174	228	210	221	152	92	53	15	6	1	6
Small Towns . .	210	213	250	308	351	353	395	404	479	393	313	119	51	17	3	2
Mainland-Rural .	232	228	236	253	341	357	495	547	723	661	572	329	98	23	3	8
Insular-Rural . .	29	31	23	24	29	30	49	55	72	72	84	40	23	10	1	5
Shetland . . .	6	5	3	3	4	5	12	10	18	19	15	4	7	–	–	2
Orkney . . .	6	6	5	6	3	7	12	15	22	28	24	11	3	2	–	1
Caithness . . .	8	9	11	6	10	15	21	25	30	28	36	19	3	1	–	–
Sutherland . .	3	4	7	3	7	7	15	11	15	21	21	6	1	2	–	–
Ross and Cromarty .	21	13	17	10	20	28	24	42	56	52	72	29	16	3	1	1
Inverness . . .	21	21	31	18	30	28	36	44	47	51	50	34	15	5	–	1
Nairn . . .	–	1	1	3	3	3	6	3	6	4	2	1	1	–	–	–
Elgin . . .	11	9	10	8	10	14	16	18	30	31	21	10	2	2	–	–
Banff . . .	12	14	8	10	9	20	22	27	38	40	36	19	7	2	–	1
Aberdeen . . .	59	58	68	59	73	63	87	109	157	105	106	62	17	4	–	1
Kincardine . .	7	6	9	5	5	10	14	22	23	20	23	10	1	1	–	–
Forfar . . .	70	69	91	96	99	102	166	139	133	104	63	35	11	2	–	–
Perth . . .	40	35	43	37	68	56	69	72	124	97	72	41	10	6	2	4
Fife . . .	30	39	40	55	77	59	86	102	123	98	72	30	6	1	–	–
Kinross . . .	3	–	–	2	1	3	4	3	8	5	4	3	–	–	–	–
Clackmannan . .	3	6	4	4	13	6	15	14	17	7	8	2	2	–	–	–
Stirling . . .	28	34	30	43	46	38	58	52	63	53	46	19	9	2	1	1
Dumbarton . .	19	26	30	22	38	38	26	29	45	35	19	4	1	1	–	1
Argyll . . .	21	25	27	21	28	29	37	54	52	50	47	32	13	6	1	–
Bute	1	6	4	8	10	4	13	8	15	6	8	3	2	3	–	1
Renfrew . . .	92	81	96	111	99	95	134	105	121	72	52	21	5	2	–	5
Ayr	70	66	60	95	90	87	106	109	101	95	81	37	15	9	–	3
Lanark . . .	378	399	407	435	452	448	512	369	365	229	136	62	14	3	2	5
Linlithgow . .	4	13	17	16	21	24	25	20	28	17	19	7	3	1	–	–
Edinburgh . .	119	151	126	168	149	177	163	202	191	116	81	40	10	3	–	–
Haddington . .	10	10	12	12	22	20	24	27	33	21	13	11	1	–	–	–
Berwick . . .	5	9	3	9	18	14	18	20	27	26	20	13	2	1	–	–
Peebles . . .	3	1	3	3	4	7	4	7	5	5	7	3	1	–	–	–
Selkirk . . .	4	1	5	4	6	8	4	11	14	17	8	3	1	–	–	–
Roxburgh . .	9	8	6	14	17	16	27	28	32	34	22	5	4	–	–	–
Dumfries . . .	24	19	26	15	32	35	44	35	61	50	44	20	7	1	1	–
Kirkcudbright . .	13	4	11	9	9	17	26	23	24	27	13	17	5	2	–	–
Wigtown . . .	9	7	9	13	7	14	11	28	18	24	16	22	11	2	–	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—MALES.

Glasgow . . .	243	260	273	265	284	290	313	210	195	112	57	25	3	1	–	1
Edinburgh . .	84	107	94	114	96	108	107	130	108	74	43	26	4	3	–	–
Dundee . . .	42	49	56	70	62	51	99	75	54	32	15	9	2	1	–	–
Aberdeen . . .	28	29	36	23	38	29	36	40	64	33	32	13	4	3	–	–
Greenock . . .	47	35	44	36	34	28	43	30	41	14	7	3	1	1	–	3
Paisley . . .	23	20	19	37	23	33	39	38	31	26	22	7	2	–	–	2
Leith	13	22	14	25	22	29	17	27	26	7	5	6	2	–	–	–
Perth . . .	14	12	15	10	21	15	16	17	28	11	15	5	1	2	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1612446	1756875	37909	3231	1182	2215	2981	1415	902	677	1748	958	1262	1379	1261
Principal Towns	477116	566535	14781	1280	566	1030	1458	686	424	303	768	355	475	582	534
Large Towns .	144448	174081	4540	397	162	317	426	199	120	93	175	126	155	175	161
Small Towns .	369024	404969	8488	777	235	482	664	330	192	160	434	236	299	300	267
Mainland-Rural	548239	540327	8943	702	200	354	386	176	149	112	342	213	293	284	260
Insular-Rural .	73619	70963	1157	75	19	32	47	24	17	9	29	28	40	38	39
Shetland . .	18617	18505	244	17	–	2	7	5	7	1	7	1	5	6	4
Orkney . .	17471	16919	256	9	3	3	4	5	3	1	7	6	10	9	7
Caithness .	22354	21608	372	22	6	12	8	6	6	3	10	7	16	12	17
Sutherland .	13099	12356	211	22	4	3	8	1	4	1	4	1	1	9	3
Ross & Cromarty	43965	43535	631	49	13	15	21	11	5	6	18	9	18	12	16
Inverness .	45315	44898	814	53	19	31	47	22	12	5	18	20	23	17	30
Nairn . .	4371	4447	86	9	1	2	5	3	4	2	5	2	–	3	2
Elgin . .	23589	23811	372	20	6	15	17	7	6	6	12	6	12	6	12
Banff . .	29619	31057	461	42	9	21	24	17	5	7	19	12	11	8	18
Aberdeen .	118062	129530	2202	196	58	114	116	60	51	29	102	49	73	91	74
Kincardine .	17875	18095	281	23	5	10	5	8	2	6	8	4	5	13	10
Forfar . .	113470	132633	2753	287	89	130	179	93	61	49	94	62	82	102	71
Perth . .	70029	67738	1292	88	28	28	49	29	18	18	52	30	33	41	30
Fife . .	82307	85718	1531	124	34	70	70	28	21	22	47	38	51	64	51
Kinross . .	4581	4170	94	5	2	6	–	1	–	–	2	–	3	6	2
Clackmannan .	10380	11416	227	21	7	23	16	8	7	2	10	6	9	4	4
Stirling . .	44651	47152	1008	102	25	56	74	38	17	21	62	28	37	37	34
Dumbarton .	27724	31159	682	70	16	41	57	31	16	13	31	21	30	19	19
Argyll . .	42945	40865	797	34	13	22	48	20	18	13	32	24	29	29	21
Bute . .	9110	9350	211	6	4	5	16	4	2	5	9	7	3	6	6
Renfrew . .	89366	102138	2852	219	94	191	271	154	84	67	190	93	124	129	110
Ayr . .	102041	102664	2304	207	71	156	178	86	66	38	110	75	98	90	62
Lanark . .	332181	398613	11133	1014	434	893	1279	586	361	280	632	295	383	431	414
Linlithgow .	18976	20330	424	47	16	32	56	20	7	5	34	15	10	5	14
Edinburgh .	147516	174354	3639	313	141	189	279	107	71	48	127	68	83	126	126
Haddington .	19760	19686	396	18	10	13	19	14	6	5	27	7	16	13	14
Berwick . .	19134	19021	299	23	10	9	12	5	5	3	9	10	5	9	7
Peebles . .	5676	6316	96	8	2	3	4	–	3	–	4	4	7	7	2
Selkirk . .	7626	10175	210	35	8	14	14	2	4	2	3	2	10	9	6
Roxburgh .	25013	25292	490	50	19	37	38	25	8	4	14	14	13	18	18
Dumfries .	40217	40011	795	61	17	41	32	12	14	10	18	28	33	30	35
Kirkcudbright	22795	22480	389	22	9	17	14	4	3	3	14	7	18	9	13
Wigtown . .	22611	20833	357	15	9	11	14	3	5	2	17	7	11	9	9

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—FEMALES.

Glasgow . .	209947	246737	7078	601	286	598	843	378	247	173	400	176	243	279	264
Edinburgh .	94431	109962	2257	173	91	112	180	63	40	36	82	45	55	80	79
Dundee . .	51269	68119	1657	189	61	93	124	65	36	32	61	27	48	68	43
Aberdeen .	41346	48395	1091	98	30	60	73	42	27	12	53	22	40	44	41
Greenock .	22327	29496	1052	96	37	79	111	71	36	29	82	41	27	50	47
Paisley . .	25514	25988	786	45	24	42	64	40	23	16	61	23	39	36	32
Leith . .	18135	23458	534	53	28	37	53	20	12	4	19	10	12	14	17
Perth . .	14147	14380	326	25	9	9	10	7	3	1	10	11	11	11	11

DEATHS at Different Ages in SCOTLAND during the YEAR 1873.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1235	1161	1258	1204	1383	1415	1820	1803	2348	1938	1698	944	345	114	16	16
Principal Towns .	539	462	585	529	591	565	719	604	706	450	333	172	44	19	1	1
Large Towns . .	140	150	169	151	161	151	220	179	261	187	155	65	33	10	1	1
Small Towns . .	250	251	249	231	311	306	387	417	555	484	383	202	60	16	5	5
Mainland-Rural .	251	266	232	259	289	348	442	550	730	699	722	431	178	60	8	7
Insular-Rural . .	55	32	23	34	31	45	52	53	96	118	105	74	30	9	1	2
Shetland . . .	13	5	5	11	10	5	9	16	20	30	22	20	9	5	–	2
Orkney . . .	9	6	5	9	8	8	15	12	28	39	25	19	5	1	–	–
Caithness . . .	10	9	9	4	13	15	10	17	40	40	43	21	11	5	–	–
Sutherland . .	4	8	6	7	5	7	9	5	16	23	26	23	7	4	–	–
Ross and Cromarty .	12	15	13	15	21	24	42	33	63	58	74	40	23	4	1	–
Inverness . . .	32	19	24	22	28	32	45	40	76	57	80	33	23	5	1	–
Nairn . . .	5	1	2	1	4	3	4	5	4	6	10	1	–	2	–	–
Elgin . . .	15	10	10	7	11	10	18	24	33	37	43	22	2	4	1	–
Banff . . .	9	12	9	10	16	11	18	25	44	44	35	24	10	1	–	–
Aberdeen . . .	56	69	59	57	75	65	101	122	171	139	148	83	34	7	2	1
Kincardine . .	6	8	8	11	10	11	14	19	19	21	34	15	4	2	–	–
Forfar . . .	128	98	132	116	121	122	144	147	161	127	92	45	19	2	–	–
Perth	31	36	46	48	57	62	76	66	126	114	104	48	29	5	–	–
Fife	42	52	48	37	47	70	76	102	112	132	103	64	17	6	–	3
Kinross . . .	3	4	2	2	2	3	5	11	10	15	6	3	1	–	–	–
Clackmannan . .	5	4	6	2	8	5	9	17	21	10	14	7	1	1	–	–
Stirling . . .	30	40	27	30	46	35	40	59	61	35	42	20	7	3	1	1
Dumbarton . .	20	27	19	18	21	23	35	30	49	32	28	12	2	2	–	–
Argyll . . .	30	22	23	21	25	29	46	35	76	54	66	43	10	9	2	3
Bute	6	10	3	8	6	7	13	13	22	18	15	12	5	–	–	–
Renfrew . . .	80	75	78	86	99	116	117	108	145	100	60	40	14	6	2	–
Ayr	89	77	83	74	75	80	93	77	131	112	87	58	24	6	–	1
Lanark . . .	368	338	401	362	396	365	484	384	430	281	183	94	31	11	2	1
Linlithgow . .	15	7	10	9	14	13	14	17	17	16	16	13	1	–	–	1
Edinburgh . .	131	128	140	142	165	167	232	204	235	173	151	64	19	10	–	–
Haddington . .	17	17	8	14	13	21	14	20	43	31	22	9	4	1	–	–
Berwick . . .	5	7	11	10	6	15	21	24	28	26	22	11	5	1	–	–
Peebles . . .	5	–	5	3	3	1	8	6	11	2	4	2	2	–	–	–
Selkirk . . .	8	6	5	6	3	8	13	13	9	11	8	10	–	1	–	–
Roxburgh . . .	8	11	11	11	14	12	19	33	26	35	32	13	6	1	–	–
Dumfries . . .	22	21	22	23	30	30	46	59	59	60	39	38	7	4	2	2
Kirkcudbright . .	11	11	15	16	17	19	15	30	35	36	29	11	8	2	–	1
Wigtown . . .	10	8	13	12	14	21	15	30	27	24	35	26	5	3	2	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1873.—FEMALES.

Glasgow . . .	242	219	271	244	261	237	311	243	256	151	95	42	11	5	1	1
Edinburgh . . .	79	75	97	90	109	109	153	117	148	98	92	37	9	8	–	–
Dundee . . .	94	54	88	75	79	85	89	73	73	50	32	15	3	–	–	–
Aberdeen . . .	35	32	33	26	38	31	55	59	82	60	51	36	8	3	–	–
Greenock . . .	31	35	34	25	35	44	34	28	35	18	13	11	3	–	–	–
Paisley . . .	27	11	23	29	33	28	34	41	52	28	14	14	5	2	–	–
Leith	21	21	22	22	18	19	25	27	30	21	22	7	–	–	–	–
Perth . . .	10	15	17	18	18	12	18	16	30	24	14	10	5	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	465	33	12	26	40	12	10	10	19	8	10	13	12
Arbroath	422	41	21	19	24	14	6	7	25	13	11	8	18
Forfar	299	38	11	20	12	13	7	4	7	9	16	13	13
Montrose	351	26	9	6	28	8	8	6	10	11	13	8	7
Dunfermline	348	39	10	16	24	12	3	6	16	20	19	15	8
Kirkcaldy	258	27	12	15	20	7	8	2	11	6	9	6	6
Stirling	308	23	10	22	26	13	4	5	14	7	5	9	13
Dumbarton	344	33	10	30	24	19	14	12	22	6	15	12	17
Ayr	475	41	15	30	34	15	21	6	22	16	10	17	16
Kilmarnock	719	84	23	50	59	24	28	11	41	20	34	37	18
Barony	1142	93	40	94	96	50	36	28	59	31	44	41	45
Govan	2068	223	105	204	240	116	55	49	92	55	60	94	82
Hamilton	461	63	17	29	43	17	13	6	19	16	15	18	12
Airdrie	354	41	19	32	40	9	10	6	19	11	14	13	16
Coatbridge	436	55	14	30	55	19	3	9	24	15	20	12	19
Hawick	353	53	20	33	45	20	8	4	8	6	9	17	8
Dumfries	503	38	8	26	29	10	16	1	16	13	20	21	21

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—Both Sexes.

Shetland	86	6	1	5	5	1	4	2	3	–	3	3	1
Orkney	88	3	2	5	5	1	3	1	3	5	1	4	3
Caithness	358	32	11	11	16	9	5	3	12	5	17	16	15
Ross and Cromarty	165	22	4	10	11	3	3	2	7	1	7	5	6
Nairn	99	8	2	3	3	4	4	2	5	7	2	3	3
Elgin	311	17	10	19	18	6	8	3	15	4	15	13	11
Banff	410	50	11	21	36	12	7	7	8	8	16	14	12
Aberdeen	536	58	26	40	33	19	12	14	24	11	15	26	14
Kincardine	121	14	3	6	–	2	1	–	2	2	2	4	5
Forfar	587	57	18	32	29	11	6	14	16	7	22	21	15
Perth	480	43	11	15	25	19	10	8	19	8	8	23	18
Fife	1118	111	27	69	64	23	14	16	35	22	38	49	39
Clackmannan	363	38	17	26	26	12	10	4	20	9	12	9	10
Stirling	1202	128	31	82	91	42	24	17	66	30	46	51	38
Dumbarton	736	82	20	33	71	37	10	8	33	23	23	28	25
Argyll	432	26	11	18	38	23	10	10	22	11	11	15	16
Bute	203	11	7	11	19	6	4	5	12	8	3	8	8
Renfrew	1480	133	51	115	147	74	47	38	77	42	67	53	50
Ayr	2488	235	83	160	231	114	67	56	117	99	102	103	64
Lanark	2773	346	103	190	266	143	85	72	205	108	117	116	77
Linlithgow	663	84	25	50	79	24	10	18	52	16	20	13	14
Edinburgh	796	94	31	52	59	33	23	12	30	17	13	30	24
Haddington	441	29	14	16	26	22	10	11	26	10	15	22	14
Berwick	132	15	8	9	6	2	1	–	5	–	3	6	7
Peebles	58	7	–	1	2	–	2	–	1	3	2	2	3
Selkirk	385	65	13	33	31	7	5	3	9	6	14	17	15
Roxburgh	195	18	3	9	9	7	1	1	7	5	4	3	6
Dumfries	203	24	6	14	9	4	1	1	5	6	8	8	13
Kirkcudbright	234	21	10	12	8	2	–	4	12	4	7	9	6
Wigtown	214	13	10	7	17	6	4	4	6	6	5	5	10

DEATHS at DIFFERENT AGES in the LARGE TOWNS of SCOTLAND, 1873.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	9	16	18	18	16	19	25	33	42	24	28	5	5	2	–	–
Arbroath	9	13	17	15	19	17	23	25	35	14	18	5	4	1	–	–
Forfar	9	8	9	7	8	15	15	20	16	15	7	7	–	–	–	–
Montrose	9	8	18	13	17	14	28	17	30	26	21	7	2	1	–	–
Dunfermline	10	7	12	10	14	14	17	15	18	22	12	7	2	–	–	–
Kirkcaldy	5	7	11	9	10	9	15	18	16	10	7	11	1	–	–	–
Stirling	4	15	13	13	16	13	16	11	21	5	16	8	2	2	1	1
Dumbarton	11	13	13	7	12	6	13	12	16	14	10	–	2	1	–	–
Ayr	16	14	16	15	24	11	26	21	26	31	13	12	5	1	–	1
Kilmarnock	29	28	27	19	24	27	22	28	31	22	19	9	3	2	–	–
Barony	39	42	37	40	49	52	68	43	49	35	20	9	1	1	–	–
Govan	78	59	67	63	63	59	76	57	76	43	27	14	7	–	–	4
Hamilton	10	25	10	14	19	13	22	21	23	19	7	8	2	–	–	–
Airdrie	10	3	9	13	8	11	19	14	13	8	7	5	1	2	1	–
Coatbridge	13	15	17	17	13	17	21	11	20	14	2	–	1	–	–	–
Hawick	4	9	6	12	6	6	12	18	16	17	10	1	4	1	–	–
Dumfries	19	17	29	24	22	22	30	25	34	20	23	10	6	2	–	1
DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—Both Sexes.																
Shetland	6	3	2	3	3	6	5	4	5	4	5	3	1	2	–	–
Orkney	1	1	2	2	5	2	3	6	12	11	3	3	1	–	–	–
Caithness	9	7	10	5	10	17	17	17	37	26	27	16	4	4	–	–
Ross and Cromarty	1	2	2	6	8	5	11	5	10	10	11	8	5	–	–	–
Nairn	4	–	3	2	5	4	9	6	5	6	7	1	–	1	–	–
Elgin	11	11	8	7	11	13	9	17	27	28	18	10	1	–	1	–
Banff	10	10	3	7	15	13	17	25	34	29	30	7	7	1	–	–
Aberdeen	11	10	14	16	18	15	21	26	31	32	30	15	4	–	–	1
Kincardine	3	2	4	3	6	5	9	6	10	11	16	4	–	1	–	–
Forfar	23	22	23	18	21	17	35	30	55	50	21	17	7	–	–	–
Perth	16	14	18	15	19	28	29	25	36	34	23	11	4	1	–	–
Fife	23	28	36	27	45	52	58	74	83	87	65	22	9	1	–	1
Clackmannan	5	6	8	5	18	11	18	27	28	15	20	7	2	–	–	–
Stirling	30	41	25	42	58	42	52	71	68	57	44	17	6	1	1	1
Dumbarton	18	26	21	26	34	32	35	31	55	30	25	7	1	1	–	1
Argyll	14	12	8	9	13	13	22	21	31	20	26	14	4	4	–	–
Bute	1	4	6	9	10	5	13	11	17	8	8	6	2	1	–	–
Renfrew	37	44	43	52	51	55	66	56	78	54	31	12	4	2	1	–
Ayr	81	63	72	100	88	88	106	95	112	105	80	45	14	6	–	2
Lanark	69	75	79	87	101	85	99	92	94	72	53	24	12	1	2	–
Linlithgow	10	15	21	18	28	24	33	20	28	19	26	13	2	1	–	–
Edinburgh	24	20	21	24	31	39	35	43	48	46	29	14	3	1	–	–
Haddington	14	12	11	15	23	22	19	25	39	23	13	7	3	–	–	–
Berwick	3	7	3	3	4	8	9	8	9	6	8	1	1	–	–	–
Peebles	3	–	4	–	1	4	3	5	5	3	5	1	1	–	–	–
Selkirk	10	6	10	10	8	14	15	20	22	25	13	12	1	1	–	–
Roxburgh	2	6	7	5	8	8	11	14	12	26	15	6	2	–	–	–
Dumfries	5	8	7	7	5	6	8	16	11	13	13	2	1	1	1	–
Kirkcudbright	10	4	8	8	9	14	9	13	22	15	16	4	5	1	–	1
Wigtown	6	5	10	8	6	12	6	12	10	12	15	12	4	1	2	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	230	21	2	14	19	6	3	8	10	5	7	10	4
Arbroath	204	24	12	11	12	9	4	3	18	3	5	6	8
Forfar	156	23	4	14	8	4	3	3	3	5	5	7	6
Montrose	170	8	7	4	13	3	2	4	6	6	10	1	6
Dunfermline	188	27	7	6	14	9	2	3	8	10	7	7	3
Kirkcaldy	126	16	8	9	9	1	3	–	10	3	5	2	3
Stirling	160	15	8	10	16	6	3	1	9	4	3	5	7
Dumbarton	178	18	5	15	10	9	9	5	9	1	10	7	12
Ayr	236	24	7	17	20	11	14	3	14	9	3	9	8
Kilmarnock	382	48	13	24	35	16	14	6	29	12	13	16	7
Barony	589	52	23	57	41	24	18	12	35	20	24	21	21
Govan	1076	133	61	106	119	49	25	17	49	35	38	49	42
Hamilton	231	34	8	19	19	6	8	3	9	5	8	6	8
Airdrie	190	22	12	16	22	5	6	5	9	4	5	6	8
Coatbridge	230	37	7	17	20	7	2	4	15	9	13	8	11
Hawick	170	30	7	13	22	10	5	2	5	2	3	7	1
Dumfries	250	22	3	13	14	4	9	–	11	4	10	12	15

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—MALES.

Shetland	44	4	1	4	3	1	1	2	1	–	2	3	1
Orkney	47	2	1	4	2	–	1	1	2	5	–	2	3
Caithness	174	18	7	2	9	5	3	2	5	–	9	11	7
Ross and Cromarty	87	13	3	7	6	2	2	2	1	–	5	4	2
Nairn	43	2	1	2	2	1	1	–	2	5	2	2	1
Elgin	153	12	8	11	10	2	3	–	8	1	11	12	5
Banff	211	28	8	11	18	4	6	3	3	3	12	9	5
Aberdeen	279	34	16	21	16	9	5	6	11	7	9	13	8
Kincardine	60	8	1	5	–	–	–	–	1	1	2	2	3
Forfar	290	31	14	18	12	6	3	6	8	4	12	9	10
Perth	232	25	4	10	12	7	3	2	10	5	4	9	9
Fife	565	68	18	39	39	12	7	7	22	10	15	27	18
Clackmannan	181	23	12	10	14	6	3	3	10	4	4	6	7
Stirling	639	61	19	48	58	21	15	7	25	17	22	32	18
Dumbarton	374	39	15	10	37	21	4	4	20	12	10	18	15
Argyll	211	18	6	12	15	9	4	5	13	5	7	8	9
Bute	87	7	5	7	6	2	3	–	6	4	2	5	4
Renfrew	726	79	26	62	65	36	27	20	38	22	24	21	27
Ayr	1283	128	45	86	132	60	36	33	54	49	53	56	40
Lanark	1528	196	66	115	136	81	45	39	107	59	66	70	33
Linlithgow	359	53	11	23	37	9	6	14	24	6	15	10	6
Edinburgh	397	44	17	27	34	18	11	7	16	8	7	12	10
Haddington	215	20	5	11	11	11	5	7	9	6	7	13	7
Berwick	74	9	5	4	5	1	–	–	4	–	2	3	2
Peebles	25	5	–	–	–	–	1	–	–	–	1	–	2
Selkirk	195	36	6	20	17	5	1	1	6	4	4	9	9
Roxburgh	92	10	1	6	1	1	–	–	4	3	2	3	4
Dumfries	85	16	2	7	4	2	–	–	4	1	3	2	5
Kirkcudbright	111	13	6	8	5	1	–	3	4	3	3	4	–
Wigtown	102	11	5	2	10	5	3	2	2	3	4	4	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	6	10	11	6	8	8	10	19	16	13	10	3	–	1	–	–
Arbroath	3	3	5	8	8	9	10	11	18	4	7	2	1	–	–	–
Forfar	2	3	3	3	5	8	12	10	6	11	4	4	–	–	–	–
Montrose	4	3	6	4	9	7	17	11	10	14	8	5	1	1	–	–
Dunfermline	7	6	6	5	8	8	12	7	7	13	1	4	1	–	–	–
Kirkcaldy	–	1	4	7	5	2	9	11	7	4	3	4	–	–	–	–
Stirling	3	5	8	4	6	7	9	5	11	2	7	3	1	1	–	1
Dumbarton	8	8	6	3	10	5	5	6	6	6	4	–	–	1	–	–
Ayr	7	6	10	8	12	6	10	14	8	8	2	4	1	–	–	1
Kilmarnock	14	10	16	12	14	13	12	17	14	14	8	3	1	1	–	–
Barony	19	19	22	21	25	26	35	23	27	14	6	4	–	–	–	–
Govan	35	36	35	32	34	38	34	29	40	20	8	7	1	–	–	4
Hamilton	6	13	3	11	11	5	11	8	9	9	6	4	2	–	–	–
Airdrie	8	1	3	6	4	7	11	9	7	5	4	2	1	1	1	–
Coatbridge	7	10	6	11	5	9	10	8	7	5	1	–	1	–	–	–
Hawick	2	3	–	7	4	4	6	12	12	7	5	–	1	–	–	–
Dumfries	13	12	16	10	11	12	15	10	16	3	8	4	3	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—MALES.

Shetland	1	1	1	1	1	4	3	2	2	2	2	–	1	–	–	–
Orkney	1	1	–	1	1	2	–	3	5	7	1	2	–	–	–	–
Caithness	4	5	6	3	5	12	11	11	12	7	9	9	1	1	–	–
Ross and Cromarty	1	2	–	1	6	3	3	1	6	4	7	3	3	–	–	–
Nairn	–	–	1	1	2	2	5	3	3	2	2	1	–	–	–	–
Elgin	4	5	5	2	5	6	5	8	11	10	7	2	–	–	–	–
Banff	5	6	2	7	5	8	11	11	13	13	14	2	3	1	–	–
Aberdeen	9	4	8	11	8	5	10	14	12	14	17	9	3	–	–	–
Kincardine	1	1	1	–	2	3	4	2	6	7	5	4	–	1	–	–
Forfar	14	5	14	5	9	10	15	13	29	26	9	5	3	–	–	–
Perth	8	5	8	9	7	17	13	13	17	20	7	6	1	1	–	–
Fife	9	12	15	14	28	26	30	33	48	36	26	5	1	–	–	–
Clackmannan	2	4	2	4	11	6	10	12	11	7	7	1	2	–	–	–
Stirling	12	21	13	27	30	24	27	34	35	37	21	8	5	1	1	–
Dumbarton	9	11	13	15	20	18	15	12	24	18	10	2	1	–	–	1
Argyll	6	3	9	4	5	8	7	14	9	9	13	7	3	3	–	–
Bute	–	1	3	4	6	1	5	4	7	2	1	1	–	1	–	–
Renfrew	16	24	28	30	30	22	33	27	33	17	13	4	1	1	–	–
Ayr	38	29	22	57	49	48	57	54	49	44	37	17	5	4	–	1
Lanark	37	40	44	62	57	48	58	52	43	32	31	6	4	–	1	–
Linlithgow	1	11	13	11	17	15	21	11	17	8	14	4	1	1	–	–
Edinburgh	12	9	12	13	15	21	14	20	30	17	17	5	1	–	–	–
Haddington	3	2	8	6	12	12	12	13	16	8	6	4	1	–	–	–
Berwick	2	5	1	3	4	4	4	2	5	3	4	1	1	–	–	–
Peebles	–	–	–	–	–	3	1	3	2	2	3	1	1	–	–	–
Selkirk	4	1	5	4	5	7	4	9	13	15	6	3	1	–	–	–
Roxburgh	1	2	3	2	5	4	7	6	7	12	6	1	1	–	–	–
Dumfries	1	1	5	2	3	4	5	4	3	1	8	–	1	–	1	–
Kirkcudbright	6	1	4	4	2	5	4	6	8	8	7	2	3	1	–	–
Wigtown	3	1	4	5	1	5	1	7	3	5	3	4	3	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—Females.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	235	12	10	12	21	6	7	2	9	3	3	3	8
Arbroath	218	17	9	8	12	5	2	4	7	10	6	2	10
Forfar	143	15	7	6	4	9	4	1	4	4	11	6	7
Montrose	181	18	2	2	15	5	6	2	4	5	3	7	1
Dunfermline	160	12	3	10	10	3	1	3	8	10	12	8	5
Kirkcaldy	132	11	4	6	11	6	5	2	1	3	4	4	3
Stirling	148	8	2	12	10	7	1	4	5	3	2	4	6
Dumbarton	166	15	5	15	14	10	5	7	13	5	5	5	5
Ayr	239	17	8	13	14	4	7	3	8	7	7	8	8
Kilmarnock	337	36	10	26	24	8	14	5	12	8	21	21	11
Barony	553	41	17	37	55	26	18	16	24	11	20	20	24
Govan	992	90	44	98	121	67	30	32	43	20	22	45	40
Hamilton	230	29	9	10	24	11	5	3	10	11	7	12	4
Airdrie	164	19	7	16	18	4	4	1	10	7	9	7	8
Coatbridge	206	18	7	13	35	12	1	5	9	6	7	4	8
Hawick	183	23	13	20	23	10	3	2	3	4	6	10	7
Dumfries	253	16	5	13	15	6	7	1	5	9	10	9	6

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—Females.

Shetland	42	2	–	1	2	–	3	–	2	–	1	–	–
Orkney	41	1	1	1	3	1	2	–	1	–	1	2	–
Caithness	184	14	4	9	7	4	2	1	7	5	8	5	8
Ross and Cromarty	78	9	1	3	5	1	1	–	6	1	2	1	4
Nairn	56	6	1	1	1	3	3	2	3	2	–	1	2
Elgin	158	5	2	8	8	4	5	3	7	3	4	1	6
Banff	199	22	3	10	18	8	1	4	5	5	4	5	7
Aberdeen	257	24	10	19	17	10	7	8	13	4	6	13	6
Kincardine	61	6	2	1	–	2	1	–	1	1	–	2	2
Forfar	297	26	4	14	17	5	3	8	8	3	10	12	5
Perth	248	18	7	5	13	12	7	6	9	3	4	14	9
Fife	553	43	9	30	25	11	7	9	13	12	23	22	21
Clackmannan	182	15	5	16	12	6	7	1	10	5	8	3	3
Stirling	563	67	12	34	33	21	9	10	41	13	24	19	20
Dumbarton	362	43	5	23	34	16	6	4	13	11	13	10	10
Argyll	221	8	5	6	23	14	6	5	9	6	4	7	7
Bute	116	4	2	4	13	4	1	5	6	4	1	3	4
Renfrew	754	54	25	53	82	38	20	18	39	20	43	32	23
Ayr	1205	107	38	74	99	54	31	23	63	50	49	47	24
Lanark	1245	150	37	75	130	62	40	33	98	49	51	46	44
Linlithgow	304	31	14	27	42	15	4	4	28	10	5	3	8
Edinburgh	399	50	14	25	25	15	12	5	14	9	6	18	14
Haddington	226	9	9	5	15	11	5	4	17	4	8	9	7
Berwick	58	6	3	5	1	1	1	–	1	–	1	3	5
Peebles	33	2	–	1	2	–	1	–	1	3	1	2	1
Selkirk	190	29	7	13	14	2	4	2	3	2	10	8	6
Roxburgh	103	8	2	3	8	6	1	1	3	2	2	–	2
Dumfries	118	8	4	7	5	2	1	1	1	5	5	6	8
Kirkcudbright	123	8	4	4	3	1	–	1	8	1	4	5	6
Wigtown	112	2	5	5	7	1	1	2	4	3	1	1	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1873.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	3	6	7	12	8	11	15	14	26	11	18	2	5	1	–	–
Arbroath	6	10	12	7	11	8	13	14	17	10	11	3	3	1	–	–
Forfar	7	5	6	4	3	7	3	10	10	4	3	3	–	–	–	–
Montrose	5	5	12	9	8	7	11	6	20	12	13	2	1	–	–	–
Dunfermline	3	1	6	5	6	6	5	8	11	9	11	3	1	–	–	–
Kirkcaldy	5	6	7	2	5	7	6	7	9	6	4	7	1	–	–	–
Stirling	1	10	5	9	10	6	7	6	10	3	9	5	1	1	1	–
Dumbarton	3	5	7	4	2	1	8	6	10	8	6	–	2	–	–	–
Ayr	9	8	6	7	12	5	16	7	18	23	11	8	4	1	–	–
Kilmarnock	15	18	11	7	10	14	10	11	17	8	11	6	2	1	–	–
Barony	20	23	15	19	24	26	33	20	22	21	14	5	1	1	–	–
Govan	43	23	32	31	29	21	42	28	36	23	19	7	6	–	–	–
Hamilton	4	12	7	3	8	8	11	13	14	10	1	4	–	–	–	–
Airdrie	2	2	6	7	4	4	8	5	6	3	3	3	–	1	–	–
Coatbridge	6	5	11	6	8	8	11	3	13	9	1	–	–	–	–	–
Hawick	2	6	6	5	2	2	6	6	4	10	5	1	3	1	–	–
Dumfries	6	5	13	14	11	10	15	15	18	17	15	6	3	2	–	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1873.—FEMALES.

Shetland	5	2	1	2	2	2	2	2	3	2	3	3	–	2	–	–
Orkney	–	–	2	1	4	–	3	3	7	4	2	1	1	–	–	–
Caithness	5	2	4	2	5	5	6	6	25	19	18	7	3	3	–	–
Ross and Cromarty	–	–	2	5	2	2	8	4	4	6	4	5	2	–	–	–
Nairn	4	–	2	1	3	2	4	3	2	4	5	–	–	1	–	–
Elgin	7	6	3	5	6	7	4	9	16	18	11	8	1	–	1	–
Banff	5	4	1	–	10	5	6	14	21	16	16	5	4	–	–	–
Aberdeen	2	6	6	5	10	10	11	12	19	18	13	6	1	–	–	1
Kincardine	2	1	3	3	4	2	5	4	4	4	11	–	–	–	–	–
Forfar	9	17	9	13	12	7	20	17	26	24	12	12	4	–	–	–
Perth	8	9	10	6	12	11	16	12	19	14	16	5	3	–	–	–
Fife	14	16	21	13	17	26	28	41	35	51	39	17	8	1	–	1
Clackmannan	3	2	6	1	7	5	8	15	17	8	13	6	–	–	–	–
Stirling	18	20	12	15	28	18	25	37	33	20	23	9	1	–	–	1
Dumbarton	9	15	8	11	14	14	20	19	31	12	15	5	–	1	–	–
Argyll	8	9	9	5	8	5	15	7	22	11	13	7	1	1	–	–
Bute	1	3	3	5	4	4	8	7	10	6	7	5	2	–	–	–
Renfrew	21	20	15	22	21	33	33	29	45	37	18	8	3	1	1	–
Ayr	43	34	50	43	39	40	49	41	63	61	43	28	9	2	–	1
Lanark	32	35	35	25	44	37	41	40	51	40	22	18	8	1	1	–
Linlithgow	9	4	8	7	11	9	12	9	11	11	12	9	1	–	–	–
Edinburgh	12	11	9	11	16	18	21	23	18	29	12	9	2	1	–	–
Haddington	11	10	3	9	11	10	7	12	23	15	7	3	2	–	–	–
Berwick	1	2	2	–	–	4	5	6	4	3	4	–	–	–	–	–
Peebles	3	–	4	–	1	1	2	2	3	1	2	–	–	–	–	–
Selkirk	6	5	5	6	3	7	11	11	9	10	7	9	–	1	–	–
Roxburgh	1	4	4	3	3	4	4	8	5	14	9	5	1	–	–	–
Dumfries	4	7	2	5	2	2	3	12	8	12	5	2	–	1	–	–
Kirkcudbright	4	3	4	4	7	9	5	7	14	7	9	2	2	–	–	1
Wigtown	3	4	6	3	5	7	5	5	7	7	12	8	1	–	2	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	371	23	4	6	6	5	7	4	6	5	12	14	16
Sutherland	397	39	7	7	10	2	5	2	10	3	5	19	15
Ross and Cromarty	904	54	16	21	18	10	4	5	19	15	33	26	22
Inverness	485	23	9	10	13	12	1	2	15	14	14	9	11
Nairn	55	6	–	5	5	1	2	–	4	1	–	2	–
Elgin	425	35	12	16	18	4	5	8	19	5	14	10	12
Banff	574	56	17	19	19	17	9	9	27	19	19	17	21
Aberdeen	1720	171	41	72	56	26	32	23	71	41	56	59	56
Kincardine	433	40	7	14	16	12	3	10	19	11	8	19	16
Forfar	534	45	13	13	23	14	18	8	24	20	19	18	13
Perth	1443	103	33	34	50	25	20	22	59	34	35	36	31
Fife	1340	106	38	55	60	27	20	14	42	31	34	47	37
Kinross	159	8	9	8	–	2	1	2	4	3	7	9	3
Clackmannan	99	13	3	12	10	3	1	3	1	1	4	4	3
Stirling	639	65	26	27	52	25	12	12	34	18	28	32	21
Dumbarton	357	30	18	11	23	13	11	2	13	10	21	10	16
Argyll	744	47	8	18	38	13	10	10	30	15	27	30	24
Renfrew	549	54	13	38	39	15	14	10	22	17	30	29	13
Ayr	1134	112	28	87	85	52	29	17	59	29	53	39	32
Lanark	1396	155	55	88	103	55	30	30	79	35	48	48	46
Linlithgow	260	36	11	11	29	8	5	1	10	7	9	6	7
Edinburgh	850	88	21	40	48	17	16	6	29	12	24	27	32
Haddington	341	25	5	10	14	8	3	2	15	8	14	6	7
Berwick	483	40	11	12	22	9	6	10	16	14	5	18	13
Peebles	132	13	7	5	6	–	4	2	5	2	7	7	4
Selkirk	39	10	2	1	–	–	–	1	–	–	2	2	1
Roxburgh	393	38	8	23	14	12	11	4	15	14	12	15	17
Dumfries	938	79	18	41	39	13	17	12	30	25	41	39	39
Kirkcudbright	413	31	5	21	11	3	3	3	11	13	18	18	14
Wigtown	491	36	12	20	11	10	6	1	21	11	19	23	6

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

Shetland	354	28	2	8	9	8	9	3	11	4	11	11	7
Orkney	430	25	4	8	9	5	4	2	12	13	16	21	23
Ross and Cromarty	198	33	7	12	12	7	4	2	8	4	4	3	4
Inverness	626	80	8	29	41	15	10	6	16	10	24	25	25
Argyll	392	16	8	13	18	5	5	5	12	15	18	16	19
Bute	177	4	3	1	5	–	2	2	3	4	4	10	10

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	9	11	10	5	13	13	14	25	33	42	52	24	10	2	–	–
Sutherland	7	12	13	10	12	14	24	16	31	44	47	29	8	6	–	–
Ross and Cromarty	25	19	26	16	30	43	50	62	94	90	119	49	29	6	2	1
Inverness	13	10	15	10	20	17	29	28	49	54	51	38	16	2	–	–
Nairn	1	2	–	2	2	2	1	2	5	4	5	1	1	1	–	–
Elgin	15	8	12	8	10	11	25	25	36	40	46	22	3	6	–	–
Banff	11	16	14	13	10	18	23	27	48	55	41	36	10	2	–	1
Aberdeen	41	56	44	51	54	53	76	106	151	119	141	81	35	5	2	1
Kincardine	10	12	13	13	9	16	19	35	32	30	41	21	5	2	–	–
Forfar	12	13	12	14	14	25	21	46	31	44	41	20	12	1	–	–
Perth	31	30	39	42	67	63	82	80	156	142	124	63	29	7	2	4
Fife	34	49	29	46	55	54	72	97	118	111	91	54	11	6	–	2
Kinross	6	4	2	4	3	6	9	14	18	20	10	6	1	–	–	–
Clackmannan	3	4	2	1	3	–	6	4	10	2	2	2	1	1	–	–
Stirling	24	18	19	18	18	18	30	29	35	26	28	14	8	2	–	–
Dumbarton	10	14	15	7	13	23	13	16	23	23	12	9	–	1	–	–
Argyll	24	23	25	21	28	21	45	44	67	51	58	40	15	7	2	3
Renfrew	7	11	11	18	22	23	35	20	29	32	25	14	4	3	1	–
Ayr	33	38	28	35	29	41	45	42	63	49	56	29	17	6	–	1
Lanark	42	39	45	54	50	49	67	62	69	56	51	29	7	4	–	–
Linlithgow	9	5	6	7	7	13	6	17	17	14	9	7	2	–	–	1
Edinburgh	29	34	18	35	38	40	58	62	66	43	41	14	11	1	–	–
Haddington	13	15	9	11	12	19	19	22	37	29	22	13	2	1	–	–
Berwick	7	9	11	16	20	21	30	36	46	46	34	23	6	2	–	–
Peebles	5	1	4	6	6	4	9	8	11	4	6	4	2	–	–	–
Selkirk	2	1	–	–	1	2	2	4	1	3	3	1	–	–	–	–
Roxburgh	11	4	4	8	17	14	23	29	30	26	29	11	4	–	–	–
Dumfries	24	16	17	16	38	40	57	57	81	83	50	51	10	2	2	1
Kirkcudbright	12	10	13	8	14	19	27	36	31	42	23	19	5	3	–	–
Wigtown	13	10	12	17	15	23	20	46	35	36	36	36	12	4	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—
BOTH SEXES.

Shetland	13	7	6	11	11	4	16	22	33	45	32	21	15	3	–	4
Orkney	14	11	8	13	6	13	24	21	38	56	46	27	7	3	–	1
Ross and Cromarty	7	7	2	3	3	4	5	8	15	10	16	12	5	1	–	–
Inverness	31	14	22	12	22	24	27	23	32	30	51	24	17	6	1	1
Argyll	13	12	7	12	12	24	16	24	30	33	29	21	4	4	1	–
Bute	6	12	1	7	6	6	13	10	20	16	15	9	5	2	–	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	183	15	2	3	5	3	3	2	3	3	4	7	7
Sutherland	186	17	3	4	2	1	1	1	6	2	4	10	12
Ross and Cromarty	449	29	8	12	10	5	2	–	11	8	17	17	11
Inverness	251	13	6	7	8	3	1	2	11	4	9	6	7
Nairn	25	3	–	4	1	1	1	–	2	1	–	–	–
Elgin	211	20	8	9	9	1	4	5	14	2	6	5	6
Banff	312	36	11	8	13	8	5	6	13	12	12	14	10
Aberdeen	866	97	23	37	30	18	15	14	35	18	29	25	29
Kincardine	213	23	4	5	11	6	2	4	12	8	3	8	8
Forfar	277	23	7	6	16	10	8	6	14	7	15	11	8
Perth	725	58	21	20	24	15	12	11	26	18	17	20	21
Fife	654	48	20	31	36	19	12	6	17	18	22	17	15
Kinross	65	3	7	2	–	1	1	2	2	3	4	3	1
Clackmannan	54	7	1	5	6	1	1	2	1	–	3	3	2
Stirling	342	38	15	17	21	15	5	5	18	6	17	18	13
Dumbarton	203	18	12	8	14	8	6	–	8	5	9	6	12
Argyll	370	25	5	11	22	10	2	5	13	7	12	17	17
Renfrew	289	30	5	21	25	10	9	6	14	8	15	18	5
Ayr	611	65	13	44	44	32	15	10	32	19	32	25	13
Lanark	731	89	28	42	50	29	14	13	41	20	24	30	24
Linlithgow	140	20	9	6	15	3	2	–	4	2	4	4	1
Edinburgh	401	51	13	25	27	8	9	3	17	8	14	13	16
Haddington	171	16	4	2	10	5	2	1	5	5	6	2	–
Berwick	242	23	4	8	11	5	2	7	8	4	1	12	11
Peebles	69	7	5	3	4	–	2	2	2	1	1	2	3
Selkirk	19	4	1	–	–	–	–	1	–	–	2	1	1
Roxburgh	189	19	4	9	7	3	7	3	7	6	7	7	8
Dumfries	464	39	8	18	23	8	9	4	16	10	21	23	18
Kirkcudbright	197	20	2	10	4	1	2	1	7	8	6	15	7
Wigtown	246	23	8	14	4	8	2	1	8	7	9	15	2

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

Shetland	152	13	2	7	4	3	5	2	6	3	7	5	3
Orkney	215	17	2	6	8	1	3	1	6	7	7	14	16
Ross and Cromarty	100	18	3	9	4	2	2	1	4	3	4	1	3
Inverness	281	49	2	13	20	8	5	3	11	3	9	14	7
Argyll	190	12	3	4	9	2	1	2	6	5	8	7	12
Bute	82	2	1	–	2	–	1	2	–	1	2	7	8

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	4	4	5	3	5	3	10	14	18	21	27	10	2	–	–	–
Sutherland	3	4	7	3	7	7	15	11	15	21	21	6	1	2	–	–
Ross and Cromarty	15	10	17	8	12	23	19	35	45	44	56	20	11	2	1	1
Inverness	7	6	8	5	10	11	16	17	20	25	20	20	8	1	–	–
Nairn	–	1	–	2	1	1	1	–	3	2	–	–	1	–	–	–
Elgin	7	4	5	6	5	8	11	10	19	21	14	8	2	2	–	–
Banff	7	8	6	3	4	12	11	16	25	27	22	17	4	1	–	1
Aberdeen	22	25	24	25	27	29	41	55	81	58	57	40	10	1	–	1
Kincardine	6	5	8	5	3	7	10	20	17	13	18	6	1	–	–	–
Forfar	5	6	7	6	6	17	13	19	16	17	20	10	4	–	–	–
Perth	18	18	20	18	40	24	40	42	79	66	50	30	8	3	2	4
Fife	14	20	15	29	36	23	35	51	61	45	42	17	4	1	–	–
Kinross	3	–	–	2	1	3	4	3	8	5	4	3	–	–	–	–
Clackmannan	1	2	2	–	2	–	5	2	6	–	1	1	–	–	–	–
Stirling	13	8	9	12	10	7	22	13	17	14	18	8	3	–	–	–
Dumbarton	2	7	11	4	8	15	6	11	15	11	5	2	–	–	–	–
Argyll	10	11	15	12	17	11	22	23	28	28	22	17	7	1	–	–
Renfrew	6	2	5	8	12	12	19	10	16	15	10	7	1	–	–	–
Ayr	11	21	12	18	15	20	27	24	30	29	34	13	8	4	–	1
Lanark	23	20	21	27	32	25	40	30	37	32	23	14	2	1	–	–
Linlithgow	3	2	4	5	4	9	4	9	11	9	5	3	2	–	–	–
Edinburgh	10	13	6	16	16	19	25	25	27	18	16	3	3	–	–	–
Haddington	7	8	4	6	10	8	12	14	17	13	7	7	–	–	–	–
Berwick	3	4	2	6	14	10	14	18	22	23	16	12	1	1	–	–
Peebles	3	1	3	3	4	4	3	4	3	3	4	2	–	–	–	–
Selkirk	–	–	–	–	1	1	–	2	1	2	2	–	–	–	–	–
Roxburgh	6	3	3	5	8	8	14	10	13	15	11	4	2	–	–	–
Dumfries	12	7	7	6	20	21	27	23	43	47	29	19	5	1	–	–
Kirkcudbright	5	2	5	2	5	10	19	15	15	18	5	12	–	1	–	–
Wigtown	6	6	5	8	6	9	10	21	15	19	13	18	8	1	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—MALES.

Shetland	5	4	2	2	3	1	9	8	16	17	13	4	6	–	–	2
Orkney	5	5	5	5	2	5	12	12	17	21	23	9	3	2	–	1
Ross and Cromarty	5	1	–	1	2	2	2	6	5	4	9	6	2	1	–	–
Inverness	8	5	12	7	12	9	10	8	11	13	20	11	7	3	–	1
Argyll	5	11	3	5	6	10	8	17	15	13	12	8	3	2	1	–
Bute	1	5	1	4	4	3	8	4	8	4	7	2	2	2	–	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12										
Caithness	188	8	2	3	1	2	4	2	3	2	8	7	9
Sutherland	211	22	4	3	8	1	4	1	4	1	1	9	3
Ross and Cromarty	455	25	8	9	8	5	2	5	8	7	16	9	11
Inverness	234	10	3	3	5	9	–	–	4	10	5	3	4
Nairn	30	3	–	1	4	–	1	–	2	–	–	2	–
Elgin	214	15	4	7	9	3	1	3	5	3	8	5	6
Banff	262	20	6	11	6	9	4	3	14	7	7	3	11
Aberdeen	854	74	18	35	26	8	17	9	36	23	27	34	27
Kincardine	220	17	3	9	5	6	1	6	7	3	5	11	8
Forfar	257	22	6	7	7	4	10	2	10	13	4	7	5
Perth	718	45	12	14	26	10	8	11	33	16	18	16	10
Fife	686	58	18	24	24	8	8	8	25	13	12	30	22
Kinross	94	5	2	6	–	1	–	–	2	–	3	6	2
Clackmannan	45	6	2	7	4	2	–	1	–	1	1	1	1
Stirling	297	27	11	10	31	10	7	7	16	12	11	14	8
Dumbarton	154	12	6	3	9	5	5	2	5	5	12	4	4
Argyll	374	22	3	7	16	3	8	5	17	8	15	13	7
Renfrew	260	24	8	17	14	5	5	4	8	9	15	11	8
Ayr	523	47	15	43	41	20	14	7	27	10	21	14	19
Lanark	665	66	27	46	53	26	16	17	38	15	24	18	22
Linlithgow	120	16	2	5	14	5	3	1	6	5	5	2	6
Edinburgh	449	37	8	15	21	9	7	3	12	4	10	14	16
Haddington	170	9	1	8	4	3	1	1	10	3	8	4	7
Berwick	241	17	7	4	11	4	4	3	8	10	4	6	2
Peebles	63	6	2	2	2	–	2	–	3	1	6	5	1
Selkirk	20	6	1	1	–	–	–	–	–	–	–	1	–
Roxburgh	204	19	4	14	7	9	4	1	8	8	5	8	9
Dumfries	474	40	10	23	16	5	8	8	14	15	20	16	21
Kirkcudbright	216	11	3	11	7	2	1	2	4	5	12	3	7
Wigtown	245	13	4	6	7	2	4	–	13	4	10	8	4

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

Shetland	202	15	–	1	5	5	4	1	5	1	4	6	4
Orkney	215	8	2	2	1	4	1	1	6	6	9	7	7
Ross and Cromarty	98	15	4	3	8	5	2	1	4	1	–	2	1
Inverness	345	31	6	16	21	7	5	3	5	7	15	11	18
Argyll	202	4	5	9	9	3	4	3	6	10	10	9	7
Bute	95	2	2	1	3	–	1	–	3	3	2	3	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	5	7	5	2	8	10	4	11	15	21	25	14	8	2	–	–
Sutherland	4	8	6	7	5	7	9	5	16	23	26	23	7	4	–	–
Ross and Cromarty	10	9	9	8	18	20	31	27	49	46	63	29	18	4	1	–
Inverness	6	4	7	5	10	6	13	11	29	29	31	18	8	1	–	–
Nairn	1	1	–	–	1	1	–	2	2	2	5	1	–	1	–	–
Elgin	8	4	7	2	5	3	14	15	17	19	32	14	1	4	–	–
Banff	4	8	8	10	6	6	12	11	23	28	19	19	6	1	–	–
Aberdeen	19	31	20	26	27	24	35	51	70	61	84	41	25	4	2	–
Kincardine	4	7	5	8	6	9	9	15	15	17	23	15	4	2	–	–
Forfar	7	7	5	8	8	8	8	27	15	27	21	10	8	1	–	–
Perth	13	12	19	24	27	39	42	38	77	76	74	33	21	4	–	–
Fife	20	29	14	17	19	31	37	46	57	66	49	37	7	5	–	2
Kinross	3	4	2	2	2	3	5	11	10	15	6	3	1	–	–	–
Clackmannan	2	2	–	1	1	–	1	2	4	2	1	1	1	1	–	–
Stirling	11	10	10	6	8	11	8	16	18	12	10	6	5	2	–	–
Dumbarton	8	7	4	3	5	8	7	5	8	12	7	7	–	1	–	–
Argyll	14	12	10	9	11	10	23	21	39	23	36	23	8	6	2	3
Renfrew	1	9	6	10	10	11	16	10	13	17	15	7	3	3	1	–
Ayr	22	17	16	17	14	21	18	18	33	20	22	16	9	2	–	–
Lanark	19	19	24	27	18	24	27	32	32	24	28	15	5	3	–	–
Linlithgow	6	3	2	2	3	4	2	8	6	5	4	4	–	–	–	1
Edinburgh	19	21	12	19	22	21	33	37	39	25	25	11	8	1	–	–
Haddington	6	7	5	5	2	11	7	8	20	16	15	6	2	1	–	–
Berwick	4	5	9	10	6	11	16	18	24	23	18	11	5	1	–	–
Peebles	2	–	1	3	2	–	6	4	8	1	2	2	2	–	–	–
Selkirk	2	1	–	–	–	1	2	2	–	1	1	1	–	–	–	–
Roxburgh	5	1	1	3	9	6	9	19	17	11	18	7	2	–	–	–
Dumfries	12	9	10	10	18	19	30	34	38	36	21	32	5	1	2	1
Kirkcudbright	7	8	8	6	9	9	8	21	16	24	18	7	5	2	–	–
Wigtown	7	4	7	9	9	14	10	25	20	17	23	18	4	3	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1873.—FEMALES.

Shetland	8	3	4	9	8	3	7	14	17	28	19	17	9	3	–	2
Orkney	9	6	3	8	4	8	12	9	21	35	23	18	4	1	–	–
Ross and Cromarty	2	6	2	2	1	2	3	2	10	6	7	6	3	–	–	–
Inverness	23	9	10	5	10	15	17	15	21	17	31	13	10	3	1	–
Argyll	8	1	4	7	6	14	8	7	15	20	17	13	1	2	–	–
Bute	5	7	–	3	2	3	5	6	12	12	8	7	3	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	76946	440	518	729	397	1267	1576	154	736	984	4376	554	5474	2560	3064	159
SPECIFIED CAUSES	75397	379	470	716	363	1174	1433	151	716	964	4347	547	5441	2489	2994	155
I. Zymotic Class	14956	46	51	91	41	151	224	32	114	171	843	92	1152	353	465	26
II. Diseases of Uncer. Seat	2779	17	21	41	19	65	61	7	42	44	209	30	194	108	138	11
III. Tubercular Class	11952	43	64	97	44	142	189	10	99	123	608	64	748	316	380	21
IV. Brain and Nervous Sys.	7223	20	39	71	25	93	100	24	79	105	461	42	521	306	341	16
V. Organs of Circulation	4510	10	23	35	11	46	76	6	56	63	295	55	371	211	214	6
VI. Respiratory Organs	12524	40	64	104	35	132	193	14	79	154	591	70	972	368	466	23
VII. Organs of Digestion	5208	23	19	30	19	67	89	10	59	77	301	34	360	188	224	13
VIII. Urinary Organs	1367	–	13	24	12	22	38	2	24	37	138	15	81	60	65	10
IX. Organs of Generation	541	3	2	7	4	7	17	2	2	6	33	3	41	10	24	3
X. Organs of Locomotion	512	5	9	9	5	13	22	–	5	1	28	2	31	12	18	1
XI. Skin, etc.	96	–	1	1	–	–	–	–	1	–	12	2	6	5	6	–
XII. Malformation	244	–	1	1	–	2	1	1	3	5	24	8	14	16	5	–
XIII. Premature Debility	3755	21	3	34	16	34	48	9	18	44	245	21	333	101	138	3
XIV. Atrophy	560	1	4	1	1	8	7	3	2	8	16	3	32	11	17	1
XV. Age	6203	132	131	143	117	354	320	24	115	98	389	90	364	342	346	17
XVI. Sudden Deaths	128	1	–	–	1	1	4	1	1	1	3	1	12	7	9	–
XVII. Violent Deaths	2839	17	25	27	13	37	44	6	17	27	151	15	209	75	138	4
I. Small-pox	1126	3	–	–	2	–	3	–	–	3	2	2	37	5	45	–
Measles	1450	1	–	2	1	19	19	–	11	17	25	–	47	19	3	–
Scarlatina	2227	18	11	11	11	6	27	3	15	17	153	10	64	59	21	–
Diphtheria	1203	–	10	3	–	11	14	13	4	27	87	9	159	48	55	2
Hooping-cough	1598	4	–	4	10	16	51	–	32	16	115	4	108	11	58	2
Croup	1132	1	2	4	2	44	23	10	5	17	69	5	104	22	47	1
Thrush	44	–	–	–	–	–	–	–	–	1	9	1	5	1	2	–
Diarrhœa	2152	1	6	16	4	8	17	–	16	23	133	18	283	56	70	7
Dysentery	294	–	2	6	1	2	8	–	3	5	27	1	35	10	14	2
Cholera	121	–	–	–	1	–	–	–	–	–	4	–	5	–	4	–
Influenza	119	–	4	3	–	6	5	–	2	2	8	2	11	4	6	–
Purpura	64	–	–	–	–	–	–	1	–	–	5	–	4	2	1	2
Ague	6	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	14	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	628	7	5	7	–	10	13	–	–	3	43	10	84	29	32	–
Enteric Fever	1495	3	4	14	5	19	28	2	17	20	80	21	103	39	54	6
Relapsing Fever	31	–	1	–	–	–	–	–	–	1	1	–	2	–	2	–
Simple Cont. Fever	192	2	–	4	–	2	1	–	1	–	4	1	7	9	7	–
Infantile Remittent	117	–	–	3	–	1	–	–	2	1	14	1	3	2	6	–
Metria	251	5	1	2	2	1	5	–	–	3	11	–	30	10	13	–
Rheumatic Fever	129	–	2	4	2	3	4	–	–	5	7	2	10	4	7	2
Erysipelas	316	–	2	3	–	2	5	2	4	6	21	2	21	16	11	1
Pyæmia	58	–	1	–	–	–	–	1	–	3	5	3	4	5	4	–
Syphilis	180	–	–	5	–	1	1	–	1	–	20	–	24	2	3	1
Noma	9	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	115	–	–	2	–	2	–	–	–	2	18	2	8	8	3	–
Dropsy	651	5	10	4	3	25	23	3	10	4	32	4	45	18	44	5
Abscess	199	4	2	–	1	1	3	–	4	4	16	1	18	9	4	1
Ulcer	64	–	–	4	–	1	–	–	–	1	13	–	5	2	2	–
Fistula	13	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
Mortification	183	2	–	1	1	4	4	1	2	1	14	1	12	10	5	–
Cancer	1537	5	9	30	13	32	31	3	26	31	113	22	105	61	78	5
Gout	17	1	–	–	1	–	–	–	–	1	1	–	1	–	1	–
III. Scrofula	707	3	7	8	1	5	9	–	1	9	46	4	35	17	19	1
Tabes Mesenterica	999	–	3	1	3	3	12	2	5	5	30	3	35	17	24	–
Phthisis	8286	34	48	81	37	127	151	8	86	92	437	48	570	246	279	15
Hydrocephalus	1960	6	6	7	3	7	17	–	7	17	95	9	108	36	58	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	462	2149	1437	1568	380	5838	4816	23129	923	7308	782	615	190	424	941	1544	747	705
SPECIFIED CAUSES	451	2081	1413	1470	371	5732	4755	22849	888	7269	762	612	183	422	919	1455	731	695
Zymotic Class	79	441	282	235	59	1485	1004	5172	206	1294	175	84	26	83	156	176	70	77
Uncertain Seat	19	65	65	67	19	189	161	566	33	331	29	27	4	13	39	72	34	39
Tubercular Class	58	325	267	249	80	947	892	4031	125	1112	97	83	32	69	128	259	139	111
Brain, etc.	41	189	126	150	45	498	414	2006	82	769	81	69	21	42	121	174	69	83
Heart, etc.	16	140	87	72	13	272	295	1011	60	576	64	72	16	32	90	110	58	48
Respiratory Organs	101	288	168	176	41	877	664	4574	129	1308	99	85	28	56	162	227	113	123
Digestive Organs	23	162	97	100	27	378	356	1584	55	465	50	49	18	28	59	109	72	63
Urinary Organs	2	31	24	24	6	67	82	286	19	178	8	13	7	12	14	31	12	10
Generative Organs	3	15	5	10	3	33	38	139	10	71	5	7	3	4	10	8	8	5
Locomotive Organs	–	12	19	11	3	34	34	142	3	48	5	3	1	3	3	19	5	6
Skin	–	4	–	1	–	10	2	22	–	12	2	2	–	1	2	1	2	1
Malformation	3	7	8	1	2	13	27	50	4	24	–	2	2	3	5	6	5	1
Premature Debility	29	128	73	31	4	287	231	1231	50	382	30	31	3	35	46	48	27	21
Atrophy	3	17	16	13	3	79	36	181	3	51	15	2	–	3	6	9	6	2
Age	56	181	98	270	54	331	331	905	60	382	74	61	11	24	55	164	82	82
Sudden Deaths	–	3	2	–	–	8	3	60	2	2	3	–	–	–	1	2	–	–
Violent Deaths	18	73	76	60	12	224	185	889	47	264	25	22	11	14	22	40	29	23
Small Pox	–	67	48	20	5	227	85	533	7	22	–	–	2	1	–	5	1	1
Measles	13	22	14	12	3	181	100	730	4	181	–	2	–	2	9	2	3	8
Scarlatina	1	29	22	40	4	406	54	991	56	93	61	15	–	3	14	7	2	3
Diphtheria	5	52	25	27	5	96	130	285	19	68	8	8	5	3	9	11	4	2
Hooping Cough	13	45	36	44	11	87	128	492	13	137	20	10	2	29	43	31	16	10
Croup	14	33	27	17	3	81	81	344	18	99	6	2	1	3	19	15	6	7
Thrush	–	3	1	–	1	1	2	8	–	5	–	–	–	–	2	1	1	–
Diarrhœa	12	45	37	21	–	153	128	704	33	254	16	13	3	18	8	27	8	14
Dysentery	3	6	9	6	5	11	25	61	5	16	9	1	–	1	4	6	7	3
Cholera	–	4	–	2	–	10	20	39	3	20	2	–	–	1	5	–	1	–
Influenza	–	10	4	1	1	1	6	25	2	7	–	1	2	–	1	2	1	2
Purpura	–	2	2	–	1	5	5	15	1	6	1	1	–	1	6	1	1	1
Ague	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	3	3	5	–	1	–	–	–	–	–	–	–	1
Typhus	7	37	11	7	3	23	19	131	6	119	2	4	–	–	6	8	–	2
Enteric Fever	7	41	24	28	10	77	125	447	27	137	40	21	6	12	16	40	8	14
Relapsing Fever	–	–	2	1	–	1	7	6	–	4	–	–	–	–	1	2	–	–
Simple Cont. Fever	1	9	–	2	2	39	18	58	3	9	–	–	2	1	2	4	3	1
Infantile Remittent	1	6	1	–	1	14	8	30	1	10	2	1	–	2	1	2	2	2
Metria	1	15	8	–	–	24	15	74	1	23	3	–	–	–	–	2	1	1
Rheumatic Fever	–	1	5	3	1	11	11	22	–	13	–	1	1	–	2	3	1	2
Erysipelas	2	8	5	2	1	24	27	81	3	41	4	4	1	3	3	7	3	1
Pyæmia	–	–	–	1	–	3	1	20	–	3	–	–	–	1	2	–	–	1
Syphilis	–	5	1	1	2	7	5	65	3	25	–	–	1	2	3	–	1	1
Noma	–	1	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	4	2	2	2	9	6	20	1	12	1	2	–	–	–	1	3	5
Dropsy	11	14	26	18	3	61	39	163	5	33	12	1	1	1	3	11	8	6
Abscess	–	6	5	2	–	16	10	56	–	15	3	1	1	1	1	6	3	5
Ulcer	–	1	2	–	1	3	–	12	1	12	–	–	–	–	–	2	–	2
Fistula	–	–	–	–	–	–	2	4	–	4	–	–	–	–	–	–	–	–
Mortification	–	3	1	6	–	16	13	37	5	25	3	4	–	–	3	6	1	2
Cancer	8	37	28	39	13	83	91	271	21	227	10	19	2	11	31	45	19	18
Gout	–	–	1	–	–	1	–	3	–	3	–	–	–	–	1	1	–	1
Scrofula	3	16	17	22	3	63	42	237	16	71	4	2	3	4	7	19	2	11
Tabes Mesenterica	2	29	30	4	5	68	96	413	14	121	9	11	5	2	16	16	13	2
Phthisis	42	218	169	196	59	681	584	2644	65	708	73	57	18	48	83	191	104	87
Hydrocephalus	11	62	51	27	13	135	170	737	30	212	11	13	6	15	22	33	20	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	820	2	2	3	2	11	9	1	11	11	43	4	47	15	53	2
Apoplexy	1638	4	10	14	3	10	13	5	18	28	105	5	138	73	80	6
Paralysis	2111	9	10	32	9	44	44	9	24	36	110	13	161	132	120	4
Delirium Tremens	66	1	–	–	–	–	–	–	1	–	3	–	2	4	4	–
Chorea	8	–	–	–	–	1	–	–	–	1	–	–	–	–	2	–
Epilepsy	270	1	3	6	3	4	7	–	4	2	18	2	20	6	5	1
Tetanus	52	–	–	–	–	6	1	–	–	–	2	–	4	–	2	–
Insanity	58	–	1	2	2	1	1	–	–	–	7	–	3	3	5	1
Convulsions	1093	1	7	9	4	6	17	6	7	17	82	7	99	21	30	1
Brain Disease	1107	2	6	5	2	10	8	3	14	10	91	11	47	52	40	1
V. Pericarditis	92	–	–	–	–	3	4	1	3	1	4	2	2	3	3	–
Aneurism	113	–	–	1	–	–	–	–	–	2	12	–	9	9	3	–
Heart Disease	4305	10	23	34	11	43	72	5	53	60	279	53	360	199	208	6
VI. Laryngitis	146	1	1	1	1	3	2	–	1	1	13	1	5	4	5	1
Bronchitis	8308	20	38	59	17	65	99	8	53	102	423	46	675	229	302	9
Pleurisy	274	4	4	1	–	4	26	1	2	6	13	2	12	5	14	2
Pneumonia	3012	1	8	30	8	18	26	3	16	38	122	18	242	109	122	11
Asthma	463	13	7	11	8	41	36	2	5	5	9	2	22	11	14	–
Lung Disease	321	1	6	2	1	1	4	–	2	2	11	1	16	10	9	–
VII. Teething	770	2	–	1	1	4	5	2	9	9	49	1	66	17	35	–
Quinsey	93	1	2	2	–	1	3	–	1	1	11	–	9	–	4	–
Gastritis	225	–	1	–	–	3	–	–	2	1	10	2	10	6	19	–
Enteritis	924	1	1	6	2	13	10	2	6	7	30	4	66	22	36	2
Peritonitis	395	–	–	3	1	1	11	–	3	1	28	5	26	14	16	1
Ascites	73	1	–	–	1	1	2	–	–	3	3	–	5	4	2	–
Ulceration of Intestines	203	–	–	2	1	2	2	–	4	6	17	3	18	10	8	–
Hernia	127	–	–	1	–	5	–	–	–	3	14	–	10	7	8	1
Ileus	267	4	1	–	–	9	12	–	5	5	36	2	20	15	11	2
Intussusception	49	–	1	–	–	2	2	–	1	1	2	–	5	3	1	–
Stricture of Intestines	39	–	–	–	–	1	1	–	–	2	1	–	5	1	3	–
Stomach Disease	824	5	5	3	5	9	22	3	10	14	45	8	42	34	42	3
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Hepatitis	185	1	1	2	1	2	4	–	–	3	4	–	13	7	10	1
Jaundice	224	2	3	1	2	2	7	–	1	6	15	4	15	4	12	1
Liver Disease	765	6	4	9	5	12	8	3	17	15	34	5	47	41	14	2
Spleen Disease	41	–	–	–	–	–	–	–	–	–	1	–	3	3	2	–
VIII. Nephritis	115	–	3	3	2	2	2	–	–	2	9	1	4	6	4	–
Nephria	381	–	1	8	2	4	12	1	2	12	32	2	28	21	22	1
Addison's Disease	14	–	–	–	–	–	–	–	–	1	1	–	1	2	2	–
Ischuria	82	–	2	1	2	2	5	–	1	2	6	1	–	5	2	2
Diabetes	105	–	–	1	–	1	6	–	5	2	12	4	5	1	5	1
Stone	64	–	3	5	1	5	1	–	–	–	10	–	4	3	2	–
Cystitis	136	–	1	4	–	1	4	–	1	6	14	2	9	2	10	2
Stricture of Urethra	18	–	–	–	–	–	2	–	1	–	2	–	–	–	1	–
Kidney Disease	452	–	3	2	5	7	6	1	14	12	52	5	30	20	17	4
IX. Paramenia	23	–	–	1	1	–	–	–	1	1	2	–	–	–	2	–
Ovarian Dropsy	69	1	–	2	1	–	–	1	–	3	4	–	6	1	6	1
Childbirth	325	2	1	3	2	6	13	1	–	1	18	2	16	4	13	1
Organs of Generation	124	–	1	1	–	1	4	–	1	1	9	1	19	5	3	1
X. Bone Disease	60	–	–	–	–	–	3	–	–	–	7	1	4	3	3	–
Rheumatism	214	5	6	6	3	11	17	–	2	1	9	–	10	4	6	1
Joint Disease	238	–	3	3	2	2	2	–	3	–	12	1	17	5	9	–
XI. Carbuncle	22	–	–	1	–	–	–	–	1	–	6	–	3	1	1	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	67	–	1	–	–	–	–	–	–	–	6	2	3	4	5	–
XVII. Intemperance	148	–	1	–	–	2	–	–	–	–	6	–	12	–	6	–
Privation	10	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Want of Breast Milk	105	–	–	1	–	–	–	–	–	1	–	–	4	3	4	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	54	2	–	–	2	5	2	–	–	1	2	1	2	2	2	–
Poison	47	1	1	–	1	2	–	–	–	1	4	–	5	1	3	–
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	253	2	1	3	–	2	4	1	1	2	11	–	18	7	9	–
Hanging, etc.	61	–	–	–	–	1	1	–	–	1	5	–	11	–	9	1
Suffocation	262	1	–	4	1	1	4	–	5	11	24	5	30	–	9	–
Drowning	649	5	13	13	3	11	19	1	7	2	39	5	35	21	37	–
Fracture and Contusion	1057	4	9	6	6	8	8	3	4	7	41	4	68	34	52	3
Gunshot Wounds	18	–	–	–	–	2	1	–	–	1	2	–	2	2	1	–
Cuts and Stabs	38	1	–	–	–	1	2	–	–	–	2	–	2	3	2	–
Other Violent Causes	133	–	–	–	–	2	3	1	–	–	14	–	18	2	4	–
Not Specified	1549	61	48	13	34	93	143	3	20	20	29	7	33	71	70	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	22	7	9	3	75	50	304	11	76	5	5	2	4	9	13	4	1
Apoplexy	8	31	35	26	14	127	93	419	15	197	16	21	2	10	22	45	20	25
Paralysis	13	77	45	49	16	126	106	438	26	221	38	29	6	10	43	61	28	22
Delirium Tremens	–	1	1	2	–	4	2	20	1	14	3	–	1	–	–	2	–	–
Chorea	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1
Epilepsy	4	7	7	12	2	24	17	60	1	29	2	–	2	3	4	7	4	3
Tetanus	1	2	–	2	1	4	10	7	1	4	1	–	–	–	–	1	2	1
Insanity	–	–	1	3	1	1	3	10	–	11	–	–	–	–	1	–	–	1
Convulsions	3	18	16	22	3	59	44	424	18	95	8	6	4	5	20	25	1	8
Brain Disease	8	31	14	24	5	78	89	322	9	122	8	8	4	10	22	20	10	21
Pericarditis	1	6	2	4	–	4	3	28	1	7	1	1	1	1	1	3	1	1
Aneurism	–	3	1	2	1	7	5	16	1	35	–	–	–	–	1	2	2	1
Heart Disease	15	131	84	66	12	261	287	967	58	534	63	71	15	31	88	105	55	46
Laryngitis	1	3	3	1	–	18	13	44	1	18	–	1	–	–	1	2	–	–
Bronchitis	74	177	110	116	22	551	420	3166	95	888	64	46	17	40	104	137	64	72
Pleurisy	–	6	7	4	–	14	11	73	5	31	2	1	3	2	7	5	5	2
Pneumonia	22	61	34	39	17	243	166	1069	19	292	31	32	4	11	48	75	38	39
Asthma	4	19	7	14	–	24	39	99	9	30	2	5	3	2	2	7	6	5
Lung Disease	–	22	7	2	2	27	15	123	–	49	–	–	1	1	–	1	–	5
Teething	8	22	18	10	1	79	55	288	2	48	4	1	5	2	3	10	5	8
Quinsey	–	3	1	1	–	4	5	26	–	10	–	–	–	–	2	3	2	1
Gastritis	–	9	7	4	2	12	16	82	–	20	3	1	1	–	4	7	2	1
Enteritis	–	36	16	8	4	78	75	351	22	57	4	6	3	–	16	18	11	11
Peritonitis	1	8	5	11	5	36	29	94	4	39	7	7	1	6	5	12	9	6
Ascites	–	4	1	2	1	8	4	20	–	5	–	1	–	1	2	1	–	1
Ulceration of Intestines	1	4	9	6	2	7	17	34	6	21	2	2	–	–	5	6	5	3
Hernia	–	1	1	3	–	3	8	37	1	14	1	3	–	1	2	2	–	1
Ileus	3	5	7	6	2	12	10	51	4	24	3	2	2	1	2	6	3	2
Intussusception	–	2	1	1	–	2	6	8	1	6	–	–	–	1	–	1	1	1
Stricture of Intestines	–	–	1	1	2	–	–	9	–	6	1	–	–	–	–	4	–	1
Stomach Disease	3	29	15	17	1	40	59	250	5	77	8	6	3	11	8	15	15	12
Pancreas Disease	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	8	2	8	1	15	18	58	2	9	3	2	–	–	–	3	3	4
Jaundice	4	4	1	3	1	14	12	58	5	25	4	6	–	1	3	1	5	2
Liver Disease	3	26	11	18	4	68	38	207	3	98	10	11	2	2	6	18	9	9
Spleen Disease	–	1	1	1	1	–	3	11	–	5	–	1	1	2	1	2	2	–
Nephritis	–	4	2	2	–	5	9	31	1	13	1	2	–	1	2	4	–	–
Nephria	1	4	6	2	3	14	19	79	9	57	3	3	4	8	3	13	3	2
Addison's Disease	–	–	–	–	–	–	1	2	–	3	–	–	–	–	–	–	1	–
Ischuria	–	2	2	4	–	4	10	18	1	8	–	–	–	1	–	–	1	–
Diabetes	–	5	1	2	–	7	4	22	–	15	1	–	1	–	1	2	–	1
Stone	–	–	2	2	1	2	5	8	–	5	–	1	–	1	–	1	–	2
Cystitis	–	3	2	2	2	4	11	20	4	14	1	4	1	–	7	2	2	1
Stricture of Urethra	–	–	–	–	–	–	–	4	–	8	–	–	–	–	–	–	–	–
Kidney Disease	1	13	9	10	–	31	23	102	4	55	2	3	1	1	1	9	5	4
Paramenia	1	1	–	1	–	1	3	1	–	1	–	1	1	–	2	1	1	–
Ovarian Dropsy	–	2	–	1	1	4	6	11	–	10	–	–	–	–	2	2	4	–
Childbirth	2	7	5	6	–	25	18	99	7	45	4	6	2	4	5	4	1	2
Organs of Generation	–	5	–	2	2	3	11	28	3	15	1	–	–	–	1	1	2	3
Bone Disease	–	2	1	–	–	1	1	16	1	11	1	–	–	2	1	2	–	–
Rheumatism	–	5	4	7	–	15	15	58	1	12	3	3	1	–	1	5	1	2
Joint Disease	–	5	14	4	3	18	18	68	1	25	1	–	–	1	1	12	4	4
Carbuncle	–	1	–	1	–	–	–	4	–	1	–	–	–	–	–	–	1	1
Phlegmon	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–	–	1	–
Skin Disease	–	3	–	–	–	9	1	14	–	11	2	2	–	1	2	1	–	–
Intemperance	–	3	1	3	–	12	15	57	5	15	2	1	–	1	2	2	1	1
Privation	–	–	–	–	–	2	–	4	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	3	–	11	6	43	2	18	1	1	1	2	1	1	–	1
Neglect	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	2	2	4	1	1	6	3	2	8	–	–	1	–	1	–	1	1
Poison	–	–	1	–	–	2	2	15	–	7	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	6	5	4	–	36	21	79	3	23	2	1	1	–	2	4	2	2
Hanging, etc.	–	1	1	2	1	3	3	17	–	1	–	–	–	2	–	–	1	–
Suffocation	4	6	3	2	1	14	17	61	6	40	2	2	–	4	1	2	–	2
Drowning	4	26	41	35	5	42	41	156	5	26	9	9	3	1	2	12	14	7
Fracture and Contusion	7	23	18	7	4	90	61	398	21	103	7	5	5	4	12	18	9	8
Gunshot Wounds	1	1	–	–	–	1	1	1	–	1	–	–	–	–	–	1	–	–
Cuts and Stabs	1	1	1	–	–	3	3	7	3	2	–	1	–	–	1	–	1	1
Other Violent Causes	–	4	1	–	–	7	9	46	–	20	1	1	–	–	–	–	–	–
Not Specified	11	68	24	98	9	106	61	280	35	39	20	3	7	2	22	89	16	10

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
All Causes	39037	196	262	357	186	636	762	68	364	523	2174	273	2721	1268	1533	65
Specified Causes	38224	165	237	352	170	593	696	67	355	509	2159	271	2701	1228	1494	63
I. Zymotic Class	7528	21	20	47	17	75	101	17	61	82	431	45	575	168	231	9
II. Diseases of Uncer. Seat	1146	5	12	20	8	30	21	2	17	23	92	14	76	42	66	3
III. Tubercular Class	5872	21	38	49	23	82	98	5	51	75	299	34	328	150	167	9
IV. Brain and Nervous Sys.	3720	12	27	36	11	54	61	14	39	56	213	24	275	151	174	8
V. Organs of Circulation	2325	6	13	17	10	26	42	1	32	31	145	27	163	122	110	4
VI. Respiratory Organs	6519	18	35	41	15	54	87	8	32	81	294	33	511	184	237	9
VII Organs of Digestion	2676	9	7	22	9	42	48	5	36	45	149	16	190	90	121	8
VIII. Urinary Organs	940	–	12	18	10	17	27	–	15	28	93	12	52	42	49	4
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
X. Organs of Locomotion	292	3	2	8	3	7	13	–	3	–	17	2	22	6	9	–
XI. Skin, etc.	53	–	–	1	–	–	–	–	–	–	7	1	4	4	6	–
XII. Malformation	138	–	1	1	–	2	1	–	2	4	17	5	9	5	5	–
XIII. Premature Debility	2123	12	3	17	8	18	32	4	14	27	129	10	177	61	72	2
XIV. Atrophy	245	–	–	–	–	4	1	2	1	3	9	1	14	2	11	–
XV. Age	2450	45	49	54	46	152	126	5	39	34	161	34	147	135	123	3
XVI. Sudden Deaths	72	1	–	–	1	–	2	–	1	1	1	1	5	5	5	–
XVII. Violent Deaths	2124	12	18	21	9	30	36	4	12	19	102	12	152	61	108	4
I. Small Pox	666	2	–	–	1	–	–	–	–	1	1	1	18	2	25	–
Measles	714	1	–	–	–	12	9	–	4	5	11	–	27	6	2	–
Scarlatina	1156	9	4	5	6	4	12	1	9	8	91	6	34	35	11	–
Diphtheria	600	–	4	2	–	6	8	7	3	12	43	4	74	21	29	2
Hooping Cough	723	1	–	2	3	9	21	–	20	8	51	1	43	4	29	–
Croup	635	–	–	3	–	17	15	5	3	9	36	3	62	16	28	1
Thrush	25	–	–	–	–	–	–	–	–	–	6	1	3	1	1	–
Diarrhœa	1087	–	4	7	2	4	8	–	8	13	74	9	144	25	37	3
Dysentery	153	–	–	2	1	2	6	–	–	–	13	–	16	2	6	1
Cholera	78	–	–	–	1	–	–	–	–	–	3	–	4	–	3	–
Influenza	53	–	2	2	–	1	2	–	1	1	3	–	7	2	1	–
Purpura	32	–	–	–	–	–	–	1	–	–	1	–	4	1	1	1
Ague	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	323	4	3	5	–	7	4	–	–	1	15	4	45	14	13	–
Enteric Fever	743	2	–	8	2	8	10	1	8	10	45	10	56	19	27	–
Relapsing Fever	17	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–
Simple Cont. Fever	80	1	–	1	–	1	1	–	1	–	2	1	–	5	4	–
Infantile Remittent	67	–	–	2	–	1	–	–	1	–	11	1	3	1	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	64	–	1	4	1	1	2	–	–	4	5	1	4	2	4	–
Erysipelas	180	–	1	2	–	1	2	1	2	6	9	1	12	8	6	–
Pyæmia	25	–	1	–	–	–	–	1	–	2	3	2	2	2	1	–
Syphilis	96	–	–	2	–	1	1	–	–	–	8	–	14	2	1	1
Noma	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	59	–	–	1	–	1	–	–	–	1	10	2	5	4	2	–
Dropsy	295	1	6	1	2	11	7	2	2	4	17	3	9	8	29	2
Abscess	114	2	2	–	1	1	–	–	3	2	11	1	13	6	1	–
Ulcer	24	–	–	1	–	–	–	–	–	–	9	–	3	2	–	–
Fistula	10	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	92	1	–	–	–	2	1	–	1	1	11	1	5	3	3	–
Cancer	542	1	4	17	5	15	13	–	11	14	32	7	40	19	30	1
Gout	10	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–
III. Scrofula	375	2	5	4	–	5	7	–	–	5	24	2	18	9	9	–
Tabes Mesenterica	572	–	3	1	1	1	8	1	2	4	19	2	19	13	14	–
Phthisis	3854	16	25	41	21	72	73	4	44	52	207	24	231	112	111	6
Hydrocephalus	1071	3	5	1	3	4	10	–	5	14	49	6	60	16	33	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	235	1141	755	771	169	2986	2512	11996	499	3669	386	316	94	214	451	749	358	348
SPECIFIED CAUSES	231	1105	742	723	165	2932	2479	11840	477	3648	373	314	91	213	441	699	349	342
Zymotic Class	41	225	135	118	28	776	514	2620	106	669	85	43	9	42	70	81	31	35
Uncertain Seat	9	23	29	27	5	77	64	226	13	126	12	16	2	4	20	30	11	21
Tubercular Class	34	163	134	115	42	447	460	1975	64	569	42	43	16	33	57	123	69	57
Brain, etc.	18	98	66	79	18	252	225	1055	38	385	43	32	14	25	66	89	29	33
Heart, etc.	9	86	53	42	3	142	152	504	40	297	32	35	8	17	51	51	29	25
Respiratory Organs	52	163	95	87	19	460	360	2481	65	653	59	45	11	27	72	116	55	60
Digestive Organs	12	88	46	47	13	192	190	801	34	222	25	31	8	14	29	58	35	34
Urinary Organs	1	21	16	18	5	45	55	207	11	112	5	9	4	5	9	22	7	9
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	6	13	5	–	16	20	84	1	33	3	–	1	2	1	7	2	3
Skin	–	1	–	–	–	5	2	10	–	5	1	1	–	1	1	1	2	–
Malformation	2	4	3	–	–	7	19	25	–	16	–	1	1	–	2	1	4	1
Premature Debility	18	73	42	17	3	171	127	694	31	222	17	16	2	21	29	25	15	14
Atrophy	1	9	3	6	–	47	16	76	1	22	7	–	–	1	3	3	2	–
Age	23	87	38	113	18	122	137	370	32	140	24	25	7	10	16	62	35	38
Sudden Deaths	–	1	2	–	–	4	1	37	1	1	–	–	–	–	1	1	–	–
Violent Deaths	11	57	67	49	11	169	137	675	40	176	18	17	8	11	14	29	23	12
Small Pox	–	33	26	13	3	147	51	315	5	15	–	–	1	1	–	5	–	–
Measles	6	12	7	4	2	89	48	360	–	98	–	1	–	1	3	1	1	4
Scarlatina	–	15	8	22	3	200	31	512	32	42	30	9	–	2	10	3	1	1
Diphtheria	3	23	13	13	2	51	74	132	9	38	6	5	–	1	4	9	1	1
Hooping Cough	4	27	18	16	4	41	58	216	6	70	10	2	1	17	16	13	7	5
Croup	11	15	13	12	1	52	49	183	9	58	4	1	–	1	8	10	4	6
Thrush	–	2	1	–	1	–	–	5	–	4	–	–	–	–	–	–	–	–
Diarrhœa	5	19	14	12	–	79	60	376	14	126	6	6	1	8	2	10	6	5
Dysentery	3	4	4	2	3	8	14	37	1	9	7	1	–	1	2	2	4	2
Cholera	–	2	–	2	–	8	12	25	2	12	1	–	–	–	2	–	1	–
Influenza	–	9	2	1	1	1	1	10	1	2	–	1	1	–	–	1	–	–
Purpura	–	2	–	–	1	1	1	7	–	4	1	1	–	–	5	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Typhus	6	20	6	3	2	10	11	74	3	62	1	1	–	–	3	5	–	1
Enteric Fever	2	21	13	13	4	41	62	230	17	72	16	10	1	4	9	12	3	7
Relapsing Fever	–	–	–	1	–	–	6	1	–	3	–	–	–	–	1	1	–	–
Simple Cont. Fever	1	6	–	2	–	16	10	19	1	1	–	–	1	1	1	3	1	–
Infantile Remittent	–	3	1	–	–	9	3	15	1	7	2	1	–	1	1	1	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	3	1	–	4	3	13	–	7	–	–	1	–	2	–	–	1
Erysipelas	–	8	5	–	–	13	16	47	3	21	1	4	1	3	–	5	1	1
Pyæmia	–	–	–	1	–	2	1	6	–	1	–	–	–	–	–	–	–	–
Syphilis	–	3	1	–	1	4	3	32	2	16	–	–	1	1	1	–	–	1
Noma	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	2	4	2	10	–	7	–	2	–	–	–	–	–	4
Dropsy	6	4	12	5	–	35	14	78	3	15	5	–	1	–	1	4	6	2
Abscess	–	2	4	2	–	6	5	31	–	9	1	1	–	1	1	4	–	4
Ulcer	–	1	1	–	–	–	–	4	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	2	4	–	3	–	–	–	–	–	–	–	–
Mortification	–	2	–	4	–	10	6	19	1	9	1	4	–	–	2	4	–	1
Cancer	3	13	11	15	3	21	35	78	8	80	5	9	1	3	16	17	5	10
Gout	–	–	1	–	–	1	–	2	–	1	–	–	–	–	–	1	–	–
Scrofula	–	8	9	12	2	28	24	136	8	35	2	2	2	1	2	8	1	5
Tabes Mesenterica	2	13	17	–	3	41	58	235	3	70	6	7	3	1	8	9	6	2
Phthisis	24	112	80	86	30	303	282	1206	34	345	29	29	7	22	39	91	51	45
Hydrocephalus	8	30	28	17	7	75	96	398	19	119	5	5	4	9	8	15	11	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	428	1	2	3	2	8	6	1	7	10	18	3	24	8	26	2
Apoplexy	821	–	8	8	1	5	7	4	9	15	50	2	68	38	39	4
Paralysis	1020	6	6	13	4	25	23	4	11	15	42	7	75	61	58	–
Delirium Tremens	55	1	–	–	–	–	–	–	–	–	2	–	1	4	3	–
Chorea	5	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–
Epilepsy	122	1	1	4	1	2	5	–	–	1	8	2	12	2	3	1
Tetanus	35	–	–	–	–	4	1	–	–	–	–	–	2	–	2	–
Insanity	19	–	–	–	1	1	–	–	–	–	1	–	2	1	1	1
Convulsions	587	1	5	5	2	2	13	2	3	8	41	4	60	11	19	–
Brain Disease	628	2	5	3	–	6	6	3	9	7	51	6	31	26	21	–
V. Pericarditis	53	–	–	–	–	2	3	–	–	–	2	–	–	2	3	–
Aneurism	82	–	–	1	–	–	–	–	–	2	9	–	8	5	2	–
Heart Disease	2190	6	13	16	10	24	39	1	32	29	134	27	155	115	105	4
VI. Laryngitis	78	–	–	–	1	1	2	–	–	1	9	–	2	3	3	1
Bronchitis	4097	10	23	18	8	26	39	4	20	46	191	20	345	110	142	3
Pleurisy	149	2	3	1	–	2	14	1	1	3	8	1	4	2	7	–
Pneumonia	1777	1	4	17	4	10	15	1	7	29	72	10	143	60	73	5
Asthma	236	5	3	4	2	14	15	2	3	1	6	1	6	6	8	–
Lung Disease	182	–	2	1	–	1	2	–	1	1	8	1	11	3	4	–
VII. Teething	404	1	–	1	–	4	2	1	5	7	26	–	35	7	23	–
Quinsey	42	–	–	1	–	–	1	–	1	–	6	–	3	–	2	–
Gastritis	113	–	–	–	–	3	–	–	–	1	5	1	6	4	9	–
Enteritis	505	1	1	4	–	10	4	–	5	6	12	3	37	10	19	2
Peritonitis	187	–	–	2	1	1	5	–	2	–	13	2	9	6	5	1
Ascites	21	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	104	–	–	2	1	1	1	–	2	–	12	2	8	6	5	–
Hernia	63	–	–	–	–	3	–	–	–	3	5	–	5	2	3	1
Ileus	156	2	–	–	–	5	9	–	4	5	20	1	11	8	5	1
Intussusception	32	–	–	–	–	1	2	–	–	1	2	–	4	2	1	–
Stricture of Intestines	25	–	–	–	–	–	–	–	–	2	–	–	5	1	2	–
Stomach Disease	408	1	–	2	3	6	12	3	5	6	23	4	26	16	26	2
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hepatitis	88	1	1	2	1	2	3	–	–	3	1	–	5	3	4	–
Jaundice	116	2	2	1	–	2	2	–	–	4	6	1	8	3	6	–
Liver Disease	389	1	3	7	3	4	6	1	12	6	17	2	26	19	9	1
Spleen Disease	21	–	–	–	–	–	–	–	–	–	1	–	1	3	1	–
VIII. Nephritis	71	–	3	1	2	1	1	–	–	1	6	1	3	3	3	–
Nephria	228	–	–	6	2	3	8	–	2	7	20	–	17	12	12	–
Addison's Disease	7	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
Ischuria	68	–	2	1	2	1	4	–	1	2	6	1	–	4	2	1
Diabetes	62	–	–	1	–	1	4	–	2	2	7	4	2	1	3	–
Stone	54	–	3	5	–	5	1	–	–	–	8	–	2	3	2	–
Cystitis	119	–	1	4	–	1	3	–	1	5	13	2	8	1	8	1
Stricture of Urethra	18	–	–	–	–	–	2	–	1	–	2	–	–	–	1	–
Kidney Disease	313	–	3	–	4	5	4	–	8	11	31	4	20	17	16	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
X. Bone Disease	45	–	–	–	–	–	2	–	–	–	3	1	3	3	3	–
Rheumatism	96	3	1	5	1	5	10	–	1	–	5	–	7	2	2	–
Joint Disease	151	–	1	3	2	2	1	–	2	–	9	1	12	1	4	–
XI. Carbuncle	15	–	–	1	–	–	–	–	–	–	4	–	2	1	1	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	34	–	–	–	–	–	–	–	–	–	3	1	2	3	5	–
XVII. Intemperance	88	–	–	–	–	2	–	–	–	–	3	–	4	–	5	–
Privation	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Want of Breast Milk	56	–	–	1	–	–	–	–	–	–	–	–	2	2	4	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	37	2	–	–	2	4	2	–	–	1	2	1	2	2	–	–
Poison	30	1	1	–	1	2	–	–	–	1	2	–	2	1	3	–
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	126	1	–	1	–	–	2	–	–	1	3	–	9	4	3	–
Hanging, etc.	42	–	–	–	–	1	1	–	–	–	4	–	6	–	6	1
Suffocation	152	–	–	3	1	1	3	–	3	8	12	3	19	–	6	–
Drowning	549	5	12	12	1	9	18	–	6	2	33	4	30	15	30	–
Fracture and Contusion	892	2	5	4	4	6	6	3	3	5	31	4	57	31	44	3
Gunshot Wounds	16	–	–	–	–	2	1	–	–	1	2	–	2	2	1	–
Cuts and Stabs	33	1	–	–	–	1	2	–	–	–	2	–	2	3	2	–
Other Violent Causes	93	–	–	–	–	2	1	1	–	–	8	–	15	1	4	–
Not Specified	813	31	25	5	16	43	66	1	9	14	15	2	20	40	39	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	15	3	2	1	38	32	149	2	37	3	2	1	3	6	8	2	1
Apoplexy	2	19	19	18	7	65	54	215	7	89	8	9	2	5	10	15	10	9
Paralysis	5	33	20	28	4	61	48	218	17	118	22	15	3	5	24	31	11	7
Delirium Tremens	–	1	1	2	–	4	2	17	–	13	1	–	1	–	–	2	–	–
Chorea	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	3	6	1	10	4	28	–	15	–	–	1	2	1	3	1	1
Tetanus	1	–	–	2	1	3	6	5	1	3	1	–	–	–	–	1	2	–
Insanity	–	–	1	–	–	–	1	3	–	6	–	–	–	–	–	–	–	–
Convulsions	3	9	7	9	1	26	24	232	8	50	3	2	3	4	10	15	1	4
Brain Disease	5	18	12	11	3	45	54	187	3	54	5	4	3	6	15	14	2	11
Pericarditis	1	4	2	3	–	2	2	14	–	4	1	1	1	1	1	3	–	1
Aneurism	–	3	1	1	–	6	3	11	1	26	–	–	–	–	1	–	2	–
Heart Disease	8	79	50	38	3	134	147	479	39	267	31	34	7	16	49	48	27	24
Laryngitis	1	2	2	1	–	11	6	22	1	6	–	1	–	–	–	2	–	–
Bronchitis	38	95	59	53	7	280	207	1641	40	436	39	22	5	16	39	57	29	29
Pleurisy	–	1	5	2	–	4	8	47	2	16	–	1	1	2	5	2	4	–
Pneumonia	11	37	24	23	11	142	102	643	14	154	20	19	2	7	26	49	19	23
Asthma	2	14	1	7	–	8	28	62	8	11	–	2	2	2	2	5	3	3
Lung Disease	–	14	4	1	1	15	9	66	–	30	–	–	1	–	–	1	–	5
Teething	4	13	11	5	–	38	32	141	2	25	–	1	2	2	2	5	2	7
Quinsey	–	3	–	1	–	2	2	12	–	4	–	–	–	–	1	2	1	–
Gastritis	–	6	5	3	1	4	10	37	–	9	1	1	–	–	1	4	1	1
Enteritis	–	19	4	4	2	45	46	188	13	32	1	5	1	–	9	9	7	6
Peritonitis	–	6	2	3	4	15	17	52	2	14	4	3	1	2	3	7	4	1
Ascites	–	–	1	1	1	3	–	6	–	3	–	1	–	–	–	1	–	1
Ulceration of Intestines	–	3	1	3	1	3	9	16	5	9	2	2	–	–	2	4	1	3
Hernia	–	–	1	2	–	1	3	22	1	4	1	2	–	–	2	1	–	1
Ileus	3	4	5	3	1	11	5	27	4	12	1	2	–	1	1	3	1	1
Intussusception	–	–	1	1	–	2	3	6	1	3	–	–	–	1	–	1	–	–
Stricture of Intestines	–	–	–	–	1	–	–	6	–	4	–	–	–	–	–	4	–	–
Stomach Disease	2	17	8	4	1	18	27	122	2	35	4	3	1	5	3	7	7	7
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	5	1	7	7	25	1	6	1	1	–	–	–	–	2	2
Jaundice	1	3	–	2	–	10	6	29	1	15	3	3	–	1	2	–	2	1
Liver Disease	2	11	6	10	–	33	21	107	2	44	7	6	2	1	3	8	6	3
Spleen Disease	–	–	–	–	–	–	1	5	–	3	–	1	1	1	–	2	1	–
Nephritis	–	2	1	1	–	4	4	21	1	7	1	–	–	–	1	3	–	–
Nephria	1	3	3	1	2	10	10	58	2	29	–	2	2	4	1	8	1	2
Addison's Disease	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–
Ischuria	–	2	1	3	–	3	9	16	1	6	–	–	–	–	–	–	–	–
Diabetes	–	3	1	–	–	2	1	15	–	8	1	–	1	–	1	1	–	1
Stone	–	–	1	2	1	2	3	7	–	5	–	1	–	–	–	1	–	2
Cystitis	–	3	2	2	2	4	9	16	4	13	1	4	1	–	6	1	2	1
Stricture of Urethra	–	–	–	–	–	–	–	4	–	8	–	–	–	–	–	–	–	–
Kidney Disease	–	8	7	9	–	20	19	69	3	34	2	2	–	1	–	8	3	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	1	–	–	–	1	15	–	10	–	–	–	1	1	–	–	–
Rheumatism	–	3	2	4	–	3	6	26	1	4	2	–	1	–	–	2	–	–
Joint Disease	–	2	10	1	–	13	13	43	–	19	1	–	–	1	–	5	2	3
Carbuncle	–	1	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1	–
Skin Disease	–	–	–	–	–	5	1	5	–	4	1	1	–	1	1	1	–	–
Intemperance	–	2	–	1	–	9	8	34	5	10	1	1	–	1	–	1	1	–
Privation	–	–	–	–	–	1	–	3	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	2	–	6	3	22	–	8	1	1	1	1	1	1	–	–
Neglect	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	2	2	3	1	–	2	1	1	4	–	–	1	–	1	–	1	–
Poison	–	–	1	–	–	2	–	8	–	4	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	5	1	–	23	13	39	1	10	–	1	1	–	1	2	2	1
Hanging, etc.	–	–	–	2	1	2	2	14	–	–	–	–	–	2	–	–	–	–
Suffocation	2	5	2	2	–	7	11	31	5	20	1	1	–	3	–	1	–	2
Drowning	3	20	39	33	5	36	32	131	5	25	7	8	2	1	2	9	10	4
Fracture and Contusion	5	22	16	5	4	75	55	350	21	81	6	4	3	3	8	14	8	4
Gunshot Wounds	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	1	1	1	–	–	2	3	5	2	2	–	–	–	–	1	–	1	1
Other Violent Causes	–	2	–	–	–	5	7	34	–	12	1	–	–	–	–	–	–	–
Not Specified	4	36	13	48	4	54	33	156	22	21	13	2	3	1	10	50	9	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37909	244	256	372	211	631	814	86	372	461	2202	281	2753	1292	1531	94
SPECIFIED CAUSES	37173	214	233	364	193	581	737	84	361	455	2188	276	2740	1261	1500	92
I. Zymotic Class	7428	25	31	44	24	76	123	15	53	89	412	47	577	185	234	17
II. Diseases of Uncer. Seat	1633	12	9	21	11	35	40	5	25	21	117	16	118	66	72	8
III. Tubercular Class	6080	22	26	48	21	60	91	5	48	48	309	30	420	166	213	12
IV. Brain and Nervous Sys.	3503	8	12	35	14	39	39	10	40	49	248	18	246	155	167	8
V. Organs of Circulation	2185	4	10	18	1	20	34	5	24	32	150	28	208	89	104	2
VI. Respiratory Organs	6005	22	29	63	20	78	106	6	47	73	297	37	461	184	229	14
VII. Organs of Digestion	2532	14	12	8	10	25	41	5	23	32	152	18	170	98	103	5
VIII. Urinary Organs	427	–	1	6	2	5	11	2	9	9	45	3	29	18	16	6
IX. Organs of Generation	540	3	2	7	4	7	17	2	2	6	33	3	40	10	24	3
X. Organs of Locomotion	220	2	7	1	2	6	9	–	2	1	11	–	9	6	9	1
XI. Skin, etc.	43	–	1	–	–	–	–	–	1	–	5	1	2	1	–	–
XII. Malformation	106	–	–	–	–	–	–	1	1	1	7	3	5	11	–	–
XIII. Premature Debility	1632	9	–	17	8	16	16	5	4	17	116	11	156	40	66	1
XIV. Atrophy	315	1	4	1	1	4	6	1	1	5	7	2	18	9	6	1
XV. Age	3753	87	82	89	71	202	194	19	76	64	228	56	217	207	223	14
XVI. Sudden Deaths	56	–	–	–	–	1	2	1	–	–	2	–	7	2	4	–
XVII. Violent Deaths	715	5	7	6	4	7	8	2	5	8	49	3	57	14	30	–
I. Small Pox	460	1	–	–	1	–	3	–	–	2	1	1	19	3	20	–
Measles	736	–	–	2	1	7	10	–	7	12	14	–	20	13	1	–
Scarlatina	1071	9	7	6	5	2	15	2	6	9	62	4	30	24	10	–
Diphtheria	603	–	6	1	–	5	6	6	1	15	44	5	85	27	26	–
Hooping Cough	875	3	–	2	7	7	30	–	12	8	64	3	65	7	29	2
Croup	497	1	2	1	2	27	8	5	2	8	33	2	42	6	19	–
Thrush	19	–	–	–	–	–	–	–	–	1	3	–	2	–	1	–
Diarrhœa	1065	1	2	9	2	4	9	–	8	10	59	9	139	31	33	4
Dysentery	141	–	2	4	–	–	2	–	3	5	14	1	19	8	8	1
Cholera	43	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–
Influenza	66	–	2	1	–	5	3	–	1	1	5	2	4	2	5	–
Purpura	32	–	–	–	–	–	–	–	–	–	4	–	–	1	–	1
Ague	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	305	3	2	2	–	3	9	–	–	2	28	6	39	15	19	–
Enteric Fever	752	1	4	6	3	11	18	1	9	10	35	11	47	20	27	6
Relapsing Fever	14	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–
Simple Cont. Fever	112	1	–	3	–	1	–	–	–	–	2	–	7	4	3	–
Infantile Remittent	50	–	–	1	–	–	–	–	1	1	3	–	–	1	5	–
Metria	251	5	1	2	2	1	5	–	–	3	11	–	30	10	13	–
Rheumatic Fever	65	–	1	–	1	2	2	–	–	1	2	1	6	2	3	2
Erysipelas	136	–	1	1	–	1	3	1	2	–	12	1	9	8	5	1
Pyæmia	33	–	–	–	–	–	–	–	–	1	2	1	2	3	3	–
Syphilis	84	–	–	3	–	–	–	–	1	–	12	–	10	–	2	–
Noma	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	56	–	–	1	–	1	–	–	–	1	8	–	3	4	1	–
Dropsy	356	4	4	3	1	14	16	1	8	–	15	1	36	10	15	3
Abscess	85	2	–	–	–	–	3	–	1	2	5	–	5	3	3	1
Ulcer	40	–	–	3	–	1	–	–	–	1	4	–	2	–	2	–
Fistula	3	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Mortification	91	1	–	1	1	2	3	1	1	–	3	–	7	7	2	–
Cancer	995	4	5	13	8	17	18	3	15	17	81	15	65	42	48	4
Gout	7	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	332	1	2	4	1	–	2	–	1	4	22	2	17	8	10	1
Tabes Mesenterica	427	–	–	–	2	2	4	1	3	1	11	1	16	4	10	–
Phthisis	4432	18	23	40	16	55	78	4	42	40	230	24	339	134	168	9
Hydrocephalus	889	3	1	4	2	3	7	–	2	3	46	3	48	20	25	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	227	1008	682	797	211	2852	2304	11133	424	3639	396	299	96	210	490	795	389	357
SPECIFIED CAUSES	220	976	671	747	206	2800	2276	11009	411	3621	389	298	92	209	478	756	382	353
Zymotic Class	38	216	147	117	31	709	490	2552	100	625	90	41	17	41	86	95	39	42
Uncertain Seat	10	42	36	40	14	112	97	340	20	205	17	11	2	9	19	42	23	18
Tubercular Class	24	162	133	134	38	500	432	2056	61	543	55	40	16	36	71	136	70	54
Brain, etc.	23	91	60	71	27	246	189	951	44	384	38	37	7	17	55	85	40	50
Heart, etc.	7	54	34	30	10	130	143	507	20	279	32	37	8	15	39	59	29	23
Respiratory Organs	49	125	73	89	22	417	304	2093	64	655	40	40	17	29	90	111	58	63
Digestive Organs	11	74	51	53	14	186	166	783	21	243	25	18	10	14	30	51	37	29
Urinary Organs	1	10	8	6	1	22	27	79	8	66	3	4	3	7	5	9	5	1
Generative Organs	3	15	5	10	3	33	38	139	10	71	5	7	3	4	10	8	8	5
Locomotive Organs	–	6	6	6	3	18	14	58	2	15	2	3	–	1	2	12	3	3
Skin	–	3	–	1	–	5	–	12	–	7	1	1	–	–	1	–	–	1
Malformation	1	3	5	1	2	6	8	25	4	8	–	1	1	3	3	5	1	–
Premature Debility	11	55	31	14	1	116	104	537	19	160	13	15	1	14	17	23	12	7
Atrophy	2	8	13	7	3	32	20	105	2	29	8	2	–	2	3	6	4	2
Age	33	94	60	157	36	209	194	535	28	242	50	36	4	14	39	102	47	44
Sudden Deaths	–	2	–	–	–	4	2	23	1	1	3	–	–	–	–	1	–	–
Violent Deaths	7	16	9	11	1	55	48	214	7	88	7	5	3	3	8	11	6	11
Small Pox	–	34	22	7	2	80	34	218	2	7	–	–	1	–	–	–	1	1
Measles	7	10	7	8	1	92	52	370	4	83	–	1	–	1	6	1	2	4
Scarlatina	1	14	14	18	1	206	23	479	24	51	31	6	–	1	4	4	1	2
Diphtheria	1	29	12	14	3	45	56	153	10	30	2	3	5	2	5	2	3	1
Hooping Cough	9	18	18	28	7	46	70	276	7	67	10	8	1	12	27	18	9	5
Croup	3	18	14	5	2	29	32	161	9	41	2	1	1	2	11	5	2	1
Thrush	–	1	–	–	–	1	2	3	–	1	–	–	–	–	2	1	1	–
Diarrhœa	7	26	23	9	–	74	68	328	19	128	10	7	2	10	6	17	2	9
Dysentery	–	2	5	4	2	3	11	24	4	7	2	–	–	–	2	4	3	1
Cholera	–	2	–	–	–	2	8	14	1	8	1	–	–	1	3	–	–	–
Influenza	–	1	2	–	–	–	5	15	1	5	–	–	1	–	1	1	1	2
Purpura	–	–	2	–	–	4	4	8	1	2	–	–	–	1	1	1	1	1
Ague	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	–	3	3	2	–	1	–	–	–	–	–	–	–	1
Typhus	1	17	5	4	1	13	8	57	3	57	1	3	–	–	3	3	–	1
Enteric Fever	5	20	11	15	6	36	63	217	10	65	24	11	5	8	7	28	5	7
Relapsing Fever	–	–	2	–	–	1	1	5	–	1	–	–	–	–	–	1	–	–
Simple Cont. Fever	–	3	–	–	2	23	8	39	2	8	–	–	1	–	1	1	2	1
Infantile Remittent	1	3	–	–	1	5	5	15	–	3	–	–	–	1	–	1	1	2
Metria	1	15	8	–	–	24	15	74	1	23	3	–	–	–	–	2	1	1
Rheumatic Fever	–	1	2	2	1	7	8	9	–	6	–	1	–	–	–	3	1	1
Erysipelas	2	–	–	2	1	11	11	34	–	20	3	–	–	–	3	2	2	–
Pyæmia	–	–	–	–	–	1	–	14	–	2	–	–	–	1	2	–	–	1
Syphilis	–	2	–	1	1	3	2	33	1	9	–	–	–	1	2	–	1	–
Noma	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	2	1	–	5	4	10	1	5	1	–	–	–	–	1	3	1
Dropsy	5	10	14	13	3	26	25	85	2	18	7	1	–	1	2	7	2	4
Abscess	–	4	1	–	–	10	5	25	–	6	2	–	1	–	–	2	3	1
Ulcer	–	–	1	–	1	3	–	8	–	10	–	–	–	–	–	2	–	2
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	1	1	2	–	6	7	18	4	16	2	–	–	–	1	2	1	1
Cancer	5	24	17	24	10	62	56	193	13	147	5	10	1	8	15	28	14	8
Gout	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	1
Scrofula	3	8	8	10	1	35	18	101	8	36	2	–	1	3	5	11	1	6
Tabes Mesenterica	–	16	13	4	2	27	38	178	11	51	3	4	2	1	8	7	7	–
Phthisis	18	106	89	110	29	378	302	1438	31	363	44	28	11	26	44	100	53	42
Hydrocephalus	3	32	23	10	6	60	74	339	11	93	6	8	2	6	14	18	9	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	392	1	–	–	–	3	3	–	4	1	25	1	23	7	27	–
Apoplexy	817	4	2	6	2	5	6	1	9	13	55	3	70	35	41	2
Paralysis	1091	3	4	19	5	19	21	5	13	21	68	6	86	71	62	4
Delirium Tremens	11	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–
Chorea	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	148	–	2	2	2	2	2	–	4	1	10	–	8	4	2	–
Tetanus	17	–	–	–	–	2	–	–	–	–	2	–	2	–	–	–
Insanity	39	–	1	2	1	–	1	–	–	–	6	–	1	2	4	–
Convulsions	506	–	2	4	2	4	4	4	4	9	41	3	39	10	11	1
Brain Disease	479	–	1	2	2	4	2	–	5	3	40	5	16	26	19	1
V. Pericarditis	39	–	–	–	–	1	1	1	3	1	2	2	2	1	–	–
Aneurism	31	–	–	–	–	–	–	–	–	–	3	–	1	4	1	–
Heart Disease	2115	4	10	18	1	19	33	4	21	31	145	26	205	84	103	2
VI. Laryngitis	68	1	1	1	–	2	–	–	1	–	4	1	3	1	2	–
Bronchitis	4211	10	15	41	9	39	60	4	33	56	232	26	330	119	160	6
Pleurisy	125	2	1	–	–	2	12	–	1	3	5	1	8	3	7	2
Pneumonia	1235	–	4	13	4	8	11	2	9	9	50	8	99	49	49	6
Asthma	227	8	4	7	6	27	21	–	2	4	3	1	16	5	6	–
Lung Disease	139	1	4	1	1	–	2	–	1	1	3	–	5	7	5	–
VII. Teething	366	1	–	–	1	–	3	1	4	2	23	1	31	10	12	–
Quinsey	51	1	2	1	–	1	2	–	–	1	5	–	5	–	2	–
Gastritis	112	–	1	–	–	–	–	–	2	–	5	1	4	2	10	–
Enteritis	419	–	–	2	2	3	6	2	1	1	18	1	29	12	17	–
Peritonitis	208	–	–	1	–	–	6	–	1	1	15	3	17	8	11	–
Ascites	52	1	–	–	1	1	1	–	–	2	3	–	4	4	2	–
Ulceration of Intestines	99	–	–	–	–	1	1	–	2	6	5	1	10	4	3	–
Hernia	64	–	–	1	–	2	–	–	–	–	9	–	5	5	5	–
Ileus	111	2	1	–	–	4	3	–	1	–	16	1	9	7	6	1
Intussusception	17	–	1	–	–	1	–	–	1	–	–	–	1	1	–	–
Stricture of Intestines	14	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–
Stomach Disease	416	4	5	1	2	3	10	–	5	8	22	4	16	18	16	1
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	97	–	–	–	–	–	1	–	–	–	3	–	8	4	6	1
Jaundice	108	–	1	–	2	–	5	–	1	2	9	3	7	1	6	1
Liver Disease	376	5	1	2	2	8	2	2	5	9	17	3	21	22	5	1
Spleen Disease	20	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–
VIII. Nephritis	44	–	–	2	–	1	1	–	–	1	3	–	1	3	1	–
Nephria	153	–	1	2	–	1	4	1	–	5	12	2	11	9	10	1
Addison's Disease	7	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–
Ischuria	14	–	–	–	–	1	1	–	–	–	–	–	–	1	–	1
Diabetes	43	–	–	–	–	–	2	–	3	–	5	–	3	–	2	1
Stone	10	–	–	–	1	–	–	–	–	–	2	–	2	–	–	–
Cystitis	17	–	–	–	–	–	1	–	–	1	1	–	1	1	2	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	139	–	–	2	1	2	2	1	6	1	21	1	10	3	1	2
IX. Paramenia	23	–	–	1	1	–	–	–	1	1	2	–	–	–	2	–
Ovarian Dropsy	69	1	–	2	1	–	–	1	–	3	4	–	6	1	6	1
Childbirth	325	2	1	3	2	6	13	1	–	1	18	2	16	4	13	1
Organs of Generation	123	–	1	1	–	1	4	–	1	1	9	1	18	5	3	1
X. Bone Disease	15	–	–	–	–	–	1	–	–	–	4	–	1	–	–	–
Rheumatism	118	2	5	1	2	6	7	–	1	1	4	–	3	2	4	1
Joint Disease	87	–	2	–	–	–	1	–	1	–	3	–	5	4	5	–
XI. Carbuncle	7	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	33	–	1	–	–	–	–	–	–	–	3	1	1	1	–	–
XVII. Intemperance	60	–	1	–	–	–	–	–	–	–	3	–	8	–	1	–
Privation	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	49	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	17	–	–	–	–	1	–	–	–	–	–	–	–	–	2	–
Poison	17	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	1	1	2	–	2	2	1	1	1	8	–	9	3	6	–
Hanging, etc.	19	–	–	–	–	–	–	–	–	1	1	–	5	–	3	–
Suffocation	110	1	–	1	–	–	1	–	2	3	12	2	11	–	3	–
Drowning	100	–	1	1	2	2	1	1	1	–	6	1	5	6	7	–
Fracture and Contusion	165	2	4	2	2	2	2	–	1	2	10	–	11	3	8	–
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	40	–	–	–	–	–	2	–	–	–	6	–	3	1	–	–
Not Specified	736	30	23	8	18	50	77	2	11	6	14	5	13	31	31	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	7	4	7	2	37	18	155	9	39	2	3	1	1	3	5	2	–
Apoplexy	6	12	16	8	7	62	39	204	8	108	8	12	–	5	12	30	10	16
Paralysis	8	44	25	21	12	65	58	220	9	103	16	14	3	5	19	30	17	15
Delirium Tremens	–	–	–	–	–	–	–	3	1	1	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Epilepsy	4	4	4	6	1	14	13	32	1	14	2	–	1	1	3	4	3	2
Tetanus	–	2	–	–	–	1		2	–	1	–	–	–	–	–	–	–	1
Insanity	–	–	–	3	1	1	2	7	–	5	–	–	–	–	1	–	–	1
Convulsions	–	9	9	13	2	33	20	192	10	45	5	4	1	1	10	10	–	4
Brain Disease	3	13	2	13	2	33	35	135	6	68	3	4	1	4	7	6	8	10
Pericarditis	–	2	–	1	–	2	1	14	1	3	–	–	–	–	–	–	1	–
Aneurism	–	–	–	1	1	1	2	5	–	9	–	–	–	–	–	2	–	1
Heart Disease	7	52	34	28	9	127	140	488	19	267	32	37	8	15	39	57	28	22
Laryngitis	–	1	1	–	–	7	7	22	–	12	–	–	–	–	1	–	–	–
Bronchitis	36	82	51	63	15	271	213	1525	55	452	25	24	12	24	65	80	35	43
Pleurisy	–	5	2	2	–	10	3	26	3	15	2	–	2	–	2	3	1	2
Pneumonia	11	24	10	16	6	101	64	426	5	138	11	13	2	4	22	26	19	16
Asthma	2	5	6	7	–	16	11	37	1	19	2	3	1	–	–	2	3	2
Lung Disease	–	8	3	1	1	12	6	57	–	19	–	–	–	1	–	–	–	–
Teething	4	9	7	5	1	41	23	147	–	23	4	–	3	–	1	5	3	1
Quinsey	–	–	1	–	–	2	3	14	–	6	–	–	–	–	1	1	1	1
Gastritis	–	3	2	1	1	8	6	45	–	11	2	–	1	–	3	3	1	–
Enteritis	–	17	12	4	2	33	29	163	9	25	3	1	2	–	7	9	4	5
Peritonitis	1	2	3	8	1	21	12	42	2	25	3	4	–	4	2	5	5	5
Ascites	–	4	–	1	–	5	4	14	–	2	–	–	–	1	2	–	–	–
Ulceration of Intestines	1	1	8	3	1	4	8	18	1	12	–	–	–	–	3	2	4	–
Hernia	–	1	–	1	–	2	5	15	–	10	–	1	–	1	–	1	–	–
Ileus	–	1	2	3	1	1	5	24	–	12	2	–	2	–	1	3	2	1
Intussusception	–	2	–	–	–	–	3	2	–	3	–	–	–	–	–	–	1	1
Stricture of Intestines	–	–	1	1	1	–	–	3	–	2	1	–	–	–	–	–	–	1
Stomach Disease	1	12	7	13	–	22	32	128	3	42	4	3	2	6	5	8	8	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	5	1	3	–	8	11	33	1	3	2	1	–	–	–	3	1	2
Jaundice	3	1	1	1	1	4	6	29	4	10	1	3	–	–	1	1	3	1
Liver Disease	1	15	5	8	4	35	17	100	1	54	3	5	–	1	3	10	3	6
Spleen Disease	–	1	1	1	1	–	2	6	–	2	–	–	–	1	1	–	1	–
Nephritis	–	2	1	1	–	1	5	10	–	6	–	2	–	1	1	1	–	–
Nephria	–	1	3	1	1	4	9	21	7	28	3	1	2	4	2	5	2	–
Addison's Disease	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	–	1	1	2	–	2	–	–	–	1	–	–	1	–
Diabetes	–	2	–	2	–	5	3	7	–	7	–	–	–	–	–	1	–	–
Stone	–	–	1	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	2	4	–	1	–	–	–	–	1	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	5	2	1	–	11	4	33	1	21	–	1	1	–	1	1	2	1
Paramenia	1	1	–	1	–	1	3	1	–	1	–	1	1	–	2	1	1	–
Ovarian Dropsy	–	2	–	1	1	4	6	11	–	10	–	–	–	–	2	2	4	–
Childbirth	2	7	5	6	–	25	18	99	7	45	4	6	2	4	5	4	1	2
Organs of Generation	–	5	–	2	2	3	11	28	3	15	1	–	–	–	1	1	2	3
Bone Disease	–	1	–	–	–	1	–	1	1	1	1	–	–	1	–	2	–	–
Rheumatism	–	2	2	3	–	12	9	32	–	8	1	3	–	–	1	3	1	2
Joint Disease	–	3	4	3	3	5	5	25	1	6	–	–	–	–	1	7	2	1
Carbuncle	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	3	–	–	–	4	–	9	–	7	1	1	–	–	1	–	–	–
Intemperance	–	1	1	2	–	3	7	23	–	5	1	–	–	–	2	1	–	1
Privation	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	1	–	5	3	21	2	10	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	1	4	2	1	4	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	2	7	–	3	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	4	–	3	–	13	8	40	2	13	2	–	–	–	1	2	–	1
Hanging, etc.	–	1	1	–	–	1	1	3	–	1	–	–	–	–	–	–	1	–
Suffocation	2	1	1	–	1	7	6	30	1	20	1	1	–	1	1	1	–	–
Drowning	1	6	2	2	–	6	9	25	–	1	2	1	1	–	–	3	4	3
Fracture and Contusion	2	1	2	2	–	15	6	48	–	22	1	1	2	1	4	4	1	4
Gunshot Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	1	–	–	2	2	12	–	8	–	1	–	–	–	–	–	–
Not Specified	7	32	11	50	5	52	28	124	13	18	7	1	4	1	12	39	7	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	30008	14499	4578	3281	2120	2220	1589	1084	637
SPECIFIED CAUSES	29820	14410	4569	3278	2115	2164	1569	1081	634
I. Zymotic Class	6543	3145	810	740	450	698	398	215	87
II. Diseases of Uncertain Seat	932	332	218	98	97	64	63	39	21
III. Tubercular Class	4967	2658	737	459	303	272	269	160	109
IV. Brain and Nervous System	2861	1268	512	312	246	185	148	109	81
V. Organs of Circulation	1619	656	370	189	116	100	66	61	61
VI. Respiratory Organs	5801	3137	825	654	336	319	217	221	92
VII. Organs of Digestion	1918	972	261	190	135	122	120	79	39
VIII. Urinary Organs	509	208	125	43	60	30	13	18	12
IX. Organs of Generation	207	85	38	22	17	16	12	15	2
X. Organs of Locomotion	195	98	36	18	18	10	10	3	2
XI. Skin, etc.	39	17	8	3	3	5	–	2	1
XII. Malformation	81	30	21	7	12	5	3	1	2
XIII. Premature Debility	1534	731	211	232	93	112	60	64	31
XIV. Atrophy	207	93	28	18	8	36	14	7	3
XV. Age	1251	410	214	159	150	74	127	50	67
XVI. Sudden Deaths	62	45	1	8	–	4	2	–	2
XVII. Violent Deaths	1094	525	154	126	71	112	47	37	22
I. Small Pox	467	228	14	14	1	198	9	3	–
Measles	901	577	135	26	21	89	25	25	3
Scarlatina	1130	577	53	37	104	131	214	13	1
Diphtheria	393	165	34	105	25	40	15	4	5
Hooping Cough	631	305	92	77	83	39	9	24	2
Croup	424	198	47	65	26	31	25	25	7
Thrush	20	3	5	5	7	–	–	–	–
Diarrhœa	1067	465	161	213	61	56	39	48	24
Dysentery	85	34	8	22	8	2	4	2	5
Cholera	46	16	14	3	2	6	2	3	–
Influenza	34	21	4	4	4	1	–	–	–
Purpura	20	10	4	2	–	3	–	1	–
Ague	1	–	–	1	–	–	–	–	–
Worms	5	4	–	–	–	1	–	–	–
Typhus	311	68	77	69	33	10	8	29	17
Enteric Fever	472	249	83	40	33	31	11	17	8
Relapsing Fever	10	4	2	1	1	–	1	1	–
Simple Continued Fever	78	30	2	–	3	26	10	4	3
Infantile Remittent	50	22	5	3	7	3	6	4	–
Metria	110	46	15	19	4	10	8	4	4
Rheumatic Fever	38	13	10	6	2	4	3	–	–
Erysipelas	129	55	26	9	10	11	8	6	4
Pyæmia	24	15	–	–	2	3	–	1	3
Syphilis	93	37	19	18	13	3	1	1	1
Noma	4	3	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	41	13	9	5	8	2	3	1	–
Dropsy	216	92	15	30	21	23	25	8	2
Abscess	72	33	11	10	6	2	6	2	2
Ulcer	32	9	3	3	9	1	1	5	1
Fistula	6	1	4	–	1	–	–	–	–
Mortification	71	18	17	11	8	9	3	2	3
Cancer	490	165	157	39	44	26	25	21	13
Gout	4	1	2	–	–	1	–	–	–
III. Scrofula	300	156	48	20	20	35	6	7	8
Tabes Mesenterica	448	272	74	14	17	7	31	20	13
Phthisis	3368	1760	477	361	208	192	202	89	79
Hydrocephalus	851	470	138	64	58	38	30	44	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	367	200	59	32	24	35	7	7	3
Apoplexy	676	279	140	84	54	50	40	14	15
Paralysis	650	247	115	83	49	33	53	43	27
Delirium Tremens	34	14	11	1	2	1	2	1	2
Chorea	2	2	–	–	–	–	–	–	–
Epilepsy	104	36	24	11	12	7	10	1	3
Tetanus	15	4	3	2	1	2	2	1	–
Insanity	21	2	11	1	5	–	–	–	2
Convulsions	547	286	63	71	59	24	13	26	5
Brain Disease	445	198	86	27	40	33	21	16	24
V. Pericarditis	24	15	5	–	1	2	1	–	–
Aneurism	57	10	25	4	8	1	1	3	5
Heart Disease	1538	631	340	185	107	97	64	58	56
VI. Laryngitis	61	27	10	2	10	5	5	1	1
Bronchitis	4083	2268	540	459	251	188	159	158	60
Pleurisy	94	48	19	6	6	5	3	6	1
Pneumonia	1303	664	198	171	55	98	40	50	27
Asthma	96	40	21	9	7	7	7	2	3
Lung Disease	164	90	37	7	7	16	3	4	–
VII. Teething	392	220	22	38	30	40	26	10	6
Quinsey	38	13	9	5	8	1	2	–	–
Gastritis	88	56	6	10	6	5	2	3	–
Enteritis	330	189	27	40	11	17	31	10	5
Peritonitis	119	39	20	13	10	15	10	9	3
Ascites	18	7	3	2	–	4	1	–	1
Ulceration of Intestines	42	13	10	7	3	1	2	6	–
Hernia	55	22	13	6	8	2	1	–	3
Ileus	93	37	16	11	20	5	2	2	–
Intussusception	15	6	3	5	–	1	–	–	–
Stricture of Intestines	14	6	3	1	1	–	–	3	–
Stomach Disease	284	159	52	12	16	11	14	15	5
Pancreas Disease	2	–	1	–	1	–	–	–	–
Hepatitis	60	34	4	9	1	7	3	–	2
Jaundice	79	32	14	7	8	4	7	6	1
Liver Disease	274	132	54	21	12	9	19	15	12
Spleen Disease	15	7	4	3	–	–	–	–	1
VIII. Nephritis	48	27	11	4	2	2	1	–	1
Nephria	145	52	43	19	15	6	3	3	4
Addison's Disease	5	1	1	–	1	–	–	–	2
Ischuria	25	14	6	–	2	1	1	–	1
Diabetes	36	14	10	3	5	2	1	1	–
Stone	16	5	5	2	3	–	1	–	–
Cystitis	32	13	8	6	2	1	2	–	–
Stricture of Urethra	13	3	8	–	2	–	–	–	–
Kidney Disease	189	79	33	9	28	18	4	14	4
IX. Paramenia	3	1	–	–	1	–	1	–	–
Ovarian Dropsy	20	6	5	2	1	1	1	3	1
Childbirth	138	63	25	7	11	13	10	9	–
Organs of Generation	46	15	8	13	4	2	–	3	1
X. Bone Disease	24	9	8	2	4	–	–	1	–
Rheumatism	73	39	8	7	8	3	6	1	1
Joint Disease	98	50	20	9	6	7	4	1	1
XI. Carbuncle	8	3	1	2	1	–	–	–	1
Phlegmon	5	4	–	–	–	1	–	–	–
Skin Disease	26	10	7	1	2	4	–	2	–
XVII. Intemperance	71	37	10	9	4	3	4	4	–
Privation	2	–	–	–	–	2	–	–	–
Want of Breast Milk	49	24	13	–	–	9	1	1	1
Neglect	–	–	–	–	–	–	–	–	–
Cold	7	–	3	1	1	–	1	1	–
Poison	27	13	5	3	3	1	–	1	1
Poisoned Wounds	1	1	–	–	–	–	–	–	–
Burns and Scalds	103	46	12	8	5	19	9	3	1
Hanging, etc.	20	7	1	6	3	1	2	–	–
Suffocation	108	39	30	21	10	4	1	3	–
Drowning	187	104	6	16	14	24	8	9	6
Fracture and Contusion	450	226	60	50	25	46	17	14	12
Gunshot Wounds	2	–	–	1	–	1	–	–	–
Cuts and Stabs	12	5	2	2	–	–	3	–	–
Other Violent Causes	55	23	12	9	6	2	1	1	1
Not Specified	188	89	9	3	5	56	20	3	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15227	7421	2321	1624	1029	1168	863	550	311
SPECIFIED CAUSES	15128	7373	2314	1622	1028	1141	791	549	310
I. Zymotic Class	3337	1591	418	363	222	387	200	116	40
II. Diseases of Uncertain Seat	369	117	90	38	46	27	29	13	9
III. Tubercular Class	2413	1295	385	199	146	127	123	81	57
IV. Brain and Nervous System	1488	668	259	167	124	94	80	58	38
V. Organs of Circulation	802	324	192	79	59	52	34	28	34
VI. Respiratory Organs	2983	1652	401	337	172	170	111	103	37
VII. Organs of Digestion	957	482	124	102	62	59	69	42	17
VIII. Urinary Organs	340	148	80	26	32	19	10	16	9
IX. Organs of Generation	1	–	–	1	–	–	–	–	–
X. Organs of Locomotion	118	58	26	13	10	5	4	2	–
XI. Skin, etc.	18	8	2	2	2	1	–	2	1
XII. Malformation	46	15	14	5	8	3	–	–	1
XIII. Premature Debility	877	408	130	133	49	57	42	38	20
XIV. Atrophy	98	36	11	8	5	22	9	5	2
XV. Age	451	154	80	55	44	29	45	17	27
XVI. Sudden Deaths	36	28	1	3	–	2	1	–	1
XVII. Violent Deaths	794	389	101	91	47	87	34	28	17
I. Small Pox	282	129	11	6	–	129	5	2	–
Measles	465	293	72	15	9	48	12	15	1
Scarlatina	581	302	27	18	62	65	101	5	1
Diphtheria	191	83	16	46	13	23	7	3	–
Hooping Cough	291	141	47	30	35	19	7	11	1
Croup	234	101	29	38	13	19	17	12	5
Thrush	14	2	4	3	5	–	–	–	–
Diarrhœa	547	251	71	104	31	27	20	31	12
Dysentery	41	17	5	7	4	2	4	1	1
Cholera	30	9	9	3	1	5	2	1	–
Influenza	13	9	1	1	1	1	–	–	–
Purpura	10	5	3	2	–	–	–	–	–
Ague	1	–	–	1	–	–	–	–	–
Worms	3	3	–	–	–	–	–	–	–
Typhus	163	38	43	41	12	5	3	14	7
Enteric Fever	259	130	45	26	16	17	9	12	4
Relapsing Fever	5	1	2	1	–	–	–	1	–
Simple Continued Fever	30	10	1	–	2	12	3	–	2
Infantile Remittent	33	11	2	3	6	3	4	4	–
Metria	–	–	–	–	–	–	–	–	–
Rheumatic Fever	19	7	6	2	1	3	–	–	–
Erysipelas	67	29	10	6	4	6	5	4	3
Pyæmia	10	4	–	–	2	2	–	–	2
Syphilis	47	15	14	10	5	1	1	–	1
Noma	1	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	6	4	3	6	–	3	1	–
Dropsy	101	39	8	8	12	13	18	2	1
Abscess	38	16	6	8	2	2	1	2	1
Ulcer	13	3	–	2	6	–	–	1	1
Fistula	5	1	3	–	1	–	–	–	–
Mortification	33	6	5	4	7	6	2	1	2
Cancer	153	45	63	13	12	5	5	6	4
Gout	3	1	1	–	–	1	–	–	–
III. Scrofula	150	78	23	11	13	13	2	4	6
Tabes Mesenterica	267	163	44	8	10	2	18	12	10
Phthisis	1537	807	240	145	90	87	90	42	36
Hydrocephalus	459	247	78	35	33	25	30	23	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	177	97	29	17	12	15	2	3	2
Apoplexy	331	138	62	43	27	27	21	7	6
Paralysis	332	127	67	38	25	17	26	22	10
Delirium Tremens	31	12	11	–	2	1	2	1	2
Chorea	1	1	–	–	–	–	–	–	–
Epilepsy	55	19	13	6	6	4	5	1	1
Tetanus	8	2	2	–	–	1	2	1	–
Insanity	8	–	6	–	1	–	–	–	1
Convulsions	301	158	32	44	30	10	8	15	4
Brain Disease	244	114	37	19	21	19	14	8	12
V. Pericarditis	14	7	4	–	1	1	1	–	–
Aneurism	42	7	19	4	6	1	–	1	4
Heart Disease	746	310	169	75	52	50	33	27	30
VI. Laryngitis	31	15	3	–	7	3	3	–	–
Bronchitis	2037	1150	258	231	122	98	82	71	25
Pleurisy	49	32	11	–	3	1	–	1	1
Pneumonia	733	389	100	97	30	59	22	26	10
Asthma	36	17	6	3	5	1	1	2	1
Lung Disease	97	49	23	6	5	8	3	3	–
VII. Teething	199	109	13	21	17	16	16	4	3
Quinsey	21	8	4	2	5	–	2	–	–
Gastritis	39	23	2	6	2	1	2	3	–
Enteritis	179	97	12	26	3	11	18	9	3
Peritonitis	54	21	9	4	5	8	4	3	–
Ascites	6	2	2	–	–	2	–	–	–
Ulceration of Intestines	20	5	4	5	2	–	1	3	–
Hernia	21	12	3	3	1	1	–	–	1
Ileus	51	20	8	6	10	4	2	1	–
Intussusception	11	4	2	4	–	1	–	–	–
Stricture of Intestines	10	5	2	1	–	–	–	2	–
Stomach Disease	129	70	20	8	9	4	7	9	2
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	30	17	2	4	1	3	2	–	1
Jaundice	39	16	7	4	2	3	4	3	–
Liver Disease	139	68	32	7	5	5	11	5	6
Spleen Disease	9	5	2	1	–	–	–	–	1
VIII. Nephritis	33	19	7	3	2	2	–	–	–
Nephria	89	37	23	11	6	5	2	2	3
Addison's Disease	3	1	1	–	–	–	–	–	1
Ischuria	21	12	4	–	2	1	1	–	1
Diabetes	20	9	6	1	2	1	–	1	–
Stone	14	4	5	2	2	–	1	–	–
Cystitis	28	9	8	6	2	1	2	–	–
Stricture of Urethra	13	3	8	–	2	–	–	–	–
Kidney Disease	119	54	18	3	14	9	4	13	4
IX. Paramenia	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–
X. Bone Disease	19	8	7	2	1	–	–	1	–
Rheumatism	34	19	3	5	4	1	1	1	–
Joint Disease	65	31	16	6	5	4	3	–	–
XI. Carbuncle	6	2	1	1	1	–	–	–	1
Phlegmon	2	2	–	–	–	–	–	–	–
Skin Disease	10	4	1	1	1	1	–	2	–
XVII. Intemperance	38	20	6	3	1	1	4	3	–
Privation	1	–	–	–	–	1	–	–	–
Want of Breast Milk	27	13	8	–	–	5	–	–	1
Neglect	–	–	–	–	–	–	–	–	–
Cold	5	–	2	1	1	–	–	1	–
Poison	15	7	2	2	1	1	–	1	1
Poisoned Wounds	1	1	–	–	–	–	–	–	–
Burns and Scalds	54	23	8	3	2	13	4	–	1
Hanging, etc.	13	6	–	2	3	–	2	–	–
Suffocation	50	17	14	12	4	2	–	1	–
Drowning	165	90	6	15	13	22	7	9	3
Fracture and Contusion	377	190	45	43	20	41	14	13	11
Gunshot Wounds	2	–	–	1	–	1	–	–	–
Cuts and Stabs	10	4	2	2	–	–	2	–	–
Other Violent Causes	36	18	8	7	2	–	1	–	–
Not Specified	99	48	7	2	1	27	12	1	1

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	14781	7078	2257	1657	1091	1052	786	534	326
SPECIFIED CAUSES	14692	7037	2255	1656	1087	1023	778	532	324
I. Zymotic Class	3206	1554	392	377	228	311	198	99	47
II. Diseases of Uncertain Seat	563	215	128	60	51	37	34	26	12
III. Tubercular Class	2554	1363	352	260	157	145	146	79	52
IV. Brain and Nervous System	1373	600	253	145	122	91	68	51	43
V. Organs of Circulation	817	332	178	110	57	48	32	33	27
VI. Respiratory Organs	2818	1485	424	317	164	149	106	118	55
VII. Organs of Digestion	961	490	137	88	73	63	51	37	22
VIII. Urinary Organs	169	60	45	17	28	11	3	2	3
IX. Organs of Generation	206	85	38	21	17	16	12	15	2
X. Organs of Locomotion	77	40	10	5	8	5	6	1	2
XI. Skin, etc.	21	9	6	1	1	4	–	–	–
XII. Malformation	35	15	7	2	4	2	3	1	1
XIII. Premature Debility	657	323	81	99	44	55	18	26	11
XIV. Atrophy	109	57	17	10	3	14	5	2	1
XV. Age	800	256	134	104	106	45	82	33	40
XVI. Sudden Deaths	26	17	–	5	–	2	1	–	1
XVII. Violent Deaths	300	136	53	35	24	25	13	9	5
I. Small Pox	185	99	3	8	1	69	4	1	–
Measles	436	284	63	11	12	41	13	10	2
Scarlatina	549	275	26	19	42	66	113	8	–
Diphtheria	202	82	18	59	12	17	8	1	5
Hooping Cough	340	164	45	47	48	20	2	13	1
Croup	190	97	18	27	13	12	8	13	2
Thrush	6	1	1	2	2	–	–	–	–
Diarrhœa	520	214	90	109	30	29	19	17	12
Dysentery	44	17	3	15	4	–	–	1	4
Cholera	16	7	5	–	1	1	–	2	–
Influenza	21	12	3	3	3	–	–	–	–
Purpura	10	5	1	–	–	3	–	1	–
Ague	–	–	–	–	–	–	–	–	–
Worms	2	1	–	–	–	1	–	–	–
Typhus	148	30	34	28	21	5	5	15	10
Enteric Fever	213	119	38	14	17	14	2	5	4
Relapsing Fever	5	3	–	–	1	–	1	–	–
Simple Continued Fever	48	20	1	–	1	14	7	4	1
Infantile Remittent	17	11	3	–	1	–	2	–	–
Metria	110	46	15	19	4	10	8	4	4
Rheumatic Fever	19	6	4	4	1	1	3	–	–
Erysipelas	62	26	16	3	6	5	3	2	1
Pyæmia	14	11	–	–	–	1	–	1	1
Syphilis	46	22	5	8	8	2	–	1	–
Noma	3	2	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	18	7	5	2	2	2	–	–	–
Dropsy	115	53	7	22	9	10	7	6	1
Abscess	34	17	5	2	4	–	5	–	1
Ulcer	19	6	3	1	3	1	1	4	–
Fistula	1	–	1	–	–	–	–	–	–
Mortification	38	12	12	7	1	3	1	1	1
Cancer	337	120	94	26	32	21	20	15	9
Gout	1	–	1	–	–	–	–	–	–
III. Scrofula	150	78	25	9	7	22	4	3	2
Tabes Mesenterica	181	109	30	6	7	5	13	8	3
Phthisis	1831	953	237	216	118	105	112	47	43
Hydrocephalus	392	223	60	29	25	13	17	21	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	190	103	30	15	12	20	5	4	1
Apoplexy	345	141	78	41	27	23	19	7	9
Paralysis	318	120	48	45	24	16	27	21	17
Delirium Tremens	3	2	–	1	–	–	–	–	–
Chorea	1	1	–	–	–	–	–	–	–
Epilepsy	49	17	11	5	6	3	5	–	2
Tetanus	7	2	1	2	1	1	–	–	–
Insanity	13	2	5	1	4	–	–	–	1
Convulsions	246	128	31	27	29	14	5	11	1
Brain Disease	201	84	49	8	19	14	7	8	12
V. Pericarditis	10	8	1	–	–	1	–	–	–
Aneurism	15	3	6	–	2	–	1	2	1
Heart Disease	792	321	171	110	55	47	31	31	26
VI. Laryngitis	30	12	7	2	3	2	2	1	1
Bronchitis	2046	1118	282	228	129	90	77	87	35
Pleurisy	45	16	8	6	3	4	3	5	–
Pneumonia	570	275	98	74	25	39	18	24	17
Asthma	60	23	15	6	2	6	6	–	2
Lung Disease	67	41	14	1	2	8	–	1	–
VII. Teething	193	111	9	17	13	24	10	6	3
Quinsey	17	5	5	3	3	1	–	–	–
Gastritis	49	33	4	4	4	4	–	–	–
Enteritis	151	92	15	14	8	6	13	1	2
Peritonitis	65	18	11	9	5	7	6	6	3
Ascites	12	5	1	2	–	2	1	–	1
Ulceration of Intestines	22	8	6	2	1	1	1	3	–
Hernia	34	10	10	3	7	1	1	–	2
Ileus	42	17	8	5	10	1	–	1	–
Intussusception	4	2	1	1	–	–	–	–	–
Stricture of Intestines	4	1	1	–	1	–	–	1	–
Stomach Disease	155	89	32	4	7	7	7	6	3
Pancreas Disease	2	–	1	–	1	–	–	–	–
Hepatitis	30	17	2	5	–	4	1	–	1
Jaundice	40	16	7	3	6	1	3	3	1
Liver Disease	135	64	22	14	7	4	8	10	6
Spleen Disease	6	2	2	2	–	–	–	–	–
VIII. Nephritis	15	8	4	1	–	–	1	–	1
Nephria	56	15	20	8	9	1	1	1	1
Addison's Disease	2	–	–	–	1	–	–	–	1
Ischuria	4	2	2	–	–	–	–	–	–
Diabetes	16	5	4	2	3	1	1	–	–
Stone	2	1	–	–	1	–	–	–	–
Cystitis	4	4	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–
Kidney Disease	70	25	15	6	14	9	–	1	–
IX. Paramenia	3	1	–	–	1	–	1	–	–
Ovarian Dropsy	20	6	5	2	1	1	1	3	1
Childbirth	138	63	25	7	11	13	10	9	–
Organs of Generation	45	15	8	12	4	2	–	3	1
X. Bone Disease	5	1	1	–	3	–	–	–	–
Rheumatism	39	20	5	2	4	2	5	–	1
Joint Disease	33	19	4	3	1	3	1	1	1
XI. Carbuncle	2	1	–	1	–	–	–	–	–
Phlegmon	3	2	–	–	–	1	–	–	–
Skin Disease	16	6	6	–	1	3	–	–	–
XVII. Intemperance	33	17	4	6	3	2	–	1	–
Privation	1	–	–	–	–	1	–	–	–
Want of Breast Milk	22	11	5	–	–	4	1	1	–
Neglect	–	–	–	–	–	–	–	–	–
Cold	2	–	1	–	–	–	1	–	–
Poison	12	6	3	1	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	49	23	4	5	3	6	5	3	–
Hanging, etc.	7	1	1	4	–	1	–	–	–
Suffocation	58	22	16	9	6	2	1	2	–
Drowning	22	14	–	1	1	2	1	–	3
Fracture and Contusion	73	36	15	7	5	5	3	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	1	–	–	–	–	1	–	–
Other Violent Causes	19	5	4	2	4	2	–	1	1
Not Specified	89	41	2	1	4	29	8	2	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	9306	465	422	299	351	348	258	308	344	475	719	1142	2068	461	354	436	353	503
SPECIFIED CAUSES . .	9141	461	417	297	349	342	258	300	335	469	715	1126	2048	441	345	435	346	457
I. Zymotic Class . .	1900	93	73	60	68	61	45	63	86	73	182	191	525	117	68	82	61	52
II. Uncertain Seat .	304	23	25	8	15	8	14	9	12	14	21	38	43	15	9	21	8	21
III. Tubercular Class .	1570	48	51	58	45	58	30	48	75	85	151	209	360	71	62	78	55	86
IV. Brain, etc. . .	891	45	40	27	51	30	23	34	31	48	65	103	202	30	30	35	36	61
V. Heart, etc. . .	515	42	42	25	26	20	15	35	15	28	49	49	69	32	11	9	23	25
VI. Respiratory Organs .	1551	57	70	45	49	60	51	21	46	74	98	223	381	82	56	65	86	87
VII. Digestive Organs .	635	37	29	21	23	27	13	27	17	39	47	67	119	25	36	48	26	34
VIII. Urinary Organs .	116	20	3	3	9	6	3	5	6	8	6	11	18	1	4	1	3	9
IX. Generative Organs .	51	4	1	3	5	3	2	2	1	2	4	4	9	1	3	2	4	1
X. Locomotive Organs	54	5	4	1	2	4	–	–	4	–	4	3	14	1	1	4	1	6
XI. Skin . . .	9	–	–	–	2	1	1	–	–	1	–	–	2	–	2	–	–	–
XII. Malformation . .	21	–	2	1	2	1	–	1	–	–	1	2	6	1	2	–	–	2
XIII. Premature Debility .	489	20	22	17	10	20	20	16	15	27	32	51	127	17	25	34	20	16
XIV. Atrophy . . .	84	1	5	2	1	3	2	3	1	3	1	20	22	4	5	2	4	5
XV. Age	650	51	32	17	27	24	31	28	18	54	34	112	94	25	22	23	15	43
XVI. Sudden Deaths .	20	2	3	1	–	–	–	2	2	1	–	3	3	1	–	2	–	–
XVII. Violent Deaths .	281	13	15	8	14	16	8	6	6	12	20	40	54	18	9	29	4	9
I. Small Pox . .	257	1	2	18	–	4	–	1	29	1	42	22	116	16	–	4	–	1
Measles . . .	157	15	1	–	8	–	–	5	3	2	4	24	79	4	–	2	9	1
Scarlatina . .	192	16	12	1	2	7	–	9	14	6	6	32	54	10	10	10	1	2
Diphtheria . .	145	6	7	8	15	9	2	3	4	24	7	7	28	8	9	6	–	2
Hooping Cough .	229	16	5	4	9	6	12	13	5	11	20	25	63	9	2	6	20	3
Croup . . .	156	10	5	6	5	7	4	2	2	8	11	25	27	5	6	15	11	7
Thrush . . .	7	–	–	–	–	2	–	–	1	–	–	–	1	3	–	–	–	–
Diarrhœa . .	267	9	19	6	12	14	8	11	4	4	29	16	69	21	12	19	1	13
Dysentery . .	44	4	2	1	3	–	4	1	6	2	5	1	6	2	4	–	1	2
Cholera . . .	24	–	–	–	–	1	–	–	–	–	9	5	5	1	3	–	–	–
Influenza . . .	10	–	–	2	1	–	–	–	3	1	–	–	–	–	1	1	1	–
Purpura . . .	12	–	1	–	–	–	–	2	1	–	1	–	2	1	–	–	4	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Typhus . . .	59	–	1	1	2	1	6	9	5	1	7	6	15	–	1	1	1	2
Enteric Fever . .	193	13	13	4	6	4	4	5	4	5	30	9	33	28	10	9	5	11
Relapsing Fever .	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1
Simple Cont. Fever .	20	–	2	1	1	–	1	–	–	1	4	–	1	3	5	–	1	–
Infantile Remittent .	6	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	1	1
Metria . . .	28	1	1	3	–	2	1	2	1	–	1	5	7	2	1	–	–	1
Rheumatic Fever .	11	1	–	–	–	1	–	–	–	2	–	2	2	–	–	–	1	2
Erysipelas . .	34	–	1	2	2	1	1	–	2	3	3	2	5	3	4	1	1	3
Pyæmia . . .	6	–	–	–	2	1	–	–	–	–	–	1	2	–	–	–	–	–
Syphilis . . .	36	1	1	3	–	1	1	–	1	–	2	8	8	1	–	6	3	–
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	5	–	–	–	–	–	–	–	1	1	–	–	2	1	–	–	–	–
Dropsy . . .	72	5	5	1	3	1	9	2	7	1	4	10	9	–	4	8	–	3
Abscess . . .	30	1	2	–	1	1	–	–	2	1	2	3	4	5	2	2	–	4
Ulcer . . .	5	–	1	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1
Fistula . . .	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mortification . .	21	1	1	–	–	–	–	–	–	3	3	3	5	–	–	2	1	2
Cancer . . .	167	16	15	7	11	6	4	6	1	8	11	21	22	9	3	9	7	11
Gout . . .	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	67	1	2	2	6	–	–	2	3	–	3	19	16	3	1	6	–	3
Tabes Mesenterica .	142	2	4	4	1	7	2	4	12	17	8	22	22	4	9	9	12	3
Phthisis . . .	1025	39	34	40	29	39	21	37	43	49	108	145	215	38	40	49	31	68
Hydrocephalus .	336	6	11	12	9	12	7	5	17	19	32	23	107	26	12	14	12	12

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	92	2	4	4	3	3	8	2	2	2	1	21	21	1	5	6	–	4
Apoplexy	171	11	9	3	16	4	5	5	10	7	9	26	27	7	1	9	7	15
Paralysis	266	16	12	12	15	8	3	16	9	26	14	26	62	7	6	5	12	17
Delirium Tremens	8	–	1	–	–	1	–	–	1	–	–	1	–	1	1	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	39	3	1	–	6	–	–	1	2	4	3	2	9	–	3	–	2	3
Tetanus	9	–	1	–	–	–	–	1	–	3	4	–	–	–	–	–	–	–
Insanity	9	1	1	–	–	1	–	–	–	–	–	2	3	–	1	–	–	–
Convulsions	158	8	9	8	2	6	3	2	4	–	12	11	43	8	9	6	13	14
Brain Disease	139	3	4	–	7	5	4	7	3	6	22	14	37	6	4	9	2	6
V. Pericarditis	9	1	2	–	–	1	–	–	–	–	–	2	–	–	–	2	–	1
Aneurism	11	–	2	–	1	–	–	2	–	1	1	1	2	–	–	–	–	1
Heart Disease	495	41	38	25	25	19	15	33	15	27	48	46	67	32	11	7	23	23
VI. Laryngitis	16	2	2	–	–	–	–	1	–	–	1	2	4	1	1	1	–	1
Bronchitis	1036	38	53	29	45	45	36	15	30	62	64	141	213	64	46	40	53	62
Pleurisy	28	2	–	–	1	1	1	–	2	–	2	–	10	3	1	1	4	–
Pneumonia	399	9	11	16	2	12	11	4	9	8	23	72	144	13	1	18	27	19
Asthma	48	4	2	–	1	1	3	–	2	3	5	4	8	1	3	5	2	4
Lung Disease	24	2	2	–	–	1	–	1	3	1	3	4	2	–	4	–	–	1
VII. Teething	81	3	6	4	–	4	1	5	2	8	5	13	13	1	7	7	–	2
Quinsey	14	1	–	–	1	–	–	2	–	–	–	2	4	2	1	–	–	1
Gastritis	31	–	–	–	–	7	1	–	–	–	2	1	3	2	7	2	1	5
Enteritis	127	5	8	3	4	6	1	3	6	7	17	17	23	1	3	9	11	3
Peritonitis	50	5	2	2	–	1	1	3	1	3	2	5	14	3	1	3	2	2
Ascites	11	–	2	–	–	–	1	1	–	1	–	–	2	1	–	1	1	1
Ulcer. of Intestines	29	–	4	–	3	1	–	–	3	3	–	3	2	1	–	6	2	1
Hernia	20	–	–	–	2	–	1	–	–	3	2	2	3	1	1	3	1	1
Ileus	18	4	–	2	2	–	–	–	–	1	2	1	1	2	–	–	–	3
Intussusception	5	2	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Strict. of Intestines	5	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Stomach Disease	104	12	3	2	4	4	4	9	1	1	6	12	19	3	10	5	5	4
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	23	–	–	1	1	1	–	1	–	2	3	1	5	1	–	6	–	1
Jaundice	24	3	–	–	1	2	2	–	–	–	–	5	7	2	–	1	–	1
Liver Disease	88	1	3	6	5	–	1	3	3	10	5	5	20	5	6	5	3	7
Spleen Disease	4	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1
VIII. Nephritis	10	1	–	–	–	–	–	1	–	2	2	–	2	–	–	1	–	1
Nephria	42	7	1	2	2	–	2	1	3	5	1	7	9	–	1	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	9	4	–	–	–	–	–	–	–	–	–	2	1	–	1	–	1	–
Stone	6	–	–	–	1	–	–	–	1	–	–	1	2	–	–	–	–	1
Cystitis	8	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	1	2
Stricture of Urethra	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Kidney Disease	35	4	2	1	6	3	1	2	2	1	3	1	2	1	1	–	1	4
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Ovarian Dropsy	10	–	–	1	1	1	1	–	–	1	1	1	2	–	–	–	–	1
Childbirth	28	2	1	1	2	2	–	2	1	1	3	1	6	1	2	1	2	–
Organs of Generation	11	2	–	1	2	–	1	–	–	–	–	2	1	–	1	1	–	–
X. Bone Disease	10	1	1	–	1	–	–	–	1	–	–	1	3	–	1	–	1	–
Rheumatism	17	3	–	–	–	2	–	–	–	–	1	1	8	1	–	–	–	1
Joint Disease	27	1	3	1	1	2	–	–	3	–	3	1	3	–	–	4	–	5
XI. Carbuncle	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	6	–	–	–	1	1	1	–	–	–	–	–	1	–	2	–	–	–
XVII. Intemperance	14	–	1	1	–	–	–	–	–	3	–	1	3	2	1	–	1	1
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Want of Breast Milk	8	–	1	–	1	2	1	–	–	–	–	–	1	–	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1
Poison	5	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	1	4	–	1	1	1	–	–	1	2	–	5	2	1	4	–	–
Hanging, etc.	8	1	1	1	–	1	–	–	–	–	–	1	3	–	–	–	–	–
Suffocation	26	–	1	3	1	1	–	–	1	3	3	–	6	2	–	4	1	–
Drowning	67	7	1	1	2	4	3	–	2	2	5	22	11	–	1	5	–	1
Fracture & Contusion	105	1	5	1	4	4	3	5	1	–	10	16	22	9	5	13	1	5
Gunshot Wounds	3	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Other Violent Causes	15	2	1	1	2	–	–	–	1	2	–	–	2	2	–	2	–	–
Not Specified	165	4	5	2	2	6	–	8	9	6	4	16	20	20	9	1	7	46

CAUSES OF DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	4766	230	204	156	170	188	126	160	178	236	382	589	1076	231	190	230	170	250
SPECIFIED CAUSES . .	4667	229	200	155	169	182	126	155	174	233	379	579	1062	222	186	229	166	221
I. Zymotic Class . .	947	45	38	33	33	38	17	32	42	40	93	96	266	50	31	42	25	26
II. Uncertain Seat .	130	8	14	3	5	2	9	5	4	3	9	20	17	8	5	7	4	7
III. Tubercular Class .	761	28	22	23	23	28	12	22	39	46	71	94	185	32	33	33	26	44
VI. Brain, etc. . .	469	26	20	10	26	17	12	13	17	26	38	60	95	16	14	23	24	32
V. Heart, etc. . .	251	21	16	12	15	13	7	16	11	13	23	21	35	15	4	3	11	15
VI. Respiratory Organs .	835	28	32	27	27	25	30	15	29	35	54	126	212	45	29	41	40	40
VII. Digestive Organs .	337	17	18	15	10	16	9	16	6	21	27	36	65	12	20	21	12	16
VIII. Urinary Organs .	77	12	2	2	4	6	1	5	4	3	5	8	12	–	4	1	2	6
IX. Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs .	34	3	1	1	2	–	–	–	3	–	4	2	8	1	1	3	1	4
XI. Skin	6	–	–	–	1	1	1	–	–	1	–	–	1	–	1	–	–	–
XII. Malformation . .	11	–	2	1	–	1	–	–	–	–	1	1	1	1	2	–	–	1
XIII. Premature Debility .	283	13	9	8	1	14	11	11	8	17	24	26	72	12	18	18	11	10
XIV. Atrophy . . .	38	1	2	1	–	2	1	1	–	1	–	8	10	1	4	1	3	2
XV. Age	259	15	13	11	14	7	10	14	5	17	14	45	42	16	12	9	5	10
XVI. Sudden Deaths .	11	1	1	1	–	–	–	–	2	–	–	3	2	–	–	1	–	–
XVII. Violent Deaths .	218	11	10	7	8	12	6	5	4	10	16	33	39	13	8	26	2	8
I. Small Pox . .	146	–	1	8	–	3	–	1	16	–	23	16	69	6	–	2	–	1
Measles . . .	68	9	1	–	4	–	–	1	–	1	2	9	35	1	–	1	3	1
Scarlatina . .	96	5	7	1	1	6	–	5	5	5	6	14	26	4	5	3	1	2
Diphtheria . .	72	4	7	4	5	6	–	1	2	14	4	4	11	2	2	5	–	1
Hooping Cough .	94	6	1	2	4	2	5	10	3	7	8	9	26	3	–	1	7	–
Croup . . .	90	6	2	4	5	4	2	–	–	5	9	14	16	2	2	10	3	6
Thrush . . .	4	–	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–
Diarrhœa . .	122	4	9	5	5	8	3	3	2	2	10	7	34	12	6	9	–	3
Dysentery . .	24	3	1	1	1	–	–	1	3	2	1	–	5	–	4	–	1	1
Cholera . . .	16	–	–	–	–	1	–	–	–	–	5	2	4	1	3	–	–	–
Influenza . . .	4	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura . . .	7	–	1	–	–	–	–	2	–	–	–	–	1	–	–	–	3	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	34	–	–	–	1	1	3	5	3	–	4	5	8	–	1	1	1	1
Enteric Fever . .	107	7	7	2	4	4	2	3	3	2	15	5	19	15	4	5	3	7
Relapsing Fever .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Simple Cont. Fever .	7	–	–	–	–	–	1	–	–	–	3	–	1	–	2	–	–	–
Infantile Remittent .	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	6	–	–	–	–	1	–	–	–	1	–	1	2	–	–	–	1	–
Erysipelas . .	21	–	1	1	1	–	–	–	2	1	2	2	3	3	2	1	–	2
Pyæmia . . .	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis . . .	23	1	–	3	–	1	–	–	1	–	1	7	4	–	–	4	1	–
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Dropsy . . .	30	1	1	–	–	–	5	–	3	1	3	5	6	–	2	3	–	–
Abscess . . .	18	–	2	–	1	1	–	–	1	–	1	3	3	3	1	–	–	2
Ulcer . . .	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula . . .	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Mortification . .	11	–	1	–	–	–	–	–	–	1	1	3	2	–	–	2	–	1
Cancer . . .	63	7	8	3	4	1	3	4	–	1	3	8	5	4	2	2	4	4
Gout . . .	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	40	1	1	–	3	–	–	–	1	–	2	12	13	2	1	3	–	1
Tabes Mesenterica .	72	2	2	2	1	3	1	1	6	10	5	9	11	3	6	3	6	1
Phthisis . . .	460	22	10	15	15	16	7	20	24	23	43	61	97	15	19	21	15	37
Hydrocephalus .	189	3	9	6	4	9	4	1	8	13	21	12	64	12	7	6	5	5

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	45	1	–	1	4	2	2	1	1	2	1	10	10	–	2	5	–	3
Apoplexy	83	6	4	–	5	3	3	2	5	4	5	14	16	2	–	5	4	5
Paralysis	134	9	5	5	9	5	2	6	3	11	9	18	22	3	4	4	9	10
Delirium Tremens	7	–	1	–	–	1	–	–	1	–	–	–	–	1	1	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	3	–	–	4	–	–	–	2	2	–	1	2	–	1	–	–	2
Tetanus	6	–	1	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–
Insanity	3	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Convulsions	92	5	6	4	1	2	2	1	2	–	7	7	23	5	5	5	9	8
Brain Disease	82	2	2	–	3	4	3	3	3	5	13	9	21	5	1	4	2	2
V. Pericarditis	5	1	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	1
Aneurism	7	–	1	–	1	–	–	2	–	–	1	–	2	–	–	–	–	–
Heart Disease	239	20	15	12	14	12	7	14	11	13	22	20	33	15	4	2	11	14
VI. Laryngitis	11	2	1	–	–	–	–	1	–	–	1	1	2	–	1	1	–	1
Bronchitis	502	11	21	16	24	15	22	10	20	29	27	73	113	34	21	23	19	24
Pleurisy	17	1	–	–	1	–	1	–	1	–	2	–	6	1	–	1	3	–
Pneumonia	256	9	9	11	1	9	5	3	6	5	17	47	85	10	1	12	16	10
Asthma	34	3	–	–	1	–	2	–	–	1	5	3	6	–	3	4	2	4
Lung Disease	15	2	1	–	–	1	–	1	2	–	2	2	–	–	3	–	–	1
VII. Teething	36	1	3	2	–	2	1	3	1	3	1	4	5	1	4	4	–	1
Quinsey	6	1	–	–	–	–	–	2	–	–	–	1	1	–	–	–	–	1
Gastritis	19	–	–	–	–	4	1	–	–	–	2	–	1	2	6	1	1	1
Enteritis	69	–	5	2	1	4	1	2	2	6	11	9	13	1	–	3	8	1
Peritonitis	27	3	2	1	–	–	–	1	–	1	1	4	9	2	–	2	–	1
Ascites	4	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	1
Ulcer. of Intestines	14	–	2	–	1	1	–	–	1	1	–	3	1	–	–	2	1	1
Hernia	12	–	–	–	1	–	1	–	–	1	1	1	3	–	–	2	1	1
Ileus	9	3	–	2	1	–	–	–	–	–	1	1	–	1	–	–	–	–
Intussusception	5	2	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Stricture of Intestines	4	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Stomach Disease	59	6	1	2	–	1	3	6	–	1	3	8	12	2	7	4	1	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	7	–	–	1	–	1	–	–	–	1	1	–	2	–	–	1	–	–
Jaundice	12	1	–	–	1	2	1	–	–	–	–	2	3	2	–	–	–	–
Liver Disease	52	–	3	4	5	–	1	2	2	7	3	3	12	1	3	2	–	4
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	5	–	–	–	–	–	–	1	–	–	1	–	1	–	–	1	–	1
Nephria	25	4	1	1	1	–	–	1	1	2	1	5	6	–	1	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	7	3	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–
Stone	5	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	1
Cystitis	7	–	–	–	–	3	–	1	–	–	–	–	1	–	–	–	1	1
Stricture of Urethra	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Kidney Disease	23	2	1	1	3	1	1	2	2	1	3	–	1	–	1	–	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	9	1	–	–	1	–	–	–	1	–	–	1	3	–	1	–	1	–
Rheumatism	7	1	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	1
Joint Disease	18	1	1	1	1	–	–	–	2	–	3	1	2	–	–	3	–	3
XI. Carbuncle	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–
XVII. Intemperance	6	–	–	1	–	–	–	–	–	2	–	1	1	1	–	–	–	–
Privation	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Want of Breast Milk	5	–	–	–	–	2	1	–	–	–	–	–	–	–	–	1	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Poison	3	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	3	–	–	–	–	–	–	1	1	–	2	1	1	2	–	–
Hanging, etc.	5	1	–	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Suffocation	17	–	1	3	–	1	–	–	–	3	1	–	4	1	–	3	–	–
Drowning	58	7	1	1	2	3	3	–	2	1	4	18	9	–	1	5	–	1
Fracture & Contusion	93	1	4	1	3	3	2	4	1	–	10	13	19	8	5	13	1	5
Gunshot Wounds	3	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
Other Violent Causes	11	1	1	–	2	–	–	–	–	2	–	–	1	2	–	2	–	–
Not Specified	99	1	4	1	1	6	–	5	4	3	3	10	14	9	4	1	4	29

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4540	235	218	143	181	160	132	148	166	239	337	553	992	230	164	206	183	253
SPECIFIED CAUSES	4474	232	217	142	180	160	132	145	161	236	336	547	986	219	159	206	180	236
I. Zymotic Class	953	48	35	27	35	23	28	31	44	33	89	95	259	67	37	40	36	26
II. Uncertain Seat	174	51	11	5	10	6	5	4	8	11	12	18	26	7	4	14	4	14
III. Tubercular Class	809	20	29	35	22	30	18	26	36	39	80	115	175	39	29	45	29	42
IV. Brain, etc.	422	19	20	17	25	13	11	21	14	22	27	43	107	14	16	12	12	29
V. Heart, etc.	264	21	26	13	11	7	8	19	4	15	26	28	34	17	7	6	12	10
VI. Respiratory Organs	716	29	38	18	22	35	21	6	17	39	44	97	169	37	27	24	46	47
VII. Digestive Organs	298	20	11	6	13	11	4	11	11	18	20	31	54	13	16	27	14	18
VIII. Urinary Organs	39	8	1	1	5	–	2	–	2	5	1	3	6	1	–	–	1	3
IX. Generative Organs	51	4	1	3	5	3	2	2	1	2	4	4	9	1	3	2	4	1
X. Locomotive Organs	20	2	3	–	–	4	–	–	1	–	–	1	6	–	–	1	–	2
XI. Skin	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
XII. Malformation	10	–	–	–	2	–	–	1	–	–	–	1	5	–	–	–	–	1
XIII. Premature Debility	206	7	13	9	9	6	9	5	7	10	8	25	55	5	7	16	9	6
XIV. Atrophy	46	–	3	1	1	1	1	2	1	2	1	12	12	3	1	1	1	3
XV. Age	391	36	19	6	13	17	21	14	13	37	20	67	52	9	10	14	10	33
XVI. Sudden Deaths	9	1	2	–	–	–	–	2	–	1	–	–	1	1	–	1	–	–
XVII. Violent Deaths	63	2	5	1	6	4	2	1	2	2	4	7	15	5	1	3	2	1
I. Small Pox	111	1	1	10	–	1	–	–	13	1	19	6	47	10	–	2	–	–
Measles	89	6	–	–	4	–	–	4	3	1	2	15	44	3	–	1	6	–
Scarlatina	96	11	5	–	1	1	–	4	9	1	–	18	28	6	5	7	–	–
Diphtheria	73	2	–	4	10	3	2	2	2	10	3	3	17	6	7	1	–	1
Hooping Cough	135	10	4	2	5	4	7	3	2	4	12	16	37	6	2	5	13	3
Croup	66	4	3	2	–	3	2	2	2	3	2	11	11	3	4	5	8	1
Thrush	3	–	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
Diarrhœa	145	5	10	1	7	6	5	8	2	2	19	9	35	9	6	10	1	10
Dysentery	20	1	1	–	2	–	4	–	3	–	4	1	1	2	–	–	–	1
Cholera	8	–	–	–	–	–	–	–	–	–	4	3	1	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	2	1	–	–	–	–	1	1	1	–
Purpura	5	–	–	–	–	–	–	–	1	–	1	–	1	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Typhus	25	–	1	1	1	–	3	4	2	1	3	1	7	–	–	–	–	1
Enteric Fever	86	6	6	2	2	–	2	2	1	3	15	4	14	13	6	4	2	4
Relapsing Fever	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–
Simple Cont. Fever	13	–	2	1	1	–	–	–	–	1	1	–	–	3	3	–	1	–
Infantile Remittent	4	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1
Metria	28	1	1	3	–	2	1	2	1	–	1	5	7	2	1	–	–	1
Rheumatic Fever	5	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2
Erysipelas	13	–	–	1	1	1	1	–	–	2	1	–	2	–	2	–	1	1
Pyæmia	4	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–
Syphilis	13	–	1	–	–	–	1	–	–	–	1	1	4	1	–	2	2	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Dropsy	42	4	4	1	3	1	4	2	4	–	1	5	3	–	2	5	–	3
Abscess	12	1	–	–	–	–	–	–	1	1	1	–	1	2	1	2	–	2
Ulcer	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	–	–	–	–	–	–	–	2	2	–	3	–	–	–	1	1
Cancer	104	9	7	4	7	5	1	2	1	7	8	13	17	5	1	7	3	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	1	2	3	–	–	2	2	–	1	7	3	1	–	3	–	2
Tabes Mesenterica	70	–	2	2	–	4	1	3	6	7	3	13	11	1	3	6	6	2
Phthisis	565	17	24	25	14	23	14	17	19	26	65	84	118	23	21	28	16	31
Hydrocephalus	147	3	2	6	5	3	3	4	9	6	11	11	43	14	5	8	7	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge	Hawick.	Dumfries.
IV. Cephalitis	47	2	2	3	1	3	6	1	1	–	–	11	11	1	3	1	–	1
Apoplexy	88	5	5	3	11	1	2	3	5	3	4	12	11	5	1	4	3	10
Paralysis	132	7	7	7	6	3	1	10	6	15	5	8	40	4	2	1	3	7
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	22	–	1	–	2	–	–	1	–	2	3	1	7	–	2	–	2	1
Tetanus	3	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Insanity	6	1	–	–	–	1	–	–	–	–	–	1	2	–	1	–	–	–
Convulsions	66	3	3	4	1	4	1	1	2	–	5	4	20	3	4	1	4	6
Brain Disease	57	1	2	–	4	1	1	4	–	1	9	5	16	1	3	5	–	4
V. Pericarditis	4	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Aneurism	4	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1
Heart Disease	256	21	23	13	11	7	8	19	4	14	26	26	34	17	7	5	12	9
VI. Laryngitis	5	–	1	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–
Bronchitis	534	27	32	13	21	30	14	5	10	33	37	68	100	30	25	17	34	38
Pleurisy	11	1	–	–	–	1	–	–	1	–	–	–	4	2	1	–	1	–
Pneumonia	143	–	2	5	1	3	6	1	3	3	6	25	59	3	–	6	11	9
Asthma	14	1	2	–	–	1	1	–	2	2	–	1	2	1	–	1	–	–
Lung Disease	9	–	1	–	–	–	–	–	1	1	1	2	2	–	1	–	–	–
VII. Teething	45	2	3	2	–	2	–	2	1	5	4	9	8	–	3	3	–	1
Quinsey	8	–	–	–	1	–	–	–	–	–	–	1	3	2	1	–	–	–
Gastritis	12	–	–	–	–	3	–	–	–	–	–	1	2	–	1	1	–	4
Enteritis	58	5	3	1	3	2	–	1	4	1	6	8	10	–	3	6	3	2
Peritonitis	23	2	–	1	–	1	1	2	1	2	1	1	5	1	1	1	2	1
Ascites	7	–	1	–	–	–	1	1	–	1	–	–	–	1	–	1	1	–
Ulcer. of Intestines	15	–	2	–	2	–	–	–	2	2	–	–	1	1	–	4	1	–
Hernia	8	–	–	–	1	–	–	–	–	2	1	1	–	1	1	1	–	–
Ileus	9	1	–	–	1	–	–	–	–	1	1	–	1	1	–	–	–	3
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	45	6	2	–	4	3	1	3	1	–	3	4	7	1	3	1	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	–	–	–	1	–	–	1	–	1	2	1	3	1	–	5	–	1
Jaundice	12	2	–	–	–	–	1	–	–	–	–	3	4	–	–	1	–	1
Liver Disease	36	1	–	2	–	–	–	1	1	3	2	2	8	4	3	3	3	3
Spleen Disease	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
VIII. Nephritis	5	1	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
Nephria	17	3	–	1	1	–	2	–	2	3	–	2	3	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	2	1	–	3	–	–	–	–	–	–	1	1	1	–	–	1	2
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Ovarian Dropsy	10	–	–	1	1	1	1	–	–	1	1	1	2	–	–	–	–	1
Childbirth	28	2	1	1	2	2	–	2	1	1	3	1	6	1	2	1	2	–
Organs of Generation	11	2	–	1	2	–	1	–	–	–	–	2	1	–	1	1	–	–
X. Bone Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	10	2	–	–	–	2	–	–	–	–	–	1	5	–	–	–	–	–
Joint Disease	9	–	2	–	–	2	–	–	1	–	–	–	1	–	–	1	–	2
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
XVII. Intemperance	8	–	1	–	–	–	–	–	–	1	–	–	2	1	1	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	1	1	–	1	1	1	–	–	–	1	–	3	1	–	2	–	–
Hanging, etc.	3	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Suffocation	9	–	–	–	1	–	–	–	1	–	2	–	2	1	–	1	1	–
Drowning	9	–	–	–	–	1	–	–	–	1	1	4	2	–	–	–	–	–
Fracture & Contusion	12	–	1	–	1	1	1	1	–	–	–	3	3	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Not Specified	66	3	1	1	1	–	–	3	5	3	1	6	6	11	5	–	3	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	17357	86	88	358	165	99	311	410	536	121	587	480	1118	363	1202
SPECIFIED CAUSES . . .	17030	82	88	353	159	99	308	404	526	118	576	459	1094	355	1166
I. Zymotic Class . .	3537	17	15	46	34	17	62	65	104	23	116	73	158	56	239
II. Diseases of Uncert. Seat	624	5	5	14	12	6	14	22	22	7	18	17	47	15	39
III. Tubercular Class .	2753	8	12	59	17	10	42	60	85	9	74	66	158	48	184
IV. Brain and Nervous Syst.	1643	5	5	39	16	17	38	38	55	10	47	66	124	34	108
V. Organs of Circulation .	1024	5	4	13	3	6	23	27	33	9	41	40	84	13	65
VI. Respiratory Organs .	2531	12	21	58	22	8	38	74	64	13	89	69	151	76	187
VII. Organs of Digestion .	1243	5	3	15	10	8	22	29	41	10	54	38	94	19	90
VIII. Urinary Organs . .	297	–	2	11	4	1	12	16	14	5	10	14	30	2	14
IX. Organs of Generation .	123	1	–	2	3	1	1	1	2	1	7	2	6	2	7
X. Organs of Locomotion	97	2	3	2	1	–	3	–	2	–	3	1	3	–	6
XI. Skin, etc. . . .	20	–	–	1	–	–	–	–	3	1	–	–	1	–	2
XII. Malformation . .	75	–	–	1	1	1	–	4	2	1	1	8	2	2	4
XIII. Premature Debility .	923	4	–	22	10	3	6	22	43	7	33	18	49	25	69
XIV. Atrophy . . .	149	1	1	1	1	2	–	7	–	2	1	–	6	2	9
XV. Age	1285	13	14	56	20	13	39	31	35	17	59	36	126	46	100
XVI. Sudden Deaths . .	16	–	–	–	–	1	–	–	1	–	–	2	6	–	–
XVII. Violent Deaths . .	690	4	3	13	5	5	8	8	20	3	23	9	49	15	43
I. Small Pox . . .	255	2	–	–	–	–	–	–	–	–	2	1	22	–	38
Measles . . .	274	–	–	2	10	–	2	13	1	–	7	11	2	12	16
Scarlatina . . .	536	9	2	1	2	–	3	2	6	–	6	15	2	1	14
Diphtheria . . .	324	–	7	1	2	8	1	6	12	–	8	8	21	3	30
Hooping Cough . .	401	–	–	2	–	–	24	9	5	–	10	1	17	12	19
Croup	294	–	1	1	7	5	5	9	21	1	10	4	16	9	14
Thrush . . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Diarrhœa . . .	455	–	1	11	3	–	10	7	28	8	17	6	20	5	22
Dysentery . . .	81	–	–	4	2	–	2	3	9	1	5	–	4	2	3
Cholera . . .	33	–	–	–	–	–	–	–	1	–	1	–	2	–	3
Influenza . . .	24	–	–	2	–	–	–	–	1	–	3	1	2	–	6
Purpura . . .	12	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Typhus . . .	118	1	2	6	3	–	–	–	2	1	5	–	10	2	22
Enteric Fever . .	426	–	–	7	1	2	11	6	9	10	25	16	21	7	19
Relapsing Fever . .	12	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Simple Continued Fever	47	1	–	1	2	–	–	–	–	–	2	–	1	1	7
Infantile Remittent .	32	–	–	2	–	–	1	1	2	1	–	–	4	1	4
Metria	58	4	–	–	1	–	–	–	–	–	4	5	4	–	9
Rheumatic Fever .	36	–	1	1	1	–	–	3	3	–	2	2	3	–	1
Erysipelas . . .	71	–	1	2	–	1	1	3	2	–	4	1	5	1	7
Pyæmia . . .	9	–	–	–	–	–	–	2	–	1	1	1	–	–	–
Syphilis . . .	32	–	–	3	–	–	1	–	2	–	2	1	1	–	3
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	20	–	–	–	–	–	–	1	4	–	1	–	–	–	2
Dropsy . . .	150	–	2	2	6	3	4	2	3	–	3	3	10	7	9
Abscess . . .	53	3	2	–	–	–	2	2	5	1	4	2	1	–	5
Ulcer	9	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Fistula . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	30	–	–	–	1	–	1	1	1	1	–	1	1	–	2
Cancer . . .	353	2	1	12	5	3	7	14	9	5	10	11	34	8	21
Gout	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–
III. Scrofula . . .	167	1	5	4	1	–	–	4	6	1	3	3	9	2	7
Tabes Mesenterica .	213	–	–	1	–	2	3	1	8	–	7	1	9	2	17
Phthisis . . .	1924	4	6	48	14	8	39	48	60	5	56	51	121	34	118
Hydrocephalus . .	449	3	1	6	2	–	–	7	11	3	8	11	19	10	42

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	736	432	203	1480	2488	2773	663	796	441	132	58	385	195	203	234	214
SPECIFIED CAUSES	729	404	203	1466	2469	2715	645	790	428	132	58	383	193	186	232	210
Zymotic Class	132	105	27	310	525	754	161	172	113	12	15	77	24	28	25	32
Uncertain Seat	34	22	10	46	83	59	24	35	13	7	2	13	12	7	6	8
Tubercular Class	140	61	56	300	477	402	80	104	60	24	7	67	25	38	46	34
Brain, etc.	62	46	26	125	219	232	60	65	34	15	5	38	36	15	28	35
Heart, etc.	49	19	9	67	143	117	47	56	32	18	7	28	17	13	25	11
Respiratory Organs	85	47	31	260	338	406	102	120	57	27	5	50	28	25	35	33
Digestive Organs	56	21	14	95	184	206	43	56	29	7	6	22	16	16	19	15
Urinary Organs	11	4	2	17	46	28	9	12	4	–	3	10	5	4	4	3
Generative Organs	3	5	2	4	24	24	7	6	2	–	1	4	2	2	1	–
Locomotive Organs	10	2	1	13	16	12	2	4	2	1	–	3	–	2	1	2
Skin	–	–	–	4	1	1	–	1	2	–	–	1	1	–	1	–
Malformation	5	1	2	3	18	7	4	2	–	–	–	2	2	1	1	–
Premature Debility	43	11	4	89	109	164	33	76	15	7	1	30	9	8	7	6
Atrophy	14	2	2	19	20	25	2	6	14	–	–	3	1	2	4	2
Age	52	42	16	68	154	129	36	40	39	9	4	22	9	17	19	24
Sudden Deaths	–	–	–	2	–	2	–	–	–	–	–	–	–	2	–	–
Violent Deaths	33	16	1	44	112	147	35	35	12	5	2	13	6	6	10	5
Small Pox	11	5	–	18	30	116	5	3	–	–	–	1	–	–	–	1
Measles	9	4	3	64	68	25	4	12	–	–	–	2	–	–	1	6
Scarlatina	7	18	–	44	24	254	53	18	49	–	–	3	1	–	1	1
Diphtheria	18	9	2	33	78	32	13	18	3	2	3	3	2	–	1	–
Hooping Cough	16	29	10	29	71	61	12	10	6	–	–	26	5	11	9	7
Croup	23	9	3	19	43	46	13	22	4	1	1	3	2	–	1	1
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa	19	12	–	45	66	69	22	37	8	3	3	18	3	6	2	4
Dysentery	3	2	1	4	13	7	3	3	5	1	–	1	1	–	2	–
Cholera	–	1	–	2	8	7	2	2	–	–	–	1	2	–	1	–
Influenza	1	–	–	–	1	1	1	2	–	–	2	–	–	–	–	1
Purpura	–	–	1	1	3	1	1	–	1	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	–	4	7	26	6	12	2	–	–	–	3	2	–	–
Enteric Fever	11	13	3	29	63	70	22	22	29	4	3	10	–	4	1	8
Relapsing Fever	–	–	–	–	6	–	–	1	–	–	–	–	1	1	–	–
Simple Cont. Fever	–	–	–	2	9	12	1	1	–	–	1	1	1	2	2	–
Infantile Remittent	1	–	1	4	2	3	–	1	1	1	–	1	–	1	–	–
Metria	5	–	–	4	9	9	–	2	1	–	–	–	–	–	1	–
Rheumatic Fever	3	2	–	3	5	2	–	2	–	–	–	–	1	–	–	1
Erysipelas	3	1	1	3	15	9	2	–	3	–	1	3	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–
Syphilis	–	–	2	2	2	4	1	3	–	–	1	2	–	–	1	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	2	3	1	2	–	1	1	–	–	–	–	–	–	1
Dropsy	12	8	–	11	27	18	5	6	6	–	–	1	–	2	–	–
Abscess	–	1	–	6	4	6	–	2	2	–	–	1	1	–	1	2
Ulcer	1	–	1	1	–	–	1	3	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	3	2	6	2	1	2	2	–	–	–	–	–	1
Cancer	19	11	7	22	49	23	16	21	2	5	2	11	10	4	5	4
Gout	1	–	–	–	–	2	–	1	–	–	–	–	1	1	–	–
Scrofula	11	4	3	16	32	27	9	6	1	1	1	3	4	2	1	–
Tabes Mesenterica	11	–	4	21	41	45	11	8	6	5	1	2	1	–	5	1
Phthisis	92	48	36	217	314	271	40	70	48	14	4	47	18	34	31	28
Hydrocephalus	26	9	13	46	90	59	20	20	5	4	1	15	2	2	9	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	180	2	1	3	1	1	3	4	5	1	2	3	16	4	14
Apoplexy	379	1	–	8	1	5	8	10	18	1	13	18	27	8	20
Paralysis	528	1	2	15	8	3	10	14	11	4	22	31	50	12	44
Delirium Tremens	14	1	–	–	–	–	1	–	–	–	–	–	1	–	1
Chorea	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Epilepsy	60	–	1	3	–	–	4	1	1	–	2	–	2	3	3
Tetanus	9	–	–	–	1	–	–	–	–	–	–	–	1	1	–
Insanity	10	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Convulsions	205	–	1	5	2	5	4	7	5	1	5	6	13	1	7
Brain Disease	255	–	–	3	2	3	8	2	15	3	3	8	12	5	19
V. Pericarditis	23	–	–	–	–	1	1	–	–	–	–	–	1	–	3
Aneurism	22	–	–	1	–	–	–	1	–	–	2	2	3	–	1
Heart Disease	979	5	4	12	3	5	22	26	33	9	39	38	80	13	61
VI. Laryngitis	31	1	–	1	–	–	1	–	1	–	1	–	1	1	2
Bronchitis	1623	8	18	33	15	6	26	52	46	8	48	51	92	53	111
Pleurisy	51	1	2	–	–	–	1	2	2	1	4	–	3	–	5
Pneumonia	644	–	–	23	1	1	9	19	14	4	22	13	48	19	37
Asthma	113	2	–	1	6	1	1	1	–	–	9	1	5	3	11
Lung Disease	69	–	1	–	–	–	–	–	1	–	5	4	2	–	21
VII. Teething	182	2	–	1	–	2	3	5	7	–	13	2	20	7	13
Quinsey	17	–	–	1	–	–	–	1	2	–	3	–	1	–	–
Gastritis	47	–	1	–	–	–	–	1	–	–	–	–	6	–	6
Enteritis	249	–	–	2	1	2	4	4	4	1	8	8	12	–	22
Peritonitis	109	–	–	1	–	–	1	–	6	–	5	3	14	–	3
Ascites	23	1	–	–	–	–	–	1	–	–	–	–	1	–	2
Ulceration of Intestines	59	–	–	2	1	–	2	1	1	1	1	4	3	1	4
Hernia	21	–	–	–	1	–	–	–	2	–	–	2	4	–	1
Ileus	48	–	–	–	1	–	2	2	4	1	1	1	5	2	3
Intussusception	14	–	–	–	1	–	–	–	2	–	–	1	–	–	2
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	1	1	3	–	–
Stomach Disease	194	1	1	1	2	2	3	5	9	3	11	5	12	3	15
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hepatitis	43	1	–	–	–	–	–	2	–	–	2	2	5	–	4
Jaundice	49	–	–	1	–	–	–	3	2	1	2	–	3	3	1
Liver Disease	168	–	1	6	3	2	7	4	1	3	7	8	3	3	13
Spleen Disease	10	–	–	–	–	–	–	–	1	–	–	1	1	–	1
VIII. Nephritis	23	–	2	3	–	–	–	1	1	–	–	2	1	–	1
Nephria	83	–	–	2	–	1	1	4	3	–	–	6	12	1	1
Addison's Disease	7	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Ischuria	20	–	–	–	–	–	1	2	–	–	–	–	1	–	2
Diabetes	24	–	–	–	–	–	2	–	2	3	1	1	2	–	2
Stone	9	–	–	1	2	–	–	–	1	–	–	1	–	–	–
Cystitis	35	–	–	3	–	–	1	1	2	–	2	–	4	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	96	–	–	2	2	–	7	7	5	2	6	4	9	1	7
IX. Paramenia	6	–	–	–	–	–	1	–	–	–	–	–	–	1	1
Ovarian Dropsy	19	1	–	–	–	1	–	–	1	–	1	–	2	–	1
Childbirth	70	–	–	2	2	–	–	–	1	1	4	–	2	1	2
Organs of Generation	28	–	–	–	1	–	–	1	–	–	2	2	2	–	3
X. Bone Disease	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	36	2	2	1	–	–	1	–	–	–	2	–	–	–	3
Joint Disease	53	–	1	1	1	–	2	–	2	–	1	1	3	–	3
XI. Carbuncle	4	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	16	–	–	–	–	–	–	–	1	1	–	–	1	–	2
XVII. Intemperance	42	–	1	–	–	–	–	–	–	–	–	–	1	–	2
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	36	–	–	–	–	–	–	–	–	–	2	2	1	–	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	1	–	–	–	–	–	–	1	–	–	1	2	–	–
Poison	5	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	–	–	1	–	1	1	1	2	–	3	2	3	1	5
Hanging, etc.	18	–	–	–	–	–	–	1	–	–	3	–	5	–	1
Suffocation	66	–	–	3	–	–	2	4	4	1	3	–	5	2	4
Drowning	152	2	–	6	2	1	4	–	6	1	3	2	16	3	17
Fracture and Contusion	231	1	2	3	–	2	1	1	5	1	4	1	14	7	10
Gunshot Wounds	3	–	–	–	–	–	–	–	1	–	1	–	–	1	–
Cuts and Stabs	14	–	–	–	–	–	–	–	1	–	–	–	1	1	1
Other Violent Causes	37	–	–	–	2	1	–	–	–	–	4	1	1	–	3
Not Specified	327	4	–	5	6	–	3	6	10	3	11	21	24	8	36

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	3	1	25	27	35	10	5	2	2	–	2	3	2	1	–
Apoplexy	14	12	10	28	54	44	9	17	4	3	1	10	8	4	12	11
Paralysis	30	11	9	29	48	50	20	31	14	8	1	9	17	7	7	10
Delirium Tremens	–	–	–	1	2	2	1	1	3	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	5	1	4	8	8	1	2	1	–	–	3	1	1	2	–
Tetanus	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	7	2	20	26	48	12	2	7	1	2	4	2	1	–	4
Brain Disease	7	4	1	17	50	43	7	7	3	1	1	10	5	–	6	10
Pericarditis	2	–	–	1	2	7	1	–	–	1	–	1	–	1	1	–
Aneurism	–	–	1	3	1	1	–	4	–	–	–	–	–	–	1	1
Heart Disease	47	19	8	63	140	109	46	52	32	17	7	27	17	12	23	10
Laryngitis	1	–	–	5	7	4	1	4	–	–	–	–	–	–	–	–
Bronchitis	55	33	15	158	208	252	76	93	39	16	4	37	17	13	17	23
Pleurisy	3	–	–	4	5	3	4	3	1	–	–	1	2	1	3	–
Pneumonia	19	11	14	77	89	117	13	14	16	11	1	9	9	10	15	9
Asthma	3	1	–	10	24	19	8	3	1	–	–	2	–	1	–	–
Lung Disease	4	2	2	6	5	11	–	3	–	–	–	1	–	–	–	1
Teething	12	2	–	6	34	22	1	13	3	–	3	2	1	2	2	4
Quinsey	–	–	–	1	4	2	–	–	–	–	–	–	–	1	1	–
Gastritis	3	–	1	4	10	5	–	2	2	–	1	–	3	2	–	–
Enteritis	10	2	2	23	35	73	17	5	2	–	–	–	4	2	5	1
Peritonitis	2	3	4	7	16	21	4	4	2	2	1	5	–	–	3	2
Ascites	1	–	–	2	3	9	–	–	–	–	–	1	1	–	–	1
Ulceration of Intestines	4	2	2	3	11	3	4	4	2	–	–	–	2	–	–	1
Hernia	1	–	–	–	2	5	1	–	1	–	–	–	–	1	–	–
Ileus	2	–	–	2	5	8	2	2	2	–	–	–	1	1	–	1
Intussusception	1	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1
Stomach Disease	10	5	–	11	34	29	5	4	4	1	–	10	1	3	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	2	8	7	2	2	3	–	–	–	–	–	1	–
Jaundice	1	1	1	2	8	4	3	3	3	3	–	1	1	–	2	–
Liver Disease	7	5	2	31	10	16	3	15	5	–	–	2	2	4	2	3
Spleen Disease	–	1	–	–	2	–	–	–	–	1	1	1	–	–	–	–
Nephritis	2	–	–	1	3	–	1	1	1	–	–	1	2	–	–	–
Nephria	3	1	2	3	10	8	6	3	2	–	3	7	–	2	2	–
Addison's Disease	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Ischuria	2	2	–	1	5	1	1	1	–	–	–	1	–	–	–	–
Diabetes	–	–	–	4	3	3	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	1	–	1	8	3	–	3	–	–	–	–	3	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	6	13	12	1	2	1	–	–	1	–	1	2	3
Paramenia	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	2	2	2	–	–	–	–	–	–	1	2	1	–
Childbirth	3	3	–	2	13	16	6	5	2	–	1	4	–	–	–	–
Organs of Generation	–	–	1	–	7	6	1	1	–	–	–	–	1	–	–	–
Bone Disease	–	–	–	1	–	2	–	1	1	–	–	2	–	1	–	–
Rheumatism	2	2	–	6	7	3	1	–	1	1	–	–	–	1	–	1
Joint Disease	8	–	1	6	9	7	1	3	–	–	–	1	–	–	1	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	4	1	1	–	1	2	–	–	1	1	–	–	–
Intemperance	1	2	–	4	12	9	5	1	2	–	–	1	–	–	1	–
Privation	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	3	–	1	3	16	1	2	1	1	–	2	1	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	5	1	2	1	–	–	1	–	–	–	–	–
Poison	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	5	12	15	3	5	1	–	–	–	–	1	1	–
Hanging, etc.	–	–	–	–	2	4	–	–	–	–	–	2	–	–	–	–
Suffocation	2	1	1	6	9	4	6	5	1	–	–	3	–	–	–	–
Drowning	17	7	–	8	28	8	2	2	3	2	–	1	1	3	5	2
Fracture and Contusion	9	3	–	18	32	69	14	15	3	1	1	4	4	2	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	3	2	2	–	–	1	–	–	–	–	1	1
Other Violent Causes	–	–	–	2	4	14	–	4	1	–	–	–	–	–	–	–
Not Specified	7	28	–	14	19	58	18	6	13	–	–	2	2	17	2	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8869	44	47	174	87	43	153	211	279	60	290	232	565	181	639
SPECIFIED CAUSES . . .	8693	41	47	172	85	43	151	207	276	59	282	220	549	178	617
I. Zymotic Class . .	1769	6	7	26	18	6	34	28	57	12	51	34	78	27	121
II. Diseases of Uncert. Seat	263	1	4	10	3	2	5	15	10	2	5	7	23	7	13
III. Tubercular Class .	1374	5	6	32	9	5	23	32	44	6	37	27	70	28	98
IV. Brain and Nervous Syst.	806	2	3	19	11	12	17	16	21	4	26	35	59	14	57
V. Organs of Circulation .	561	4	3	6	2	1	11	15	18	6	19	25	41	8	40
VI. Respiratory Organs .	1346	8	16	19	11	4	16	38	31	5	51	29	80	40	103
VII. Organs of Digestion .	633	3	1	11	6	4	12	20	19	4	21	15	50	10	49
VIII. Urinary Organs . .	190	–	2	6	2	–	8	10	9	4	7	10	22	1	9
IX. Organs of Generation .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	54	1	1	2	1	–	1	–	1	–	3	–	1	–	3
XI. Skin, etc.	12	–	–	1	–	–	–	–	1	–	–	–	1	–	–
XII. Malformation .	45	–	–	1	1	–	–	4	2	1	1	3	2	2	3
XIII. Premature Debility .	524	3	–	10	7	1	4	13	24	4	16	13	28	15	37
XIV. Atrophy	61	–	–	–	1	2	–	2	–	–	–	–	4	–	5
XV. Age	530	4	4	20	8	3	13	11	24	9	23	13	52	17	47
XVI. Sudden Deaths . .	7	–	–	–	–	–	–	–	–	–	–	2	3	–	–
XVII. Violent Deaths . .	518	4	–	9	5	3	7	3	15	2	22	7	35	9	32
I. Small Pox	158	1	–	–	–	–	–	–	–	–	2	–	13	–	18
Measles	129	–	–	–	6	–	–	3	1	–	4	3	1	6	11
Scarlatina	289	4	1	1	2	–	3	–	2	–	3	7	–	–	8
Diphtheria	155	–	3	1	–	3	1	5	4	–	3	5	13	2	12
Hooping Cough . .	178	–	–	1	–	–	15	3	2	–	5	1	10	3	9
Croup	168	–	–	1	2	1	3	3	12	1	6	4	10	8	7
Thrush	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa	235	–	–	4	1	–	5	4	19	5	8	3	11	2	9
Dysentery	42	–	–	2	2	–	–	–	3	–	4	–	1	2	2
Cholera	19	–	–	–	–	–	–	–	1	–	–	–	1	–	2
Influenza	13	–	–	1	–	–	–	–	–	–	2	1	1	–	5
Purpura	5	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	57	–	2	4	2	–	–	–	1	–	1	–	3	1	12
Enteric Fever . .	185	–	–	5	1	1	6	3	5	4	8	7	8	2	9
Relapsing Fever . .	9	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Simple Continued Fever	24	1	–	–	1	–	–	–	–	–	–	–	–	1	6
Infantile Remittent .	19	–	–	2	–	–	–	–	2	1	–	–	–	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	19	–	1	1	1	–	–	2	2	–	1	1	2	–	–
Erysipelas	46	–	–	2	–	–	–	3	1	–	1	1	4	–	7
Pyæmia	3	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Syphilis	14	–	–	1	–	–	–	–	2	–	1	1	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	8	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Dropsy	63	–	2	–	2	2	1	2	–	–	–	2	7	4	2
Abscess	30	1	2	–	–	–	2	2	4	1	2	–	–	–	2
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	19	–	–	–	–	–	–	1	1	1	–	1	1	–	2
Cancer	134	–	–	10	1	–	2	8	4	–	3	4	15	3	6
Gout	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–
III. Scrofula	91	–	4	3	1	–	–	2	3	–	1	–	4	–	4
Tabes Mesenterica .	118	–	–	1	–	1	–	1	6	–	4	1	5	2	8
Phthisis	910	3	2	25	7	4	23	23	33	4	28	21	49	18	61
Hydrocephalus . .	255	2	–	3	1	–	–	6	2	2	4	5	12	8	25

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	374	211	87	726	1283	1528	359	397	215	74	25	195	92	85	111	102
SPECIFIED CAUSES	372	200	87	721	1271	1498	347	393	207	74	25	194	92	77	109	99
Zymotic Class	61	51	10	146	267	404	86	85	56	6	4	40	7	11	11	19
Uncertain Seat	16	7	3	14	30	30	13	15	3	5	1	4	5	3	1	6
Tubercular Class	69	33	28	147	245	201	43	48	26	11	1	33	13	14	23	17
Brain, etc.	31	24	11	55	117	121	27	31	17	9	4	22	15	7	9	10
Heart, etc.	27	11	1	38	71	71	30	35	16	11	2	14	14	5	11	5
Respiratory Organs	44	21	17	136	184	246	50	67	35	16	1	24	11	13	17	13
Digestive Organs	28	8	8	42	98	112	24	22	15	6	3	10	6	8	10	8
Urinary Organs	7	3	1	10	30	21	5	6	2	–	2	4	4	2	1	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	7	1	–	6	8	8	1	4	1	–	–	2	–	–	1	1
Skin	–	–	–	3	1	–	–	1	1	–	–	1	1	–	1	–
Malformation	1	–	–	3	13	4	–	2	–	–	–	–	1	–	1	–
Premature Debility	26	8	3	57	51	97	19	36	9	3	1	19	7	4	4	5
Atrophy	3	1	–	10	10	12	1	1	6	–	–	1	–	1	1	–
Age	24	20	5	22	68	50	18	18	11	3	4	10	5	4	8	12
Sudden Deaths	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Violent Deaths	28	12	–	31	78	121	30	22	9	4	2	10	3	4	10	1
Small Pox	6	4	–	11	20	77	4	1	–	–	–	1	–	–	–	–
Measles	5	1	2	29	34	13	–	5	–	–	–	1	–	–	–	4
Scarlatina	2	9	–	24	14	143	31	8	24	–	–	2	1	–	–	–
Diphtheria	9	4	–	16	41	9	7	11	3	1	–	1	1	–	–	–
Hooping Cough	6	11	3	9	31	23	5	6	4	–	–	16	1	5	5	4
Croup	12	5	1	12	22	29	8	16	2	–	–	1	–	–	1	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	8	–	24	37	39	11	18	3	3	1	8	–	2	1	2
Dysentery	1	1	1	2	7	5	–	1	4	1	–	1	–	–	2	–
Cholera	–	1	–	1	6	4	1	1	–	–	–	–	–	–	1	–
Influenza	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Purpura	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	1	4	15	3	5	1	–	–	–	1	–	–	–
Enteric Fever	5	6	1	11	27	32	13	9	13	–	–	3	–	–	1	5
Relapsing Fever	–	–	–	–	6	–	–	–	–	–	–	–	1	–	–	–
Simple Cont. Fever	–	–	–	1	5	4	1	–	–	–	–	1	1	2	–	–
Infantile Remittent	1	–	–	2	1	3	–	1	1	1	–	1	–	1	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	–	1	1	1	–	–	–	–	–	–	1	–	–	1
Erysipelas	3	–	–	1	9	6	2	–	–	–	1	3	–	1	–	1
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	1	1	1	–	1	–	–	1	1	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	1
Dropsy	6	2	–	3	9	9	3	4	2	–	–	–	–	1	–	–
Abscess	–	1	–	2	1	5	–	1	1	–	–	1	1	–	–	1
Ulcer	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	2	1	4	1	1	–	2	–	–	–	–	–	–
Cancer	8	3	1	7	19	8	8	7	–	3	1	3	4	1	1	4
Gout	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Scrofula	6	2	2	11	17	18	6	3	–	1	–	1	1	1	–	–
Tabes Mesenterica	7	–	3	15	24	23	2	3	4	3	–	1	1	–	2	1
Phthisis	42	25	16	95	157	122	22	30	19	6	–	22	10	13	17	13
Hydrocephalus	14	6	7	26	47	33	13	12	3	1	1	9	1	–	4	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	103	1	1	3	1	1	2	3	2	1	1	2	9	2	9
Apoplexy	189	–	–	5	–	4	3	5	4	–	10	11	10	2	14
Paralysis	234	–	1	5	7	2	6	4	4	1	7	15	21	5	18
Delirium Tremens	8	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Epilepsy	17	–	–	2	–	–	–	–	–	–	2	–	1	–	2
Tetanus	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	101	–	1	3	1	2	1	2	4	–	4	2	11	1	2
Brain Disease	142	–	–	1	1	3	5	2	7	2	2	5	5	3	11
V. Pericarditis	13	–	–	–	–	–	–	–	–	–	–	–	1	–	2
Aneurism	16	–	–	1	–	–	–	1	–	–	2	–	2	–	1
Heart Disease	532	4	3	5	2	1	11	14	18	6	17	25	38	8	37
VI. Laryngitis	17	–	–	–	–	–	–	–	–	–	1	–	1	1	1
Bronchitis	801	5	14	6	7	3	11	22	21	4	30	22	42	27	52
Pleurisy	32	1	2	–	–	–	–	2	2	–	2	–	3	–	1
Pneumonia	383	–	–	13	1	–	4	14	7	1	14	5	32	10	25
Asthma	74	2	–	–	3	1	1	–	–	–	2	–	2	2	11
Lung Disease	39	–	–	–	–	–	–	–	1	–	2	2	–	–	13
VII. Teething	104	1	–	1	–	1	1	4	3	–	4	–	11	4	9
Quinsey	5	–	–	–	–	–	–	–	1	–	1	–	1	–	–
Gastritis	21	–	–	–	–	–	–	1	–	–	–	–	3	–	3
Enteritis	129	–	–	–	1	–	3	4	1	–	3	2	6	–	11
Peritonitis	53	–	–	1	–	–	1	–	2	–	–	–	5	–	3
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	29	–	–	2	–	–	1	–	1	1	–	2	2	–	3
Hernia	11	–	–	–	1	–	–	–	1	–	–	1	1	–	–
Ileus	36	–	–	–	1	–	2	2	2	1	–	1	4	2	3
Intussusception	10	–	–	–	1	–	–	–	2	–	–	1	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
Stomach Disease	96	1	–	1	2	2	–	2	5	1	7	2	8	2	8
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Hepatitis	20	1	–	–	–	–	–	2	–	–	–	1	2	–	1
Jaundice	25	–	–	1	–	–	–	3	–	–	2	–	–	–	1
Liver Disease	79	–	1	5	–	1	4	2	–	1	3	3	3	2	7
Spleen Disease	5	–	–	–	–	–	–	–	1	–	–	1	1	–	–
VIII. Nephritis	15	–	2	1	–	–	–	1	1	–	–	1	1	–	1
Nephria	44	–	–	1	–	–	1	–	3	–	–	3	7	1	–
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	15	–	–	–	–	–	1	2	–	–	–	–	1	–	2
Diabetes	11	–	–	–	–	–	1	–	1	3	–	1	–	–	1
Stone	8	–	–	1	2	–	–	–	1	–	–	1	–	–	–
Cystitis	31	–	–	3	–	–	1	1	2	–	1	–	4	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	64	–	–	–	–	–	4	6	1	1	6	4	8	–	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	1	1	1	–	–	–	–	–	–	2	–	–	–	1
Joint Disease	37	–	–	1	1	–	1	–	1	–	1	–	1	–	2
XI. Carbuncle	3	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	19	–	–	–	–	–	–	–	–	–	2	1	1	–	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	10	1	–	–	–	–	–	–	1	–	–	1	–	–	–
Poison	2	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	30	–	–	–	–	–	–	–	–	–	3	1	1	–	2
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	3	–	4	–	–
Suffocation	44	–	–	2	–	–	2	2	3	–	2	–	3	1	3
Drowning	125	2	–	5	2	–	4	–	5	1	3	2	12	2	13
Fracture and Contusion	198	1	–	2	–	2	1	–	4	1	4	1	12	5	10
Gunshot Wounds	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cuts and Stabs	12	–	–	–	–	–	–	–	1	–	–	–	1	1	1
Other Violent Causes	28	–	–	–	2	1	–	–	–	–	4	1	1	–	1
Not Specified	176	3	–	2	2	–	2	4	3	1	8	12	16	3	22

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	1	1	15	19	18	1	3	1	2	–	1	–	1	–	–
Apoplexy	5	8	5	14	30	26	3	9	3	1	1	5	3	–	5	3
Paralysis	16	6	3	11	20	21	13	14	9	5	1	5	6	5	2	1
Delirium Tremens	–	–	–	1	2	2	–	–	1	–	–	–	–	–	–	–
Chorea	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	–	2	3	–	–	–	–	–	2	–	–	–	–
Tetanus	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	2	1	8	14	23	7	1	2	–	1	3	1	1	–	2
Brain Disease	5	2	–	6	29	26	3	4	1	1	1	6	5	–	2	4
Pericarditis	2	–	–	–	2	3	–	–	–	1	–	1	–	1	–	–
Aneurism	–	–	–	3	–	1	–	4	–	–	–	–	–	–	1	–
Heart Disease	25	11	1	35	69	67	30	31	16	10	2	13	14	4	10	5
Laryngitis	1	–	–	3	4	2	1	2	–	–	–	–	–	–	–	–
Bronchitis	24	12	6	78	105	147	31	52	24	10	1	15	6	7	9	8
Pleurisy	3	–	–	2	3	2	2	2	–	–	–	1	1	–	3	–
Pneumonia	13	7	10	44	52	73	8	8	11	6	–	6	4	6	5	4
Asthma	1	1	–	6	17	14	8	1	–	–	–	2	–	–	–	–
Lung Disease	2	1	1	3	3	8	–	2	–	–	–	–	–	–	–	1
Teething	7	1	–	3	23	12	1	7	–	–	1	2	1	2	1	4
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Gastritis	2	–	1	1	6	2	–	–	–	–	–	–	–	2	–	–
Enteritis	2	2	1	11	20	46	9	1	–	–	–	–	–	2	4	–
Peritonitis	2	1	4	1	9	13	2	–	2	2	1	2	–	–	1	1
Ascites	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	–	1	1	1	6	–	3	2	2	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	4	1	–	1	–	–	–	–	–	–	–
Ileus	2	–	–	2	3	5	2	1	1	–	–	–	1	1	–	–
Intussusception	1	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	5	16	14	2	3	2	1	–	4	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	3	4	1	1	1	–	–	–	–	–	–	–
Jaundice	–	1	–	2	4	1	–	3	2	2	–	1	1	–	1	–
Liver Disease	3	2	–	13	6	8	2	3	4	–	–	1	2	1	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Nephritis	1	–	–	1	2	–	1	–	1	–	–	–	1	–	–	–
Nephria	2	1	1	2	6	7	2	1	–	–	2	3	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	4	1	1	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	1	–	1	6	3	–	2	–	–	–	–	3	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	4	9	8	1	1	1	–	–	1	–	1	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–
Rheumatism	1	1	–	1	1	1	1	–	1	–	–	–	–	–	–	–
Joint Disease	6	–	–	5	7	5	–	3	–	–	–	1	–	–	1	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	3	1	–	–	1	1	–	–	1	1	–	–	–
Intemperance	–	1	–	3	6	9	5	1	1	–	–	1	–	–	1	–
Privation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	–	1	1	7	–	–	1	1	–	1	1	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	2	1	1	1	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	3	5	9	1	2	–	–	–	–	–	–	1	–
Hanging, etc.	–	–	–	–	2	3	–	–	–	–	–	2	–	–	–	–
Suffocation	2	1	–	3	6	4	5	3	–	–	–	2	–	–	–	–
Drowning	15	6	–	5	22	7	2	2	3	2	–	1	1	3	5	–
Fracture and Contusion	7	2	–	14	28	67	14	11	3	1	1	3	1	1	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	3	1	2	–	–	–	–	–	–	–	1	1
Other Violent Causes	–	–	–	2	3	10	–	2	1	–	–	–	–	–	–	–
Not Specified	2	11	–	5	12	30	12	4	8	–	–	1	–	8	2	3

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES OF SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8488	42	41	184	78	56	158	199	257	61	297	248	553	182	563
SPECIFIED CAUSES . . .	8337	41	41	181	74	56	157	197	250	59	294	239	545	177	549
I. Zymotic Class . .	1768	11	8	20	16	11	28	37	47	11	65	39	80	29	118
II. Uncertain Seat . .	361	4	1	4	9	4	9	7	12	5	13	10	24	8	26
III. Tubercular Class .	1379	3	6	27	8	5	19	28	41	3	37	39	88	20	86
IV. Brain, etc. . . .	837	3	2	20	5	5	21	22	34	6	21	31	65	20	51
V. Heart, etc. . . .	463	1	1	7	1	5	12	12	15	3	22	15	43	5	25
VI. Respiratory Organs .	1185	4	5	39	11	4	22	36	33	8	38	40	71	36	84
VII. Digestive Organs .	610	2	2	4	4	4	10	9	22	6	33	23	44	9	41
VIII. Urinary Organs . .	107	–	–	5	2	1	4	6	5	1	3	4	8	1	5
IX. Generative Organs .	123	1	–	2	3	1	1	1	2	1	7	2	6	2	7
X. Locomotive Organs .	43	1	2	–	–	–	2	–	1	–	–	1	2	–	3
XI. Skin etc., . . .	8	–	–	–	–	–	–	–	2	1	–	–	–	–	2
XII. Malformation . .	30	–	–	–	–	1	–	–	–	–	–	5	–	–	1
XIII. Premature Debility .	399	1	–	12	3	2	2	9	19	3	17	5	21	10	32
XIV. Atrophy . . .	88	1	1	1	–	–	–	5	–	2	1	–	2	2	4
XV. Age	755	9	10	36	12	10	26	20	11	8	36	23	74	29	53
XVI. Sudden Deaths . .	9	–	–	–	–	1	–	–	1	–	–	–	3	–	–
XVII. Violent Deaths . .	172	–	3	4	–	2	1	5	5	1	1	2	14	6	11
I. Small Pox . . .	97	1	–	–	–	–	–	–	–	–	–	1	9	–	20
Measles . . .	145	–	–	2	4	–	2	10	–	–	3	8	1	6	5
Scarlatina . . .	247	5	1	–	–	–	–	2	4	–	3	8	2	1	6
Diphtheria . . .	169	–	4	–	2	5	–	1	8	–	5	3	8	1	18
Hooping Cough . .	223	–	–	1	–	–	9	6	3	–	5	–	7	9	10
Croup . . .	126	–	1	–	5	4	2	6	9	–	4	–	6	1	7
Thrush . . .	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa . . .	220	–	1	7	2	–	5	3	9	3	9	3	9	3	13
Dysentery . . .	39	–	–	2	–	–	2	3	6	1	1	–	3	–	1
Cholera . . .	14	–	–	–	–	–	–	–	–	–	1	–	1	–	1
Influenza . . .	11	–	–	1	–	–	–	–	1	–	1	–	1	–	1
Purpura . . .	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus . . .	61	1	–	2	1	–	–	–	1	1	4	–	7	1	10
Enteric Fever . .	241	–	–	2	–	1	5	3	4	6	17	9	13	5	10
Relapsing Fever . .	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Simple Cont. Fever .	23	–	–	1	1	–	–	–	–	–	2	–	1	–	1
Infantile Remittent .	13	–	–	–	–	–	1	1	–	–	–	–	4	1	2
Metria	58	4	–	–	1	–	–	–	–	–	4	5	4	–	9
Rheumatic Fever .	17	–	–	–	–	–	–	1	1	–	1	1	1	–	1
Erysipelas . . .	25	–	1	–	–	1	1	–	1	–	3	–	1	1	–
Pyæmia . . .	6	–	–	–	–	–	–	1	–	–	1	1	–	–	–
Syphilis . . .	18	–	–	2	–	–	1	–	–	–	1	–	1	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	12	–	–	–	–	–	–	–	3	–	1	–	–	–	1
Dropsy . . .	87	–	–	2	4	1	3	–	3	–	3	1	3	3	7
Abscess . . .	23	2	–	–	–	–	–	–	1	–	2	2	1	–	3
Ulcer	6	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	11	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cancer	219	2	1	2	4	3	5	6	5	5	7	7	19	5	15
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	76	1	1	1	–	–	–	2	3	1	2	3	5	2	3
Tabes Mesenterica .	95	–	–	–	–	1	3	–	2	–	3	–	4	–	9
Phthisis . . .	1014	1	4	23	7	4	16	25	27	1	28	30	72	16	57
Hydrocephalus . .	194	1	1	3	1	–	–	1	9	1	4	6	7	2	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	362	221	116	754	1205	1245	304	399	226	58	33	190	103	118	123	112
SPECIFIED CAUSES	357	204	116	745	1198	1217	298	397	221	58	33	189	101	109	123	111
Zymotic Class	71	54	17	164	258	350	75	87	57	6	11	37	17	17	14	13
Uncertain Seat	18	15	7	32	53	29	11	20	10	2	1	9	7	4	5	2
Tubercular Class	71	28	28	153	232	201	37	56	34	13	6	34	12	24	23	17
Brain, etc.	31	22	15	70	102	111	33	34	17	6	1	16	21	8	19	25
Heart, etc.	22	8	8	29	72	46	17	21	16	7	5	14	3	8	14	6
Respiratory Organs	41	26	14	124	154	160	52	53	22	11	4	26	17	12	18	20
Digestive Organs	28	13	6	53	86	94	19	34	14	1	3	12	10	8	9	7
Urinary Organs	4	1	1	7	16	7	4	6	2	–	1	6	1	2	3	1
Generative Organs	3	5	2	4	24	24	7	6	2	–	1	4	2	2	1	–
Locomotive Organs	3	1	1	7	8	4	1	–	1	1	–	1	–	2	–	1
Skin	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Malformation	4	1	2	–	5	3	4	–	–	–	–	2	1	1	–	–
Premature Debility	17	3	1	32	58	67	14	40	6	4	–	11	2	4	3	1
Atrophy	11	1	2	9	10	13	1	5	8	–	–	2	1	1	3	2
Age	28	22	11	46	86	79	18	22	28	6	–	12	4	13	11	12
Sudden Deaths	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–
Violent Deaths	5	4	1	13	34	26	5	13	3	1	–	3	3	2	–	4
Small Pox	5	1	–	7	10	39	1	2	–	–	–	–	–	–	–	1
Measles	4	3	1	35	34	12	4	7	–	–	–	1	–	–	1	2
Scarlatina	5	9	–	20	10	111	22	10	25	–	–	1	–	–	1	1
Diphtheria	9	5	2	17	37	23	6	7	–	1	3	2	1	–	1	–
Hooping Cough	10	18	7	20	40	38	7	4	2	–	–	10	4	6	4	3
Croup	11	4	2	7	21	17	5	6	2	1	1	2	2	–	–	–
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa	12	4	–	21	29	30	11	19	5	–	2	10	3	4	1	2
Dysentery	2	1	–	2	6	2	3	2	1	–	–	–	1	–	–	–
Cholera	–	–	–	1	2	3	1	1	–	–	–	1	2	–	–	–
Influenza	–	–	–	–	1	1	1	1	–	–	1	–	–	–	–	1
Purpura	–	–	–	1	2	1	1	–	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Worms	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	3	3	11	3	7	1	–	–	–	2	2	–	–
Enteric Fever	6	7	2	18	36	38	9	13	16	4	3	7	–	4	–	3
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Simple Continued Fever	–	–	–	1	4	8	–	1	–	–	1	–	–	–	2	–
Infantile Remittent	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Metria	5	–	–	4	9	9	–	2	1	–	–	–	–	–	1	–
Rheumatic Fever	1	1	–	2	4	1	–	2	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	2	6	3	–	–	3	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–
Syphilis	–	–	1	1	1	3	1	2	–	–	–	1	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	3	1	1	–	–	1	–	–	–	–	–	–	–
Dropsy	6	6	–	8	18	9	2	2	4	–	–	1	–	1	–	–
Abscess	–	–	–	4	3	1	–	1	1	–	–	–	–	–	1	1
Ulcer	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	1	1	2	1	–	2	–	–	–	–	–	–	1
Cancer	11	8	6	15	30	15	8	14	2	2	1	8	6	3	4	–
Gout	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–
Scrofula	5	2	1	5	15	9	3	3	1	–	1	2	3	1	1	–
Tabes Mesenterica	4	–	1	6	17	22	9	5	2	2	1	1	–	–	3	–
Phthisis	50	23	20	122	157	149	18	40	29	8	4	25	8	21	14	15
Hydrocephalus	12	3	6	20	43	21	7	8	2	3	–	6	1	2	5	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	77	1	–	–	–	–	1	1	3	–	1	1	7	2	5
Apoplexy	190	1	–	3	1	1	5	5	14	1	3	7	17	6	6
Paralysis	294	1	1	10	1	1	4	10	7	3	15	16	29	7	26
Delirium Tremens	6	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	43	–	1	1	–	–	4	1	1	–	–	–	1	3	1
Tetanus	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	8	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Convulsions	104	–	–	2	1	3	3	5	1	1	1	4	2	–	5
Brain Disease	113	–	–	2	1	–	3	–	8	1	1	3	7	2	8
V. Pericarditis	10	–	–	–	–	1	1	–	–	–	–	–	–	–	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Heart Disease	447	1	1	7	1	4	11	12	15	3	22	13	42	5	24
VI. Laryngitis	14	1	–	1	–	–	1	–	1	–	–	–	–	–	1
Bronchitis	822	3	4	27	8	3	15	30	25	4	18	29	50	26	59
Pleurisy	19	–	–	–	–	–	1	–	–	1	2	–	–	–	4
Pneumonia	261	–	–	10	–	1	5	5	7	3	8	8	16	9	12
Asthma	39	–	–	1	3	–	–	1	–	–	7	1	3	1	–
Lung Disease	30	–	1	–	–	–	–	–	–	–	3	2	2	–	8
VII. Teething	78	1	–	–	–	1	2	1	4	–	9	2	9	3	4
Quinsey	12	–	–	1	–	–	–	1	1	–	2	–	–	–	–
Gastritis	26	–	1	–	–	–	–	–	–	–	–	–	3	–	3
Enteritis	120	–	–	2	–	2	1	–	3	1	5	6	6	–	11
Peritonitis	56	–	–	–	–	–	–	–	4	–	5	3	9	–	–
Ascites	18	1	–	–	–	–	–	1	–	–	–	–	1	–	2
Ulcer. of Intestines	30	–	–	–	1	–	1	1	–	–	1	2	1	1	1
Hernia	10	–	–	–	–	–	–	–	1	–	–	1	3	–	1
Ileus	12	–	–	–	–	–	–	–	2	–	1	–	1	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	98	–	1	–	–	–	3	3	4	2	4	3	4	1	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	–	–	–	–	–	–	–	–	–	2	1	3	–	3
Jaundice	24	–	–	–	–	–	–	–	2	1	–	–	3	3	–
Liver Disease	89	–	–	1	3	1	3	2	1	2	4	5	–	1	6
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	8	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Nephria	39	–	–	1	–	1	–	4	–	–	–	3	5	–	1
Addison's Disease	5	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	13	–	–	–	–	–	1	–	1	–	1	–	2	–	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	32	–	–	2	2	–	3	1	4	1	–	–	1	1	3
IX. Paramenia	6	–	–	–	–	–	1	–	–	–	–	–	–	1	1
Ovarian Dropsy	19	1	–	–	–	1	–	–	1	–	1	–	2	–	1
Childbirth	70	–	–	2	2	–	–	–	1	1	4	–	2	1	2
Organs of Generation	28	–	–	–	1	–	–	1	–	–	2	2	2	–	3
X. Bone Disease	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	23	1	1	–	–	–	1	–	–	–	–	–	–	–	2
Joint Disease	16	–	1	–	–	–	1	–	1	–	–	1	2	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	7	–	–	–	–	–	–	–	1	1	–	–	–	–	2
XVII. Intemperance	12	–	1	–	–	–	–	–	–	–	–	–	1	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	17	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Poison	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	35	–	–	1	–	1	1	1	2	–	–	1	2	1	3
Hanging, etc.	4	–	–	–	–	–	–	1	–	–	–	–	1	–	1
Suffocation	22	–	–	1	–	–	–	2	1	1	1	–	2	1	1
Drowning	27	–	–	1	–	1	–	–	1	–	–	–	4	1	4
Fracture & Contusion	33	–	2	1	–	–	–	1	1	–	–	–	2	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Not Specified	151	1	–	3	4	–	1	2	7	2	3	9	8	5	14

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	2	–	10	8	17	9	2	1	–	–	1	3	1	1	–
Apoplexy	9	4	5	14	24	18	6	8	1	2	–	5	5	4	7	8
Paralysis	14	5	6	18	28	29	7	17	5	3	–	4	11	2	5	9
Delirium Tremens	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	1	4	6	5	1	2	1	–	–	1	1	1	2	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	5	1	12	12	25	5	1	5	1	1	1	1	–	–	2
Brain Disease	2	2	1	11	21	17	4	3	2	–	–	4	–	–	4	6
Pericarditis	–	–	–	1	–	4	1	–	–	–	–	–	–	–	1	–
Aneurism	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	22	8	7	28	71	42	16	21	16	7	5	14	3	8	13	5
Laryngitis	–	–	–	2	3	2	–	2	–	–	–	–	–	–	–	–
Bronchitis	31	21	9	80	103	105	45	41	15	6	3	22	11	6	8	15
Pleurisy	–	–	–	2	2	1	2	1	1	–	–	–	1	1	–	–
Pneumonia	6	4	4	33	37	44	5	6	5	5	1	3	5	4	10	5
Asthma	2	–	–	4	7	5	–	2	1	–	–	–	–	1	–	–
Lung Disease	2	1	1	3	2	3	–	1	–	–	–	1	–	–	–	–
Teething	5	1	–	3	11	10	–	6	3	–	2	–	–	–	1	–
Quinsey	–	–	–	1	3	2	–	–	–	–	–	–	–	1	–	–
Gastritis	1	–	–	3	4	3	–	2	2	–	1	–	3	–	–	–
Enteritis	8	–	1	12	15	27	8	4	2	–	–	–	4	–	1	1
Peritonitis	–	2	–	6	7	8	2	4	–	–	–	3	–	–	2	1
Ascites	–	–	–	1	3	7	–	–	–	–	–	1	1	–	–	–
Ulceration of Intestines	4	1	1	2	5	3	1	2	–	–	–	–	2	–	–	–
Hernia	–	–	–	–	2	1	–	–	–	–	–	–	–	1	–	–
Ileus	–	–	–	–	2	3	–	1	1	–	–	–	–	–	–	1
Intussusception	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1
Stomach Disease	4	5	–	6	18	15	3	1	2	–	–	6	–	3	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	5	3	1	1	2	–	–	–	–	–	1	–
Jaundice	1	–	1	–	4	3	3	–	1	1	–	–	–	–	1	–
Liver Disease	4	3	2	18	4	8	1	12	1	–	–	1	–	3	1	2
Spleen Disease	–	1	–	–	2	–	–	–	–	–	–	1	–	–	–	–
Nephritis	1	–	–	–	1	–	–	1	–	–	–	1	1	–	–	–
Nephria	1	–	1	1	4	1	4	2	2	–	1	4	–	1	2	–
Addison's Disease	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Ischuria	1	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Diabetes	–	–	–	3	2	1	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	2	4	4	–	1	–	–	–	–	–	–	1	1
Paramenia	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	2	2	2	–	–	–	–	–	–	1	2	1	–
Childbirth	3	3	–	2	13	16	6	5	2	–	1	4	–	–	–	–
Organs of Generation	–	–	1	–	7	6	1	1	–	–	–	–	1	–	–	–
Bone Disease	–	–	–	1	–	–	–	–	1	–	–	1	–	1	–	–
Rheumatism	1	1	–	5	6	2	–	–	–	1	–	–	–	1	–	1
Joint Disease	2	–	1	1	2	2	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Intemperance	1	1	–	1	6	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	2	9	1	2	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	7	6	2	3	1	–	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	3	3	–	1	2	1	–	–	1	–	–	–	–
Drowning	2	1	–	3	6	1	–	–	–	–	–	–	–	–	–	2
Fracture and Contusion	2	1	–	4	4	2	–	4	–	–	–	1	3	1	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	4	–	2	–	–	–	–	–	–	–	–
Not Specified	5	17	–	9	7	28	6	2	5	–	–	1	2	9	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	18098	371	397	904	485	55	425	574	1720	433	534	1443	1340	159	99
SPECIFIED CAUSES	17520	363	363	836	462	52	408	560	1706	429	524	1396	1300	155	96
I. Zymotic Class	2685	45	41	61	50	15	52	106	289	69	95	193	201	26	23
II. Diseases of Uncert. Seat	838	27	19	42	20	1	28	22	90	23	30	70	69	11	4
III. Tubercular Class	2394	38	44	107	51	–	57	63	220	55	61	141	134	21	10
IV. Brain and Nervous Syst.	1707	32	25	66	36	7	41	67	160	32	44	159	164	16	7
V. Organs of Circulation	1299	22	11	41	28	–	33	36	146	46	48	110	95	6	3
VI. Respiratory Organs	2418	46	35	98	51	6	41	80	191	57	65	207	204	23	25
VII. Organs of Digestion	1320	15	19	50	37	2	37	48	125	24	43	111	90	13	4
VIII. Urinary Organs	414	13	12	17	9	1	12	21	64	10	13	34	26	10	–
IX. Organs of Generation	142	5	4	3	4	1	1	5	14	2	3	6	13	3	1
X. Organs of Locomotion	135	7	5	6	6	–	2	1	8	2	3	9	11	1	–
XI. Skin, etc.	26	–	–	–	–	–	1	–	6	1	1	4	3	–	–
XII. Malformation	66	–	–	1	1	–	3	1	10	7	1	6	2	–	1
XIII. Premature Debility	757	12	16	18	5	6	12	22	109	14	19	52	49	3	4
XIV. Atrophy	108	–	1	7	1	1	2	1	8	1	5	8	6	1	1
XV. Age	2479	87	117	290	138	11	76	67	204	73	70	239	165	17	10
XVI. Sudden Deaths	28	–	1	1	1	–	1	1	2	1	–	3	3	–	–
XVII. Violent Deaths	704	14	13	28	24	1	9	19	60	12	23	44	65	4	3
I. Small Pox	129	–	2	–	–	–	–	3	1	2	1	4	19	–	–
Measles	102	–	1	1	1	–	9	4	3	–	5	5	1	–	1
Scarlatina	329	10	11	2	10	3	12	15	43	10	6	43	12	–	–
Diphtheria	323	2	–	4	3	5	3	21	50	9	16	35	23	2	1
Hooping Cough	291	2	10	16	2	–	8	7	27	4	3	8	23	2	1
Croup	216	3	2	5	7	5	–	8	22	4	13	11	20	1	5
Thrush	12	–	–	–	–	–	–	1	2	1	–	1	–	–	–
Diarrhœa	349	5	4	3	6	–	6	16	44	10	16	26	28	7	7
Dysentery	75	2	1	–	2	–	1	2	10	–	2	5	6	2	1
Cholera	18	–	1	–	–	–	–	–	1	–	1	–	1	–	–
Influenza	40	1	–	2	3	–	2	2	3	2	1	3	4	–	–
Purpura	20	–	–	–	–	–	–	–	5	–	–	2	1	2	–
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	115	1	–	4	5	–	–	3	8	9	6	12	15	–	5
Enteric Fever	374	7	5	18	4	–	6	14	38	11	15	15	25	6	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Simple Continued Fever	41	3	–	–	–	–	1	–	1	1	1	6	5	–	–
Infantile Remittent	29	1	–	1	–	–	1	–	5	–	–	2	1	–	–
Metria	51	2	2	–	2	–	–	3	7	–	3	1	6	–	1
Rheumatic Fever	40	3	2	2	1	–	–	2	2	2	2	2	3	2	–
Erysipelas	79	1	–	2	4	1	3	3	9	2	3	11	4	1	1
Pyæmia	18	–	–	–	–	1	–	1	3	2	1	1	3	–	–
Syphilis	19	2	–	1	–	–	–	–	5	–	–	–	–	1	–
Noma	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	49	2	–	2	–	–	–	1	6	2	2	8	3	–	–
Dropsy	179	2	3	11	11	–	6	2	8	4	3	13	24	5	4
Abscess	41	–	1	1	1	–	2	2	5	–	1	5	2	1	–
Ulcer	18	4	–	1	–	–	–	–	4	–	1	1	1	–	–
Fistula	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Mortification	58	1	1	3	3	1	1	–	5	–	–	6	4	–	–
Cancer	487	18	13	24	5	–	19	17	60	17	23	37	34	5	–
Gout	3	–	1	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	163	4	1	4	6	–	1	5	20	3	2	6	10	1	1
Tabes Mesenterica	183	–	3	3	1	–	2	4	5	3	5	[illegible]	6	–	–
Phthisis	1745	33	37	95	41	–	47	44	169	43	50	116	98	15	8
Hydrocephalus	303	1	3	5	3	–	7	10	26	6	4	16	20	5	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	639	357	744	549	1134	1396	260	850	341	483	132	39	393	938	413	491
SPECIFIED CAUSES	615	349	716	533	1102	1329	243	829	334	480	125	39	380	910	401	485
Zymotic Class	139	64	73	79	224	290	45	97	62	72	11	6	71	108	33	45
Uncertain Seat	17	19	30	16	43	49	9	39	16	20	2	–	19	48	24	31
Tubercular Class	93	52	139	106	179	191	45	111	37	59	25	2	48	155	73	77
Brain, etc.	47	33	81	40	82	106	22	83	47	54	16	4	49	106	33	48
Heart, etc.	40	23	36	39	75	68	13	89	32	54	9	4	50	77	28	37
Respiratory Organs	80	37	84	81	154	224	27	142	42	58	23	6	48	133	60	90
Digestive Organs	45	24	56	41	86	111	12	69	21	42	12	6	17	67	45	48
Urinary Organs	12	7	14	7	22	15	10	23	4	13	4	2	6	20	6	7
Generative Organs	6	1	2	1	8	11	3	12	3	7	2	–	4	6	6	5
Locomotive Organs	6	5	6	1	14	9	1	5	3	2	1	–	2	11	4	4
Skin	2	–	–	1	–	–	–	1	–	2	–	–	1	1	1	1
Malformation	2	3	–	2	8	2	–	–	–	2	2	1	3	4	3	1
Premature Debility	43	15	17	26	63	82	17	31	15	24	2	5	17	32	12	15
Atrophy	5	1	8	10	12	10	1	10	1	2	–	–	1	2	2	–
Age	53	28	139	62	89	90	24	78	35	52	7	2	31	114	53	58
Sudden Deaths	1	–	–	–	2	4	2	1	3	–	–	–	1	–	–	–
Violent Deaths	24	37	31	21	41	67	12	38	13	17	9	1	12	26	18	18
Small Pox	28	8	5	2	12	31	2	2	–	–	2	–	–	4	1	–
Measles	1	2	4	3	26	19	–	9	–	2	–	–	–	1	2	2
Scarlatina	6	1	7	17	18	44	3	9	12	15	–	–	12	6	–	2
Diphtheria	19	3	16	8	21	30	6	12	5	6	2	–	7	10	2	2
Hooping Cough	13	15	7	10	26	21	1	11	14	10	2	3	18	19	5	3
Croup	17	2	6	6	19	22	5	5	2	1	–	–	6	11	2	6
Thrush	1	–	–	1	1	1	–	–	–	–	–	–	2	1	–	–
Diarrhœa	12	14	5	13	29	33	11	8	8	10	–	–	4	10	4	10
Dysentery	2	–	3	1	5	7	2	3	4	–	–	–	2	5	4	3
Cholera	1	–	1	–	3	2	1	1	2	–	–	–	3	–	–	–
Influenza	4	–	1	–	4	1	1	1	–	1	–	–	–	2	1	1
Purpura	–	1	–	1	1	1	–	1	–	1	–	–	2	1	–	1
Ague	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	1
Typhus	6	4	5	1	4	14	–	1	–	4	–	–	2	4	–	2
Enteric Fever	17	9	10	6	27	39	5	15	11	17	3	2	11	26	6	6
Relapsing Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	1	4	7	2	2	–	–	1	–	–	2	1	1
Infantile Remittent	2	–	–	1	5	3	1	–	1	–	–	1	–	–	2	2
Metria	4	2	–	2	5	4	1	2	2	–	–	–	–	1	–	1
Rheumatic Fever	–	2	1	1	4	3	–	1	–	1	1	–	–	1	1	1
Erysipelas	1	–	–	2	6	2	1	9	1	4	–	–	2	4	2	–
Pyæmia	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	1
Syphilis	2	–	1	1	1	1	2	2	–	–	–	–	–	–	–	–
Noma	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	1	1	4	2	1	1	–	2	–	–	–	1	3	4
Dropsy	3	7	7	2	7	22	–	4	6	1	1	–	3	6	8	6
Abscess	1	3	–	2	3	1	–	–	1	1	1	–	–	3	1	3
Ulcer	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	2
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	4	1	5	3	3	5	1	2	–	–	2	4	1	1
Cancer	10	8	18	10	23	19	5	28	8	14	–	–	14	33	11	14
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	7	3	14	6	7	9	7	10	3	1	2	1	3	14	1	11
Tabes Mesenterica	8	7	4	9	30	30	3	19	3	6	4	–	3	16	5	1
Phthisis	63	34	108	70	113	126	25	72	25	43	14	1	34	104	58	59
Hydrocephalus	15	8	13	21	29	26	10	10	6	9	5	–	8	21	9	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

	DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV.	Cephalitis	175	–	2	10	5	–	8	7	14	3	2	9	24	2	–
	Apoplexy	390	6	3	7	2	–	10	18	33	4	13	40	44	6	–
	Paralysis	626	17	9	34	21	6	14	22	50	9	17	74	59	4	1
	Delirium Tremens	10	–	–	–	–	–	–	–	1	–	–	2	2	–	–
	Chorea	3	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	Epilepsy	58	3	3	3	2	–	–	1	5	2	–	3	3	1	1
	Tetanus	15	–	–	1	1	–	–	–	1	–	1	–	1	–	–
	Insanity	17	–	2	1	–	–	–	–	2	–	1	1	3	1	–
	Convulsions	165	4	4	4	2	1	3	10	18	6	4	10	8	1	2
	Brain Disease	248	2	2	6	3	–	6	8	36	8	6	20	19	1	3
V.	Pericarditis	33	–	–	3	2	–	2	1	3	2	–	3	1	–	1
	Aneurism	21	–	–	–	–	–	–	1	4	–	–	2	–	–	–
	Heart Disease	1245	22	11	38	26	–	31	34	139	44	48	105	94	6	2
VI.	Laryngitis	37	–	1	3	–	–	–	1	2	1	–	3	4	1	–
	Bronchitis	1472	26	17	47	36	2	27	50	126	38	41	118	129	9	21
	Pleurisy	74	1	–	3	3	1	1	4	5	1	1	4	9	2	–
	Pneumonia	632	7	8	16	7	2	7	19	53	14	20	69	51	11	3
	Asthma	146	10	8	29	3	1	4	4	2	2	1	7	5	–	1
	Lung Disease	57	2	1	–	2	–	2	2	3	1	2	6	6	–	–
VII.	Teething	113	–	1	4	1	–	6	4	12	1	5	9	10	–	1
	Quinsey	20	1	–	1	1	–	1	–	1	–	–	–	3	–	–
	Gastritis	55	–	–	2	–	–	2	–	4	2	–	6	5	–	–
	Enteritis	209	4	2	11	3	–	2	3	15	3	3	9	17	2	–
	Peritonitis	113	2	1	1	5	–	2	1	12	5	4	8	–	1	1
	Ascites	19	–	1	1	2	–	–	2	3	–	1	3	–	–	–
	Ulceration of Intestines	71	–	1	1	1	–	2	5	13	2	3	6	4	–	–
	Hernia	30	1	–	3	–	–	–	3	4	–	2	2	3	1	–
	Ileus	97	–	–	8	6	–	3	3	12	1	4	14	6	2	1
	Intussusception	13	–	–	1	–	–	1	1	–	–	–	2	–	–	–
	Stricture of Intestines	9	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	Stomach Disease	227	2	5	7	8	1	7	9	20	5	10	24	22	3	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	52	2	1	2	3	–	–	1	3	–	–	3	4	1	–
	Jaundice	64	–	2	2	2	–	1	3	5	3	5	3	5	1	1
	Liver Disease	217	3	5	6	5	1	10	11	21	2	5	21	10	2	–
	Spleen Disease	11	–	–	–	–	–	–	–	–	–	–	1	1	–	–
VIII.	Nephritis	33	–	2	2	1	–	–	1	6	1	–	3	3	–	–
	Nephria	106	6	2	4	2	–	1	8	14	2	4	11	8	1	–
	Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Ischuria	28	1	2	2	1	–	–	–	4	1	–	4	1	2	–
	Diabetes	35	1	–	1	2	–	3	2	5	1	1	–	3	1	–
	Stone	29	4	1	3	1	–	–	–	6	–	1	2	2	–	–
	Cystitis	54	1	–	–	1	–	–	5	10	2	1	2	3	2	–
	Stricture of Urethra	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–
	Kidney Disease	125	–	5	5	1	1	7	5	19	3	6	12	4	4	–
IX.	Paramenia	12	1	1	–	–	–	–	1	1	–	–	–	2	–	–
	Ovarian Dropsy	20	2	1	–	–	–	–	3	2	–	1	–	2	1	–
	Childbirth	76	1	2	3	4	1	–	1	6	1	1	4	9	1	1
	Organs of Generation	34	1	–	–	–	–	1	–	5	1	1	2	–	1	–
X.	Bone Disease	18	–	–	–	2	–	–	–	3	1	–	3	3	–	–
	Rheumatism	62	5	3	5	3	–	1	1	1	–	1	3	4	1	–
	Joint Disease	55	2	2	1	1	–	1	–	4	1	2	3	4	–	–
XI.	Carbuncle	7	–	–	–	–	–	1	–	3	–	–	–	1	–	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Skin Disease	18	–	–	–	–	–	–	–	3	1	1	4	2	–	–
XVII.	Intemperance	21	–	–	2	–	–	–	–	2	–	1	–	5	–	–
	Privation	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Want of Breast Milk	12	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	23	–	2	5	2	–	–	1	–	1	1	1	–	–	–
	Poison	8	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Burns and Scalds	57	2	–	2	2	–	–	1	4	–	2	4	4	–	–
	Hanging, etc.	12	–	–	–	–	–	–	–	2	–	–	–	3	1	–
	Suffocation	59	1	1	1	2	–	3	7	10	4	1	–	3	–	2
	Drowning	211	7	3	8	9	–	3	2	19	4	12	13	14	–	1
	Fracture and Contusion	253	3	6	6	6	1	3	6	11	3	4	21	31	3	–
	Gunshot Wounds	10	–	–	2	–	–	–	1	1	–	–	2	1	–	–
	Cuts and Stabs	9	–	–	1	2	–	–	–	1	–	–	3	1	–	–
	Other Violent Causes	26	–	–	–	1	–	–	–	8	–	1	–	3	–	–
	Not Specified	578	8	34	68	23	3	17	14	14	4	10	47	40	4	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	6	3	4	8	20	15	1	5	3	3	2	2	6	8	2	1
Apoplexy	6	11	11	9	23	26	6	26	12	18	1	–	7	28	6	14
Paralysis	17	6	29	11	18	35	6	32	24	21	5	1	14	40	18	12
Delirium Tremens	–	–	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Epilepsy	3	2	5	3	2	2	–	2	1	–	2	–	1	3	2	3
Tetanus	1	–	–	–	2	1	1	–	1	–	–	–	–	1	2	1
Insanity	–	–	2	–	–	2	–	–	–	–	–	–	1	–	–	1
Convulsions	9	7	12	2	6	13	6	4	1	5	2	1	5	11	–	4
Brain Disease	5	4	16	7	11	11	2	13	5	7	3	–	15	15	3	11
Pericarditis	3	–	2	–	1	2	–	2	1	–	1	–	1	1	–	1
Aneurism	–	1	–	2	2	2	1	3	–	–	–	–	1	1	1	–
Heart Disease	37	22	34	37	72	64	12	84	31	54	8	4	48	75	27	36
Laryngitis	–	2	1	3	5	4	–	3	–	1	–	–	1	1	–	–
Bronchitis	51	25	56	46	86	142	19	97	25	30	13	3	34	77	32	49
Pleurisy	1	2	4	2	4	7	1	3	1	1	3	1	1	4	2	2
Pneumonia	20	6	17	28	46	40	6	30	15	21	3	2	12	48	21	30
Asthma	8	2	6	–	7	19	1	4	1	5	3	–	–	3	5	5
Lung Disease	–	–	–	2	6	12	–	5	–	–	1	–	–	–	–	4
Teething	4	4	8	7	8	5	1	3	1	1	2	–	2	6	3	4
Quinsey	1	1	1	–	1	2	–	1	–	–	–	–	2	1	1	1
Gastritis	3	4	2	1	4	6	–	9	1	1	–	–	–	1	1	1
Enteritis	11	–	4	7	16	36	5	15	2	6	3	–	1	13	6	10
Peritonitis	2	2	6	4	8	8	–	6	5	5	–	1	3	11	5	4
Ascites	1	–	1	1	–	–	–	2	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	3	1	3	6	2	1	–	2	–	–	1	5	5	2
Hernia	–	–	3	–	1	–	–	1	–	3	–	1	1	–	–	1
Ileus	2	5	4	3	2	2	2	4	1	2	2	1	1	3	2	1
Intussusception	–	–	–	–	2	1	–	1	–	–	–	1	–	1	1	1
Stricture of Intestines	–	–	1	–	–	1	–	–	1	–	–	–	–	3	–	–
Stomach Disease	5	4	8	4	18	13	–	6	4	5	3	1	2	10	10	11
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	3	3	5	4	–	3	–	2	–	–	–	2	2	4
Jaundice	3	–	1	1	4	7	2	2	1	3	–	–	2	1	2	2
Liver Disease	10	1	11	9	13	18	–	14	5	11	2	–	1	9	5	6
Spleen Disease	–	–	–	–	1	2	–	1	–	–	–	1	1	1	2	–
Nephritis	2	–	2	1	2	1	–	1	–	2	–	–	–	3	–	–
Nephria	2	–	1	2	3	2	3	8	1	3	1	1	3	11	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	–	–	–	1	5	2	–	1	–	–	–	–	–	–	1	–
Diabetes	3	1	1	–	1	1	–	4	1	–	1	–	–	1	–	1
Stone	–	1	2	–	2	–	–	–	–	1	–	1	–	–	–	2
Cystitis	1	–	1	–	3	3	4	3	1	4	1	–	3	–	2	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	7	3	6	6	3	6	1	3	1	–	–	5	2	1
Paramenia	–	–	–	–	1	–	–	1	–	1	1	–	–	1	1	–
Ovarian Dropsy	1	–	–	–	2	–	–	2	–	–	–	–	1	–	2	–
Childbirth	3	1	1	–	1	9	1	6	2	6	1	–	3	4	1	2
Organs of Generation	2	–	1	1	4	2	2	3	1	–	–	–	–	1	2	3
Bone Disease	2	–	–	–	1	–	1	1	–	–	–	–	–	1	–	–
Rheumatism	2	2	3	–	7	6	–	3	2	2	1	–	1	3	1	1
Joint Disease	2	3	3	1	6	3	–	1	1	–	–	–	1	7	3	3
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	1	–	–	1	–	–	–	1	–	2	–	–	1	1	–	–
Intemperance	1	–	1	1	–	4	–	–	–	1	–	–	1	1	–	1
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	3	1	1	2	–	–	1	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	1	–	1	1	–	3	–	–	–	–	1	–	–	1
Poison	–	1	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	3	3	3	6	6	–	3	1	1	1	–	2	3	1	2
Hanging, etc.	–	1	1	–	1	2	–	–	–	–	–	–	–	–	1	–
Suffocation	2	–	1	3	2	6	–	2	1	2	–	1	–	2	–	2
Drowning	9	22	21	2	6	5	3	9	6	7	3	–	1	8	9	5
Fracture and Contusion	8	8	3	9	19	38	7	14	4	4	4	–	7	11	7	6
Gunshot Wounds	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	2	3	3	–	3	–	1	–	–	–	–	–	–
Not Specified	24	8	28	16	32	67	17	21	7	3	7	–	13	28	12	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	9155	183	186	449	251	25	211	312	866	213	277	725	654	65	54
SPECIFIED CAUSES	8860	180	170	414	244	24	204	302	855	212	273	698	637	63	53
I. Zymotic Class	1343	21	17	30	27	11	27	54	152	33	57	94	98	9	14
II. Uncertain Seat	354	10	8	20	8	–	12	8	36	12	11	26	32	3	2
III. Tubercular Class	1192	17	23	63	26	–	28	43	109	28	24	66	57	9	6
IV. Brain, etc.	878	17	11	33	20	2	22	40	68	20	26	78	86	8	4
V. Heart, etc.	680	11	10	23	17	–	21	16	68	21	22	63	49	4	1
VI. Respiratory Organs	1261	22	15	37	24	4	16	43	91	28	37	118	102	9	12
VII. Digestive Organs	707	11	9	33	22	1	24	25	68	12	24	58	46	8	2
VIII. Urinary Organs	307	12	10	14	8	–	7	18	52	8	11	23	20	4	–
IX. Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs	72	6	3	4	3	–	2	–	6	2	2	6	8	–	–
XI. Skin, etc.	17	–	–	–	–	–	–	–	4	1	1	3	3	–	–
XII. Malformation	35	–	–	1	1	–	2	–	7	4	–	1	2	–	–
XIII. Premature Debility	406	7	8	7	4	3	10	14	56	6	10	28	19	2	3
XIV. Atrophy	47	–	–	3	–	–	1	1	4	1	3	–	4	–	1
XV. Age	1009	34	46	124	66	2	26	23	93	25	31	95	54	3	6
XVI. Sudden Deaths	16	–	1	–	–	–	1	1	1	1	–	2	2	–	–
XVII. Violent Deaths	536	12	9	22	18	1	5	16	40	10	14	37	55	4	2
I. Small Pox	70	–	1	–	–	–	–	1	1	1	1	2	9	–	–
Measles	46	–	–	1	–	–	4	2	1	–	3	2	1	–	–
Scarlatina	168	4	6	1	7	1	6	8	27	6	4	27	5	–	–
Diphtheria	173	1	–	4	1	4	2	7	26	4	9	16	10	2	1
Hooping Cough	141	1	3	9	1	–	5	5	14	1	1	2	12	–	1
Croup	125	2	–	1	6	4	–	6	11	2	7	7	12	1	3
Thrush	5	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Diarrhœa	175	3	2	2	3	–	3	9	24	4	13	10	15	3	3
Dysentery	43	–	1	–	2	–	–	–	6	–	2	1	5	1	1
Cholera	13	–	1	–	–	–	–	–	1	–	1	–	1	–	–
Influenza	18	1	–	–	1	–	1	1	2	–	1	1	–	–	–
Purpura	10	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	56	1	–	2	3	–	–	1	2	4	2	7	6	–	5
Enteric Fever	183	3	2	7	1	–	2	7	24	6	9	8	13	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Simple Continued Fever	16	1	–	–	–	–	1	–	–	1	–	3	3	–	–
Infantile Remittent	13	–	–	1	–	–	1	–	3	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	19	3	1	–	1	–	–	2	2	1	1	1	1	–	–
Erysipelas	44	–	–	1	1	1	2	3	4	1	2	4	2	–	–
Pyæmia	9	–	–	–	–	1	–	1	1	1	1	–	1	–	–
Syphilis	12	1	–	1	–	–	–	–	1	–	–	–	–	1	–
Noma	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	1	–	1	–	–	–	–	3	2	2	4	2	–	–
Dropsy	89	1	2	4	4	–	1	2	5	3	–	5	17	2	2
Abscess	26	–	1	1	–	–	1	–	5	–	–	5	–	–	–
Ulcer	6	1	–	–	–	–	–	–	3	–	–	1	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	28	–	–	2	1	–	1	–	3	–	–	–	2	–	–
Cancer	177	7	5	12	3	–	9	6	16	7	9	11	11	1	–
Gout	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	89	1	–	4	5	–	–	3	8	2	2	3	5	–	–
Tabes Mesenterica	106	–	1	1	–	–	2	3	3	2	2	2	5	–	–
Phthisis	842	16	21	55	19	–	21	29	84	20	18	55	39	6	6
Hydrocephalus	155	–	1	3	2	–	5	8	14	4	2	6	8	3	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	342	203	370	289	611	731	140	401	171	242	69	19	189	464	197	246
SPECIFIED CAUSES .	333	196	356	279	596	691	130	392	166	240	66	19	183	449	192	243
Zymotic Class . .	72	32	37	43	114	140	20	50	29	37	5	2	38	51	13	16
Uncertain Seat . .	5	9	16	7	22	22	–	8	9	11	1	–	11	20	10	15
Tubercular Class . .	43	26	66	50	98	102	21	55	16	32	15	–	18	75	36	40
Brain, etc. . . .	28	18	42	23	44	58	11	37	26	23	10	3	27	54	16	23
Heart, etc. . . .	30	15	19	18	45	31	10	42	16	24	6	3	26	36	13	20
Respiratory Organs .	45	22	44	43	87	130	15	82	24	29	10	3	21	72	29	47
Digestive Organs . .	23	12	26	22	44	53	10	34	10	25	5	4	11	38	21	26
Urinary Organs . .	7	5	11	6	17	13	6	10	3	9	2	1	3	15	5	7
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	3	3	2	1	8	3	–	1	2	–	1	–	–	3	1	2
Skin	1	–	–	1	–	–	–	–	–	1	–	–	–	1	1	–
Malformation . .	1	2	–	1	5	1	–	–	–	1	1	–	1	1	2	1
Premature Debility .	25	8	7	15	35	43	12	18	8	13	1	2	11	15	7	9
Atrophy . . .	3	–	4	6	5	4	–	5	1	–	–	–	–	–	1	–
Age	26	9	56	26	38	42	14	25	13	22	3	–	6	50	25	26
Sudden Deaths . .	1	–	–	–	1	3	1	–	–	–	–	–	1	–	–	–
Violent Deaths . .	20	35	26	17	33	46	10	25	9	13	6	1	9	18	12	11
Small Pox . . .	14	4	3	2	8	16	1	1	–	–	1	–	–	4	–	–
Measles	–	2	3	–	11	8	–	6	–	1	–	–	–	–	1	–
Scarlatina . . .	2	1	3	10	6	15	1	2	6	9	–	–	8	2	–	1
Diphtheria . . .	10	2	8	5	15	16	2	8	3	4	–	–	3	8	1	1
Hooping Cough . .	8	9	2	6	12	13	1	6	6	2	1	1	8	8	2	1
Croup	8	1	6	4	13	9	1	1	2	1	–	–	5	7	–	5
Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	7	5	2	8	11	18	3	6	3	3	–	–	2	6	4	3
Dysentery . . .	1	–	1	–	4	6	1	2	3	–	–	–	1	1	2	2
Cholera	–	–	1	–	1	2	1	1	1	–	–	–	2	–	–	–
Influenza . . .	4	–	1	–	1	1	1	–	–	1	–	–	–	1	–	–
Purpura . . .	–	–	–	1	–	1	–	1	–	1	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	2	1	1	3	6	–	–	–	1	–	–	1	4	–	1
Enteric Fever . .	9	5	5	4	18	20	4	6	3	10	1	1	6	6	1	2
Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	–	–	–	–	2	2	–	–	–	–	1	–	–	1	1	–
Infantile Remittent .	1	–	–	–	2	1	1	–	1	–	–	–	–	–	1	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	–	1	–	–	1	2	–	1	–	–	1	–	–	–	–	–
Erysipelas . . .	1	–	–	1	4	1	1	7	1	4	–	–	–	3	–	–
Pyæmia . . .	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis . . .	2	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	–	1	1	2	1	–	1	–	2	–	–	–	–	–	[illegible]
Dropsy	2	3	3	1	1	14	–	1	3	–	1	–	1	3	6	2
Abscess . . .	–	3	–	1	3	–	–	–	–	1	–	–	–	2	–	3
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	–	–	3	–	3	2	–	2	1	2	–	–	2	3	–	1
Cancer	3	3	9	4	12	4	–	4	5	6	–	–	8	12	4	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	4	2	9	2	5	9	2	5	2	1	2	–	1	6	1	5
Tabes Mesenterica .	4	4	–	6	19	17	1	11	2	4	3	–	1	9	3	1
Phthisis . . .	31	14	48	31	59	64	12	33	10	23	7	–	14	49	26	32
Hydrocephalus . .	4	6	9	11	15	12	6	6	2	4	3	–	2	11	6	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	101	–	2	7	4	–	5	7	4	2	1	4	13	2	–
Apoplexy	203	3	1	3	1	–	6	10	19	2	6	21	23	4	–
Paralysis	294	8	4	16	9	2	5	11	13	6	11	36	30	–	–
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	2	2	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Epilepsy	28	2	1	2	1	–	–	1	2	2	–	1	2	1	–
Tetanus	10	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Insanity	6	–	1	1	–	–	–	–	–	–	1	–	1	1	–
Convulsions	82	2	2	1	2	–	2	6	7	4	1	5	4	–	2
Brain Disease	144	2	–	3	2	–	4	5	23	4	5	9	9	–	2
V. Pericarditis	19	–	–	2	1	–	–	–	1	–	–	2	1	–	1
Aneurism	16	–	–	–	–	–	–	1	3	–	–	1	–	–	–
Heart Disease	645	11	10	21	16	–	21	15	64	21	22	60	48	4	–
VI. Laryngitis	19	–	1	1	–	–	–	1	2	–	–	3	2	1	–
Bronchitis	716	12	8	18	16	1	9	24	48	16	23	63	63	3	11
Pleurisy	38	1	–	1	3	1	1	1	3	1	1	1	3	–	–
Pneumonia	392	4	4	8	4	1	3	15	35	9	11	45	27	5	1
Asthma	68	4	2	9	1	1	2	1	1	1	–	5	4	–	–
Lung Disease	28	1	–	–	–	–	1	1	2	1	2	1	3	–	–
VII. Teething	64	–	–	4	–	–	4	3	6	–	5	4	9	–	–
Quinsey	10	1	–	–	–	–	1	–	–	–	–	–	1	–	–
Gastritis	32	–	–	2	–	–	–	–	3	1	–	4	1	–	–
Enteritis	122	4	–	8	2	–	2	2	8	3	–	5	8	2	–
Peritonitis	51	1	1	1	1	–	1	–	6	2	2	6	–	1	–
Ascites	4	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	40	–	1	1	–	–	1	–	9	1	–	4	2	–	–
Hernia	19	–	–	2	–	–	–	3	3	–	1	–	1	1	–
Ileus	55	–	–	4	5	–	2	3	8	–	2	7	1	1	1
Intussusception	5	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Stomach Disease	120	1	3	4	5	1	5	4	9	3	8	12	14	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	2	1	2	2	–	–	1	–	–	–	1	1	–	–
Jaundice	35	–	–	2	1	–	–	1	4	1	1	3	3	–	1
Liver Disease	112	2	3	3	5	–	8	4	12	1	4	10	5	1	–
Spleen Disease	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	17	–	2	1	1	–	–	–	3	1	–	2	2	–	–
Nephria	67	5	2	3	2	–	1	7	11	–	3	6	5	–	–
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	24	1	2	1	1	–	–	–	4	1	–	3	1	1	–
Diabetes	24	1	–	1	1	–	1	2	4	1	1	–	3	–	–
Stone	23	4	–	3	1	–	–	–	5	–	–	2	2	–	–
Cystitis	47	1	–	–	1	–	–	4	9	2	1	1	1	1	–
Stricture of Urethra	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Kidney Disease	101	–	4	5	1	–	4	5	16	3	6	9	4	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	13	–	–	–	1	–	–	–	2	1	–	3	3	–	–
Rheumatism	29	4	1	3	2	–	1	–	1	–	–	2	2	–	–
Joint Disease	30	2	2	1	–	–	1	–	3	1	2	1	3	–	–
XI. Carbuncle	4	–	–	–	–	–	–	–	2	–	–	–	1	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	12	–	–	–	–	–	–	–	2	1	1	3	2	–	–
XVII. Intemperance	14	–	–	2	–	–	–	–	2	–	–	–	5	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	–	2	4	2	–	–	1	–	1	1	1	–	–	–
Poison	8	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	29	1	–	–	1	–	–	1	1	–	–	2	2	–	–
Hanging, etc.	7	–	–	–	–	–	–	–	1	–	–	–	2	1	–
Suffocation	39	1	1	1	1	–	1	6	5	3	1	–	2	–	1
Drowning	170	7	1	6	8	–	2	2	15	3	8	10	12	–	1
Fracture and Contusion	211	2	4	5	4	1	2	5	7	3	2	19	27	3	–
Gunshot Wounds	9	–	–	2	–	–	–	1	1	–	–	2	1	–	–
Cuts and Stabs	8	–	–	1	2	–	–	–	1	–	–	3	1	–	–
Other Violent Causes	18	–	–	–	–	–	–	–	6	–	1	–	3	–	–
Not Specified	295	3	16	35	7	1	7	10	11	1	4	27	17	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—MALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	5	–	1	6	10	7	1	2	2	–	1	2	6	5	1	1
Apoplexy	3	9	7	3	15	14	4	11	5	8	1	–	3	11	4	6
Paralysis	9	1	15	7	8	19	4	15	13	10	2	–	9	17	8	6
Delirium Tremens	–	–	2	–	–	1	–	1	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	3	1	–	2	–	1	–	–	1	–	1	1	1	1
Tetanus	–	–	–	–	1	1	1	–	1	–	–	–	–	1	2	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	6	4	7	–	3	6	1	2	1	2	2	1	–	7	–	2
Brain Disease	4	4	7	6	7	7	–	5	4	3	2	–	8	12	–	7
Pericarditis	2	–	2	–	–	2	–	–	1	–	1	–	1	1	–	1
Aneurism	–	1	–	2	2	1	1	2	–	–	–	–	1	–	1	–
Heart Disease	28	14	17	16	43	28	9	40	15	24	5	3	24	35	12	19
Laryngitis	–	1	1	2	1	–	–	1	–	1	–	–	–	1	–	–
Bronchitis	33	15	28	22	46	80	9	55	15	12	4	1	14	33	13	21
Pleurisy	–	1	2	1	3	5	–	2	–	1	1	1	1	2	1	–
Pneumonia	9	5	12	17	28	26	6	20	9	13	2	1	6	34	13	19
Asthma	3	–	1	–	5	15	–	2	–	2	2	–	–	2	2	3
Lung Disease	–	–	–	1	4	4	–	2	–	–	1	–	–	–	–	4
Teething	1	3	4	3	5	2	1	1	–	1	1	–	1	2	1	3
Quinsey	1	–	1	–	1	2	–	–	–	–	–	–	1	1	–	–
Gastritis	3	3	2	–	2	2	–	4	1	1	–	–	–	1	1	1
Enteritis	6	–	2	5	9	19	4	10	1	5	1	–	1	6	3	6
Peritonitis	2	–	1	2	6	1	–	2	2	1	–	–	3	7	2	–
Ascites	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	1	2	5	2	–	–	2	–	–	1	3	1	2
Hernia	–	–	2	–	1	–	–	1	–	2	–	–	1	–	–	1
Ileus	1	3	2	3	1	–	2	2	–	2	–	1	–	2	1	1
Intussusception	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Stomach Disease	3	2	2	2	7	5	–	3	2	2	1	1	1	6	5	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	2	1	2	1	–	3	–	1	–	–	–	–	2	2
Jaundice	2	–	–	1	2	5	1	2	1	1	–	–	1	–	1	1
Liver Disease	2	1	6	4	5	10	–	4	3	6	2	–	1	5	3	2
Spleen Disease	–	–	–	–	1	–	–	1	–	–	–	1	–	1	1	–
Nephritis	–	–	1	1	1	–	–	–	–	–	–	–	–	2	–	–
Nephria	2	–	–	1	1	2	–	3	–	2	–	1	1	7	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	–	–	–	1	5	2	–	1	–	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	1	–	1	1	–	1	–	–	1	–	1
Stone	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	2
Cystitis	1	–	1	–	3	3	4	3	1	4	1	–	2	–	2	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	4	7	3	6	5	2	2	1	2	–	–	–	5	2	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	–	4	2	–	–	1	–	1	–	–	1	–	–
Joint Disease	–	2	1	1	3	1	–	–	1	–	–	–	–	2	1	2
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	–	–	–	1	–	–	–	–	–	1	–	–	–	1	–	–
Intemperance	–	–	–	1	–	2	–	–	–	1	–	–	–	1	–	–
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	–	1	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	3	1	3	6	1	–	–	–	1	1	–	1	2	1	1
Hanging, etc.	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	2	1	2	–	2	1	1	–	1	–	1	–	2
Drowning	7	22	20	2	5	1	3	8	4	6	2	–	1	5	5	4
Fracture and Contusion	8	8	2	6	17	35	7	12	3	3	2	–	6	8	6	4
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	2	2	1	–	2	–	–	–	–	–	–	–	–
Not Specified	9	7	14	10	15	40	10	9	5	2	3	–	6	15	5	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—FEMALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	8943	188	211	455	234	30	214	262	854	220	257	718	686	94	45
SPECIFIED CAUSES	8660	183	193	422	218	28	204	258	851	217	251	698	663	92	43
I. Zymotic Class	1342	24	24	31	23	4	25	52	137	36	38	99	103	17	9
II. Uncertain Seat	484	17	11	22	12	1	16	14	54	11	19	44	37	8	2
III. Tubercular Class	1202	21	21	44	25	–	29	20	111	27	37	75	77	12	4
IV. Brain, etc.	829	15	14	33	16	5	19	27	92	12	18	81	78	8	3
V. Heart, etc.	619	11	1	18	11	–	12	20	78	25	26	47	46	2	2
VI. Respiratory Organs	1157	24	20	61	27	2	25	37	100	29	28	89	102	14	13
VII. Digestive Organs	613	4	10	17	15	1	13	23	57	12	19	53	44	5	2
VIII. Locomotive Organs	107	1	2	3	1	1	5	3	12	2	2	11	6	6	–
IX. Urinary Organs	142	5	4	3	4	1	1	5	14	2	3	6	13	3	1
X. Generative Organs	63	1	2	2	3	–	–	1	2	–	1	3	3	1	–
XI. Skin, etc.	9	–	–	–	–	–	1	–	2	–	–	1	–	–	–
XII. Malformation	31	–	–	–	–	–	1	1	3	3	1	5	–	–	1
XIII. Premature Debility	351	5	8	11	1	3	2	8	53	8	9	24	30	1	1
XIV. Atrophy	61	–	1	4	1	1	1	–	4	–	2	8	2	1	–
XV. Age	1470	53	71	166	72	9	50	44	111	48	39	144	111	14	4
XVI. Sudden Deaths	12	–	–	1	1	–	–	–	1	–	–	1	1	–	–
XVII. Violent Deaths	168	2	4	6	6	–	4	3	20	2	9	7	10	–	1
I. Small Pox	59	–	1	–	–	–	–	2	–	1	–	2	10	–	–
Measles	56	–	1	–	1	–	5	2	2	–	2	3	–	–	1
Scarlatina	161	6	5	1	3	2	6	7	16	4	2	16	7	–	–
Diphtheria	150	1	–	–	2	1	1	14	24	5	7	19	13	–	–
Hooping Cough	150	1	7	7	1	–	3	2	13	3	2	6	11	2	–
Croup	91	1	2	4	1	1	–	2	11	2	6	4	8	–	2
Thrush	7	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Diarrhœa	174	2	2	1	3	–	3	7	20	6	3	16	13	4	4
Dysentery	32	2	–	–	–	–	1	2	4	–	–	4	1	1	–
Cholera	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	22	–	–	2	2	–	1	1	1	2	–	2	4	–	–
Purpura	10	–	–	–	–	–	–	–	4	–	–	1	–	1	–
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	59	–	–	2	2	–	–	2	6	5	4	5	9	–	–
Enteric Fever	191	4	3	11	3	–	4	7	14	5	6	7	12	6	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	25	2	–	–	–	–	–	–	1	–	1	3	2	–	–
Infantile Remittent	16	1	–	–	–	–	–	–	2	–	–	1	1	–	–
Metria	51	2	2	–	2	–	–	3	7	–	3	1	6	–	1
Rheumatic Fever	21	–	1	2	–	–	–	–	–	1	1	1	2	2	–
Erysipelas	35	1	–	1	3	–	1	–	5	1	1	7	2	1	1
Pyæmia	9	–	–	–	–	–	–	–	2	1	–	1	2	–	–
Syphilis	7	1	–	–	–	–	–	–	4	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	1	–	1	–	–	–	1	3	–	–	4	1	–	–
Dropsy	90	1	1	7	7	–	5	–	3	1	3	8	7	3	2
Abscess	15	–	–	–	1	–	1	2	–	–	1	–	2	1	–
Ulcer	12	3	–	1	–	–	–	–	1	–	1	–	1	–	–
Fistula	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Mortification	30	1	1	1	2	1	–	–	2	–	–	6	2	–	–
Cancer	310	11	8	12	2	–	10	11	44	10	14	26	23	4	–
Gout	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	74	3	1	–	1	–	1	2	12	1	–	3	5	1	1
Tabes Mesenterica	77	–	2	2	1	–	–	1	2	1	3	1	1	–	–
Phthisis	903	17	16	40	22	–	26	15	85	23	32	61	59	9	2
Hydrocephalus	148	1	2	2	1	–	2	2	12	2	2	10	12	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1873.—FEMALES.

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud-bright.	Wigtown.
ALL CAUSES . . .	297	154	374	260	523	665	120	449	170	241	63	20	204	474	216	245
SPECIFIED CAUSES .	282	153	360	254	506	638	113	437	168	240	59	20	197	461	209	242
Zymotic Class . .	67	32	36	36	110	150	25	47	33	35	6	4	33	57	20	29
Uncertain Seat . .	12	10	14	9	21	27	9	31	7	9	1	–	8	28	14	16
Tubercular Class . .	50	26	73	56	81	89	24	56	21	27	10	2	30	80	37	37
Brain, etc. . . .	19	15	39	17	38	48	11	46	21	31	6	1	22	52	17	25
Heart, etc. . . .	10	8	17	21	30	37	3	47	16	30	3	1	24	41	15	17
Respiratory Organs .	35	15	40	38	67	94	12	60	18	29	13	3	27	61	31	43
Digestive Organs . .	22	12	30	19	42	58	2	35	11	17	7	2	6	29	24	22
Locomotive Organs .	5	2	3	1	5	2	4	13	1	4	2	1	3	5	1	–
Urinary Organs . .	6	1	2	1	8	11	3	12	3	7	2	–	4	6	6	5
Generative Organs .	3	2	4	–	6	6	1	4	1	2	–	–	2	8	3	2
Skin	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	1
Malformation . .	1	1	–	1	3	1	–	–	–	1	1	1	2	3	1	–
Premature Debility .	18	7	10	11	28	39	5	13	7	11	1	3	6	17	5	6
Atrophy . . .	2	1	4	4	7	6	1	5	–	2	–	–	1	2	1	–
Age	27	19	83	36	51	48	10	53	22	30	4	2	25	64	28	32
Sudden Deaths . .	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–
Violent Deaths . .	4	2	5	4	8	21	2	13	4	4	3	–	3	8	6	7
Small-pox . . .	14	4	2	–	4	15	1	1	–	–	1	–	–	–	1	–
Measles	1	–	1	3	15	11	–	3	–	1	–	–	–	1	1	2
Scarlatina . . .	4	–	4	7	12	29	2	7	6	6	–	–	4	4	–	1
Diphtheria . . .	9	1	8	3	6	14	4	4	2	2	2	–	4	2	1	1
Hooping-cough . .	5	6	5	4	14	8	–	5	8	8	1	2	10	11	3	2
Croup	9	1	–	2	6	13	4	4	–	–	–	–	1	4	2	1
Thrush	–	–	–	1	1	–	–	–	–	–	–	–	2	1	–	–
Diarrhœa . . .	5	9	3	5	18	15	8	2	5	7	–	–	2	4	–	7
Dysentery . . .	1	–	2	1	1	1	1	1	1	–	–	–	1	4	2	1
Cholera	1	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–
Influenza . . .	–	–	–	–	3	–	–	1	–	–	–	–	–	1	1	1
Purpura . . .	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	1
Ague	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Worms	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	1
Typhus	3	2	4	–	1	8	–	1	–	3	–	–	1	–	–	1
Enteric Fever . .	8	4	5	2	9	19	1	9	8	7	2	1	5	20	5	4
Relapsing Fever . .	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	2	–	–	1	2	5	2	2	–	–	–	–	–	1	–	1
Infantile Remittent .	1	–	–	1	3	2	–	–	–	–	–	1	–	–	1	2
Metria	4	2	–	2	5	4	1	2	2	–	–	–	–	1	–	1
Rheumatic Fever . .	–	1	1	1	3	1	–	–	–	1	–	–	–	1	1	1
Erysipelas . . .	–	–	–	1	2	1	–	2	–	–	–	–	2	1	2	–
Pyæmia	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1
Syphilis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . . .	2	1	–	–	2	1	1	–	–	–	–	–	–	1	3	1
Dropsy	1	4	4	1	6	8	–	3	3	1	–	–	2	3	2	4
Abscess	1	–	–	1	–	1	–	–	1	–	1	–	–	1	1	–
Ulcer	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	2
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . . .	1	–	1	1	2	1	3	3	–	–	–	–	–	1	1	–
Cancer	7	5	9	6	11	15	5	24	3	8	–	–	6	21	7	8
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula . . .	3	1	5	4	2	–	5	5	1	–	–	1	2	8	–	6
Tabes Mesenterica .	4	3	4	3	11	13	2	8	1	2	1	–	2	7	2	–
Phthisis	32	20	60	39	54	62	13	39	15	20	7	1	20	55	32	27
Hydrocephalus . .	11	2	4	10	14	14	4	4	4	5	2	–	6	10	3	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1873.—FEMALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	74	–	–	3	1	–	3	–	10	1	1	5	11	–	–
Apoplexy	187	3	2	4	1	–	4	8	14	2	7	19	21	2	–
Paralysis	332	9	5	18	12	4	9	11	37	3	6	38	29	4	1
Delirium Tremens	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	30	1	2	1	1	–	–	–	3	–	–	2	1	–	1
Tetanus	5	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Insanity	11	–	1	–	–	–	–	–	2	–	–	1	2	–	–
Convulsions	83	2	2	3	–	1	1	4	11	2	3	5	4	1	–
Brain	104	–	2	3	1	–	2	3	13	4	1	11	10	1	1
V. Pericarditis	14	–	–	1	1	–	2	1	2	2	–	1	–	–	–
Aneurism	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Heart	600	11	1	17	10	–	10	19	75	23	26	45	46	2	2
VI. Laryngitis	18	–	–	2	–	–	–	–	–	1	–	–	2	–	–
Bronchitis	756	14	9	29	20	1	18	26	78	22	18	55	66	6	10
Pleurisy	36	–	–	2	–	–	–	3	2	–	–	3	6	2	–
Pneumonia	240	3	4	8	3	1	4	4	18	5	9	24	24	6	2
Asthma	78	6	6	20	2	–	2	3	1	1	1	2	1	–	1
Lungs	29	1	1	–	2	–	1	1	1	–	–	5	3	–	–
VII. Teething	49	–	1	–	1	–	2	1	6	1	–	5	1	–	1
Quinsey	10	–	–	1	1	–	–	–	1	–	–	–	2	–	–
Gastritis	23	–	–	–	–	–	2	–	1	1	–	2	4	–	–
Enteritis	87	–	2	3	1	–	–	1	7	–	3	4	9	–	–
Peritonitis	62	1	–	–	4	–	1	1	6	3	2	2	–	–	1
Ascites	15	–	1	1	1	–	–	1	3	–	1	3	–	–	–
Ulcer. of Intestines	31	–	–	–	1	–	1	5	4	1	3	2	2	–	–
Hernia	11	1	–	1	–	–	–	–	1	–	1	2	2	–	–
Ileus	42	–	–	4	1	–	1	–	4	1	2	7	5	1	–
Intussusception	8	–	–	1	–	–	1	–	–	–	–	1	–	–	–
Strict. of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	107	1	2	3	3	–	2	5	11	2	2	12	8	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	–	–	–	1	–	–	–	3	–	–	2	3	1	–
Jaundice	29	–	2	–	1	–	1	2	1	2	4	–	2	1	–
Liver Disease	105	1	2	3	–	1	2	7	9	1	1	11	5	1	–
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	16	–	–	1	–	–	–	1	3	–	–	1	1	–	–
Nephria	39	1	–	1	–	–	–	1	3	2	1	5	3	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	1	–	–	–	–	–	–	–	1	–	1	–
Diabetes	11	–	–	–	1	–	2	–	1	–	–	–	–	1	–
Stone	6	–	1	–	–	–	–	–	1	–	1	–	–	–	–
Cystitis	7	–	–	–	–	–	–	1	1	–	–	1	2	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	1	–	–	1	3	–	3	–	–	3	–	2	–
IX. Paramenia	12	1	1	–	–	–	–	1	1	–	–	–	2	–	–
Ovarian Dropsy	20	2	1	–	–	–	–	3	2	–	1	–	2	1	–
Childbirth	76	1	2	3	4	1	–	1	6	1	1	4	9	1	1
Organs of Generation	34	1	–	–	–	–	1	–	5	1	1	2	–	1	–
X. Bone Diseases	5	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	33	1	2	2	1	–	–	1	–	–	1	1	2	1	–
Joint Disease	25	–	–	–	1	–	–	–	1	–	–	2	1	–	–
XI. Carbuncle	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	–	–	–	–	–	–	–	1	–	–	1	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Milk	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	1	–	2	1	–	–	–	3	–	2	2	2	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Suffocation	20	–	–	–	1	–	2	1	5	1	–	–	1	–	1
Drowning	41	–	2	2	1	–	1	–	4	1	4	3	2	–	–
Fracture and Contusion	42	1	2	1	2	–	1	1	4	–	2	2	4	–	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Not Specified	283	5	18	33	16	2	10	4	3	3	6	20	23	2	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.—FEMALES. (*Continued.*)

DISEASES	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	3	3	2	10	8	–	3	1	3	1	–	–	3	1	–
Apoplexy	3	2	4	6	8	12	2	15	7	10	–	–	4	17	2	8
Paralysis	8	5	14	4	10	16	2	17	11	11	3	1	5	23	10	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Epilepsy	2	2	2	2	2	–	–	1	1	–	1	–	–	2	1	2
Tetanus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Insanity	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	1
Convulsions	3	3	5	2	3	7	5	2	–	3	–	–	5	4	–	2
Brain Disease	1	–	9	1	4	4	2	8	1	4	1	–	7	3	3	4
Pericarditis	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–
Heart Disease	9	8	17	21	29	36	3	44	16	30	3	1	24	40	15	17
Laryngitis	–	1	–	1	4	4	–	2	–	–	–	–	1	–	–	–
Bronchitis	18	10	28	24	40	62	10	42	10	18	9	2	20	44	19	28
Pleurisy	1	1	2	1	1	2	1	1	1	–	2	–	–	2	1	2
Pneumonia	11	1	5	11	18	14	–	10	6	8	1	1	6	14	8	11
Asthma	5	2	5	–	2	4	1	2	1	3	1	–	–	1	3	2
Lung Disease	–	–	–	1	2	8	–	3	–	–	–	–	–	–	–	–
Teething	3	1	4	4	3	3	–	2	1	–	1	–	1	4	2	1
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	1	–	1	1
Gastritis	–	1	–	1	2	4	–	5	–	–	–	–	–	–	–	–
Enteritis	5	–	2	2	7	17	1	5	1	1	2	–	–	7	3	4
Peritonitis	–	2	5	2	2	7	–	4	3	4	–	1	–	4	3	4
Ascites	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intest.	–	2	1	–	1	1	–	1	–	–	–	–	–	2	4	–
Hernia	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
Ileus	1	2	2	–	1	2	–	2	1	–	2	–	1	1	1	–
Intussusception	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	1
Stricture of Intestines	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Stomach Disease	2	2	6	2	11	8	–	3	2	3	2	–	1	4	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	1	2	3	3	–	–	–	1	–	–	–	2	–	2
Jaundice	1	–	1	–	2	2	1	–	–	2	–	–	1	1	1	1
Liver Disease	8	–	5	5	8	8	–	10	2	5	–	–	–	4	2	4
Spleen Disease	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–
Nephritis	2	–	1	–	1	1	–	1	–	2	–	–	–	1	–	–
Nephria	–	–	1	1	2	–	3	5	1	1	1	–	2	4	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	1	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–
Stone	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Sricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	–	–	–	1	1	4	–	1	1	–	–	–	–	–
Paramenia	–	–	–	–	1	–	–	1	–	1	1	–	–	1	1	–
Ovarian Dropsy	1	–	–	–	2	–	–	2	–	–	–	–	1	–	2	–
Childbirth	3	1	1	–	1	9	1	6	2	6	1	–	3	4	1	2
Organs of Generation	2	–	1	1	4	2	2	3	1	–	–	–	–	1	2	3
Bone Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–
Rheumatism	–	1	2	–	3	4	–	3	1	2	–	–	1	2	1	1
Joint Disease	2	1	2	–	3	2	–	1	–	–	–	–	1	5	2	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Intemperance	1	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	1	–	1	2	–	–	–	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	2	–	–	5	–	3	1	–	–	–	1	1	–	1
Hanging, etc.	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Suffocation	–	–	–	1	1	4	–	–	–	1	–	–	–	1	–	–
Drowning	2	–	1	–	1	4	–	1	2	1	1	–	–	3	4	1
Fracture and Contusion	–	–	1	3	2	3	–	2	1	1	2	–	1	3	1	2
Gunshot Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	2	–	1	–	1	–	–	–	–	–	–
Not Specified	15	1	14	6	17	27	7	12	2	1	4	–	7	13	7	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1873.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
All Causes	2177	354	430	198	626	392	177	1020	152	215	100	281	190	82	1157	202	215	98	345	202	95
Specified Causes	1886	297	382	179	510	350	168	876	124	190	94	223	167	78	1010	173	192	85	287	183	90
Zymotic Class	291	29	36	56	81	57	32	132	15	13	27	29	30	18	159	14	23	29	52	27	14
Uncertain Seat	81	12	16	11	18	15	9	30	4	8	7	5	4	2	51	8	8	4	13	11	7
Tubercular Class	268	35	52	18	90	49	24	132	16	32	10	44	16	14	136	19	20	8	46	33	10
Brain, etc.	121	15	34	11	19	23	19	79	10	24	10	15	13	7	42	5	10	1	4	10	12
Heart, etc.	53	5	19	2	6	17	4	31	2	10	1	4	12	2	22	3	9	1	2	5	2
Respiratory Organs	223	28	43	12	85	45	10	94	10	19	6	35	22	2	129	18	24	6	50	23	8
Digestive Organs	92	18	16	7	15	23	13	42	6	6	3	9	13	5	50	12	10	4	6	10	8
Urinary Organs	31	–	11	1	9	6	4	26	–	10	1	7	4	4	5	–	1	–	2	2	–
Generative Organs	18	2	2	1	9	3	1	–	–	–	–	–	–	–	18	2	2	1	9	3	1
Locomotive Organs	31	3	6	6	11	3	2	14	2	1	2	7	2	–	17	1	5	4	4	1	2
Skin, etc.	2	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–
Malformation	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	52	17	3	6	23	3	–	33	9	3	4	15	2	–	19	8	–	2	8	1	–
Atrophy	12	–	3	–	5	3	1	1	–	–	–	–	1	–	11	–	3	–	5	2	1
Age	538	119	117	44	131	89	38	201	41	45	20	45	37	13	337	78	72	24	86	52	25
Sudden Deaths	2	1	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	70	13	22	4	7	13	11	58	8	18	3	7	11	11	12	5	4	1	–	2	–
Small Pox	18	1	–	–	2	10	5	10	1	–	–	–	6	3	8	–	–	–	2	4	2
Measles	16	1	–	8	3	4	–	6	1	–	5	–	–	–	10	–	–	3	3	4	–
Scarlatina	40	9	9	2	1	15	4	22	5	3	1	–	10	3	18	4	6	1	1	5	1
Diphtheria	18	–	3	5	5	2	3	9	–	1	2	3	1	2	9	–	2	3	2	1	1
Hooping Cough	46	4	–	–	33	8	1	19	1	–	–	14	3	1	27	3	–	–	19	5	–
Croup	42	1	1	32	6	2	–	18	–	–	14	3	1	–	24	1	1	18	3	1	–
Thrush	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	14	1	5	2	2	4	–	8	–	4	1	1	2	–	6	1	1	1	1	2	–
Dysentery	9	–	2	–	2	1	4	3	–	–	–	1	–	2	6	–	2	–	1	1	2
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	11	–	4	4	2	–	1	5	–	2	1	1	–	1	6	–	2	3	1	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	6	3	3	8	2	3	13	4	1	3	1	2	2	12	2	2	–	7	–	1
Enteric Fever	30	3	4	–	11	5	7	9	2	–	–	2	2	3	21	1	4	–	9	3	4
Relapsing Fever	2	–	1	–	–	1	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
Simple Cont. Fever	6	1	–	–	1	2	2	3	–	–	–	1	2	–	3	1	–	–	–	–	2
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	1	1	–	2	–	–	–	–	–	–	–	–	–	4	1	1	–	2	–	–
Rheumatic Fever	4	–	1	–	2	–	1	1	–	–	–	1	–	–	3	–	1	–	1	–	1
Erysipelas	3	–	1	–	1	1	–	2	–	1	–	1	–	–	1	–	–	–	–	1	–
Pyæmia	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	34	5	8	8	7	3	3	12	1	4	5	2	–	–	22	4	4	3	5	3	3
Abscess	3	1	–	–	1	1	–	2	1	–	–	–	1	–	1	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	2	–	–	–	1	–	1	1	–	–	–	–	–	2	1	–	–	–	1	–
Cancer	40	3	8	3	10	10	6	15	1	4	2	3	3	2	25	2	4	1	7	7	4
Gout	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Scrofula	10	2	2	–	2	4	–	5	2	1	–	1	1	–	5	–	1	–	1	3	–
Tabes Mesenterica	13	–	3	–	9	–	1	9	–	3	–	6	–	–	4	–	–	–	3	–	1
Phthisis	224	30	42	18	71	40	23	105	13	23	10	32	13	14	119	17	19	8	39	27	9
Hydrocephalus	21	3	5	–	8	5	–	13	1	5	–	5	2	–	8	2	–	–	3	3	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1873. (*Continued.*)

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	6	–	1	–	1	2	2	2	–	1	–	1	–	–	4	–	–	–	–	2	2
Apoplexy	22	3	10	2	–	3	4	15	–	8	2	–	3	2	7	3	2	–	–	–	2
Paralysis	41	8	8	2	7	9	7	26	6	5	2	5	7	1	15	2	3	–	2	2	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	1	2	1	2	2	1	5	1	1	–	1	1	1	4	–	1	1	1	1	–
Tetanus	4	–	–	4	–	–	–	4	–	–	4	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Convulsions	18	1	6	–	7	3	1	11	1	4	–	6	–	–	7	–	2	–	1	3	1
Brain Disease	20	2	6	2	2	4	4	16	2	5	2	2	2	3	4	–	1	–	–	2	1
Pericarditis	3	–	–	–	1	2	–	2	–	–	–	1	1	–	1	–	–	–	–	1	–
Aneurism	2	–	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	–	–	1	–
Heart Disease	48	5	19	2	5	13	4	28	2	10	1	3	10	2	20	3	9	1	2	3	2
Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Bronchitis	94	12	20	3	25	27	7	41	5	9	1	12	13	1	53	7	11	2	13	14	6
Pleurisy	27	3	2	1	21	–	–	13	1	1	1	10	–	–	14	2	1	–	11	–	–
Pneumonia	34	1	8	1	10	11	3	13	1	4	1	2	4	1	21	–	4	–	8	7	2
Asthma	60	11	7	6	29	7	–	24	3	3	2	11	5	–	36	8	4	4	18	2	–
Lung Disease	7	1	5	1	–	–	–	3	–	2	1	–	–	–	4	1	3	–	–	–	–
Teething	2	–	–	–	1	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	1
Quinsey	4	1	2	–	1	–	–	–	–	–	–	–	–	–	4	1	2	–	1	–	–
Gastritis	4	–	–	1	–	2	1	2	–	–	1	–	1	–	2	–	–	–	–	1	1
Enteritis	9	1	1	1	2	2	2	6	1	1	1	2	–	1	3	–	–	–	–	2	1
Peritonitis	4	–	–	–	1	2	1	2	–	–	–	1	1	–	2	–	–	–	–	1	1
Ascites	2	–	–	–	–	1	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer. of Intestines	2	–	–	–	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1	–
Hernia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ileus	11	4	1	–	2	2	2	5	2	–	–	1	1	1	6	2	1	–	1	1	1
Intussusception	2	–	1	–	–	1	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–
Strict. of Intestines	2	–	–	1	–	–	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–
Stomach Disease	15	4	4	–	2	4	1	4	–	–	–	1	2	1	11	4	4	–	1	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	1	–	1	5	–	5	–	1	–	1	3	–	2	–	–	–	–	2	–
Jaundice	8	2	3	–	2	1	–	5	2	2	–	–	1	–	3	–	1	–	2	–	–
Liver Disease	18	6	3	3	2	2	2	7	1	2	1	1	2	–	11	5	1	2	1	–	2
Spleen Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Nephritis	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	1	–	3	–	1	3	–	–	–	2	–	1	2	–	1	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	2	–	1	2	–	5	–	2	–	1	2	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Stone	4	–	3	–	–	–	1	4	–	3	–	–	–	1	–	–	–	–	–	–	–
Cystitis	7	–	1	1	3	–	2	6	–	1	1	2	–	2	1	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	3	–	1	3	–	6	–	3	–	1	2	–	1	–	–	–	–	1	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	2	1	1	7	2	–	–	–	–	–	–	–	–	13	2	1	1	7	2	–
Organs of Generation	5	–	1	–	2	1	1	–	–	–	–	–	–	–	5	–	1	–	2	1	1
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	26	3	4	6	11	2	–	13	2	–	2	7	2	–	13	1	4	4	4	–	–
Joint Disease	5	–	2	–	–	1	2	1	–	1	–	–	–	–	4	–	1	–	–	1	2
Carbuncle	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	1	–	–	–	3	1	4	1	–	–	–	2	1	1	–	–	–	–	1	–
Poison	2	1	1	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	2	1	–	1	1	–	2	1	–	–	1	–	–	3	1	1	–	–	1	–
Hanging, etc.	3	–	–	1	–	1	1	3	–	–	1	–	1	1	–	–	–	–	–	–	–
Suffocation	3	1	–	–	2	–	–	2	–	–	–	2	–	–	1	1	–	–	–	–	–
Drowning	32	3	13	1	3	7	5	31	3	12	1	3	7	5	1	–	1	–	–	–	–
Fracture & Contusion	18	3	7	2	1	1	4	13	1	5	1	1	1	4	5	2	2	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	291	57	48	19	116	42	9	144	28	25	6	58	23	4	147	29	23	13	58	19	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	76946	7460	2609	4881	6301	2865	1853	1372	3618	2013	2586	2909	2548
Specified Causes	75397	6933	2504	4757	6183	2814	1821	1341	3556	1973	2543	2872	2524
I. Zymotic Class	14956	852	701	1473	2456	1420	1000	747	1724	571	522	553	438
II. Diseases of Uncertain Seat	2779	55	13	18	37	25	24	13	45	37	39	58	44
III. Tubercular Class	11952	209	333	707	1006	418	271	224	790	680	1212	1370	1110
IV. Brain and Nervous System	7223	528	190	376	376	175	120	104	289	171	146	128	109
V. Organs of Circulation	4510	22	7	9	7	2	6	8	43	65	107	102	114
VI. Respiratory Organs	12524	892	677	1369	1450	527	257	130	292	122	152	177	182
VII. Organs of Digestion	5208	556	267	561	576	102	52	45	122	83	81	107	135
VIII. Urinary Organs	1367	5	4	2	11	14	16	14	38	27	57	58	77
IX. Organs of Generation	541	1	–	1	3	1	–	–	–	1	17	85	95
X. Organs of Locomotion	512	2	2	2	3	4	8	3	50	64	45	26	20
XI. Skin, etc.	96	14	8	7	15	4	–	–	1	1	1	–	2
XII. Malformation	244	205	15	11	4	4	2	–	–	1	1	–	–
XIII. Premature Debility	3755	3370	208	177	–	–	–	–	–	–	–	–	–
XIV. Atrophy	560	–	–	–	159	48	18	16	32	16	13	7	9
XV. Age	6203	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	128	13	6	6	2	–	1	–	4	–	1	7	2
XVII. Violent Deaths	2839	209	73	38	78	70	46	37	126	134	149	194	187
I. Small Pox	1126	80	73	25	25	25	13	22	70	89	136	191	128
Measles	1450	21	24	294	577	224	117	63	100	13	2	4	3
Scarlatina	2227	12	20	118	318	351	312	215	639	145	36	20	14
Diphtheria	1203	22	12	64	211	187	154	149	276	61	19	12	6
Hooping Cough	1598	126	140	374	481	196	116	75	82	6	–	–	1
Croup	1132	44	35	123	314	225	144	107	128	8	2	1	–
Thrush	44	28	7	5	2	1	1	–	–	–	–	–	–
Diarrhœa	2152	338	281	355	343	72	29	16	45	7	15	12	11
Dysentery	294	7	20	11	14	3	3	2	2	2	3	3	3
Cholera	121	6	12	11	18	3	3	1	9	1	2	2	1
Influenza	119	4	–	3	3	2	1	–	5	–	1	2	3
Purpura	64	2	–	5	–	1	4	3	3	8	4	5	2
Ague	6	–	–	–	–	–	–	–	–	–	–	1	1
Worms	14	–	–	1	3	2	3	–	2	–	–	1	1
Typhus	628	3	2	1	14	10	9	10	39	43	66	62	56
Enteric Fever	1495	5	10	15	60	74	53	50	240	139	171	141	117
Relapsing Fever	31	–	–	–	1	2	1	3	2	3	3	1	3
Simple Continued Fever	192	3	3	14	16	13	17	13	32	15	17	5	8
Infantile Remittent	117	7	1	15	23	23	12	10	26	–	–	–	–
Metria	251	–	–	–	–	–	–	–	–	–	13	66	53
Rheumatic Fever	129	–	–	–	–	–	–	1	14	22	13	10	7
Erysipelas	316	72	18	21	15	2	3	6	4	6	11	8	7
Pyæmia	58	–	1	1	1	2	2	1	4	3	5	3	10
Syphilis	180	71	42	16	15	2	1	–	–	–	3	3	3
Noma	9	1	–	1	2	–	2	–	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	115	13	3	4	–	1	1	–	1	1	2	14	8
Dropsy	651	5	2	3	17	14	13	8	28	25	14	16	8
Abscess	199	17	4	11	11	6	4	3	7	8	14	11	6
Ulcer	64	5	2	–	2	–	1	1	1	–	2	1	–
Fistula	13	–	–	–	–	–	–	–	–	–	2	1	–
Mortification	183	14	1	–	4	1	1	1	2	2	1	5	5
Cancer	1537	1	1	–	3	3	4	–	6	1	4	10	17
Gout	17	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	707	15	19	41	66	32	32	22	85	82	70	63	28
Tabes Mesenterica	999	70	72	102	263	100	55	49	135	61	26	16	11
Phthisis	8286	28	55	93	178	101	64	65	330	478	1106	1290	1071
Hydrocephalus	1960	96	187	471	499	185	120	88	240	59	10	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2344	2316	2478	2527	2863	2912	3657	3586	4390	3525	2955	1579	551	181	24	43
Specified Causes	2300	2281	2435	2486	2792	2846	3630	3571	4389	3525	2955	1579	551	181	24	31
Zymotic Class	345	270	243	175	212	171	219	208	261	166	149	53	20	3	–	4
Uncertain Seat	74	99	162	205	244	308	296	292	308	196	125	45	14	2	1	–
Tubercular Class	841	700	573	455	371	268	187	119	63	28	10	2	1	–	–	4
Brain, etc.	155	190	243	290	360	384	550	590	740	530	300	133	37	6	–	3
Heart, etc.	167	215	248	294	370	428	549	545	542	391	171	76	21	–	–	1
Respiratory Organs	218	274	399	482	592	627	853	788	865	581	398	172	35	8	1	4
Digestive Organs	135	168	199	217	281	282	336	299	278	186	98	31	8	2	–	1
Urinary Organs	64	72	79	89	74	90	110	111	149	97	69	27	10	3	–	–
Generative Organs	73	83	72	30	21	18	16	5	10	2	3	4	–	–	–	–
Locomotive Organs	16	21	18	26	22	18	29	43	34	31	20	4	1	–	–	–
Skin	1	2	4	6	2	5	5	8	4	1	2	2	1	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	15	14	14	36	73	90	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	326	457	1037	1247	1559	1006	395	154	20	2
Sudden Deaths	2	7	2	10	7	12	12	9	12	7	4	–	2	–	–	–
Violent Deaths	194	166	178	171	163	145	142	97	86	62	47	24	6	3	2	12
Small Pox	82	57	37	17	25	10	11	3	4	2	–	–	–	–	–	1
Measles	3	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	10	7	4	–	3	–	1	–	–	–	–	–	–	–	–	2
Diphtheria	4	4	3	4	3	3	3	2	–	3	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	20	22	22	35	47	67	63	114	94	76	35	12	2	–	–
Dysentery	13	11	10	12	18	13	27	31	39	24	16	6	1	–	–	–
Cholera	6	6	4	4	8	7	3	6	5	2	–	1	–	–	–	–
Influenza	2	2	3	1	1	6	12	13	20	12	17	2	3	1	–	–
Purpura	3	3	4	2	3	3	–	4	4	1	–	–	–	–	–	–
Ague	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	42	45	37	42	20	22	28	16	7	3	1	1	–	–	1
Enteric Fever	70	52	49	44	40	38	35	36	31	12	9	4	–	–	–	–
Relapsing Fever	2	3	1	1	–	–	1	1	2	–	1	–	–	–	–	–
Simple Cont. Fever	3	2	8	2	4	–	9	3	3	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	55	35	26	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	8	5	11	10	8	10	6	–	1	2	1	–	–	–	–	–
Erysipelas	7	9	7	9	15	9	16	15	20	5	24	4	3	–	–	–
Pyæmia	6	4	–	4	4	3	2	1	–	1	–	–	–	–	–	–
Syphilis	4	4	7	3	2	–	2	1	1	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	11	10	7	6	6	3	5	6	3	3	–	–	–	–	–
Dropsy	14	21	26	33	40	36	65	61	93	58	32	14	4	–	1	–
Abscess	11	8	5	7	8	22	14	6	8	4	3	1	–	–	–	–
Ulcer	2	3	2	4	6	5	2	6	7	5	4	2	1	–	–	–
Fistula	–	–	–	3	–	2	1	3	1	–	–	–	–	–	–	–
Mortification	3	2	4	4	8	11	11	16	28	27	17	11	2	2	–	–
Cancer	37	54	114	146	172	225	199	192	164	96	65	17	6	–	–	–
Gout	–	–	1	1	4	1	1	3	1	3	1	–	1	–	–	–
Scrofula	19	25	19	14	21	20	14	7	8	2	3	–	–	–	–	–
Tabes Mesenterica	5	5	5	4	10	4	2	2	1	1	–	–	–	–	–	–
Phthisis	817	669	548	436	339	244	171	110	54	25	7	2	1	–	–	4
Hydrocephalus	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	820	21	42	103	103	52	46	44	132	73	49	33	22
Apoplexy	1638	26	22	42	39	24	14	13	32	20	13	14	20
Paralysis	2111	1	–	2	1	2	2	2	6	5	17	13	16
Delirium Tremens	66	–	–	–	–	–	–	–	–	–	–	2	2
Chorea	8	–	–	1	–	1	–	–	1	–	–	1	–
Epilepsy	270	–	–	4	3	3	1	4	8	20	21	27	18
Tetanus	52	17	–	1	–	1	–	1	2	8	1	2	1
Insanity	58	–	–	–	–	2	–	–	2	–	1	3	4
Convulsions	1093	439	111	190	188	65	38	24	38	–	–	–	–
Brain Disease	1107	24	15	33	42	25	19	16	68	45	44	33	26
V. Pericarditis	92	1	2	–	–	1	1	2	9	8	10	4	5
Aneurism	113	–	–	–	–	–	–	–	2	1	3	1	3
Heart Disease	4305	21	5	9	7	1	5	6	32	56	94	97	106
VI. Laryngitis	146	8	2	17	18	13	7	4	9	9	1	6	3
Bronchitis	8308	680	533	1071	1090	377	188	81	144	50	35	49	63
Pleurisy	274	11	7	4	7	5	4	–	11	8	14	23	9
Pneumonia	3012	169	130	263	316	122	52	43	116	49	84	87	92
Asthma	463	–	2	3	1	2	–	–	2	–	4	1	4
Lung Disease	321	24	3	11	18	8	6	2	10	6	14	11	11
VII. Teething	770	1	33	326	374	32	4	–	–	–	–	–	–
Quinsey	93	14	8	6	18	6	2	8	11	2	1	–	2
Gastritis	225	24	12	15	18	3	2	3	8	5	3	6	11
Enteritis	924	242	117	121	95	37	16	13	31	15	18	8	14
Peritonitis	395	21	12	15	9	2	5	8	21	22	21	36	30
Ascites	73	–	–	–	–	–	1	1	2	4	2	2	1
Ulceration of Intestines	203	2	3	3	3	2	2	–	9	5	5	9	7
Hernia	127	4	2	4	3	1	1	–	–	–	1	–	6
Ileus	267	18	6	12	2	1	4	2	6	5	8	12	8
Intussusception	49	1	7	3	2	–	–	–	1	1	1	2	2
Stricture of Intestines	39	1	–	–	1	–	–	–	–	–	–	1	1
Stomach Disease	824	132	59	48	37	11	11	5	12	10	10	3	18
Pancreas Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	185	6	2	–	3	2	–	2	6	4	2	7	8
Jaundice	224	69	4	5	4	2	3	–	2	4	3	3	6
Liver Disease	765	21	2	3	6	3	1	2	10	5	5	18	19
Spleen Disease	41	–	–	–	1	–	–	1	3	1	1	–	2
VIII. Nephritis	115	3	1	–	4	6	8	5	16	2	5	5	3
Nephria	381	1	–	–	2	5	5	3	11	10	21	22	31
Addison's Disease	14	–	–	–	–	–	–	–	–	–	–	2	1
Ischuria	82	1	1	1	–	1	1	–	–	1	1	1	2
Diabetes	105	–	–	1	1	–	–	–	1	3	15	9	12
Stone	64	–	–	–	–	–	–	1	1	2	–	–	2
Cystitis	136	–	–	–	–	–	–	2	1	–	3	1	4
Stricture of Urethra	18	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	452	–	2	–	4	2	2	3	8	9	12	18	22
IX. Paramenia	23	–	–	–	–	–	–	–	–	1	6	5	6
Ovarian Dropsy	69	–	–	–	–	–	–	–	–	–	1	6	6
Childbirth	325	–	–	–	–	–	–	–	–	–	8	65	73
Organs of Generation	124	1	–	1	3	1	–	–	–	–	2	9	10
X. Bone Disease	60	–	–	1	2	1	2	1	7	6	5	4	4
Rheumatism	214	–	1	–	–	–	–	–	4	3	9	4	5
Joint Disease	238	2	1	1	1	3	6	2	39	55	31	18	11
XI. Carbuncle	22	–	–	–	–	1	–	–	–	–	–	–	1
Phlegmon	7	–	–	1	–	1	–	–	1	–	–	–	–
Skin Disease	67	14	8	6	15	2	–	–	–	1	1	–	1
XVII. Intemperance	148	–	–	–	–	–	–	–	–	–	–	7	7
Privation	10	–	–	–	–	–	–	1	–	–	1	–	–
Want of Breast Milk	165	74	20	8	3	–	–	–	–	–	–	–	–
Neglect	2	–	1	–	–	–	–	–	–	1	–	–	–
Cold	54	4	1	–	1	–	–	–	–	–	1	2	1
Poison	47	–	1	2	1	3	1	1	2	1	5	–	3
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	253	1	1	13	35	38	18	20	32	7	5	3	12
Hanging, etc.	61	–	–	–	–	–	–	–	–	1	–	4	2
Suffocation	262	105	47	8	4	2	–	1	6	2	6	5	9
Drowning	649	4	–	3	22	19	9	6	35	51	42	70	62
Fracture and Contusion	1057	7	2	3	12	8	12	7	40	62	77	88	78
Gunshot Wounds	18	–	–	–	–	–	2	–	1	–	3	2	2
Cuts and Stabs	38	–	–	–	–	–	1	–	–	–	–	–	3
Other Violent Causes	133	14	–	1	–	–	3	1	10	9	9	13	8
Not Specified	1549	527	105	124	118	51	32	31	62	40	43	37	24

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	21	13	14	10	5	11	6	4	5	2	1	–	–	–	–
Apoplexy	40	43	58	96	124	129	170	190	224	167	80	30	5	2	–	1
Paralysis	30	45	70	84	114	149	262	292	411	280	182	89	31	3	–	2
Delirium Tremens	7	12	8	12	8	5	5	2	3	–	–	–	–	–	–	–
Chorea	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	24	15	27	17	21	19	16	6	8	6	2	–	–	–	–	–
Tetanus	2	2	2	7	2	1	–	1	1	–	–	–	–	–	–	–
Insanity	3	3	5	1	4	4	5	7	4	3	5	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	40	49	60	59	75	72	81	86	85	69	28	11	1	1	–	–
Pericarditis	8	6	10	3	1	4	5	6	5	1	–	–	–	–	–	–
Aneurism	7	3	14	15	10	8	19	10	13	3	1	–	–	–	–	–
Heart Disease	152	206	224	276	359	416	525	529	524	387	170	76	21	–	–	1
Laryngitis	4	7	5	10	4	–	9	3	5	1	–	1	–	–	–	–
Bronchitis	81	108	196	239	349	386	535	532	614	416	318	137	29	5	1	1
Pleurisy	13	13	17	17	20	12	30	14	16	11	5	2	–	–	–	1
Pneumonia	99	124	142	139	150	159	186	157	157	101	45	21	4	3	–	2
Asthma	4	7	17	54	42	47	62	68	61	43	27	10	2	–	–	–
Lung Disease	17	15	22	23	27	23	31	14	12	9	3	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	2	1	1	1	2	2	2	2	–	1	–	–	–	–	–
Gastritis	10	7	11	13	11	12	12	12	12	11	2	2	–	–	–	–
Enteritis	19	13	12	18	24	20	27	18	19	16	8	2	–	–	–	1
Peritonitis	24	25	18	15	17	13	23	16	16	19	2	4	1	–	–	–
Ascites	1	6	2	7	7	5	7	11	5	6	2	1	–	–	–	–
Ulceration of Intestines	7	16	18	15	14	20	20	14	12	10	5	2	–	–	–	–
Hernia	–	3	8	6	7	8	13	17	20	13	9	1	–	–	–	–
Ileus	7	6	9	11	21	18	16	32	23	18	14	7	1	–	–	–
Intussusception	2	–	3	3	2	3	7	4	1	2	2	–	–	–	–	–
Stricture of Intestines	2	–	1	3	4	4	9	5	2	2	1	1	1	–	–	–
Stomach Disease	17	21	32	33	48	55	67	60	64	44	20	4	3	–	–	–
Pancreas Disease	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Hepatitis	9	14	17	9	13	19	18	19	8	9	7	1	–	–	–	–
Jaundice	4	7	6	7	16	14	12	11	18	14	7	1	2	–	–	–
Liver Disease	31	42	58	73	90	86	98	75	72	21	17	5	–	2	–	–
Spleen Disease	1	6	3	3	6	3	4	2	2	1	1	–	–	–	–	–
Nephritis	4	2	5	9	8	6	4	3	9	6	1	–	–	–	–	–
Nephria	29	24	31	26	31	28	29	28	21	13	5	3	2	–	–	–
Addison's Disease	1	4	–	3	1	–	1	–	–	–	–	1	–	–	–	–
Ischuria	1	2	6	2	1	9	7	8	6	11	14	1	3	1	–	–
Diabetes	5	12	5	7	2	6	8	5	8	3	2	–	–	–	–	–
Stone	2	–	3	3	2	2	9	10	6	11	5	4	–	1	–	–
Cystitis	2	3	3	5	6	11	10	14	30	19	12	8	1	1	–	–
Stricture of Urethra	2	2	2	2	3	1	2	1	–	1	2	–	–	–	–	–
Kidney Disease	18	23	24	32	20	27	40	42	69	33	28	10	4	–	–	–
Paramenia	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	8	6	7	6	7	7	4	4	1	2	1	–	–	–	–
Childbirth	59	66	44	9	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	8	21	13	14	11	9	1	6	1	1	3	–	–	–	–
Bone Disease	1	7	3	3	6	–	3	2	1	–	–	1	–	–	–	–
Rheumatism	6	5	8	14	11	16	22	31	28	26	17	3	1	–	–	–
Joint Disease	9	9	7	9	5	2	4	10	5	5	3	–	–	–	–	–
Carbuncle	–	–	2	3	1	3	2	6	1	–	–	1	1	–	–	–
Phlegmon	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	1	–	2	3	1	2	3	2	2	–	2	1	–	–	–	–
Intemperance	11	19	17	26	18	15	15	7	4	–	–	–	–	–	–	2
Privation	1	–	–	–	2	1	1	1	2	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	4	2	2	2	7	6	5	3	3	4	1	–	–	–	2
Poison	4	1	4	6	3	2	5	–	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	6	6	4	7	8	4	5	7	6	9	3	3	–	–	–	–
Hanging, etc.	4	3	8	5	5	8	6	7	5	3	–	–	–	–	–	–
Suffocation	13	5	9	10	8	6	7	4	3	1	–	–	–	–	–	1
Drowning	64	42	48	33	40	25	30	16	14	5	1	1	–	1	–	6
Fracture and Contusion	80	72	73	72	67	60	60	41	38	36	34	17	6	2	2	1
Gunshot Wounds	1	1	–	1	1	–	2	–	–	1	–	1	–	–	–	–
Cuts and Stabs	3	2	6	3	5	8	–	1	3	1	2	–	–	–	–	–
Other Violent Causes	4	11	6	6	4	9	5	8	6	2	3	1	–	–	–	–
Not Specified	44	35	43	41	71	66	27	15	1	–	–	–	–	–	–	12

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	39037	4229	1427	2666	3320	1450	951	695	1870	1055	1324	1530	1287
SPECIFIED CAUSES	38224	3939	1379	2604	3265	1422	929	683	1835	1036	1297	1503	1274
I. Zymotic Class	7528	478	385	802	1223	713	499	375	846	263	277	298	219
II. Diseases of Uncertain Seat	1146	32	10	9	25	13	15	6	31	29	21	33	14
III. Tubercular Class	5872	118	189	387	550	223	140	116	407	312	538	661	543
IV. Brain and Nervous System	3720	298	105	197	212	77	68	49	160	97	81	62	58
V. Organs of Circulation	2325	13	3	5	4	2	3	2	19	31	59	42	55
VI. Respiratory Organs	6519	492	368	753	797	269	126	67	142	68	73	109	104
VII. Organs of Digestion	2676	348	145	316	299	49	27	24	59	56	41	59	55
VIII. Urinary Organs	940	4	3	1	9	7	10	11	28	14	37	31	42
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	292	1	2	2	3	1	5	2	33	44	31	19	11
XI. Skin, etc.	53	7	5	3	8	4	–	–	–	–	1	–	1
XII. Malformation	138	121	7	5	2	2	1	–	–	–	–	–	–
XIII. Premature Debility	2123	1911	116	96	–	–	–	–	–	–	–	–	–
XIV. Atrophy	245	–	–	–	79	25	10	8	17	7	3	3	3
XV. Age	2450	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	72	6	3	3	1	–	1	–	1	–	–	5	2
XVII. Violent Deaths	2124	110	38	24	53	37	24	23	92	115	135	181	167
I. Small Pox	666	34	49	11	11	12	5	6	37	44	85	134	87
Measles	714	11	15	157	288	106	54	32	42	5	–	1	3
Scarlatina	1156	9	11	70	173	175	162	118	331	67	14	11	6
Diphtheria	600	14	8	36	107	91	90	82	121	23	9	2	1
Hooping Cough	723	68	67	176	204	94	47	29	36	1	–	–	1
Croup	635	31	25	77	178	122	76	53	68	2	2	1	–
Thrush	25	17	2	2	2	1	1	–	–	–	–	–	–
Diarrhœa	1087	188	151	204	170	41	13	7	23	3	11	7	6
Dysentery	153	6	12	9	8	2	1	1	2	1	3	1	1
Cholera	78	4	8	5	14	2	2	1	5	1	2	2	–
Influenza	53	1	–	1	1	2	–	–	2	–	1	–	2
Purpura	32	1	–	4	–	–	3	2	2	4	1	3	1
Ague	2	–	–	–	–	–	–	–	–	–	–	1	1
Worms	4	–	–	–	1	1	1	–	–	–	–	–	–
Typhus	323	3	1	–	6	3	4	4	18	24	34	32	28
Enteric Fever	743	2	4	9	30	36	22	25	112	68	94	89	65
Relapsing Fever	17	–	–	–	–	2	1	2	1	1	2	1	1
Simple Continued Fever	80	1	–	7	8	5	5	5	12	4	5	3	3
Infantile Remittent	67	4	1	10	6	15	7	5	19	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	64	–	–	–	–	–	–	–	9	10	6	6	5
Erysipelas	180	42	11	12	8	2	3	3	3	4	5	2	4
Pyæmia	25	–	1	1	–	1	1	–	2	1	2	–	3
Syphilis	96	41	19	10	8	–	–	–	–	–	1	2	1
Noma	5	1	–	1	–	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	59	8	2	2	–	1	1	–	–	1	–	7	3
Dropsy	295	3	1	–	12	8	7	4	22	20	8	7	2
Abscess	114	9	4	7	9	2	2	1	4	5	7	8	2
Ulcer	24	2	2	–	–	–	–	–	–	–	1	1	–
Fistula	10	–	–	–	–	–	–	–	–	–	1	1	–
Mortification	92	10	1	–	3	–	1	1	1	2	1	2	1
Cancer	542	–	–	–	1	2	4	–	4	1	3	7	6
Gout	10	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	375	6	11	19	33	21	15	11	52	44	37	32	18
Tabes Mesenterica	572	43	38	60	147	59	32	30	76	37	13	9	6
Phthisis	3854	14	36	48	90	48	34	23	153	201	482	619	519
Hydrocephalus	1071	55	104	260	280	95	59	52	126	30	6	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1109	1155	1220	1323	1480	1497	1837	1783	2042	1587	1257	635	206	67	8	27
SPECIFIED CAUSES	1098	1137	1195	1304	1444	1462	1826	1771	2042	1587	1257	635	206	67	8	19
Zymotic Class	147	119	106	91	104	88	115	98	110	75	60	27	8	1	–	1
Uncertain Seat	28	40	42	65	82	130	122	129	124	79	43	21	3	–	–	–
Tubercular Class	394	314	264	220	179	129	87	53	34	8	4	–	–	–	–	2
Brain, etc.	80	115	138	145	178	192	285	311	345	254	141	50	18	2	–	2
Heart, etc.	79	111	124	161	206	211	281	290	281	208	92	35	8	–	–	–
Respiratory Organs	110	165	212	303	337	336	432	380	396	233	160	71	19	4	–	2
Digestive Organs	51	70	87	99	140	153	157	142	154	86	46	7	4	1	–	1
Urinary Organs	27	41	52	52	50	62	84	82	114	83	63	25	5	3	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	12	11	10	10	10	9	15	21	14	13	10	2	1	–	–	–
Skin	–	1	3	4	1	2	5	4	2	–	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	7	5	15	28	31	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	135	186	414	509	611	387	147	53	7	1
Sudden Deaths	1	5	1	7	6	6	5	5	7	3	3	–	1	–	–	–
Violent Deaths	165	138	151	132	123	113	103	70	47	36	23	9	1	3	1	10
Small Pox	52	33	20	12	16	7	7	1	1	1	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	1	2	–	2	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	2	–	3	2	2	2	–	–	3	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	4	8	9	15	21	35	25	48	42	25	19	3	–	–	–
Dysentery	7	5	6	2	7	4	12	21	16	11	10	4	1	–	–	–
Cholera	4	4	2	2	7	6	1	2	3	1	–	–	–	–	–	–
Influenza	1	–	1	–	1	4	4	9	7	5	7	1	2	1	–	–
Purpura	2	1	1	–	2	1	–	3	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	27	28	21	19	13	16	8	7	3	2	1	1	–	–	–
Enteric Fever	33	26	18	24	13	22	14	15	13	4	5	–	–	–	–	–
Relapsing Fever	1	2	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Simple Cont. Fever	2	1	5	1	3	–	7	1	2	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	4	6	6	4	3	–	–	1	–	–	–	–	–	–
Erysipelas	5	6	4	8	6	4	11	12	9	3	10	2	1	–	–	–
Pyæmia	3	2	–	1	4	–	1	1	–	1	–	–	–	–	–	–
Syphilis	2	2	5	2	1	–	1	–	1	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	5	2	4	4	4	3	3	2	3	1	–	–	–	–	–
Dropsy	5	7	9	13	10	20	25	29	46	19	11	6	1	–	–	–
Abscess	5	4	2	5	6	16	2	5	5	2	1	1	–	–	–	–
Ulcer	1	3	1	3	1	1	–	2	2	2	1	1	–	–	–	–
Fistula	–	–	–	1	–	2	1	3	1	–	–	–	–	–	–	–
Mortification	1	–	1	2	4	6	9	11	13	9	7	4	2	–	–	–
Cancer	13	21	26	36	54	81	81	74	54	43	22	9	–	–	–	–
Gout	–	–	1	1	3	–	1	2	1	1	–	–	–	–	–	–
Scrofula	13	13	8	8	13	8	4	4	4	–	1	–	–	–	–	–
Tabes Mesenterica	1	4	3	2	7	2	1	2	–	–	–	–	–	–	–	–
Phthisis	380	296	252	210	158	119	82	47	30	8	3	–	–	–	–	2
Hydrocephalus	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	428	9	23	50	57	16	25	22	74	39	26	16	12
Apoplexy	821	17	13	22	26	16	10	4	15	8	8	10	12
Paralysis	1020	1	–	–	1	–	1	–	5	2	8	9	7
Delirium Tremens	55	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	5	–	–	1	–	–	–	–	–	–	–	1	–
Epilepsy	122	–	–	3	1	1	1	4	3	11	12	10	4
Tetanus	35	12	–	–	–	–	–	1	1	7	1	1	1
Insanity	19	–	–	–	–	–	–	–	1	–	1	1	2
Convulsions	587	243	60	102	105	32	20	8	17	–	–	–	–
Brain Disease	628	16	9	19	22	12	11	10	44	30	25	13	18
V. Pericarditis	53	–	–	–	–	1	1	1	5	5	7	3	1
Aneurism	82	–	–	–	–	–	–	–	–	1	2	1	3
Heart Disease	2190	13	3	5	4	1	2	1	14	25	50	38	51
VI. Laryngitis	78	5	1	8	10	9	2	2	7	5	1	3	2
Bronchitis	4097	374	288	585	599	183	96	36	72	27	14	23	31
Pleurisy	149	6	4	3	3	3	–	–	7	4	10	15	6
Pneumonia	1777	91	71	151	176	71	27	28	51	30	37	60	59
Asthma	236	–	2	1	–	–	–	–	1	–	3	–	1
Lung Disease	182	16	2	5	9	3	1	1	4	2	8	8	5
VII. Teething	404	1	16	178	193	14	2	–	–	–	–	–	–
Quinsey	42	7	4	4	4	2	2	6	3	2	–	–	–
Gastritis	113	17	6	10	8	1	–	1	2	4	3	3	2
Enteritis	505	143	63	67	52	20	5	8	16	10	7	3	7
Peritonitis	187	16	8	9	6	1	2	4	11	14	11	13	11
Ascites	21	–	–	–	–	–	–	1	2	1	1	2	–
Ulceration of Intestines	104	2	–	1	1	1	–	–	3	4	2	7	2
Hernia	63	3	1	4	3	–	1	–	–	–	1	–	5
Ileus	156	14	4	7	1	–	3	1	4	4	5	7	5
Intussusception	32	–	6	3	1	–	–	–	–	1	1	2	2
Stricture of Intestines	25	1	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	408	84	31	28	22	6	8	2	6	7	5	2	5
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	88	4	2	–	2	1	–	1	2	3	–	4	4
Jaundice	116	45	3	3	2	–	3	–	2	1	2	3	3
Liver Disease	389	11	1	2	3	3	1	–	7	4	3	12	9
Spleen Disease	21	–	–	–	1	–	–	–	1	1	–	–	–
VIII. Nephritis	71	2	1	–	3	3	7	3	10	–	3	4	2
Nephria	228	1	–	–	2	2	3	2	9	4	16	13	15
Addison's Disease	7	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	68	1	1	–	–	1	–	–	–	1	1	–	1
Diabetes	62	–	–	1	1	–	–	–	1	2	9	5	8
Stone	54	–	–	–	–	–	–	1	1	2	–	–	2
Cystitis	119	–	–	–	–	–	–	2	1	–	1	1	1
Stricture of Urethra	18	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	313	–	1	–	3	1	–	3	6	5	7	8	12
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Bone Disease	45	–	–	1	–	–	1	1	5	6	3	2	3
Rheumatism	96	–	1	–	–	–	–	–	4	2	4	2	2
Joint Disease	151	1	1	1	1	1	4	1	24	36	24	15	6
XI. Carbuncle	15	–	–	–	–	1	–	–	–	–	–	–	1
Phlegmon	4	–	–	1	–	1	–	–	–	–	–	–	–
Skin Disease	34	7	5	2	8	2	–	–	–	–	1	–	–
XVII. Intemperance	88	–	–	–	–	–	–	–	–	–	–	5	3
Privation	6	–	–	–	–	–	–	1	–	–	1	–	–
Want of Breast Milk	56	41	11	3	1	–	–	–	–	–	–	–	–
Neglect	2	–	1	–	–	–	–	–	–	1	–	–	–
Cold	37	3	1	–	1	–	–	–	–	–	1	2	–
Poison	30	–	1	1	1	1	1	1	1	–	2	–	2
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	126	–	–	9	20	18	8	10	17	6	3	3	9
Hanging, etc.	42	–	–	–	–	–	–	–	–	1	–	4	1
Suffocation	152	51	22	5	3	2	–	1	5	1	4	4	8
Drowning	549	1	–	3	17	11	8	6	28	38	39	65	57
Fracture and Contusion	892	6	2	2	10	5	4	3	35	61	75	87	75
Gunshot Wounds	16	–	–	–	–	–	1	–	1	–	2	2	2
Cuts and Stabs	33	–	–	–	–	–	1	–	–	–	–	–	3
Other Violent Causes	93	8	–	1	–	–	1	1	5	7	8	9	7
Not Specified	813	290	48	62	55	28	22	12	35	19	27	27	13

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	14	8	9	6	4	6	4	1	3	–	1	–	–	–	–
Apoplexy	21	24	27	40	57	69	89	97	101	84	40	10	–	1	–	–
Paralysis	14	32	49	42	49	62	128	155	194	126	79	36	17	1	–	2
Delirium Tremens	5	11	8	11	8	2	4	2	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	10	5	12	8	10	9	6	3	3	4	2	–	–	–	–	–
Tetanus	2	1	2	4	1	–	–	1	–	–	–	–	–	–	–	–
Insanity	2	1	1	–	1	1	2	2	1	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	23	27	31	31	44	45	50	47	44	35	18	3	1	–	–	–
Pericarditis	5	3	6	3	–	3	4	5	–	–	–	–	–	–	–	–
Aneurism	7	2	11	12	7	5	12	7	10	2	–	–	–	–	–	–
Heart Disease	67	106	107	146	199	203	265	278	271	206	92	35	8	–	–	–
Laryngitis	–	2	3	4	2	–	6	1	4	1	–	–	–	–	–	–
Bronchitis	34	60	83	145	172	186	248	237	248	168	122	57	7	2	–	–
Pleurisy	5	6	9	11	12	7	13	6	8	7	3	–	–	–	–	1
Pneumonia	55	83	95	92	107	101	115	97	100	42	22	11	2	2	–	1
Asthma	3	5	10	37	26	26	30	34	29	13	12	2	1	–	–	–
Lung Disease	13	9	12	14	18	16	20	5	7	2	1	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	1	–	1	2	1	1	1	–	–	–	–	–	–	–
Gastritis	3	3	6	8	6	5	5	9	5	5	1	–	–	–	–	–
Enteritis	7	5	2	6	16	11	15	12	15	9	5	–	–	–	–	1
Peritonitis	7	5	8	8	9	6	12	8	9	9	–	–	–	–	–	–
Ascites	–	2	–	1	3	2	2	1	1	1	1	–	–	–	–	–
Ulceration of Intestines	1	11	9	8	6	15	9	6	8	6	1	1	–	–	–	–
Hernia	–	1	2	3	1	3	4	4	14	8	5	–	–	–	–	–
Ileus	5	4	4	7	11	14	7	18	11	9	7	3	1	–	–	–
Intussusception	1	–	2	2	2	2	4	3	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	3	1	4	7	3	1	1	–	1	1	–	–	–
Stomach Disease	4	6	15	14	19	25	29	23	36	20	9	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hepatitis	5	7	7	5	7	8	7	8	4	5	2	–	–	–	–	–
Jaundice	1	–	2	2	7	7	7	6	7	6	3	–	1	–	–	–
Liver Disease	15	23	28	31	47	47	45	39	39	6	11	1	–	1	–	–
Spleen Disease	1	2	1	1	4	2	2	1	2	1	1	–	–	–	–	–
Nephritis	1	2	4	4	4	4	2	1	5	5	1	–	–	–	–	–
Nephria	12	14	17	16	19	20	19	19	12	6	4	2	1	–	–	–
Addison's Disease	1	2	–	–	1	–	1	–	–	–	–	1	–	–	–	–
Ischuria	–	2	3	2	1	6	6	8	5	11	14	1	2	1	–	–
Diabetes	2	5	3	1	1	4	6	3	6	2	2	–	–	–	–	–
Stone	–	–	3	3	1	–	8	9	4	10	5	4	–	1	–	–
Cystitis	1	1	2	5	5	10	10	13	28	18	11	7	1	1	–	–
Stricture of Urethra	2	2	2	2	3	1	2	1	–	1	2	–	–	–	–	–
Kidney Disease	8	13	18	19	15	17	30	28	54	30	24	10	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	5	3	2	5	–	2	2	1	–	–	–	–	–	–	–
Rheumatism	4	1	4	4	3	7	10	12	11	13	9	2	1	–	–	–
Joint Disease	7	5	3	4	2	2	3	7	2	–	1	–	–	–	–	–
Carbuncle	–	–	2	2	1	2	2	3	1	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	1	2	–	–	3	1	–	–	1	1	–	–	–	–
Intemperance	7	13	7	12	9	11	11	5	4	–	–	–	–	–	–	1
Privation	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	4	1	2	1	3	4	2	1	3	3	–	–	–	–	2
Poison	1	1	2	5	3	1	4	–	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	4	2	2	4	3	1	–	3	2	2	–	–	–	–	–	–
Hanging, etc.	2	1	6	4	2	6	4	6	2	3	–	–	–	–	–	–
Suffocation	10	3	7	7	5	5	6	3	–	–	–	–	–	–	–	–
Drowning	60	36	46	25	32	20	25	12	9	3	–	1	–	1	–	6
Fracture and Contusion	71	67	68	65	58	54	43	33	20	21	16	6	1	2	1	1
Gunshot Wounds	1	1	–	1	1	–	2	–	–	1	–	1	–	–	–	–
Cuts and Stabs	2	2	5	2	5	6	–	1	3	1	2	–	–	–	–	–
Other Violent Causes	3	8	6	5	3	6	3	4	4	1	2	1	–	–	–	–
Not Specified	11	18	25	19	36	35	11	12	–	–	–	–	–	–	–	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37909	3231	1182	2215	2981	1415	902	677	1748	958	1262	1379	1261
SPECIFIED CAUSES	37173	2994	1125	2153	2918	1392	892	658	1721	937	1246	1369	1250
I. Zymotic Class	7428	374	316	671	1233	707	501	372	878	308	245	255	219
II. Diseases of Uncertain Seat	1633	23	3	9	12	12	9	7	14	8	18	25	30
III. Tubercular Class	6080	91	144	320	456	195	131	108	383	368	674	709	567
IV. Brain and Nervous System	3503	230	85	179	164	98	52	55	129	74	65	66	51
V. Organs of Circulation	2185	9	4	4	3	–	3	6	24	34	48	60	59
VI. Respiratory Organs	6005	400	309	616	653	258	131	63	150	54	79	68	78
VII. Organs of Digestion	2532	208	122	245	277	53	25	21	63	27	40	48	80
VIII. Urinary Organs	427	1	1	1	2	7	6	3	10	13	20	27	35
IX. Organs of Generation	540	1	–	–	3	1	–	–	–	1	17	85	95
X. Organs of Locomotion	220	1	–	–	–	3	3	1	17	20	14	7	9
XI. Skin, etc.	43	7	3	4	7	–	–	–	1	1	–	–	1
XII. Malformation	106	84	8	6	2	2	1	–	–	1	1	–	–
XIII. Premature Debility	1632	1459	92	81	–	–	–	–	–	–	–	–	–
XIV. Atrophy	315	–	–	–	80	23	8	8	15	9	10	4	6
XV. Age	3753	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	56	7	3	3	1	–	–	–	3	–	1	2	–
XVII. Violent Deaths	715	99	35	14	25	33	22	14	34	19	14	13	20
I. Small Pox	460	46	24	14	14	13	8	16	33	45	51	57	41
Measles	736	10	9	137	289	118	63	31	58	8	2	3	–
Scarlatina	1071	3	9	48	145	176	150	97	308	78	22	9	8
Diphtheria	603	8	4	28	104	96	64	67	155	38	10	10	5
Hooping Cough	875	58	73	198	277	102	69	46	46	5	–	–	–
Croup	497	13	10	46	136	103	68	54	60	6	–	–	–
Thrush	19	11	5	3	–	–	–	–	–	–	–	–	–
Diarrhœa	1065	150	130	151	173	31	16	9	22	4	4	5	5
Dysentery	141	1	8	2	6	1	2	1	–	1	–	2	2
Cholera	43	2	4	6	4	1	1	–	4	–	–	–	1
Influenza	66	3	–	2	2	–	1	–	3	–	–	2	1
Purpura	32	1	–	1	–	1	1	1	1	4	3	2	1
Ague	4	–	–	–	–	–	–	–	–	–	–	–	–
Worms	10	–	–	1	2	1	2	–	2	–	–	1	1
Typhus	305	–	1	1	8	7	5	6	21	19	32	30	28
Enteric Fever	752	3	6	6	30	38	31	25	128	71	77	52	52
Relapsing Fever	14	–	–	–	1	–	–	1	1	2	1	–	2
Simple Continued Fever	112	2	3	7	8	8	12	8	20	11	12	2	5
Infantile Remittent	50	3	–	5	17	8	5	5	7	–	–	–	–
Metria	251	–	–	–	–	–	–	–	–	–	13	66	53
Rheumatic Fever	65	–	–	–	–	–	–	1	5	12	7	4	2
Erysipelas	136	30	7	9	7	–	–	3	1	2	6	6	3
Pyæmia	33	–	–	–	1	1	1	1	2	2	3	3	7
Syphilis	84	30	23	6	7	2	1	–	–	–	2	1	2
Noma	4	–	–	–	2	–	1	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	56	5	1	2	–	–	–	–	1	–	2	7	5
Dropsy	356	2	1	3	5	6	6	4	6	5	6	9	6
Abscess	85	8	–	4	2	4	2	2	3	3	7	3	4
Ulcer	40	3	–	–	2	–	1	1	1	–	1	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	91	4	–	–	1	1	–	–	1	–	–	3	4
Cancer	995	1	1	–	2	1	–	–	2	–	1	3	11
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	332	9	8	22	33	11	17	11	33	38	33	31	10
Tabes Mesenterica	427	27	34	42	116	41	23	19	59	24	13	7	5
Phthisis	4432	14	19	45	88	53	30	42	177	277	624	671	552
Hydrocephalus	889	41	83	211	219	90	61	36	114	29	4	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1235	1161	1258	1204	1383	1415	1820	1803	2348	1938	1698	944	345	114	16	16
SPECIFIED CAUSES	1202	1144	1240	1182	1348	1384	1804	1800	2347	1938	1698	944	345	114	16	12
Zymotic Class	198	151	137	84	108	83	104	110	151	91	89	26	12	2	–	3
Uncertain Seat	46	59	120	140	162	178	174	163	184	117	82	24	11	2	1	–
Tubercular Class	447	386	309	235	192	139	100	66	29	20	6	2	1	–	–	2
Brain, etc.	75	75	105	145	182	192	265	279	395	276	159	83	19	4	–	1
Heart, etc.	88	104	124	133	164	217	268	255	261	183	79	41	13	–	–	1
Respiratory Organs	108	109	187	179	255	291	421	408	469	348	238	101	25	4	1	2
Digestive Organs	84	98	112	118	141	129	179	157	124	100	52	24	4	1	–	–
Urinary Organs	37	31	27	37	24	28	26	29	35	14	6	2	5	–	–	–
Generative Organs	73	83	72	30	21	18	16	5	10	2	3	4	–	–	–	–
Locomotive Organs	4	10	8	16	12	9	14	22	20	18	10	2	–	–	–	–
Skin	1	1	1	2	1	3	–	4	2	1	1	1	1	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	11	7	9	21	45	59	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	191	271	623	738	948	619	248	101	13	1
Sudden Deaths	1	2	1	3	1	6	7	4	5	4	1	–	1	–	–	–
Violent Deaths	29	28	27	39	40	32	39	27	39	26	24	15	5	–	1	2
Small Pox	30	24	17	5	9	3	4	2	3	1	–	–	–	–	–	–
Measles	3	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	7	6	2	–	1	–	–	–	–	–	–	–	–	–	–	2
Diphtheria	3	2	3	1	1	1	1	2	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	16	14	13	20	26	32	38	66	52	51	16	9	2	–	–
Dysentery	6	6	4	10	11	9	15	10	23	13	6	2	–	–	–	–
Cholera	2	2	2	2	1	1	2	4	2	1	–	1	–	–	–	–
Influenza	1	2	2	1	–	2	8	4	13	7	10	1	1	–	–	–
Purpura	1	2	3	2	1	2	–	1	3	1	–	–	–	–	–	–
Ague	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	15	17	16	23	7	6	20	9	4	1	–	–	–	–	1
Enteric Fever	37	26	31	20	27	16	21	21	18	8	4	4	–	–	–	–
Relapsing Fever	1	1	–	1	–	–	1	1	–	–	1	–	–	–	–	–
Simple Cont. Fever	1	1	3	1	1	–	2	2	1	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	55	35	26	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	3	7	4	2	6	3	–	1	1	1	–	–	–	–	–
Erysipelas	2	3	3	1	9	5	5	3	11	2	14	2	2	–	–	–
Pyæmia	3	2	–	3	–	3	1	–	–	–	–	–	–	–	–	–
Syphilis	2	2	2	1	1	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	6	8	3	2	2	–	2	4	–	2	–	–	–	–	–
Dropsy	9	14	17	20	30	16	40	32	47	39	21	8	3	–	1	–
Abscess	6	4	3	2	2	6	12	1	3	2	2	–	–	–	–	–
Ulcer	1	–	1	1	5	4	2	4	5	3	3	1	1	–	–	–
Fistula	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	2	3	2	4	5	2	5	15	18	10	7	–	2	–	–
Cancer	24	33	88	110	118	144	118	118	110	53	43	8	6	–	–	–
Gout	–	–	–	–	1	1	–	1	–	2	1	–	1	–	–	–
Scrofula	6	12	11	6	8	12	10	3	4	2	2	–	–	–	–	–
Tabes Mesenterica	4	1	2	2	3	2	1	–	1	1	–	–	–	–	–	–
Phthisis	437	373	296	226	181	125	89	63	24	17	4	2	1	–	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	392	12	19	53	46	36	21	22	58	34	23	17	10
Apoplexy	817	9	9	20	13	8	4	9	17	12	5	4	8
Paralysis	1091	–	–	2	–	2	1	2	1	3	9	4	9
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	3	–	–	–	–	1	–	–	1	–	–	–	–
Epilepsy	148	–	–	1	2	2	–	–	5	9	9	17	14
Tetanus	17	5	–	1	–	1	–	–	1	1	–	1	–
Insanity	39	–	–	–	–	2	–	–	1	–	–	2	2
Convulsions	506	196	51	88	83	33	18	16	21	–	–	–	–
Brain Disease	479	8	6	14	20	13	8	6	24	15	19	20	8
V. Pericarditis	39	1	2	–	–	–	–	1	4	3	3	1	4
Aneurism	31	–	–	–	–	–	–	–	2	–	1	–	–
Heart Disease	2115	8	2	4	3	–	3	5	18	31	44	59	55
VI. Laryngitis	68	3	1	9	8	4	5	2	2	4	–	3	1
Bronchitis	4211	306	245	486	491	194	92	45	72	23	21	26	32
Pleurisy	125	5	3	1	4	2	4	–	4	4	4	8	3
Pneumonia	1235	78	59	112	140	51	25	15	65	19	47	27	33
Asthma	227	–	–	2	1	2	–	–	1	–	1	1	3
Lung Disease	139	8	1	6	9	5	5	1	6	4	6	3	6
VII. Teething	366	–	17	148	181	18	2	–	–	–	–	–	–
Quinsey	51	7	4	2	14	4	–	2	8	–	1	–	2
Gastritis	112	7	6	5	10	2	2	2	6	1	–	3	9
Enteritis	419	99	54	54	43	17	11	5	15	5	11	5	7
Peritonitis	208	5	4	6	3	1	3	4	10	8	10	23	19
Ascites	52	–	–	–	–	–	1	–	–	3	1	–	1
Ulceration of Intestines	99	–	3	2	2	1	2	–	6	1	3	2	5
Hernia	64	1	1	–	–	1	–	–	–	–	–	–	1
Ileus	111	4	2	5	1	1	1	1	2	1	3	5	3
Intussusception	17	1	1	–	1	–	–	–	1	–	–	–	–
Stricture of Intestines	14	–	–	–	1	–	–	–	–	–	–	–	1
Stomach Disease	416	48	28	20	15	5	3	3	6	3	5	1	13
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	97	2	–	–	1	1	–	1	4	1	2	3	4
Jaundice	108	24	1	2	2	2	–	–	–	3	1	–	3
Liver Disease	376	10	1	1	3	–	–	2	3	1	2	6	10
Spleen Disease	20	–	–	–	–	–	–	1	2	–	1	–	2
VIII. Nephritis	44	1	–	–	1	3	1	2	6	2	2	1	1
Nephria	153	–	–	–	–	3	2	1	2	6	5	9	16
Addison's Disease	7	–	–	–	–	–	–	–	–	–	–	2	–
Ischuria	14	–	–	1	–	–	1	–	–	–	–	1	1
Diabetes	43	–	–	–	–	–	–	–	–	1	6	4	4
Stone	10	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	17	–	–	–	–	–	–	–	–	–	2	–	3
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	139	–	1	–	1	1	2	–	2	4	5	10	10
IX. Paramenia	23	–	–	–	–	–	–	–	–	1	6	5	6
Ovarian Dropsy	69	–	–	–	–	–	–	–	–	–	1	6	6
Childbirth	325	–	–	–	–	–	–	–	–	–	8	65	73
Organs of Generation	123	1	–	–	3	1	–	–	–	–	2	9	10
X. Bone Disease	15	–	–	–	–	1	1	–	2	–	2	2	1
Rheumatism	118	–	–	–	–	–	–	–	–	1	5	2	3
Joint Disease	87	1	–	–	–	2	2	1	15	19	7	3	5
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	33	7	3	4	7	–	–	–	–	1	–	–	1
XVII. Intemperance	60	–	–	–	–	–	–	–	–	–	–	2	4
Privation	4	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	49	33	9	5	2	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	17	1	–	–	–	–	–	–	–	–	–	–	1
Poison	17	–	–	1	–	2	–	–	1	1	3	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	1	1	4	15	20	10	10	15	1	2	–	3
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	110	54	25	3	1	–	–	–	1	1	2	1	1
Drowning	100	3	–	–	5	8	1	–	7	13	3	5	5
Fracture and Contusion	165	1	–	1	2	3	8	4	5	1	2	1	3
Gunshot Wounds	2	–	–	–	–	–	1	–	–	–	1	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	40	6	–	–	–	–	2	–	5	2	1	4	1
Not Specified	736	237	57	62	63	23	10	19	27	21	16	10	11

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	7	5	5	4	1	5	2	3	2	2	–	–	–	–	–
Apoplexy	19	19	31	56	67	60	81	93	123	83	40	20	5	1	–	1
Paralysis	16	13	21	42	65	87	134	137	217	154	103	53	14	2	–	–
Delirium Tremens	2	1	–	1	–	3	1	–	2	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	10	15	9	11	10	10	3	5	2	–	–	–	–	–	–
Tetanus	–	1	–	3	1	1	–	–	1	–	–	–	–	–	–	–
Insanity	1	2	4	1	3	3	3	5	3	1	4	2	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	22	29	28	31	27	31	39	41	34	10	8	–	1	–	–
Pericarditis	3	3	4	–	1	1	1	1	5	1	–	–	–	–	–	–
Aneurism	–	1	3	3	3	3	7	3	3	1	1	–	–	–	–	–
Heart Disease	85	100	117	130	160	213	260	251	253	181	78	41	13	–	–	1
Laryngitis	4	5	2	6	2	–	3	2	1	–	–	1	–	–	–	–
Bronchitis	47	48	113	94	177	200	287	295	366	248	196	80	22	3	1	1
Pleurisy	8	7	8	6	8	5	17	8	8	4	2	2	–	–	–	–
Pneumonia	44	41	47	47	43	58	71	60	57	59	23	10	2	1	–	1
Asthma	1	2	7	17	16	21	32	34	32	30	15	8	1	–	–	–
Lung Disease	4	6	10	9	9	7	11	9	5	7	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	1	–	–	1	1	1	–	1	–	–	–	–	–
Gastritis	7	4	5	5	5	7	7	3	7	6	1	2	–	–	–	–
Enteritis	12	8	10	12	8	9	12	6	4	7	3	2	–	–	–	–
Peritonitis	17	20	10	7	8	7	11	8	7	10	2	4	1	–	–	–
Ascites	1	4	2	6	4	3	5	10	4	5	1	1	–	–	–	–
Ulceration of Intestines	6	5	9	7	8	5	11	8	4	4	4	1	–	–	–	–
Hernia	–	2	6	3	6	5	9	13	6	5	4	1	–	–	–	–
Ileus	2	2	5	4	10	4	9	14	12	9	7	4	–	–	–	–
Intussusception	1	–	1	1	–	1	3	1	1	2	2	–	–	–	–	–
Stricture of Intestines	1	–	1	–	3	–	2	2	1	1	1	–	–	–	–	–
Stomach Disease	13	15	17	19	29	30	38	37	28	24	11	3	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Hepatitis	4	7	10	4	6	11	11	11	4	4	5	1	–	–	–	–
Jaundice	3	7	4	5	9	7	5	5	11	8	4	1	1	–	–	–
Liver Disease	16	19	30	42	43	39	53	36	33	15	6	4	–	1	–	–
Spleen Disease	–	4	2	2	2	1	2	1	–	–	–	–	–	–	–	–
Nephritis	3	–	1	5	4	2	2	2	4	1	–	–	–	–	–	–
Nephria	17	10	14	10	12	8	10	9	9	7	1	1	1	–	–	–
Addison's Disease	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	3	–	–	3	1	–	1	–	–	–	1	–	–	–
Diabetes	3	7	2	6	1	2	2	2	2	1	–	–	–	–	–	–
Stone	2	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–
Cystitis	1	2	1	–	1	1	–	1	2	1	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	10	6	13	5	10	10	14	15	3	4	–	3	–	–	–
Paramenia	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	8	6	7	6	7	7	4	4	1	2	1	–	–	–	–
Childbirth	59	66	44	9	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	8	21	13	14	11	9	1	6	1	1	3	–	–	–	–
Bone Disease	–	2	–	1	1	–	1	–	–	–	–	1	–	–	–	–
Rheumatism	2	4	4	10	8	9	12	19	17	13	8	1	–	–	–	–
Joint Disease	2	4	4	5	3	–	1	3	3	5	2	–	–	–	–	–
Carbuncle	–	–	–	1	–	1	–	3	–	–	–	1	1	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	1	–	1	1	1	2	–	1	2	–	1	–	–	–	–	–
Intemperance	4	6	10	14	9	4	4	2	–	–	–	–	–	–	–	1
Privation	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	1	4	2	3	2	–	1	1	–	–	–	–
Poison	3	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	2	3	5	3	5	4	4	7	3	3	–	–	–	–
Hanging, etc.	2	2	2	1	3	2	2	1	3	–	–	–	–	–	–	–
Suffocation	3	2	2	3	3	1	1	1	3	1	–	–	–	–	–	1
Drowning	4	6	2	8	8	5	5	4	5	2	1	–	–	–	–	–
Fracture and Contusion	9	5	5	7	9	6	17	8	18	15	18	11	5	–	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	3	–	1	1	3	2	4	2	1	1	–	–	–	–	–
Not Specified	33	17	18	22	35	31	16	3	1	–	–	–	–	–	–	4

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30008	2952	1195	2309	3150	1366	873	609	1569	784	949	1152	1039
SPECIFIED CAUSES	29820	2886	1177	2296	3137	1361	866	604	1560	780	942	1148	1037
I. Zymotic Class	6543	379	333	741	1249	654	455	310	727	203	188	240	178
II. Diseases of Uncertain Seat	932	19	2	8	25	15	9	7	21	21	11	24	16
III. Tubercular Class	4967	82	143	302	490	181	142	120	354	269	463	512	420
IV. Brain and Nervous System	2861	256	109	184	192	100	58	46	130	69	50	42	49
V. Organs of Circulation	1619	7	2	3	3	–	2	3	17	20	46	49	60
VI. Respiratory Organs	5801	401	331	699	796	313	140	65	162	55	67	78	85
VII. Organs of Digestion	1918	210	109	258	272	44	19	18	46	35	22	46	60
VIII. Urinary Organs	509	2	1	1	3	7	9	7	22	17	25	26	35
IX. Organs of Generation	207	–	–	1	1	–	–	–	–	–	4	38	46
X. Organs of Locomotion	195	–	1	–	2	1	2	3	24	38	17	7	8
XI. Skin, etc.	39	6	3	1	5	1	–	–	1	1	–	–	2
XII. Malformation	81	71	4	2	3	1	–	–	–	–	–	–	–
XIII. Premature Debility	1534	1357	100	77	–	–	–	–	–	–	–	–	–
XIV. Atrophy	207	–	–	–	71	18	11	7	14	5	1	–	2
XV. Age	1251	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	62	6	4	5	1	–	–	–	3	–	–	5	1
XVII. Violent Deaths	1094	90	35	14	24	26	19	18	39	47	48	81	75
I. Small Pox	467	26	31	9	11	11	6	10	38	40	47	90	55
Measles	901	7	18	196	382	123	75	37	50	4	1	2	3
Scarlatina	1130	5	13	57	148	190	160	115	334	71	11	7	8
Diphtheria	393	5	1	26	96	68	50	38	74	18	3	4	4
Hooping Cough	631	32	47	158	212	82	49	25	26	–	–	–	–
Croup	424	10	18	47	129	91	50	39	39	1	–	–	–
Thrush	20	14	2	2	1	–	1	–	–	–	–	–	–
Diarrhœa	1067	196	159	197	190	34	14	9	27	4	8	4	7
Dysentery	85	1	6	1	4	1	2	1	–	1	2	2	2
Cholera	46	2	6	2	11	1	1	–	3	–	–	1	–
Influenza	34	2	–	2	–	2	–	–	3	–	–	1	1
Purpura	20	1	–	4	–	1	2	–	1	1	2	2	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1
Worms	5	–	–	1	1	1	1	–	1	–	–	–	–
Typhus	311	2	–	–	2	4	3	2	10	16	24	32	31
Enteric Fever	472	–	1	6	26	23	23	18	87	31	64	50	31
Relapsing Fever	10	–	–	–	–	1	1	–	–	2	–	–	1
Simple Continued Fever	78	2	1	9	9	8	8	9	14	5	2	1	1
Infantile Remittent	50	1	–	7	10	10	5	4	13	–	–	–	–
Metria	110	–	–	–	–	–	–	–	–	–	8	34	23
Rheumatic Fever	38	–	–	–	–	–	–	1	3	4	7	4	1
Erysipelas	129	29	7	10	10	1	1	2	3	3	4	4	3
Pyæmia	24	–	1	–	–	1	1	–	1	2	4	2	3
Syphilis	93	44	22	7	5	1	–	–	–	–	1	–	3
Noma	4	–	–	–	2	–	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	41	5	1	–	–	1	–	–	1	1	–	5	3
Dropsy	216	4	–	1	11	11	7	6	15	14	4	10	1
Abscess	72	5	–	7	8	2	1	–	2	5	4	2	1
Ulcer	32	1	1	–	1	–	1	1	1	–	1	1	–
Fistula	6	–	–	–	–	–	–	–	–	–	1	1	–
Mortification	71	4	–	–	4	1	–	–	–	–	–	3	4
Cancer	490	–	–	–	1	–	–	–	2	1	1	2	7
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	300	6	9	24	42	16	24	17	37	36	23	20	8
Tabes Mesenterica	448	29	35	42	134	46	25	22	69	26	8	6	–
Phthisis	3368	7	21	35	82	46	26	32	165	190	428	485	412
Hydrocephalus	851	40	78	201	232	79	67	49	83	17	4	1	–

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

Diseases.	Both Sexes. Age under															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1033	996	1136	1109	1171	1148	1389	1171	1253	759	529	266	63	30	1	7
Specified Causes	1030	992	1130	1106	1161	1141	1389	1170	1253	759	529	266	63	30	1	6
Zymotic Class	152	107	126	72	86	56	83	64	63	37	27	8	3	–	–	2
Uncertain Seat	33	49	70	85	87	107	110	76	71	36	19	8	3	–	–	–
Tubercular Class	371	313	260	202	141	93	58	29	15	3	2	–	–	–	–	2
Brain, etc.	62	85	101	128	160	159	217	213	232	128	65	21	3	2	–	–
Heart, etc.	84	93	125	142	146	182	215	162	150	64	25	16	3	–	–	–
Respiratory Organs	116	129	209	239	287	321	387	328	286	171	84	43	6	2	1	–
Digestive Organs	58	69	79	73	106	97	102	72	64	32	20	4	2	1	–	–
Urinary Organs	28	30	38	44	33	24	46	42	36	15	14	4	–	–	–	–
Generative Organs	27	33	29	10	8	2	5	2	1	–	–	–	–	–	–	–
Locomotive Organs	9	7	8	10	8	7	12	15	7	6	3	–	–	–	–	–
Skin	1	2	2	3	–	1	2	3	2	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	4	3	13	28	29	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	99	127	286	256	260	156	42	25	–	–
Sudden Deaths	1	4	2	6	4	5	4	4	7	–	–	–	–	–	–	–
Violent Deaths	87	67	78	79	67	58	49	33	33	10	9	5	1	–	–	2
Small Pox	40	21	18	4	6	–	1	1	1	–	–	–	–	–	–	1
Measles	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	3	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	1	1	–	1	1	–	–	1	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	8	13	7	20	25	32	25	28	29	16	6	2	–	–	–
Dysentery	10	6	8	3	5	4	10	4	9	1	2	–	–	–	–	–
Cholera	2	3	2	2	4	2	1	1	2	–	–	–	–	–	–	–
Influenza	1	–	1	1	–	2	3	4	6	2	3	–	–	–	–	–
Purpura	2	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	32	31	28	26	8	12	13	4	–	1	–	–	–	–	–
Enteric Fever	16	17	20	14	10	8	13	8	3	2	1	–	–	–	–	–
Relapsing Fever	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	4	1	–	–	2	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	26	6	12	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	5	3	3	3	1	–	–	–	–	–	–	–	–	–
Erysipelas	3	5	3	4	7	2	6	6	9	1	3	2	1	–	–	–
Pyæmia	3	–	–	1	2	2	–	–	–	1	–	–	–	–	–	–
Syphilis	2	1	3	2	–	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	6	5	2	1	3	–	–	1	1	1	–	–	–	–	–
Dropsy	7	6	8	17	14	14	18	18	19	6	3	1	1	–	–	–
Abscess	5	5	2	4	2	5	4	3	4	1	–	–	–	–	–	–
Ulcer	1	2	1	1	3	2	1	3	3	2	3	2	–	–	–	–
Fistula	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Mortification	1	2	3	2	4	5	6	9	9	9	4	1	–	–	–	–
Cancer	15	28	50	58	63	76	80	41	35	16	8	4	2	–	–	–
Gout	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Scrofula	7	5	5	3	4	8	4	2	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	3	1	2	3	2	–	–	–	–	–	–	–	–	–	–
Phthisis	363	305	254	197	134	83	54	27	15	3	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	367	9	19	46	55	30	27	18	60	31	16	10	9
Apoplexy	676	15	16	26	24	13	4	5	14	5	4	8	8
Paralysis	650	–	–	–	–	–	2	1	1	3	6	2	6
Delirium Tremens	34	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	1	–	–	–	–	–	1	–
Epilepsy	104	–	–	1	–	2	–	4	–	10	8	11	9
Tetanus	15	3	–	–	–	–	–	–	–	2	–	1	–
Insanity	21	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	547	217	65	91	94	37	14	11	18	–	–	–	–
Brain Disease	445	12	9	20	19	17	11	7	37	18	16	9	13
V. Pericarditis	24	–	1	–	–	–	1	–	2	–	4	–	2
Aneurism	57	–	–	–	–	–	–	–	1	–	2	–	2
Heart Disease	1538	7	1	3	3	–	1	3	14	20	40	49	56
VI. Laryngitis	61	3	1	9	5	8	2	2	4	3	1	5	1
Bronchitis	4083	312	259	553	590	229	106	42	84	23	16	24	34
Pleurisy	94	–	1	1	2	1	–	–	4	4	4	11	7
Pneumonia	1303	73	68	129	187	70	27	19	62	21	40	33	40
Asthma	96	–	–	–	–	–	–	–	2	–	1	–	–
Lung Disease	164	13	2	7	12	5	5	2	6	4	5	5	3
VII. Teething	392	–	15	168	189	18	2	–	–	–	–	–	–
Quinsey	38	7	2	4	5	2	1	5	4	–	–	–	–
Gastritis	88	13	4	4	8	1	2	2	4	2	1	5	7
Enteritis	330	89	42	48	37	14	3	2	10	7	4	4	8
Peritonitis	119	4	2	3	3	–	2	2	8	12	6	17	13
Ascites	18	–	–	–	–	–	–	–	–	1	–	1	–
Ulceration of Intestines	42	1	1	–	–	1	–	–	2	1	3	3	1
Hernia	55	2	–	2	1	–	–	–	–	–	–	–	5
Ileus	93	6	3	9	–	1	2	–	3	1	2	5	6
Intussusception	15	–	3	1	1	–	–	–	–	1	–	–	1
Stricture of Intestines	14	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	284	52	35	14	21	4	6	3	6	4	2	1	6
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	60	2	–	–	–	2	–	2	3	2	1	2	4
Jaundice	79	22	1	3	4	–	–	–	–	3	1	1	2
Liver Disease	274	12	1	2	2	1	1	2	4	1	2	6	7
Spleen Disease	15	–	–	–	1	–	–	–	2	–	–	–	–
VIII. Nephritis	48	–	–	–	2	4	6	3	11	–	1	–	2
Nephria	145	1	–	–	1	2	1	1	6	7	9	9	11
Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	25	1	1	–	–	1	1	–	–	1	–	–	2
Diabetes	36	–	–	1	–	–	–	–	–	1	7	3	7
Stone	16	–	–	–	–	–	–	–	1	2	–	–	–
Cystitis	32	–	–	–	–	–	–	1	–	–	1	–	1
Stricture of Urethra	13	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	189	–	–	–	–	–	1	2	4	6	7	13	12
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	2	–	1
Ovarian Dropsy	20	–	–	–	–	–	–	–	–	–	–	3	1
Childbirth	138	–	–	–	–	–	–	–	–	–	2	32	36
Organs of Generation	46	–	–	1	1	–	–	–	–	–	–	3	8
X. Bone Disease	24	–	–	–	1	–	–	1	1	4	1	3	–
Rheumatism	73	–	1	–	–	–	–	–	1	3	6	1	3
Joint Disease	98	–	–	–	1	1	2	2	22	31	10	3	5
XI. Carbuncle	8	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	5	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	26	6	3	1	5	1	–	–	–	1	–	–	1
XVII. Intemperance	71	–	–	–	–	–	–	–	–	–	–	3	5
Privation	2	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	49	35	8	4	2	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	1	–	1	–	–	–	–	–	–	–	–
Poison	27	–	1	2	–	2	1	1	1	–	4	–	3
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	103	–	–	5	14	14	4	10	13	2	2	3	9
Hanging, etc.	20	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	108	45	24	1	2	–	–	–	2	–	3	2	2
Drowning	187	1	–	1	2	5	1	–	8	12	4	23	19
Fracture and Contusion	450	2	1	1	3	5	10	5	12	30	31	42	33
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	12	–	–	–	–	–	1	–	–	–	–	–	1
Other Violent Causes	55	6	–	–	–	–	2	1	3	3	4	6	2
Not Specified	188	66	18	13	13	5	7	5	9	4	7	4	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	8	6	6	4	2	3	–	2	2	1	–	–	–	–	–
Apoplexy	18	22	30	50	65	54	68	75	78	43	24	6	1	–	–	–
Paralysis	7	20	24	34	53	57	107	102	119	60	34	10	1	1	–	–
Delirium Tremens	5	9	4	6	1	3	3	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	7	9	5	9	8	6	2	2	–	1	–	–	–	–	–
Tetanus	–	1	2	4	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	2	–	2	1	2	2	2	3	1	1	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	18	24	22	25	33	28	30	28	22	4	4	1	1	–	–
Pericarditis	4	2	1	1	1	–	2	2	1	–	–	–	–	–	–	–
Aneurism	4	1	8	6	8	3	10	8	4	–	–	–	–	–	–	–
Heart Disease	76	90	116	135	137	179	203	152	145	64	25	16	3	–	–	–
Laryngitis	1	4	2	5	2	–	1	1	1	–	–	–	–	–	–	–
Bronchitis	51	54	116	129	206	229	288	259	236	132	69	35	5	1	1	–
Pleurisy	6	7	7	7	10	4	9	2	3	2	1	1	–	–	–	–
Pneumonia	50	55	70	62	49	57	63	49	31	28	12	6	1	1	–	–
Asthma	1	–	4	22	8	19	12	9	9	7	2	–	–	–	–	–
Lung Disease	7	9	10	14	12	12	14	8	6	2	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	2	1	1	–	1	–	1	–	–	1	–	–	–	–	–
Gastritis	6	6	3	4	4	3	4	3	1	1	–	–	–	–	–	–
Enteritis	12	4	5	7	9	5	11	4	2	2	1	–	–	–	–	–
Peritonitis	10	5	6	3	5	4	5	4	1	4	–	–	–	–	–	–
Ascites	–	3	1	1	2	1	2	3	2	–	1	–	–	–	–	–
Ulceration of Intestines	3	4	4	4	2	5	4	2	1	–	–	–	–	–	–	–
Hernia	–	1	4	1	7	6	4	9	7	2	4	–	–	–	–	–
Ileus	1	3	3	4	11	5	7	6	6	4	4	1	–	–	–	–
Intussusception	1	–	2	1	–	1	1	1	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	1	2	3	1	2	1	1	–	–	–	–	–
Stomach Disease	6	7	13	8	16	16	21	14	17	8	2	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Hepatitis	5	7	4	3	4	8	3	6	–	1	1	–	–	–	–	–
Jaundice	1	3	5	4	5	4	4	3	4	5	3	–	1	–	–	–
Liver Disease	11	21	25	30	37	35	32	14	20	3	2	2	–	1	–	–
Spleen Disease	–	3	3	1	3	1	1	–	–	–	–	–	–	–	–	–
Nephritis	4	1	2	4	2	1	3	–	2	–	–	–	–	–	–	–
Nephria	13	10	14	13	13	8	10	5	6	3	1	1	–	–	–	–
Addison's Disease	–	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	1	3	1	1	4	1	2	1	2	2	–	–	–	–	–
Diabetes	2	5	3	–	–	1	2	2	2	–	–	–	–	–	–	–
Stone	1	–	1	2	1	–	3	5	–	–	–	–	–	–	–	–
Cystitis	1	1	1	2	1	2	2	7	5	4	3	–	–	–	–	–
Stricture of Urethra	2	2	1	1	2	1	2	1	–	–	1	–	–	–	–	–
Kidney Disease	5	9	13	20	12	7	23	20	20	6	7	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	1	3	3	–	3	2	–	–	–	–	–	–	–	–
Childbirth	26	25	17	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	4	11	7	5	2	2	–	1	–	–	–	–	–	–	–
Bone Disease	1	3	2	2	4	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	5	2	3	6	2	5	9	12	6	5	3	–	–	–	–	–
Joint Disease	3	2	3	2	2	2	2	3	1	1	–	–	–	–	–	–
Carbuncle	–	–	1	1	–	1	1	2	–	–	–	1	–	–	–	–
Phlegmon	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	1	–	1	2	–	–	1	1	1	–	1	–	–	–	–	–
Intemperance	5	11	9	13	5	10	6	3	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–
Poison	3	–	2	1	2	1	2	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	3	4	4	2	3	1	4	1	1	–	–	–	–	–	–
Hanging, etc.	2	1	4	3	2	4	1	–	1	–	–	–	–	–	–	–
Suffocation	7	1	5	3	3	3	2	–	3	–	–	–	–	–	–	–
Drowning	29	18	17	13	12	6	6	4	4	–	–	–	–	–	–	2
Fracture and Contusion	34	29	32	40	35	23	28	16	17	8	8	4	1	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	3	1	1	3	–	–	1	–	1	–	–	–	–	–
Other Violent Causes	3	4	1	1	4	3	3	4	3	1	–	1	–	–	–	–
Not specified	3	4	6	3	10	7	–	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15227	1672	629	1279	1692	680	449	306	801	429	474	570	505
SPECIFIED CAUSES	15128	1631	621	1274	1687	679	443	306	797	427	471	566	505
I. Zymotic Class	3337	211	174	410	632	330	224	153	354	90	111	134	88
II. Diseases of Uncertain Seat	369	12	1	4	17	8	5	3	14	17	4	11	6
III. Tubercular Class	2413	48	75	165	274	90	68	61	181	133	193	221	188
IV. Brain and Nervous System	1488	143	55	94	112	46	35	23	70	35	29	22	28
V. Organs of Circulation	802	4	–	3	2	–	1	1	8	10	22	19	29
VI. Respiratory Organs	2983	226	169	400	436	153	77	34	88	32	33	38	48
VII. Organs of Digestion	957	129	55	140	147	20	11	8	18	24	12	24	30
VIII. Urinary Organs	340	2	1	1	3	5	6	6	16	10	14	12	19
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	118	–	1	–	2	–	–	2	16	30	11	5	4
XI. Skin, etc.	18	3	1	–	1	1	–	–	–	–	–	–	1
XII. Malformation	46	40	3	1	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	877	770	63	44	–	–	–	–	–	–	–	–	–
XIV. Atrophy	98	–	–	–	42	9	7	5	6	2	–	–	2
XV. Age	451	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	36	2	3	2	1	–	–	–	1	–	–	4	1
XVII. Violent Deaths	794	41	20	9	17	16	9	10	25	44	42	76	61
I. Small Pox	282	13	21	3	4	6	3	4	23	17	30	63	35
Measles	465	3	11	106	207	58	33	19	23	1	–	1	3
Scarlatina	581	4	6	31	79	96	85	62	168	33	3	4	5
Diphtheria	191	3	–	15	49	35	27	19	32	5	2	2	–
Hooping Cough	291	15	22	83	95	38	20	8	10	–	–	–	–
Croup	234	7	12	27	71	51	25	21	20	–	–	–	–
Thrush	14	11	–	1	1	–	1	–	–	–	–	–	–
Diarrhœa	547	111	82	119	87	19	6	4	11	2	6	2	4
Dysentery	41	1	3	1	2	1	1	1	–	–	2	1	1
Cholera	30	1	4	1	10	–	1	–	1	–	–	1	–
Influenza	13	–	–	1	–	2	–	–	1	–	–	–	1
Purpura	10	–	–	3	–	–	1	–	1	1	–	2	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1
Worms	3	–	–	–	1	1	1	–	–	–	–	–	–
Typhus	163	2	–	–	–	–	1	1	6	9	13	18	15
Enteric Fever	259	–	–	3	11	11	9	8	41	18	44	35	19
Relapsing Fever	5	–	–	–	–	1	1	–	–	–	–	–	–
Simple Continued Fever	30	1	–	3	5	3	3	4	4	1	1	1	–
Infantile Remittent	33	1	–	5	4	7	4	2	10	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	19	–	–	–	–	–	–	–	1	1	6	3	–
Erysipelas	67	14	4	5	3	1	1	–	2	2	1	1	2
Pyæmia	10	–	1	–	–	–	–	–	–	–	2	–	1
Syphilis	47	24	8	3	3	–	–	–	–	–	1	–	1
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	5	–	–	–	1	–	–	–	1	–	2	2
Dropsy	101	2	–	–	8	6	5	3	11	12	2	4	–
Abscess	38	2	–	4	6	1	–	–	2	3	1	1	1
Ulcer	13	–	1	–	–	–	–	–	–	–	–	1	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	33	3	–	–	3	–	–	–	–	–	–	1	1
Cancer	153	–	–	–	–	–	–	–	1	1	1	1	2
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	150	2	5	8	20	8	11	8	20	20	10	12	7
Tabes Mesenterica	267	17	15	25	83	24	13	14	40	19	7	2	–
Phthisis	1537	5	13	20	42	19	18	10	76	86	172	206	181
Hydrocephalus	459	24	42	112	129	39	26	29	45	8	4	1	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	494	534	551½	580	580	583	670	567	547	309	196	94	19	11	–	6
SPECIFIED CAUSES	493	531	549	578	575	577	670	567	547	309	196	94	19	11	–	5
Zymotic Class	74	58	56	42	43	25	44	27	28	14	9	4	1	–	–	1
Uncertain Seat	8	22	13	21	29	49	38	37	27	13	4	6	–	–	–	–
Tubercular Class	172	155	119	99	68	42	31	14	11	2	1	–	–	–	–	2
Brain, etc.	30	52	63	70	75	82	121	111	98	59	27	7	1	–	–	–
Heart, etc.	41	54	60	77	77	87	100	89	72	29	14	2	1	–	–	–
Respiratory Organs	58	77	104	136	147	162	180	154	120	63	29	16	2	1	–	–
Digestive Organs	17	33	31	31	52	55	37	25	34	16	7	1	–	–	–	–
Urinary Organs	11	20	27	28	22	20	35	30	27	11	11	3	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	8	2	6	5	4	4	8	5	1	2	2	–	–	–	–	–
Skin	–	1	2	3	–	1	2	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	3	2	5	7	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	38	49	104	96	88	53	13	10	–	–
Sudden Deaths	1	3	1	4	3	2	3	1	4	–	–	–	–	–	–	–
Violent Deaths	73	51	65	57	48	40	33	24	20	4	4	2	1	–	–	2
Small Pox	30	13	11	3	2	–	–	–	–	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	2	4	4	12	11	19	9	15	9	4	2	–	–	–	–
Dysentery	6	3	4	–	–	1	3	4	3	1	2	–	–	–	–	–
Cholera	1	2	1	1	4	2	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	2	2	1	2	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	20	17	16	12	4	9	4	3	–	–	–	–	–	–	–
Enteric Fever	11	10	9	9	4	4	7	4	1	1	–	–	–	–	–	–
Relapsing Fever	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	2	2	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	4	1	3	4	1	4	4	4	1	–	2	1	–	–	–
Pyæmia	2	–	–	1	2	–	–	–	–	1	–	–	–	–	–	–
Syphilis	2	–	3	2	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	3	1	2	1	1	–	–	1	1	–	–	–	–	–	–
Dropsy	2	2	2	4	5	8	5	7	10	1	1	1	–	–	–	–
Abscess	–	3	–	3	2	4	1	2	2	–	–	–	–	–	–	–
Ulcer	–	2	1	1	1	–	–	2	2	–	1	1	–	–	–	–
Fistula	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	2	3	4	7	5	2	–	1	–	–	–	–
Cancer	4	12	8	9	18	31	27	17	7	9	2	3	–	–	–	–
Gout	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	3	3	4	1	2	3	2	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	3	–	1	3	1	–	–	–	–	–	–	–	–	–	–
Phthisis	169	149	115	97	63	38	29	13	11	2	1	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	UNDER AGE											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	177	3	8	21	25	11	16	10	32	16	9	4	3
Apoplexy	331	10	8	12	15	9	3	1	5	2	2	7	6
Paralysis	332	–	–	–	–	–	1	–	1	1	3	2	3
Delirium Tremens	31	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	55	–	–	1	–	1	–	4	–	6	6	4	3
Tetanus	8	2	–	–	–	–	–	–	–	1	–	1	–
Insanity	8	–	–	–	–	–	–	–	–	–	–	–	2
Convulsions	301	119	34	49	63	19	7	4	6	–	–	–	–
Brain Disease	244	9	5	11	9	6	8	4	26	9	9	3	10
V. Pericarditis	14	–	–	–	–	–	1	–	1	–	2	–	1
Aneurism	42	–	–	–	–	–	–	–	–	–	2	–	2
Heart Disease	746	4	–	3	2	–	–	1	7	10	18	19	26
VI. Laryngitis	31	1	1	4	3	5	–	2	3	2	1	2	1
Bronchitis	2037	174	131	315	326	109	62	18	48	14	6	9	15
Pleurisy	49	–	1	1	1	–	–	–	3	3	3	7	5
Pneumonia	733	41	34	76	100	36	14	13	30	13	20	16	25
Asthma	36	–	–	–	–	–	–	–	1	–	–	–	–
Lung Disease	97	10	2	4	6	3	1	1	3	–	3	4	2
VII. Teething	199	–	6	87	99	6	1	–	–	–	–	–	–
Quinsey	21	5	2	3	–	1	1	4	1	–	–	–	–
Gastritis	39	9	1	2	5	–	–	–	1	2	1	2	1
Enteritis	179	52	23	26	23	8	1	1	5	5	3	2	4
Peritonitis	54	3	1	2	3	–	1	1	3	8	2	7	6
Ascites	6	–	–	–	–	–	–	–	–	1	–	1	–
Ulceration of Intestines	20	1	–	–	–	1	–	–	1	1	1	2	–
Hernia	21	2	–	2	1	–	–	–	–	–	–	–	4
Ileus	51	4	1	6	–	–	1	–	1	1	1	3	4
Intussusception	11	–	3	1	1	–	–	–	–	1	–	–	1
Stricture of Intestine	10	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	129	30	17	7	11	2	5	1	2	2	1	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	2	–	–	–	1	–	1	1	1	–	–	3
Jaundice	39	15	1	2	2	–	–	–	–	1	1	1	2
Liver Disease	139	6	–	2	1	1	1	–	2	1	2	4	4
Spleen Disease	9	–	–	–	1	–	–	–	1	–	–	–	–
VIII. Nephritis	33	–	–	–	2	2	5	2	8	–	1	–	2
Nephria	89	1	–	–	1	2	1	1	4	3	6	4	6
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	21	1	1	–	–	1	–	–	–	1	–	–	1
Diabetes	20	–	–	1	–	–	–	–	–	1	3	1	5
Stone	14	–	–	–	–	–	–	–	1	2	–	–	–
Cystitis	28	–	–	–	–	–	–	1	–	–	1	–	–
Stricture of Urethra	13	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	119	–	–	–	–	–	–	2	3	3	3	7	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Bone Disease	19	–	–	–	1	–	–	1	1	4	–	2	–
Rheumatism	34	–	1	–	–	–	–	–	1	2	2	–	2
Joint Disease	65	–	–	–	1	–	–	1	14	24	9	3	2
XI. Carbuncle	6	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	1	–	1	1	–	–	–	–	–	–	–
XVII. Intemperance	38	–	–	–	–	–	–	–	–	–	–	1	2
Privation	1	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	27	20	5	1	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	1	1	–	1	–	–	–	–	–	–	–	–
Poison	15	–	1	1	–	1	1	1	–	–	1	–	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	54	–	–	4	9	8	1	5	5	2	1	3	6
Hanging, etc.	13	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	50	15	12	1	1	–	–	–	2	–	2	2	1
Drowning	165	–	–	1	2	4	1	–	7	10	4	23	17
Fracture and Contusion	377	1	1	1	3	3	4	2	9	29	31	41	31
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	10	–	–	–	–	–	1	–	–	–	–	–	1
Other Violent Causes	36	4	–	–	–	–	1	1	2	3	3	4	1
Not Specified	99	41	8	5	5	1	6	–	4	2	3	4	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	3	4	5	2	1	2	–	–	1	–	–	–	–	–	–
Apoplexy	10	13	13	20	29	29	37	37	29	23	9	2	–	–	–	–
Paralysis	3	17	20	25	23	22	60	52	53	26	15	5	–	–	–	–
Delirium Tremens	4	8	4	6	1	2	3	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	6	2	6	4	4	1	1	–	1	–	–	–	–	–
Tetanus	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	9	14	10	14	23	13	19	13	9	2	–	1	–	–	–
Pericarditis	3	1	–	1	–	–	2	2	–	–	–	–	–	–	–	–
Aneurism	4	–	5	5	6	2	8	5	3	–	–	–	–	–	–	–
Heart Disease	34	53	55	71	71	85	90	82	69	29	14	2	1	–	–	–
Laryngitis	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Bronchitis	20	32	45	75	98	111	127	120	94	51	23	13	1	–	–	–
Pleurisy	1	3	3	2	5	2	3	1	2	2	1	–	–	–	–	–
Pneumonia	31	36	48	41	29	33	38	27	16	8	4	2	1	1	–	–
Asthma	1	–	2	9	5	8	1	3	3	2	1	–	–	–	–	–
Lung Disease	5	5	6	8	9	8	10	2	4	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	1	3	2	1	2	1	2	1	1	1	–	–	–	–	–	–
Enteritis	3	1	–	3	5	4	5	2	1	2	–	–	–	–	–	–
Peritonitis	2	–	1	–	3	2	3	3	–	3	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Ulceration of Intestines	–	2	1	4	2	3	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	1	–	1	2	1	2	4	–	–	–	–	–	–	–
Ileus	1	3	1	3	5	4	2	3	3	2	2	–	–	–	–	–
Intussusception	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	2	3	1	1	1	–	–	–	–	–	–
Stomach Disease	1	3	5	3	8	7	6	4	8	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	4	4	2	2	2	1	2	–	1	–	–	–	–	–	–
Jaundice	–	–	2	1	2	2	2	2	1	1	1	–	–	–	–	–
Liver Disease	6	12	10	13	19	24	10	3	13	2	2	1	–	–	–	–
Spleen Disease	–	2	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Nephritis	1	1	2	2	1	1	2	–	1	–	–	–	–	–	–	–
Nephria	5	7	10	9	5	7	9	3	4	1	–	–	–	–	–	–
Addison's Disease	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	1	3	1	1	3	–	2	1	2	2	–	–	–	–	–
Diabetes	1	2	2	–	–	1	1	1	1	–	–	–	–	–	–	–
Stone	–	–	1	2	1	–	3	4	–	–	–	–	–	–	–	–
Cystitis	–	1	–	2	1	2	2	6	5	4	3	–	–	–	–	–
Stricture of Urethra	2	2	1	1	2	1	2	1	–	–	1	–	–	–	–	–
Kidney Disease	2	5	8	11	10	5	16	13	15	4	5	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	2	2	3	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	3	2	–	2	7	3	1	2	2	–	–	–	–	–
Joint Disease	3	–	1	1	1	2	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	4	7	3	5	1	7	5	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	2	1	2	–	1	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	1	2	1	–	–	–	2	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	3	2	1	3	1	–	1	–	–	–	–	–	–	–
Suffocation	5	–	4	1	1	2	1	–	–	–	–	–	–	–	–	–
Drowning	28	15	17	11	9	4	4	3	3	–	–	–	–	–	–	2
Fracture and Contusion	30	26	29	34	29	20	19	14	11	4	3	1	1	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	3	1	1	1	–	–	1	–	1	–	–	–	–	–
Other Violent Causes	2	2	1	1	3	2	2	2	1	–	–	1	–	–	–	–
Not Specified	1	3	2	2	5	6	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	14781	1280	566	1030	1458	686	424	303	768	355	475	582	534
SPECIFIED CAUSES	14692	1255	556	1022	1450	682	423	298	763	353	471	582	532
I. Zymotic Class	3206	168	159	331	617	324	231	157	373	113	77	106	90
II. Diseases of Uncertain Seat	563	7	1	4	8	7	4	4	7	4	7	13	10
III. Tubercular Class	2554	34	68	137	216	91	74	59	173	136	270	291	232
IV. Brain and Nervous System	1373	113	54	90	80	54	23	23	60	34	21	20	21
V. Organs of Circulation	817	3	2	–	1	–	1	2	9	10	24	30	31
VI. Respiratory Organs	2818	175	162	299	360	160	63	31	74	23	34	40	37
VII. Organs of Digestion	961	81	54	118	125	24	8	10	28	11	10	22	30
VIII. Urinary Organs	169	–	–	–	–	2	3	1	6	7	11	14	16
IX. Organs of Generation	206	–	–	–	1	–	–	–	–	–	4	38	46
X. Organs of Locomotion	77	–	–	–	–	1	2	1	8	8	6	2	4
XI. Skin, etc.	21	3	2	1	4	–	–	–	1	1	–	–	1
XII. Malformation	35	31	1	1	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	657	587	37	33	–	–	–	–	–	–	–	–	–
XIV. Atrophy	109	–	–	–	29	9	4	2	8	3	1	–	–
XV. Age	800	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	26	4	1	3	–	–	–	–	2	–	–	1	–
XVII. Violent Deaths	300	49	15	5	7	10	10	8	14	3	6	5	14
I. Small Pox	185	13	10	6	7	5	3	6	15	23	17	27	20
Measles	436	4	7	90	175	65	42	18	27	3	1	1	–
Scarlatina	549	1	7	26	69	94	75	53	166	38	8	3	3
Diphtheria	202	2	1	11	47	33	23	19	42	13	1	2	4
Hooping Cough	340	17	25	75	117	44	29	17	16	–	–	–	–
Croup	190	3	6	20	58	40	25	18	19	1	–	–	–
Thrush	6	3	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	520	85	77	78	103	15	8	5	16	2	2	2	3
Dysentery	44	–	3	–	2	–	1	–	–	1	–	1	1
Cholera	16	1	2	1	1	1	–	–	2	–	–	–	–
Influenza	21	2	–	1	–	–	–	–	2	–	–	1	–
Purpura	10	1	–	1	–	1	1	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	1	–	–	–	–	1	–	–	–	–
Typhus	148	–	–	–	2	4	2	1	4	7	11	14	16
Enteric Fever	213	–	1	3	15	12	14	10	46	13	20	15	12
Relapsing Fever	5	–	–	–	–	–	–	–	–	2	–	–	1
Simple Continued Fever	48	1	1	6	4	5	5	5	10	4	1	–	1
Infantile Remittent	17	–	–	2	6	3	1	2	3	–	–	–	–
Metria	110	–	–	–	–	–	–	–	–	–	8	34	23
Rheumatic Fever	19	–	–	–	–	–	–	1	2	3	1	1	1
Erysipelas	62	15	3	5	7	–	–	2	1	1	3	3	1
Pyæmia	14	–	–	–	–	1	1	–	1	2	2	2	2
Syphilis	46	20	14	4	2	1	–	–	–	–	–	–	2
Noma	3	–	–	–	2	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	18	–	1	–	–	–	–	–	1	–	–	3	1
Dropsy	115	2	–	1	3	5	2	3	4	2	2	6	1
Abscess	34	3	–	3	2	1	1	–	–	2	3	1	–
Ulcer	19	1	–	–	1	–	1	1	1	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	38	1	–	–	1	1	–	–	–	–	–	2	3
Cancer	337	–	–	–	1	–	–	–	1	–	–	1	5
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	150	4	4	16	22	8	13	9	17	16	13	8	1
Tabes Mesenterica	181	12	20	17	51	16	12	8	29	7	1	4	–
Phthisis	1831	2	8	15	40	27	8	22	89	104	256	279	231
Hydrocephalus	392	16	36	89	103	40	41	20	38	9	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	539	462	585	529	591	565	719	604	706	450	333	172	44	19	1	1
SPECIFIED CAUSES	537	461	581	528	586	564	719	603	706	450	333	172	44	19	1	1
Zymotic Class	78	49	70	30	43	31	39	37	35	23	18	4	2	–	–	1
Uncertain Seat	25	27	57	64	58	58	72	39	44	23	15	2	3	–	–	–
Tubercular Class	199	158	141	103	73	51	27	15	4	1	1	–	–	–	–	–
Brain, etc.	32	33	38	58	85	77	96	102	134	69	38	14	2	2	–	–
Heart, etc.	43	39	65	65	69	95	115	73	78	35	11	14	2	–	–	–
Respiratory Organs	58	52	105	103	140	159	207	174	166	108	55	27	4	1	1	–
Digestive Organs	41	36	48	42	54	42	65	47	30	16	13	3	2	1	–	–
Urinary Organs	17	10	11	16	11	4	11	12	9	4	3	1	–	–	–	–
Generative Organs	27	33	29	10	8	2	5	2	1	–	–	–	–	–	–	–
Locomotive Organs	1	5	2	5	4	3	4	10	6	4	1	–	–	–	–	–
Skin	1	1	–	–	–	–	–	2	1	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	8	21	21	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	61	78	182	160	172	103	29	15	–	–
Sudden Deaths	–	1	1	2	1	3	1	3	3	–	–	–	–	–	–	–
Violent Deaths	14	16	13	22	19	18	16	9	13	6	5	3	–	–	–	–
Small Pox	10	8	7	1	4	–	1	1	1	–	–	–	–	–	–	–
Measles	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	6	9	3	8	14	13	16	13	20	12	4	2	–	–	–
Dysentery	4	3	4	3	5	3	7	–	6	–	–	–	–	–	–	–
Cholera	1	1	1	1	–	–	1	1	2	–	–	–	–	–	–	–
Influenza	1	–	1	1	–	1	3	2	4	1	1	–	–	–	–	–
Purpura	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	12	14	12	14	4	3	9	1	–	1	–	–	–	–	–
Enteric Fever	5	7	11	5	6	4	6	4	2	1	1	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	26	6	12	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	4	1	1	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	2	1	3	1	2	2	5	–	3	–	–	–	–	–
Pyæmia	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	3	4	–	–	2	–	–	–	–	1	–	–	–	–	–
Dropsy	5	4	6	13	9	6	13	11	9	5	2	–	1	–	–	–
Abscess	5	2	2	1	–	1	3	1	2	1	–	–	–	–	–	–
Ulcer	1	–	–	–	2	2	1	1	1	2	2	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	2	3	1	2	2	2	2	4	7	4	–	–	–	–	–
Cancer	11	16	42	49	45	45	53	24	28	7	6	1	2	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	4	2	1	2	2	5	2	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	194	156	139	100	71	45	25	14	4	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	190	6	11	25	30	19	11	8	28	15	7	6	6
Apoplexy	345	5	8	14	9	4	1	4	9	3	2	1	2
Paralysis	318	–	–	–	–	–	1	1	–	2	3	–	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	49	–	–	–	–	1	–	–	–	4	2	7	6
Tetanus	7	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	13	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	246	98	31	42	31	18	7	7	12	–	–	–	–
Brain Disease	201	3	4	9	10	11	3	3	11	9	7	6	3
V. Pericarditis	10	–	1	–	–	–	–	–	1	–	2	–	1
Aneurism	15	–	–	–	–	–	–	–	1	–	–	–	–
Heart Disease	792	3	1	–	1	–	1	2	7	10	22	30	30
VI. Laryngitis	30	2	–	5	2	3	2	–	1	1	–	3	–
Bronchitis	2046	138	128	238	264	120	44	24	36	9	10	15	19
Pleurisy	45	–	–	–	1	1	–	–	1	1	1	4	2
Pneumonia	570	32	34	53	87	34	13	6	32	8	20	17	15
Asthma	60	–	–	–	–	–	–	–	1	–	1	–	–
Lung Disease	67	3	–	3	6	2	4	1	3	4	2	1	1
Teething	193	–	9	81	90	12	1	–	–	–	–	–	–
VII. Quinsey	17	2	–	1	5	1	–	1	3	–	–	–	–
Gastritis	49	4	3	2	3	1	2	2	3	–	–	3	6
Enteritis	151	37	19	22	14	6	2	1	5	2	1	2	4
Peritonitis	65	1	1	1	–	–	1	1	5	4	4	10	7
Ascites	12	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	22	–	1	–	–	–	–	–	1	–	2	1	1
Hernia	34	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	42	2	2	3	–	1	1	–	2	–	1	2	2
Intussusception	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	155	22	18	7	10	2	1	2	4	2	1	–	5
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	–	–	–	–	1	–	1	2	1	1	2	1
Jaundice	40	7	–	1	2	–	–	–	–	2	–	–	–
Liver Disease	135	6	1	–	1	–	–	2	2	–	–	2	3
Spleen Disease	6	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	15	–	–	–	–	2	1	1	3	–	–	–	–
Nephria	56	–	–	–	–	–	–	–	2	4	3	5	5
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	4	–	–	–	–	–	1	–	–	–	–	–	1
Diabetes	16	–	–	–	–	–	–	–	–	–	4	2	2
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	70	–	–	–	–	–	1	–	1	3	4	6	7
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	2	–	1
Ovarian Dropsy	20	–	–	–	–	–	–	–	–	–	–	3	1
Childbirth	138	–	–	–	–	–	–	–	–	–	2	32	36
Organs of Generation	45	–	–	–	1	–	–	–	–	–	–	3	8
X. Bone Disease	5	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	39	–	–	–	–	–	–	–	–	1	4	1	1
Joint Disease	33	–	–	–	–	1	2	1	8	7	1	–	3
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	16	3	2	1	4	–	–	–	–	1	–	–	1
XVII. Intemperance	33	–	–	–	–	–	–	–	–	–	–	2	3
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	22	15	3	3	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	12	–	–	1	–	1	–	–	1	–	3	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	49	–	–	1	5	6	3	5	8	–	1	–	3
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	58	30	12	–	1	–	–	–	–	–	1	–	1
Drowning	22	1	–	–	–	1	–	–	1	2	–	–	2
Fracture and Contusion	73	1	–	–	–	2	6	3	3	1	–	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	19	2	–	–	–	–	1	–	1	–	1	2	1
Not Specified	89	25	10	8	8	4	1	5	5	2	4	–	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	5	2	1	2	1	1	–	2	1	1	–	–	–	–	–
Apoplexy	8	9	17	30	36	25	31	38	49	20	15	4	1	–	–	–
Paralysis	4	3	4	9	30	35	47	50	66	34	19	5	1	1	–	–
Delirium Tremens	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	5	3	3	3	4	2	1	1	–	–	–	–	–	–	–
Tetanus	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	1	–	2	1	2	1	–	2	–	1	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	9	10	12	11	10	15	11	15	13	2	4	–	1	–	–
Pericarditis	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	1	3	1	2	1	2	3	1	–	–	–	–	–	–	–
Heart Disease	42	37	61	64	66	94	113	70	76	35	11	14	2	–	–	–
Laryngitis	1	3	2	4	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	31	22	71	54	108	118	161	139	142	81	46	22	4	1	1	–
Pleurisy	5	4	4	5	5	2	6	1	1	–	–	1	–	–	–	–
Pneumonia	19	19	22	21	20	24	25	22	15	20	8	4	–	–	–	–
Asthma	–	–	2	13	3	11	11	6	6	5	1	–	–	–	–	–
Lung Disease	2	4	4	6	3	4	4	6	2	2	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	5	3	1	3	2	2	2	2	–	–	–	–	–	–	–	–
Enteritis	9	3	5	4	4	1	6	2	1	–	1	–	–	–	–	–
Peritonitis	8	5	5	3	2	2	2	1	1	1	–	–	–	–	–	–
Ascites	–	2	1	1	1	1	2	3	1	–	–	–	–	–	–	–
Ulceration of Intestines	3	2	3	–	–	2	4	2	–	–	–	–	–	–	–	–
Hernia	–	–	3	1	6	4	3	7	3	2	4	–	–	–	–	–
Ileus	–	–	2	1	6	1	5	3	3	2	2	1	–	–	–	–
Intussusception	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Stomach Disease	5	4	8	5	8	9	15	10	9	5	1	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Hepatitis	2	3	–	1	2	6	2	4	–	–	1	–	–	–	–	–
Jaundice	1	3	3	3	3	2	2	1	3	4	2	–	1	–	–	–
Liver Disease	5	9	15	17	18	11	22	11	7	1	–	1	–	1	–	–
Spleen Disease	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–
Nephria	8	3	4	4	8	1	1	2	2	2	1	1	–	–	–	–
Addison's Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diabetes	1	3	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	4	5	9	2	2	7	7	5	2	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	4	1	3	3	–	3	2	–	–	–	–	–	–	–	–
Childbirth	26	25	17	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	4	11	7	5	2	2	–	1	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	4	2	3	2	9	5	3	1	–	–	–	–	–
Joint Disease	–	2	2	1	1	–	1	1	1	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Intemperance	1	4	6	8	4	3	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Poison	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	2	3	2	3	1	2	–	1	–	–	–	–	–	–
Hanging, etc.	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	2	2	1	1	–	3	–	–	–	–	–	–	–
Drowning	1	3	–	2	3	2	2	1	1	–	–	–	–	–	–	–
Fracture and Contusion	4	3	3	6	6	3	9	2	6	4	5	3	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	2	–	–	1	1	1	2	2	1	–	–	–	–	–	–
Not Specified	2	1	4	1	5	1	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9306	951	356	682	839	378	250	172	424	263	324	354	331
SPECIFIED CAUSES	9141	888	342	668	828	374	248	170	417	260	320	353	327
I. Zymotic Class	1900	114	97	209	297	175	125	100	190	76	63	89	67
II. Diseases of Uncertain Seat	304	6	–	1	1	3	1	1	7	5	6	4	8
III. Tubercular Class	1570	27	55	106	162	78	43	26	114	95	162	159	134
IV. Brain and Nervous System	891	83	25	48	51	16	17	10	27	16	18	15	11
V. Organs of Circulation	515	3	3	–	–	–	1	1	2	11	14	9	17
VI. Respiratory Organs	1551	117	97	189	209	65	35	19	22	19	12	26	26
VII. Organs of Digestion	635	80	26	72	75	16	13	7	20	11	7	12	19
VIII. Urinary Organs	116	–	–	–	–	2	4	3	4	1	9	6	11
IX. Organs of Generation	51	–	–	–	–	–	–	–	–	–	3	13	7
X. Organs of Locomotion	54	–	–	1	1	1	2	–	5	6	7	2	1
XI. Skin, etc.	9	–	1	2	2	–	–	–	–	–	1	–	–
XII. Malformation	21	13	2	4	–	1	–	–	–	1	–	–	–
XIII. Premature Debility	489	430	28	31	–	–	–	–	–	–	–	–	–
XIV. Atrophy	84	–	–	–	17	11	1	1	10	4	2	–	1
XV. Age	650	–	–	–	–	–	–	–	..	–	–	–	–
XVI. Sudden Deaths	20	2	1	1	–	–	1	–	1	–	1	–	–
XVII. Violent Deaths	281	13	7	4	13	6	5	2	15	15	15	18	25
I. Small Pox	257	20	17	8	3	8	3	6	14	18	33	42	34
Measles	157	3	1	35	62	26	13	7	6	3	–	1	–
Scarlatina	192	1	–	8	40	28	34	21	46	9	1	2	1
Diphtheria	145	8	3	11	27	18	24	22	23	3	2	2	–
Hooping Cough	229	12	23	51	60	23	20	16	22	2	–	–	–
Croup	156	4	3	23	39	37	16	10	21	2	1	–	–
Thrush	7	3	1	1	1	1	–	–	–	–	–	–	–
Diarrhœa	267	37	31	55	41	10	2	2	3	1	3	2	2
Dysentery	44	–	4	1	1	1	–	–	–	–	–	–	–
Cholera	24	3	2	3	4	1	2	–	2	–	1	–	–
Influenza	10	–	–	–	1	–	1	–	1	–	–	–	–
Purpura	12	–	–	–	–	–	–	2	–	2	–	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	1	–	–	–	1	–	–	–	–
Typhus	59	–	–	–	3	–	–	–	4	5	5	7	9
Enteric Fever	193	–	1	3	8	15	5	10	40	25	13	23	10
Relapsing Fever	4	–	–	–	1	–	–	1	1	1	–	–	–
Simple Continued Fever	20	1	–	1	1	2	4	–	5	3	–	–	–
Infantile Remittent	6	–	–	–	–	5	1	–	–	–	–	–	–
Metria	28	–	–	–	–	–	–	–	–	–	1	6	7
Rheumatic Fever	11	–	–	–	–	–	–	–	–	2	1	2	1
Erysipelas	34	9	1	2	1	–	–	2	1	–	1	1	–
Pyæmia	6	–	–	–	–	–	–	1	–	–	–	–	2
Syphilis	36	13	10	6	3	–	–	–	–	–	1	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	–	–	–	–	–	–	–	–	–	2
Dropsy	72	1	–	–	–	1	–	–	3	4	4	1	3
Abscess	30	1	–	1	1	2	1	1	3	–	1	2	1
Ulcer	5	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	21	1	–	–	–	–	–	–	–	1	–	1	–
Cancer	167	1	–	–	–	–	–	–	1	–	1	–	2
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	67	2	–	4	4	3	4	1	10	13	7	3	2
Tabes Mesenterica	142	9	10	11	36	15	9	5	24	9	2	2	4
Phthisis	1025	7	7	12	34	18	12	10	38	63	153	154	128
Hydrocephalus	336	9	38	79	88	42	18	10	42	10	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	284	299	329	309	340	325	448	389	482	339	247	118	48	16	2	7
Specified Causes	279	294	322	304	335	318	448	389	482	339	247	118	48	16	2	5
Zymotic Class	42	39	34	15	32	20	26	23	35	18	9	3	1	1	–	–
Uncertain Seat	12	13	23	25	34	41	27	26	33	13	8	4	1	1	–	–
Tubercular Class	90	79	76	51	39	30	23	11	4	5	1	–	–	–	–	–
Brain, etc.	30	27	41	51	53	45	74	65	86	49	22	4	6	–	–	1
Heart, etc.	27	29	36	34	44	49	65	63	57	32	10	6	2	–	–	–
Respiratory Organs	34	51	51	57	61	58	102	87	100	58	30	17	6	2	–	1
Digestive Organs	12	19	30	32	36	29	41	28	34	8	7	1	–	–	–	–
Urinary Organs	6	4	6	6	4	16	7	5	6	9	4	1	1	1	–	–
Generative Organs	3	8	6	4	2	2	1	–	2	–	–	–	–	–	–	–
Locomotive Organs	1	2	1	5	2	–	7	5	3	1	–	1	–	–	–	–
Skin	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	2	1	7	11	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	62	115	138	155	79	31	11	1	–
Sudden Deaths	–	1	–	2	1	3	4	1	–	1	–	–	–	–	–	–
Violent Deaths	17	20	16	15	15	14	13	12	7	7	1	2	–	–	1	3
Small Pox	14	11	11	3	5	3	4	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	5	4	4	5	3	10	8	19	7	6	2	1	–	–	–
Dysentery	1	2	2	–	8	2	3	4	6	8	1	–	–	–	–	–
Cholera	1	1	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	1	2	2	–	–	–	1	–	–
Purpura	1	1	1	–	–	1	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	3	4	1	3	4	3	3	–	–	–	–	–	–	–	–
Enteric Fever	7	7	4	4	6	3	1	2	5	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	2	1	1	1	1	1	3	1	1	1	–	–	–	–
Pyæmia	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	1	4	2	4	4	4	10	5	13	7	–	1	–	–	–	–
Abscess	2	1	2	1	–	5	2	–	3	–	–	–	–	–	–	–
Ulcer	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	2	–	1	1	1	3	1	1	2	–	3	1	1	1	–	–
Cancer	7	8	18	15	28	28	14	17	14	6	5	2	–	–	–	–
Gout	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	2	1	–	3	3	2	–	2	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	2	1	–	–	–	1	–	1	–	–	–	–	–	–
Phthisis	89	77	73	50	36	27	21	10	2	4	–	–	–	–	–	–
Hydrophacelus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	92	3	7	16	9	8	6	6	13	6	3	3	3
Apoplexy	171	3	–	5	2	2	4	1	2	1	1	1	2
Paralysis	266	–	–	–	–	1	–	–	1	–	3	–	1
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	39	–	–	–	–	–	–	–	1	3	4	4	2
Tetanus	9	3	–	–	–	–	–	–	1	1	–	1	–
Insanity	9	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	158	69	17	25	33	5	5	–	4	–	–	–	–
Brain Disease	139	5	1	2	7	–	2	3	5	5	7	5	2
V. Pericarditis	9	–	1	–	–	–	–	1	1	1	–	–	–
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	495	3	2	–	–	–	1	–	1	10	14	9	17
VI. Laryngitis	16	2	–	–	6	–	–	–	1	1	–	1	–
Bronchitis	1036	83	79	144	150	45	26	12	14	8	3	6	9
Pleurisy	28	2	1	–	–	1	–	–	–	1	–	7	2
Pneumonia	399	27	17	44	51	18	9	7	6	9	8	12	13
Asthma	48	–	–	–	–	1	–	–	–	–	1	–	1
Lung Disease	24	3	–	1	2	–	–	–	1	–	–	–	1
VII. Teething	81	–	4	34	40	3	–	–	–	–	–	–	–
Quinsey	14	4	1	–	5	1	–	–	1	1	–	–	–
Gastritis	31	3	–	4	5	–	–	1	–	–	–	–	1
Enteritis	127	36	13	11	16	5	6	3	4	–	2	–	1
Peritonitis	50	3	3	4	1	–	–	1	4	3	3	7	3
Ascites	11	–	–	–	–	–	–	1	1	2	1	–	–
Ulceration of Intestines	29	1	–	1	2	1	1	–	2	1	–	1	1
Hernia	20	1	–	1	–	–	1	–	–	–	–	–	1
Ileus	18	1	–	1	1	–	–	–	–	1	–	–	–
Intussusception	5	–	–	2	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	104	22	5	12	5	3	4	1	2	2	1	1	5
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	–	–	–	–	–	–	–	1	–	–	–	3
Jaundice	24	7	–	1	–	2	1	–	1	–	–	–	–
Liver Disease	88	2	–	1	–	1	–	–	4	1	–	3	2
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	2
VIII. Nephritis	10	–	–	–	–	–	2	1	2	1	–	1	1
Nephria	42	–	–	–	–	2	2	–	1	–	4	3	5
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	9	–	–	–	–	–	–	–	–	–	3	1	1
Stone	6	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	8	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	35	–	–	–	–	–	–	1	1	–	2	1	3
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	28	–	–	–	–	–	–	–	–	–	2	10	4
Organs of Generation	11	–	–	–	–	–	–	–	–	–	1	1	–
X. Bone Disease	10	–	–	–	1	–	1	–	2	–	2	–	–
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	27	–	–	1	–	1	1	–	3	6	4	2	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	6	–	1	1	2	–	–	–	–	–	1	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	–	1
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	4	3	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	1	7	3	1	–	3	2	–	–	2
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	26	7	3	2	1	–	–	–	1	1	1	–	1
Drowning	67	1	–	–	5	2	3	2	6	7	4	7	6
Fracture and Contusion	105	–	1	–	–	1	1	–	2	5	8	9	13
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	1
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	15	1	–	–	–	–	–	–	3	–	1	1	1
Not Specified	165	63	14	14	11	4	2	2	7	3	4	1	4

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	1	3	1	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	4	3	5	12	20	13	27	21	21	14	4	1	2	–	–	–
Paralysis	11	9	18	20	16	21	27	33	54	27	16	3	4	–	–	1
Delirium Tremens	1	1	–	2	1	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	5	5	3	1	3	1	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	6	12	9	12	5	15	9	10	8	2	–	–	–	–	–
Pericarditis	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	1	1	–	3	2	1	1	–	–	–	–	–	–	–
Heart Disease	24	27	34	33	44	46	62	62	56	32	10	6	2	–	–	–
Laryngitis	–	2	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	13	22	28	27	32	35	68	60	80	48	25	12	5	2	–	–
Pleurisy	–	2	–	3	–	1	5	1	1	1	–	–	–	–	–	–
Pneumonia	16	22	18	21	23	15	16	17	14	7	3	4	1	–	–	1
Asthma	1	1	3	5	5	5	8	9	4	1	2	1	–	–	–	–
Lung Disease	4	2	1	1	1	2	4	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	–	3	2	2	1	5	2	2	–	–	–	–	–	–	–
Enteritis	3	2	3	4	1	6	4	–	4	2	1	–	–	–	–	–
Peritonitis	3	5	2	1	2	1	2	–	1	1	–	–	–	–	–	–
Ascites	–	–	1	–	1	2	1	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	4	1	2	4	2	1	2	2	–	–	–	–	–	–	–
Hernia	–	–	2	3	–	–	5	–	4	2	–	–	–	–	–	–
Ileus	1	1	–	1	–	1	–	4	4	–	2	–	–	–	–	–
Intussusception	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	2	–	–	–	–	1	–	–	–	–
Stomach Disease	1	3	2	5	8	4	4	6	6	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	–	–	5	2	3	3	1	3	2	–	–	–	–	–	–	–
Jaundice	–	2	1	1	–	1	3	–	3	–	1	–	–	–	–	–
Liver Disease	4	2	10	8	12	8	11	11	5	1	2	–	–	–	–	–
Spleen Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	3	3	1	7	2	4	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Diabetes	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	1	3	–	–	–	–	–	–
Cystitis	1	–	–	–	–	4	–	–	1	–	–	–	–	1	–	–
Stricture of Urethra	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	–	2	1	2	4	1	3	5	3	1	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	2	2	1	–	–	–	1	–	–	–	–	–	–	–
Childbirth	2	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	2	1	1	2	1	–	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–
Rheumatism	–	–	1	3	1	–	4	3	3	1	–	–	–	–	–	–
Joint Disease	1	2	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	2	–	4	–	–	1	–	–	–	–	–	–	–	2
Privation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	1	1	–	1	2	–	2	–	–	–	–	–	–	–	–
Suffocation	–	–	1	1	–	1	3	2	–	1	–	–	–	–	–	–
Drowning	5	4	3	4	4	–	–	–	3	1	–	–	–	–	–	–
Fracture and Contusion	9	8	6	7	4	11	7	3	1	4	1	2	–	–	1	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	1	1	–	–	–	2	2	–	–	–	–	–	–	–
Not Specified	5	5	7	5	5	7	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4766	554	194	365	413	179	130	79	249	137	169	179	170
SPECIFIED CAUSES	4667	520	185	356	405	176	128	78	245	136	166	178	167
I. Zymotic Class	947	57	49	103	134	81	66	43	98	39	39	54	42
II. Diseases of Uncertain Seat	130	5	–	–	1	–	1	–	6	4	4	2	–
III. Tubercular Class	761	16	34	54	84	41	22	14	72	45	69	71	66
IV. Brain and Nervous System	469	51	15	27	29	6	9	2	18	9	10	6	3
V. Organs of Circulation	251	2	2	–	–	–	–	–	1	5	6	3	7
VI. Respiratory Organs	835	67	55	104	104	31	12	10	12	9	5	16	14
VII. Organs of Digestion	337	50	14	44	37	7	8	5	13	8	2	5	5
VIII. Urinary Organs	77	–	–	–	–	–	3	2	2	–	8	3	6
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	34	–	–	1	1	1	2	–	4	2	6	1	1
XI. Skin, etc.	6	–	1	1	1	–	–	–	–	–	1	–	–
XII. Malformation	11	7	1	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	283	256	11	16	–	–	–	–	–	–	–	–	–
XIV. Atrophy	38	–	–	–	7	6	–	–	7	1	1	–	–
XV. Age	259	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	2	–	1	–	–	1	–	–	–	–	–	–
XVII. Violent Deaths	218	7	3	2	7	3	4	2	12	14	15	17	23
I. Small Pox	146	7	10	2	1	3	–	1	6	10	22	32	25
Measles	68	3	–	17	25	11	5	2	3	2	–	–	–
Scarlatina	96	–	–	4	19	14	21	8	23	5	1	1	–
Diphtheria	72	4	3	7	11	6	11	12	14	2	1	–	–
Hooping Cough	94	5	9	20	20	8	13	7	12	–	–	–	–
Croup	90	3	3	15	25	19	9	4	10	1	1	–	–
Thrush	4	1	–	1	1	1	–	–	–	–	–	–	–
Diarrhœa	122	17	15	25	20	7	1	–	3	–	2	1	1
Dysentery	24	–	3	1	–	1	–	–	–	–	–	–	–
Cholera	16	2	1	2	3	1	1	–	1	–	1	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	7	–	–	–	–	–	–	1	–	–	–	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	1	–	–	–	2	2	3	3	6
Enteric Fever	107	–	–	1	4	8	5	6	20	14	7	15	7
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	7	–	–	–	1	–	–	–	3	1	–	–	–
Infantile Remittent	2	–	–	–	–	2	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	–	–	–	–	–	–	–	1	–	1	1
Erysipelas	21	5	1	1	1	–	–	2	1	–	1	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	23	10	4	6	2	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	30	1	–	–	–	–	–	–	3	3	2	–	–
Abscess	18	1	–	–	1	–	1	–	2	–	1	1	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	–	–	–	–	–	1	–	1	–
Cancer	63	–	–	–	–	–	–	–	1	–	1	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	40	1	–	2	2	2	3	1	8	7	3	3	1
Tabes Mesenterica	72	5	7	5	16	6	6	2	14	5	1	–	1
Phthisis	460	3	4	6	14	10	5	7	23	29	65	68	64
Hydrocephalus	189	7	23	41	52	23	8	4	27	4	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	144	149	160	158	179	174	228	210	221	152	92	53	15	6	1	6
SPECIFIED CAUSES	141	145	154	157	179	169	228	210	221	152	92	53	15	6	1	4
Zymotic Class	21	13	16	7	18	12	13	15	10	10	4	2	–	1	–	–
Uncertain Seat	7	7	7	11	12	19	12	14	11	4	1	1	1	–	–	–
Tubercular Class	37	28	36	20	19	13	10	6	3	1	–	–	–	–	–	–
Brain, etc.	17	17	21	21	27	26	41	36	41	26	6	2	2	–	–	1
Heart, etc.	11	15	13	16	28	20	30	36	28	17	6	4	1	–	–	–
Respiratory Organs	21	31	28	43	40	35	54	46	52	22	14	6	2	1	–	1
Digestive Organs	7	8	16	18	12	14	23	14	19	4	3	1	–	–	–	–
Urinary Organs	3	4	5	4	3	11	5	3	2	8	3	1	–	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	1	1	2	–	5	2	2	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	3	6	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	29	48	57	55	34	9	3	1	–
Sudden Deaths	–	1	–	1	1	1	2	–	–	1	–	–	–	–	–	–
Violent Deaths	16	18	11	12	10	13	10	8	5	2	–	2	–	–	–	2
Small Pox	8	6	4	2	3	2	2	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	2	–	1	–	6	5	6	4	2	2	–	–	–	–
Dysentery	–	1	2	–	4	1	2	3	–	5	1	–	–	–	–	–
Cholera	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–
Purpura	1	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	2	3	–	1	3	3	1	–	–	–	–	–	–	–	–
Enteric Fever	4	3	–	2	5	3	–	–	3	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	2	1	1	–	–	1	1	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	–	2	2	3	5	2	2	3	–	–	–	–	–	–
Abscess	2	–	1	1	–	4	–	–	3	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	1	–	1	1	–	1	1	1	–	–	1	–	1	–	–	–
Cancer	4	5	5	4	9	11	6	10	5	1	–	1	–	–	–	–
Gout	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	1	2	–	–	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	37	27	33	19	18	11	10	5	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	45	2	5	7	5	2	3	–	8	4	1	–	2
Apoplexy	83	1	–	5	–	1	3	–	2	–	1	1	–
Paralysis	134	–	–	–	–	–	–	–	1	–	3	–	–
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	–	–	–	–	–	–	2	2	–
Tetanus	6	2	–	–	–	–	–	–	1	1	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	92	42	9	14	19	3	2	–	3	–	–	–	–
Brain Disease	82	4	1	1	5	–	1	2	3	4	3	2	1
V. Pericarditis	5	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	239	2	2	–	–	–	–	–	1	4	6	3	7
VI. Laryngitis	11	1	–	–	4	–	–	–	1	1	–	1	–
Bronchitis	502	46	44	76	72	18	9	6	8	3	1	4	3
Pleurisy	17	–	–	–	–	1	–	–	–	–	–	4	1
Pneumonia	256	18	11	28	26	12	3	4	2	5	3	7	9
Asthma	34	–	–	–	–	–	–	–	–	–	1	–	1
Lung Disease	15	2	–	–	2	–	–	–	1	–	–	–	–
VII. Teething	36	–	2	16	17	1	–	–	–	–	–	–	–
Quinsey	6	1	–	–	3	–	–	–	–	1	–	–	–
Gastritis	19	2	–	4	1	–	–	1	–	–	–	–	–
Enteritis	69	23	7	9	9	2	3	2	2	–	–	–	1
Peritonitis	27	3	2	3	1	–	–	1	2	2	1	1	–
Ascites	4	–	–	–	–	–	–	1	1	–	–	–	–
Ulceration of Intestines	14	1	–	1	1	–	–	–	1	1	–	1	–
Hernia	12	–	–	1	–	–	1	–	–	–	–	–	1
Ileus	9	1	–	–	1	–	–	–	–	1	–	–	–
Intussusception	5	–	–	2	–	–	–	–	–	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	59	14	3	7	4	3	3	–	2	2	1	1	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	12	5	–	1	–	–	1	–	1	–	–	–	–
Liver Disease	52	–	–	–	–	1	–	–	4	1	–	2	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	5	–	–	–	–	–	2	–	1	–	–	1	–
Nephria	25	–	–	–	–	–	1	–	1	–	4	2	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	7	–	–	–	–	–	–	–	–	–	3	–	1
Stone	5	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	23	–	–	–	–	–	–	1	–	–	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	9	–	–	–	1	–	1	–	2	–	2	–	–
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	18	–	–	1	–	1	1	–	2	2	4	1	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	1	–	1	–	–	–	–	–	1	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	2	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	–	2	1	1	–	2	2	–	–	2
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	17	5	–	1	1	–	–	–	1	–	1	–	1
Drowning	58	–	–	–	4	1	3	2	5	7	4	7	5
Fracture and Contusion	93	–	1	–	–	1	–	–	2	5	8	9	13
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	1	–	1
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	–	–	–	–	–	–	–	2	–	1	–	1
Not Specified	99	34	9	9	8	3	2	1	4	1	3	1	3

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	2	6	9	8	15	9	8	9	–	–	–	–	–	–
Paralysis	7	7	11	5	7	12	11	19	27	13	6	2	2	–	–	1
Delirium Tremens	1	1	–	2	1	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	1	2	1	2	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	6	4	7	4	13	6	5	4	–	–	–	–	–	–
Pericarditis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	1	–	–	2	1	1	–	–	–	–	–	–	–	–
Heart Disease	8	13	11	16	28	18	29	35	28	17	6	4	1	–	–	–
Laryngitis	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	9	10	13	18	17	17	34	26	35	17	10	4	1	1	–	–
Pleurisy	–	2	–	2	–	1	3	1	1	1	–	–	–	–	–	–
Pneumonia	9	17	11	17	19	11	10	13	11	4	2	2	1	–	–	1
Asthma	–	1	2	5	4	4	4	6	4	–	2	–	–	–	–	–
Lung Disease	3	–	1	1	–	2	3	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	–	3	2	1	–	3	2	–	–	–	–	–	–	–	–
Enteritis	1	1	1	–	–	2	2	–	3	1	–	–	–	–	–	–
Peritonitis	2	1	2	1	1	1	1	–	1	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	4	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Hernia	–	–	1	2	–	–	1	–	3	2	–	–	–	–	–	–
Ileus	1	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–
Stomach Disease	1	–	1	3	1	3	1	2	4	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	–	–	1	1	–	1	1	2	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Liver Disease	2	2	7	6	6	3	7	6	3	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	3	1	1	4	1	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–
Cystitis	1	–	–	–	–	4	–	–	1	–	–	–	–	1	–	–
Stricture of Urethra	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	–	2	1	–	3	1	1	5	2	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	–	2	1	2	–	–	–	–	–	–	–
Joint Disease	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Privation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	1	1	–	1	3	1	–	–	–	–	–	–	–	–
Drowning	5	4	3	2	4	–	–	–	2	–	–	–	–	–	–	–
Fracture and Contusion	8	8	6	6	3	11	5	2	–	2	–	2	–	–	–	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	1	1	–	–	–	1	2	–	–	–	–	–	–	–
Not Specified	3	4	6	1	–	5	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4540	397	162	317	426	199	120	93	175	126	155	175	161
SPECIFIED CAUSES	4474	368	157	312	423	198	120	92	172	124	154	175	160
I. Zymotic Class	953	57	48	106	163	94	59	57	92	37	24	35	25
II. Diseases of Uncertain Seat	174	1	–	1	–	3	–	1	1	1	2	2	8
III. Tubercular Class	809	11	21	52	78	37	21	12	42	50	93	88	68
IV. Brain and Nervous System	422	32	10	21	22	10	8	8	9	7	8	9	8
V. Organs of Circulation	264	1	1	–	–	–	1	1	1	6	8	6	10
VI. Respiratory Organs	716	50	42	85	105	34	23	9	10	10	7	10	12
VII. Organs of Digestion	298	30	12	28	38	9	5	2	7	3	5	7	14
VIII. Urinary Organs	39	–	–	–	–	2	1	1	2	1	1	3	5
IX. Organs of Generation	51	–	–	–	–	–	–	–	–	–	3	13	7
X. Organs of Locomotion	20	–	–	–	–	–	–	–	1	4	1	1	–
XI. Skin, etc.	3	–	–	1	1	–	–	–	–	–	–	–	–
XII. Malformation	10	6	1	1	–	1	–	–	–	1	–	–	–
XIII. Premature Debility	206	174	17	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	10	5	1	1	3	3	1	–	1
XV. Age	391	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	–	1	–	–	–	–	–	1	–	1	–	–
XVII. Violent Deaths	63	6	4	2	6	3	1	–	3	1	–	1	2
I. Small Pox	111	13	7	6	2	5	3	5	8	8	11	10	9
Measles	89	–	1	18	37	15	8	5	3	1	–	1	–
Scarlatina	96	1	–	4	21	14	13	13	23	4	–	1	1
Diphtheria	73	4	–	4	16	12	13	10	9	1	1	2	–
Hooping Cough	135	7	14	31	40	15	7	9	10	2	–	–	–
Croup	66	1	–	8	14	18	7	6	11	1	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	145	20	16	30	21	3	1	2	–	1	1	1	1
Dysentery	20	–	1	–	1	–	–	–	–	–	–	–	–
Cholera	8	1	1	1	1	–	1	–	1	–	–	–	–
Influenza	6	–	–	–	1	–	1	–	1	–	–	–	–
Purpura	5	–	–	–	–	–	–	1	–	2	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	1	–	–	–	1	–	–	–	–
Typhus	25	–	–	–	2	–	–	–	2	3	2	4	3
Enteric Fever	86	–	1	2	4	7	–	4	20	11	6	8	3
Relapsing Fever	3	–	–	–	1	–	–	1	1	–	–	–	–
Simple Continued Fever	13	1	–	1	–	2	4	–	2	2	–	–	–
Infantile Remittent	4	–	–	–	–	3	1	–	–	–	–	–	–
Metria	28	–	–	–	–	–	–	–	–	–	1	6	7
Rheumatic Fever	5	–	–	–	–	–	–	–	–	1	1	1	–
Erysipelas	13	4	–	1	–	–	–	–	–	–	–	1	–
Pyæmia	4	–	–	–	–	–	–	1	–	–	–	–	1
Syphilis	13	3	6	–	1	–	–	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	2
Dropsy	42	–	–	–	–	1	–	–	–	1	2	1	3
Abscess	12	–	–	1	–	2	–	1	1	–	–	1	1
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	104	1	–	–	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	1	–	2	2	1	1	–	2	6	4	–	1
Tabes Mesenterica	76	4	3	6	20	9	3	3	10	4	1	2	3
Phthisis	565	4	3	6	20	8	7	3	15	34	88	86	64
Hydrocephalus	147	2	15	38	36	19	10	6	15	6	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	140	150	169	151	161	151	220	179	261	187	155	65	33	10	1	1
SPECIFIED CAUSES	138	149	168	147	156	149	220	179	261	187	155	65	33	10	1	1
Zymotic Class	21	26	18	8	14	8	13	8	25	8	5	1	1	–	–	–
Uncertain Seat	5	6	16	14	22	22	15	12	22	9	7	3	–	1	–	–
Tubercular Class	53	51	40	31	20	17	13	5	1	4	1	–	–	–	–	–
Brain, etc.	13	10	20	30	26	19	33	29	45	23	16	2	4	–	–	–
Heart, etc.	16	14	23	18	16	29	35	27	29	15	4	2	1	–	–	–
Respiratory Organs	13	20	23	14	21	23	48	41	48	36	16	11	4	1	–	–
Digestive Organs	5	11	14	14	24	15	18	14	15	4	4	–	–	–	–	–
Urinary Organs	3	–	1	2	1	5	2	2	4	1	1	–	1	–	–	–
Generative Organs	3	8	6	4	2	2	1	–	2	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	4	–	–	2	3	1	1	–	1	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	1	1	4	5	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	35	33	67	81	100	45	22	8	–	–
Sudden Deaths	–	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–
Violent Deaths	1	2	5	3	5	1	3	4	2	5	1	–	–	–	1	1
Small Pox	6	5	7	1	2	1	2	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	5	2	4	4	3	4	3	13	3	4	–	1	–	–	–
Dysentery	1	1	–	–	4	1	1	1	6	3	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Purpura	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	1	2	1	–	2	–	–	–	–	–	–	–	–
Enteric Fever	3	4	4	2	1	–	1	2	2	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	1	–	2	1	–	1	–	–	–	–
Pyæmia	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	1	2	2	2	2	1	5	3	11	4	–	1	–	–	–	–
Abscess	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	1	2	–	–	2	–	2	1	–	1	–	–
Cancer	3	3	13	11	19	17	8	7	9	5	5	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	2	1	2	–	–	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phthisis	52	50	40	31	18	16	11	5	1	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	47	1	2	9	4	6	3	6	5	2	2	3	1
Apoplexy	88	2	–	–	2	1	1	1	–	1	–	–	2
Paralysis	132	–	–	–	–	1	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	22	–	–	–	–	–	–	–	1	3	2	2	2
Tetanus	3	1	–	–	–	–	–	–	–	–	–	1	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	66	27	8	11	14	2	3	–	1	–	–	–	–
Brain Disease	57	1	–	1	2	–	1	1	2	1	4	3	1
V. Pericarditis	4	–	1	–	–	–	–	1	1	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	256	1	–	–	–	–	1	–	–	6	8	6	10
VI. Laryngitis	5	1	–	–	2	–	–	–	–	–	–	–	–
Bronchitis	534	37	35	68	78	27	17	6	6	5	2	2	6
Pleurisy	11	2	1	–	–	–	–	–	–	1	–	3	1
Pneumonia	143	9	6	16	25	6	6	3	4	4	5	5	4
Asthma	14	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	9	1	–	1	–	–	–	–	–	–	–	–	1
VII. Teething	45	–	2	18	23	2	–	–	–	–	–	–	–
Quinsey	8	3	1	–	2	1	–	–	1	–	–	–	–
Gastritis	12	1	–	–	4	–	–	–	–	–	–	–	1
Enteritis	58	13	6	2	7	3	3	1	2	–	2	–	–
Peritonitis	23	–	1	1	–	–	–	–	2	1	2	6	3
Ascites	7	–	–	–	–	–	–	–	–	2	1	–	–
Ulceration of Intestines	15	–	–	–	1	1	1	–	1	–	–	–	1
Hernia	8	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	45	8	2	5	1	–	1	1	–	–	–	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	16	–	–	–	–	–	–	–	1	–	–	–	3
Jaundice	12	2	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	36	2	–	1	–	–	–	–	–	–	–	1	1
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	2
VIII. Nephritis	5	–	–	–	–	–	–	1	1	1	–	–	1
Nephria	17	–	–	–	–	2	1	–	–	–	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	1	–	1	1	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	–	1	2
Childbirth	28	–	–	–	–	–	–	–	–	–	2	10	4
Organs of Generation	11	–	–	–	–	–	–	–	–	–	1	1	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	10	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	9	–	–	–	–	–	–	–	1	4	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	1	5	2	–	–	1	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	2	3	1	–	–	–	–	–	1	–	–	–
Drowning	9	1	–	–	1	1	–	–	1	–	–	–	1
Fracture and Contusion	12	–	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	–	–	–	–	–	1	–	–	1	–
Not Specified	66	29	5	5	3	1	–	1	3	2	1	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	2	2	3	6	11	5	12	12	13	5	4	1	2	–	–	–
Paralysis	4	2	7	15	9	9	16	14	27	14	10	1	2	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	4	1	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	3	6	5	5	1	2	3	5	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Heart Disease	16	14	23	17	16	28	33	27	28	15	4	2	1	–	–	–
Laryngitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	12	15	9	15	18	34	34	45	31	15	8	4	1	–	–
Pleurisy	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Pneumonia	7	5	7	4	4	4	6	4	3	3	1	2	–	–	–	–
Asthma	1	–	1	–	1	1	4	3	–	1	–	1	–	–	–	–
Lung Disease	1	2	–	–	1	–	1	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	2	–	2	–	–	–	–	–	–	–
Enteritis	2	1	2	4	1	4	2	–	1	1	1	–	–	–	–	–
Peritonitis	1	4	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	2	3	1	1	1	1	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	4	–	1	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	3	3	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	3	1	2	7	1	3	4	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	4	1	3	2	–	1	1	–	–	–	–	–	–	–
Jaundice	–	2	1	1	–	–	1	–	2	–	1	–	–	–	–	–
Liver Disease	2	–	3	2	6	5	4	5	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	2	–	3	1	2	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	2	1	–	2	–	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	2	2	1	–	–	–	1	–	–	–	–	–	–	–
Childbirth	2	7	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	2	1	1	2	1	–	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	–	–	–	3	–	–	2	2	1	1	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Drowning	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–
Fracture and Contusion	1	–	–	1	1	–	2	1	1	2	1	–	–	–	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	2	1	1	4	5	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17357	1790	569	1074	1380	668	391	336	854	483	618	679	542
SPECIFIED CAUSES	17030	1666	547	1042	1355	655	387	333	846	476	608	673	535
I. Zymotic Class	3537	189	151	310	572	366	233	201	440	143	115	115	102
II. Diseases of Uncertain Seat	624	8	5	4	5	3	9	3	11	8	10	11	7
III. Tubercular Class	2753	50	77	172	227	106	44	54	175	187	287	352	246
IV. Brain and Nervous System	1643	94	26	82	85	31	21	22	69	36	38	39	23
V. Organs of Circulation	1024	6	1	2	3	1	2	2	11	15	24	20	15
VI. Respiratory Organs	2531	202	130	289	258	89	53	25	57	20	35	27	36
VII. Organs of Digestion	1243	146	78	129	133	27	10	10	30	17	26	22	28
VIII. Urinary Organs	297	1	2	1	3	2	–	2	6	4	12	16	13
IX. Organs of Generation	123	1	–	–	1	–	–	–	–	–	8	14	18
X. Organs of Locomotion	97	–	1	1	–	1	1	–	9	7	13	8	3
XI. Skin, etc.	20	2	2	1	5	–	–	–	–	–	–	–	–
XII. Malformation	75	64	4	2	1	2	1	–	–	–	1	–	–
XIII. Premature Debility	923	839	49	35	–	–	–	–	–	–	–	–	–
XIV. Atrophy	149	–	–	–	42	11	4	5	5	3	7	4	3
XV. Age	1285	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	3	1	–	1	–	–	–	–	–	–	1	–
XVII. Violent Deaths	690	61	20	14	19	16	9	9	33	36	32	44	41
I. Small Pox	255	24	16	5	8	4	1	5	11	23	31	46	24
Measles	274	6	2	44	93	56	20	15	34	3	1	–	–
Scarlatina	536	2	3	27	83	87	68	59	158	32	9	3	2
Diphtheria	324	7	3	15	58	58	43	39	79	10	3	3	–
Hooping Cough	401	38	36	91	120	53	25	22	14	2	–	–	–
Croup	294	10	7	27	83	62	47	28	29	1	–	–	–
Thrush	4	3	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	455	62	57	68	74	13	4	2	6	1	3	1	2
Dysentery	81	5	8	5	5	–	–	–	1	–	–	1	1
Cholera	33	–	4	4	3	–	–	–	4	1	1	–	–
Influenza	24	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	12	–	–	1	–	–	–	–	–	2	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	118	–	1	1	5	3	5	5	16	10	13	8	10
Enteric Fever	426	2	3	6	20	18	13	18	68	48	34	33	37
Relapsing Fever	12	–	–	–	–	1	–	2	1	–	3	1	2
Simple Continued Fever	47	–	1	3	3	3	2	3	7	3	6	3	1
Infantile Remittent	32	3	–	5	6	6	3	1	8	–	–	–	–
Metria	58	–	–	–	–	–	–	–	–	–	4	12	11
Rheumatic Fever	36	–	–	–	–	–	–	–	3	6	2	3	5
Erysipelas	71	16	3	5	3	1	1	2	–	1	4	–	3
Pyæmia	9	–	–	–	1	–	–	–	1	–	–	–	3
Syphilis	32	11	6	2	6	1	–	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	1	–	1	–	–	–	–	–	–	–	2	1
Dropsy	150	–	1	1	3	1	5	1	6	4	5	1	3
Abscess	53	3	2	2	1	1	2	2	1	3	5	5	1
Ulcer	9	2	1	–	1	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	30	2	–	–	–	–	1	–	2	1	–	1	–
Cancer	353	–	1	–	–	1	1	–	2	–	–	2	2
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	167	4	3	5	15	12	1	2	21	18	21	21	8
Tabes Mesenterica	213	15	14	23	52	25	9	17	17	16	6	3	4
Phthisis	1924	6	16	30	47	29	15	19	72	141	259	328	234
Hydrocephalus	449	25	44	114	113	40	19	16	65	12	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	460	464	499	539	662	659	782	821	1034	877	696	321	111	33	8	7
Specified Causes	454	458	487	530	643	648	782	820	1034	877	696	321	111	33	8	5
Zymotic Class	71	49	41	44	51	49	46	56	66	52	57	15	3	–	–	–
Uncertain Seat	14	15	33	48	64	64	68	69	86	50	22	5	2	–	–	–
Tubercular Class	164	145	115	96	92	67	45	25	18	5	3	1	–	–	–	–
Brain, etc.	32	34	52	56	68	87	136	146	194	131	89	37	11	3	–	1
Heart, etc.	29	46	50	61	90	87	124	116	140	115	46	14	4	–	–	–
Respiratory Organs	34	47	77	95	129	130	160	172	196	130	101	28	7	2	–	2
Digestive Organs	30	41	42	49	60	69	71	83	57	57	22	6	–	–	–	–
Urinary Organs	14	17	11	20	16	24	26	23	44	20	14	3	3	–	–	–
Generative Organs	20	20	16	4	5	9	5	1	–	–	1	–	–	–	–	–
Locomotive Organs	3	6	1	3	6	4	5	8	6	7	4	–	–	–	–	–
Skin	–	–	1	1	–	3	2	2	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	3	6	11	22	18	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	54	93	266	288	322	208	80	27	7	–
Sudden Deaths	1	1	–	1	–	3	–	1	3	–	–	–	–	–	–	–
Violent Deaths	37	34	42	41	40	34	40	25	18	22	14	4	1	1	1	2
Small Pox	17	14	3	7	9	4	1	–	1	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	2	–	–	1	–	1	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	1	5	5	6	13	14	15	29	28	28	10	2	–	–	–
Dysentery	2	2	–	5	1	2	6	5	12	8	9	2	1	–	–	–
Cholera	–	2	2	1	2	2	1	2	1	2	–	1	–	–	–	–
Influenza	–	1	1	–	–	1	3	5	3	3	5	–	–	–	–	–
Purpura	–	–	–	2	2	1	–	1	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	3	2	8	3	3	7	6	3	1	–	–	–	–	–
Enteric Fever	18	10	15	15	12	13	14	12	7	4	4	2	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	2	–	3	–	1	2	1	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	12	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	2	3	2	5	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	2	5	3	2	5	4	2	9	–	–	–	–	–
Pyæmia	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	2	2	3	–	2	2	1	–	–	–	–	–	–	–
Dropsy	1	6	6	5	12	10	18	6	27	17	6	3	2	–	–	–
Abscess	2	1	1	–	5	6	4	3	1	1	–	1	–	–	–	–
Ulcer	–	1	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	3	1	2	3	3	5	4	1	–	–	–	–
Cancer	9	6	24	40	36	47	42	52	52	25	11	–	–	–	–	–
Gout	–	–	–	–	3	–	–	–	1	2	1	–	–	–	–	–
Scrofula	5	9	5	3	6	3	2	1	1	–	1	–	–	–	–	–
Tabes Mesenterica	1	1	1	–	5	–	2	1	1	–	–	–	–	–	–	–
Phthisis	158	135	109	93	81	64	41	23	16	5	2	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	180	8	9	26	22	7	8	7	28	13	16	10	6
Apoplexy	379	5	2	7	10	6	3	3	5	4	1	4	6
Paralysis	528	–	–	2	–	–	–	1	3	–	2	9	5
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	3	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	60	–	–	1	3	1	1	–	2	5	5	4	2
Tetanus	9	1	–	–	–	1	–	1	1	2	1	–	–
Insanity	10	–	–	–	–	1	–	–	2	–	–	2	–
Convulsions	205	79	13	38	40	12	7	6	10	–	–	–	–
Brain Disease	255	1	2	7	10	3	2	4	18	12	13	9	3
V. Pericarditis	23	–	–	–	–	1	–	1	4	3	2	2	1
Aneurism	22	–	–	–	–	–	–	–	–	1	–	–	1
Heart Disease	979	6	1	2	3	–	2	1	7	11	22	18	13
VI. Laryngitis	31	2	1	5	5	1	3	1	2	2	–	–	–
Bronchitis	1623	153	104	232	206	61	38	14	23	10	7	8	8
Pleurisy	51	1	–	1	2	1	2	–	1	1	4	1	–
Pneumonia	644	43	24	50	43	24	10	10	29	7	16	16	23
Asthma	113	–	1	–	–	–	–	–	–	–	2	–	1
Lung Disease	69	3	–	1	2	2	–	–	2	–	6	2	4
VII. Teething	182	1	9	74	88	9	1	–	–	–	–	–	–
Quinsey	17	1	3	1	5	1	–	1	1	–	–	–	1
Gastritis	47	6	4	3	2	1	–	–	2	1	1	1	2
Enteritis	249	70	31	35	22	12	4	5	12	6	6	2	–
Peritonitis	109	9	4	4	5	2	1	1	5	3	5	8	7
Ascites	23	–	–	–	–	–	–	–	1	1	–	1	–
Ulceration of Intestines	59	–	1	–	–	–	1	–	2	–	2	2	2
Hernia	21	–	1	1	2	–	–	–	–	–	1	–	–
Ileus	48	7	2	–	–	–	1	2	2	2	2	3	1
Intussusception	14	–	3	–	1	–	–	–	1	–	1	1	1
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	194	37	15	11	4	1	1	1	1	1	5	1	4
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	43	–	1	–	1	–	–	–	–	–	–	–	1
Jaundice	49	11	3	–	–	–	1	–	1	–	2	1	4
Liver Disease	168	4	1	–	3	1	–	–	2	3	–	2	5
Spleen Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	23	1	1	–	1	–	–	–	1	–	1	2	–
Nephria	83	–	–	–	–	1	–	2	2	2	4	7	6
Addison's Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	20	–	–	1	–	–	–	–	–	–	1	1	–
Diabetes	24	–	–	–	1	–	–	–	–	–	3	3	4
Stone	9	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	35	–	–	–	–	–	–	–	1	–	2	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	96	–	1	–	1	1	–	–	2	2	1	2	2
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	1	1
Ovarian Dropsy	19	–	–	–	–	–	–	–	–	–	1	1	2
Childbirth	70	–	–	–	–	–	–	–	–	–	3	10	15
Organs of Generation	28	1	–	–	1	–	–	–	–	–	1	2	–
X. Bone Disease	8	–	–	1	–	–	–	–	–	–	1	1	1
Rheumatism	36	–	–	–	–	–	–	–	1	–	2	1	–
Joint Disease	53	–	1	–	–	1	1	–	8	7	10	6	2
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	16	2	2	1	5	–	–	–	–	–	–	–	–
XVII. Intemperance	42	–	–	–	–	–	–	–	–	–	–	3	1
Privation	3	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	36	25	7	3	1	–	–	–	–	–	–	–	–
Neglect	2	–	1	–	–	–	–	–	–	1	–	–	–
Cold	16	3	–	–	–	–	–	–	–	–	–	–	1
Poison	5	–	–	–	–	1	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	1	1	4	7	10	5	7	7	3	2	–	–
Hanging, etc.	18	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	66	24	11	4	–	–	–	–	1	–	2	1	4
Drowning	152	1	–	1	5	3	3	–	8	11	12	14	17
Fracture and Contusion	231	2	–	2	6	2	–	2	14	14	14	20	13
Gunshot Wounds	3	–	–	–	–	–	1	–	–	–	–	–	1
Cuts and Stabs	14	–	–	–	–	–	–	–	–	–	–	–	2
Other Violent Causes	37	5	–	–	–	–	–	–	3	5	1	5	2
Not Specified	327	124	22	32	25	13	4	3	8	7	10	6	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	4	5	1	2	1	1	1	–	1	1	–	–	–	–	–
Apoplexy	11	9	13	21	19	28	36	43	62	41	25	10	2	2	–	1
Paralysis	4	6	13	18	23	35	71	71	107	73	50	25	9	1	–	–
Delirium Tremens	1	2	1	2	3	1	–	–	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	5	–	8	1	6	5	5	3	2	1	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	–	–	1	1	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	13	11	12	13	17	23	26	20	15	11	2	–	–	–	–
Pericarditis	2	1	2	2	–	–	2	–	–	–	–	–	–	–	–	–
Aneurism	1	1	3	5	1	1	2	–	4	1	1	–	–	–	–	–
Heart Disease	26	44	45	54	89	86	120	116	136	114	45	14	4	–	–	–
Laryngitis	1	–	1	1	2	–	1	2	–	1	–	–	–	–	–	–
Bronchitis	4	17	32	48	62	61	87	106	138	91	80	24	7	1	–	1
Pleurisy	6	–	6	1	4	3	3	6	4	3	1	–	–	–	–	–
Pneumonia	19	26	27	27	39	46	46	36	41	24	14	2	–	1	–	1
Asthma	2	–	7	13	12	12	18	18	11	10	4	2	–	–	–	–
Lung Disease	2	4	4	5	10	8	5	4	2	1	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Gastritis	1	1	4	2	2	2	1	3	3	3	1	1	–	–	–	–
Enteritis	–	2	3	3	8	6	4	7	2	7	2	–	–	–	–	–
Peritonitis	5	11	5	3	5	4	5	5	6	5	–	1	–	–	–	–
Ascites	–	2	–	4	2	2	1	5	1	3	–	–	–	–	–	–
Ulceration of Intestines	3	4	5	2	4	7	7	8	3	4	2	–	–	–	–	–
Hernia	–	1	2	1	–	–	1	4	2	3	2	–	–	–	–	–
Ileus	3	–	1	2	2	3	3	4	4	4	–	–	–	–	–	–
Intussusception	1	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	1	2	3	–	1	–	–	–	–	–	–
Stomach Disease	6	5	6	12	8	11	14	14	13	14	8	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	3	4	4	1	3	5	8	6	1	2	2	1	–	–	–	–
Jaundice	1	–	–	1	7	7	3	2	3	2	–	–	–	–	–	–
Liver Disease	7	10	11	17	16	17	17	20	18	8	4	2	–	–	–	–
Spleen Disease	–	1	–	1	–	2	2	1	–	1	1	–	–	–	–	–
Nephritis	–	1	1	4	1	2	–	–	6	1	–	–	–	–	–	–
Nephria	10	5	5	4	7	6	10	5	7	–	–	–	–	–	–	–
Addison's Disease	–	3	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	1	–	2	4	3	1	1	4	–	–	–	–	–
Diabetes	–	2	–	2	1	1	2	1	2	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	3	1	–	3	1	1	–	–	–	–
Cystitis	–	1	2	1	3	2	5	2	8	6	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	5	2	6	4	11	1	11	20	7	8	2	3	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	3	1	1	–	5	2	1	–	–	1	–	–	–	–	–
Childbirth	14	15	11	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	2	4	1	5	4	3	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Rheumatism	1	2	–	–	4	4	4	4	5	4	4	–	–	–	–	–
Joint Disease	2	3	1	3	2	–	1	2	–	3	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	2	1	–	–	1	–	–	–	–	–
Intemperance	4	3	5	7	4	5	7	2	1	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	1	5	1	2	–	1	–	–	–	–	–
Poison	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	–	1	3	1	3	1	3	3	–	1	–	–	–	–
Hanging, etc.	1	–	3	1	2	1	3	3	1	1	–	–	–	–	–	–
Suffocation	1	3	2	5	5	1	–	1	–	–	–	–	–	–	–	1
Drowning	8	6	11	9	11	9	9	5	4	2	1	–	–	1	–	1
Fracture and Contusion	19	14	18	11	13	10	12	11	5	14	10	3	1	–	1	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	2	2	2	2	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	2	1	3	–	4	–	1	1	1	2	–	–	–	–	–
Not Specified	6	6	12	9	19	11	–	1	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8869	1013	334	592	716	338	199	176	420	247	319	379	275
SPECIFIED CAUSES	8693	943	324	575	706	332	198	175	416	242	310	375	272
I. Zymotic Class	1769	107	95	180	285	180	118	102	219	64	56	63	47
II. Diseases of Uncertain Seat	263	4	4	2	3	2	5	2	6	6	4	8	2
III. Tubercular Class	1374	26	44	98	131	55	31	30	77	82	139	177	122
IV. Brain and Nervous System	806	52	14	43	38	12	11	11	37	24	22	20	13
V. Organs of Circulation	561	4	1	1	2	1	1	1	2	9	16	10	10
VI. Respiratory Organs	1346	108	72	155	145	51	21	16	22	12	18	21	19
VII. Organs of Digestion	633	86	49	68	65	17	3	6	16	9	10	14	10
VIII. Urinary Organs	190	1	1	–	3	–	–	1	5	1	6	10	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	54	–	1	1	–	–	1	–	7	4	9	7	2
XI. Skin, etc.	12	1	1	–	3	–	–	–	–	–	–	–	–
XII. Malformation	45	42	1	–	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	524	474	30	20	–	–	–	–	–	–	–	–	–
XIV. Atrophy	61	–	–	–	16	6	2	2	1	1	2	1	1
XV. Age	530	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	1	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	518	37	11	7	14	7	5	4	24	30	28	43	39
I. Small Pox	158	11	12	4	5	2	1	–	6	13	18	31	16
Measles	129	2	2	26	40	27	10	8	13	1	–	–	–
Scarlatina	289	2	3	18	50	42	33	36	86	11	6	1	1
Diphtheria	155	5	2	9	28	24	25	19	33	7	1	–	–
Hooping Cough	178	19	18	45	46	27	8	9	6	–	–	–	–
Croup	168	7	6	16	47	32	27	14	19	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	235	37	35	40	42	9	3	1	3	1	3	–	1
Dysentery	42	4	5	4	4	–	–	–	1	–	–	–	–
Cholera	19	–	3	1	1	–	–	–	3	1	1	–	–
Influenza	13	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	57	–	1	–	3	2	2	2	6	4	6	6	5
Enteric Fever	185	–	2	5	11	7	4	9	31	20	16	21	16
Relapsing Fever	9	–	–	–	–	1	–	2	1	–	2	1	1
Simple Continued Fever	24	–	–	3	2	2	2	–	3	1	1	2	1
Infantile Remittent	19	2	–	4	1	4	2	1	5	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	19	–	–	–	–	–	–	–	2	4	–	1	4
Erysipelas	46	11	3	4	3	1	1	1	–	–	2	–	2
Pyæmia	3	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	14	6	3	–	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	–	–	–	–	–	–	–	1	1
Dropsy	63	–	1	–	2	1	2	1	4	3	3	1	1
Abscess	30	1	2	2	1	–	1	1	–	2	1	4	–
Ulcer	3	1	1	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	2	–	–	–	–	1	–	1	1	–	–	–
Cancer	134	–	–	–	–	1	1	–	1	–	–	2	–
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	91	2	3	2	9	10	1	1	10	10	13	7	6
Tabes Mesenterica	118	9	6	13	27	14	7	11	10	6	3	3	3
Phthisis	910	3	12	17	26	12	7	5	28	59	122	167	113
Hydrocephalus	255	12	23	66	69	19	16	13	29	7	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	210	213	250	308	351	353	395	404	479	393	313	119	51	17	3	2
SPECIFIED CAUSES	208	211	242	303	338	349	395	403	479	393	313	119	51	17	3	1
Zymotic Class	27	19	13	24	24	26	21	21	25	22	24	6	1	–	–	–
Uncertain Seat	6	4	11	18	26	26	29	30	39	18	7	1	–	–	–	–
Tubercular Class	78	61	54	55	39	34	21	11	7	1	1	–	–	–	–	–
Brain, etc.	14	18	25	28	33	42	62	78	88	62	41	9	8	1	–	–
Heart, etc.	16	24	26	36	49	55	68	59	79	60	24	5	2	–	–	–
Respiratory Organs	16	28	48	70	75	77	89	80	89	56	42	12	3	1	–	–
Digestive Organs	12	16	18	21	37	37	28	44	31	25	11	–	–	–	–	–
Urinary Organs	7	8	6	9	10	12	21	17	30	18	13	3	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	1	2	1	1	1	5	2	3	2	–	–	–	–	–
Skin	–	–	1	–	–	1	2	2	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	7	11	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	25	37	80	114	139	83	36	14	2	–
Sudden Deaths	–	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–
Violent Deaths	30	29	38	32	33	28	28	18	8	14	8	–	–	1	1	1
Small Pox	10	8	3	5	8	4	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	–	2	4	1	5	5	6	10	11	8	5	–	–	–	–
Dysentery	1	1	–	2	–	2	2	3	4	3	4	1	1	–	–	–
Cholera	–	2	1	–	2	1	1	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	1	4	3	1	3	–	–	–	–	–
Purpura	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	3	2	2	4	2	2	–	3	1	1	–	–	–	–	–
Enteric Fever	8	3	2	7	2	6	5	4	1	2	3	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	1	2	1	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	2	1	1	2	4	1	2	5	–	–	–	–	–
Pyæmia	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–
Dropsy	1	1	2	3	3	5	6	2	14	5	2	–	–	–	–	–
Abscess	1	–	1	–	3	5	–	3	–	1	–	1	–	–	–	–
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	1	2	2	2	2	3	–	–	–	–	–
Cancer	4	2	7	14	15	15	19	20	22	9	2	–	–	–	–	–
Gout	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Scrofula	3	5	–	2	5	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	3	–	1	1	–	–	–	–	–	–	–	–
Phthisis	75	55	54	53	31	33	19	10	7	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	103	4	6	14	14	1	4	4	17	6	10	6	5
Apoplexy	189	4	1	2	8	4	2	1	1	2	1	1	3
Paralysis	234	–	–	–	–	–	–	–	2	–	1	5	3
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	1	–	1	–	–	4	1	2	–
Tetanus	7	1	–	–	–	–	–	1	–	2	1	–	–
Insanity	2	–	–	–	–	–	–	–	1	–	–	–	–
Convulsions	101	43	6	23	12	4	4	3	6	–	–	–	–
Brain Disease	142	–	1	3	3	3	–	2	10	10	8	6	1
V. Pericarditis	13	–	–	–	–	1	–	1	2	2	1	1	–
Aneurism	16	–	–	–	–	–	–	–	–	1	–	–	1
Heart Disease	532	4	1	1	2	–	1	–	–	6	15	9	9
VI. Laryngitis	17	2	–	3	3	–	1	–	2	1	–	–	–
Bronchitis	801	81	59	124	115	33	15	9	8	6	4	4	4
Pleurisy	32	1	–	1	–	1	–	–	1	–	3	1	–
Pneumonia	383	23	12	26	27	17	5	7	11	5	6	14	14
Asthma	74	–	1	–	–	–	–	–	–	–	2	–	–
Lung Disease	39	1	–	1	–	–	–	–	–	–	3	2	1
VII. Teething	104	1	7	43	46	6	1	–	–	–	–	–	–
Quinsey	5	1	–	–	1	–	–	1	–	–	–	–	–
Gastritis	21	4	2	1	–	1	–	–	–	1	1	1	1
Enteritis	129	34	18	15	11	7	–	3	7	3	1	1	–
Peritonitis	53	7	4	2	2	1	–	–	4	1	2	2	3
Ascites	5	–	–	–	–	–	–	–	1	–	–	1	–
Ulceration of Intestines	29	–	–	–	–	–	–	–	–	–	1	2	1
Hernia	11	–	–	1	2	–	–	–	–	–	1	–	–
Ileus	36	6	2	–	–	–	1	1	2	2	1	3	–
Intussusception	10	–	3	–	–	–	–	–	–	–	1	1	1
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	96	24	9	6	2	1	–	1	–	–	1	–	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	–	1	–	–	–	–	–	–	–	–	–	1
Jaundice	25	6	2	–	–	–	1	–	1	–	1	1	1
Liver Disease	79	3	1	–	1	1	–	–	1	2	–	2	1
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	15	1	1	–	1	–	–	–	–	–	1	2	–
Nephria	44	–	–	–	–	–	–	1	2	–	2	5	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	15	–	–	–	–	–	–	–	–	–	1	–	–
Diabetes	11	–	–	–	1	–	–	–	–	–	1	2	2
Stone	8	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	31	–	–	–	–	–	–	–	1	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	64	–	–	–	1	–	–	–	2	1	1	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	1	–	2	1	–
Joint Disease	37	–	1	–	–	–	1	–	6	4	7	6	2
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	1	1	–	3	–	–	–	–	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	3	1
Privation	2	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	19	14	4	1	–	–	–	–	–	–	–	–	–
Neglect	2	–	1	–	–	–	–	–	–	1	–	–	–
Cold	10	2	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	30	–	–	2	5	4	2	3	3	2	1	–	–
Hanging, etc.	14	–	–	–	–	–	–	–	–	1	–	1	–
Suffocation	44	16	6	2	–	–	–	–	1	–	1	1	4
Drowning	125	1	–	1	4	2	3	–	6	8	11	14	16
Fracture and Contusion	198	2	–	1	5	1	–	1	13	14	13	20	13
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	12	–	–	–	–	–	–	–	–	–	–	–	2
Other Violent Causes	28	2	–	–	–	–	–	–	1	4	1	4	2
Not Specified	176	70	10	17	10	6	1	1	4	5	9	4	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	3	2	1	2	1	1	1	–	–	–	–	–	–	–	–
Apoplexy	5	4	7	10	9	16	17	26	30	21	11	2	–	1	–	–
Paralysis	–	2	7	7	10	15	29	36	48	32	22	7	8	–	–	–
Delirium Tremens	–	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	2	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	7	5	8	6	9	15	13	10	9	7	–	–	–	–	–
Pericarditis	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–	–
Aneurism	1	1	3	5	–	–	–	–	4	–	–	–	–	–	–	–
Heart Disease	15	23	22	29	49	55	66	59	75	60	24	5	2	–	–	–
Laryngitis	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–
Bronchitis	1	9	15	36	28	27	39	44	56	38	31	11	3	1	–	–
Pleurisy	3	–	5	1	3	2	1	3	2	3	1	–	–	–	–	–
Pneumonia	8	15	21	17	29	31	32	20	24	13	5	1	–	–	–	–
Asthma	2	–	4	12	8	11	12	11	6	1	4	–	–	–	–	–
Lung Disease	2	4	2	3	6	6	4	2	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	2	1	1	–	3	1	–	–	–	–	–	–	–
Enteritis	–	1	1	1	8	3	2	6	2	4	1	–	–	–	–	–
Peritonitis	1	3	2	2	3	1	2	4	4	3	–	–	–	–	–	–
Ascites	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	2	2	1	3	5	4	3	2	2	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	2	2	2	–	–	–	–	–
Ileus	2	–	1	1	2	2	2	2	2	4	–	–	–	–	–	–
Intussusception	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Stomach Disease	2	3	4	4	1	7	6	7	6	7	4	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	1	3	4	2	1	1	–	1	–	–	–	–	–
Jaundice	–	–	–	–	4	3	2	1	1	1	–	–	–	–	–	–
Liver Disease	3	5	6	7	9	6	5	13	10	1	2	–	–	–	–	–
Spleen Disease	–	–	–	1	–	1	–	1	–	1	1	–	–	–	–	–
Nephritis	–	1	–	2	1	1	–	–	3	1	–	–	–	–	–	–
Nephria	6	3	2	2	5	3	6	3	1	–	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	4	3	1	1	4	–	–	–	–	–
Diabetes	–	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	3	1	–	2	1	1	–	–	–	–
Cystitis	–	–	2	1	3	1	5	2	8	6	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	2	3	1	7	1	7	16	7	7	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	1	–	1	1	3	2	–	–	–	–	–
Joint Disease	1	2	1	2	1	–	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Intemperance	1	2	4	5	3	4	5	1	1	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	3	1	1	–	1	–	–	–	–	–
Poison	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	3	1	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	3	1	–	1	3	3	–	1	–	–	–	–	–	–
Suffocation	–	2	1	4	4	1	–	1	–	–	–	–	–	–	–	–
Drowning	7	4	11	6	9	7	7	3	2	1	–	–	–	1	–	1
Fracture and Contusion	18	14	17	11	12	9	9	8	2	9	5	–	–	–	1	–
Gunshot Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	2	1	1	2	2	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	2	1	2	–	3	–	1	1	1	2	–	–	–	–	–
Not Specified	2	2	8	5	13	4	–	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8488	777	235	482	664	330	192	160	434	236	299	300	267
SPECIFIED CAUSES	8337	723	223	467	649	323	189	158	430	234	298	298	263
I. Zymotic Class	1768	82	56	130	287	186	115	99	221	79	59	52	55
II. Diseases of Uncertain Seat	361	4	1	2	2	1	4	1	5	2	6	3	5
III. Tubercular Class	1379	24	33	74	96	51	13	24	98	105	148	175	124
IV. Brain and Nervous System	837	42	12	39	47	19	10	11	32	12	16	19	10
V. Organs of Circulation	463	2	–	1	1	–	1	1	9	6	8	10	5
VI. Respiratory Organs	1185	94	58	134	113	38	32	9	35	8	17	6	17
VII. Organs of Digestion	610	60	29	61	68	10	7	4	14	8	16	8	18
VIII. Urinary Organs	107	–	1	1	–	2	–	1	1	3	6	6	6
IX. Organs of Generation	123	1	–	–	1	–	–	–	–	–	8	14	18
X. Organs of Locomotion	43	–	–	–	–	1	–	–	2	3	4	1	1
XI Skin, etc.	8	1	1	1	2	–	–	–	–	–	–	–	–
XII. Malformation	30	22	3	2	–	1	1	–	–	–	1	–	–
XIII. Premature Debility	399	365	19	15	–	–	–	–	–	–	–	–	–
XIV. Atrophy	88	–	–	–	26	5	2	3	4	2	5	3	2
XV. Age	755	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	2	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	172	24	9	7	5	9	4	5	9	6	4	1	2
I. Small Pox	97	13	4	1	3	2	–	5	5	10	13	15	8
Measles	145	4	–	18	53	29	10	7	21	2	1	–	–
Scarlatina	247	–	–	9	33	45	35	23	72	21	3	2	1
Diphtheria	169	2	1	6	30	34	18	20	46	3	2	3	–
Hooping Cough	223	19	18	46	74	26	17	13	8	2	–	–	–
Croup	126	3	1	11	36	30	20	14	10	1	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	220	25	22	28	32	4	1	1	3	–	–	1	1
Dysentery	39	1	3	1	1	–	–	–	–	–	–	1	1
Cholera	14	–	1	3	2	–	–	–	1	–	–	–	–
Influenza	11	–	–	1	1	–	–	–	–	–	–	–	–
Purpura	7	–	–	–	–	–	–	–	–	1	–	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Typhus	61	–	–	1	2	1	3	3	10	6	7	2	5
Enteric Fever	241	2	1	1	9	11	9	9	37	28	18	12	21
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	1	–	1
Simple Continued Fever	23	–	1	–	1	1	–	3	4	2	5	1	–
Infantile Remittent	13	1	–	1	5	2	1	–	3	–	–	–	–
Metria	58	–	–	–	–	–	–	–	–	–	4	12	11
Rheumatic Fever	17	–	–	–	–	–	–	–	1	2	2	2	1
Erysipelas	25	5	–	1	–	–	–	1	–	1	2	–	1
Pyæmia	6	–	–	–	1	–	–	–	–	–	–	–	3
Syphilis	18	5	3	2	4	1	–	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	87	–	–	1	1	–	3	–	2	1	2	–	2
Abscess	23	2	–	–	–	1	1	1	1	1	4	1	1
Ulcer	6	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	–	–	–	–	–	–	1	–	–	1	–
Cancer	219	–	1	–	–	–	–	–	1	–	–	–	2
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	76	2	–	3	6	2	–	1	11	8	8	14	2
Tabes Mesenterica	95	6	8	10	25	11	2	6	7	10	3	–	1
Phthisis	1014	3	4	13	21	17	8	14	44	82	137	161	121
Hydrocephalus	194	13	21	48	44	21	3	3	36	5	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	250	251	249	231	311	306	387	417	555	484	383	202	60	16	5	5
SPECIFIED CAUSES	246	247	245	227	305	299	387	417	555	484	383	202	60	16	5	4
Zymotic Class	44	30	28	20	27	23	25	35	41	30	33	9	2	–	–	–
Uncertain Seat	8	11	22	30	38	38	39	39	47	32	15	4	2	–	–	–
Tubercular Class	86	84	61	41	53	33	24	14	11	4	2	1	–	–	–	–
Brain, etc.	18	16	27	28	35	45	74	68	106	69	48	28	3	2	–	1
Heart, etc.	13	22	24	25	41	32	56	57	61	55	22	9	2	–	–	–
Respiratory Organs	18	19	29	25	54	53	71	92	107	74	59	16	4	1	–	2
Digestive Organs	18	25	24	28	23	32	43	39	26	32	11	6	–	–	–	–
Urinary Organs	7	9	5	11	6	12	5	6	14	2	1	–	2	–	–	–
Generative Organs	20	20	16	4	5	9	5	1	–	–	1	–	–	–	–	–
Locomotive Organs	2	3	–	1	5	3	4	3	4	4	2	–	–	–	–	–
Skin	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	2	5	4	11	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	29	56	126	174	183	125	44	13	5	–
Sudden Deaths	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Violent Deaths	7	5	4	9	7	6	12	7	10	8	6	4	1	–	–	1
Small Pox	7	6	–	2	1	–	–	–	1	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	1	3	1	5	8	9	9	19	17	20	5	2	–	–	–
Dysentery	1	1	–	3	1	–	4	2	8	5	5	1	–	–	–	–
Cholera	–	–	1	1	–	1	–	2	–	1	–	1	–	–	–	–
Influenza	–	1	1	–	–	–	2	1	–	2	2	–	–	–	–	–
Purpura	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	1	–	4	1	1	7	3	2	–	–	–	–	–	–
Enteric Fever	10	7	13	8	10	7	9	8	6	2	1	2	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	1	–	–	2	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	12	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	4	2	–	1	3	–	4	–	–	–	–	–
Pyæmia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	1	1	2	–	–	1	1	–	–	–	–	–	–	–
Dropsy	–	5	4	2	9	5	12	4	13	12	4	3	2	–	–	–
Abscess	1	1	–	–	2	1	4	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	1	–	–	1	1	3	1	1	–	–	–	–
Cancer	5	4	17	26	21	32	23	32	30	16	9	–	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–
Scrofula	2	4	5	1	1	2	1	1	1	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
Phthisis	83	80	55	40	50	31	22	13	9	4	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	77	4	3	12	8	6	4	3	11	7	6	4	1
Apoplexy	190	1	1	5	2	2	1	2	4	2	–	3	3
Paralysis	294	–	–	2	–	–	–	1	1	–	1	4	2
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	43	–	–	1	2	1	–	–	2	1	4	2	2
Tetanus	2	–	–	–	–	1	–	–	1	–	–	–	–
Insanity	8	–	–	–	–	1	–	–	1	–	–	2	–
Convulsions	104	36	7	15	28	8	3	3	4	–	–	–	–
Brain Disease	113	1	1	4	7	–	2	2	8	2	5	3	2
V. Pericarditis	10	–	–	–	–	–	–	–	2	1	1	1	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	447	2	–	1	1	–	1	1	7	5	7	9	4
VI. Laryngitis	14	–	1	2	2	1	2	1	–	1	–	–	–
Bronchitis	822	72	45	108	91	28	23	5	15	4	3	4	4
Pleurisy	19	–	–	–	2	–	2	–	–	1	1	–	–
Pneumonia	261	20	12	24	16	7	5	3	18	2	10	2	9
Asthma	39	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	30	2	–	–	2	2	–	–	2	–	3	–	3
VII. Teething	78	–	2	31	42	3	–	–	–	–	–	–	–
Quinsey	12	–	3	1	4	1	–	–	1	–	–	–	1
Gastritis	26	2	2	2	2	–	–	–	2	–	–	–	1
Enteritis	120	36	13	20	11	5	4	2	5	3	5	1	–
Peritonitis	56	2	–	2	3	1	1	1	1	2	3	6	4
Ascites	18	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	30	–	1	–	–	–	1	–	2	–	1	–	1
Hernia	10	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	12	1	–	–	–	–	–	1	–	–	1	–	1
Intussusception	4	–	–	–	1	–	–	–	1	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	98	13	6	5	2	–	1	–	1	1	4	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	24	5	1	–	–	–	–	–	–	–	1	–	3
Liver Disease	89	1	–	–	2	–	–	–	1	1	–	–	4
Spleen Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	8	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	39	–	–	–	–	1	–	1	–	2	2	2	3
Addison's Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	5	–	–	1	–	–	–	–	–	–	–	1	–
Diabetes	13	–	–	–	–	–	–	–	–	–	2	1	2
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	2	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	32	–	1	–	–	1	–	–	–	1	–	1	1
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	1	1
Ovarian Dropsy	19	–	–	–	–	–	–	–	–	–	1	1	2
Childbirth	70	–	–	–	–	–	–	–	–	–	3	10	15
Organs of Generation	28	1	–	–	1	–	–	–	–	–	1	2	–
X. Bone Disease	4	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatism	23	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	16	–	–	–	–	1	–	–	2	3	3	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	7	1	1	1	2	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	17	11	3	2	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	–	1
Poison	3	–	–	–	–	1	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	35	1	1	2	2	6	3	4	4	1	1	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	22	8	5	2	–	–	–	–	–	–	1	–	–
Drowning	27	–	–	–	1	1	–	–	2	3	1	–	1
Fracture and Contusion	33	–	–	1	1	1	–	1	1	–	1	–	–
Gunshot Wounds	1	–	–	–	–	–	1	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	9	3	–	–	–	–	–	–	2	1	–	1	–
Not Specified	151	54	12	15	15	7	3	2	4	2	1	2	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	3	–	–	–	–	–	–	1	1	–	–	–	–	–
Apoplexy	6	5	6	11	10	12	19	17	32	20	14	8	2	1	–	1
Paralysis	4	4	6	11	13	20	42	35	59	41	28	18	1	1	–	–
Delirium Tremens	1	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	5	1	5	4	5	2	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	6	6	4	7	8	8	13	10	6	4	2	–	–	–	–
Pericarditis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	1	2	–	–	1	1	–	–	–	–	–
Heart Disease	11	21	23	25	40	31	54	57	61	54	21	9	2	–	–	–
Laryngitis	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Bronchitis	3	8	17	12	34	34	48	62	82	53	49	13	4	–	–	1
Pleurisy	3	–	1	–	1	1	2	3	2	–	–	–	–	–	–	–
Pneumonia	11	11	6	10	10	15	14	16	17	11	9	1	–	1	–	1
Asthma	–	–	3	1	4	1	6	7	5	9	–	2	–	–	–	–
Lung Disease	–	–	2	2	4	2	1	2	1	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	1	3	–	1	1	1	–	2	3	1	1	–	–	–	–
Enteritis	–	1	2	2	–	3	2	1	–	3	1	–	–	–	–	–
Peritonitis	4	8	3	1	2	3	3	1	2	2	–	1	–	–	–	–
Ascites	–	2	–	3	1	1	1	5	1	3	–	–	–	–	–	–
Ulceration of Intestines	2	2	3	1	1	2	3	5	1	2	2	–	–	–	–	–
Hernia	–	1	2	1	–	–	1	3	–	1	–	–	–	–	–	–
Ileus	1	–	–	1	–	1	1	2	2	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	–	1	1	–	1	–	–	–	–	–	–
Stomach Disease	4	2	2	8	7	4	8	7	7	7	4	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	3	–	–	1	6	5	–	2	1	1	–	–	–	–
Jaundice	1	–	–	1	3	4	1	1	2	1	–	–	–	–	–	–
Liver Disease	4	5	5	10	7	11	12	7	8	7	2	2	–	–	–	–
Spleen Disease	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	2	–	1	–	–	3	–	–	–	–	–	–	–
Nephria	4	2	3	2	2	3	4	2	6	–	–	–	–	–	–	–
Addison's Disease	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	2	1	1	1	–	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	3	–	3	3	4	–	4	4	–	1	–	2	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	3	1	1	–	5	2	1	–	–	1	–	–	–	–	–
Childbirth	14	15	11	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	2	4	1	5	4	3	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	4	3	4	3	4	1	2	–	–	–	–	–
Joint Disease	1	1	–	1	1	–	–	–	–	3	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	3	1	1	2	1	1	2	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	–	–	3	1	2	2	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	1	2	–	3	2	2	2	2	2	1	1	–	–	–	–	–
Fracture and Contusion	1	–	1	–	1	1	3	3	3	5	5	3	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	4	4	4	4	6	7	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	18098	1581	457	745	838	413	305	235	709	433	618	638	548
Specified Causes	17520	1381	413	702	790	393	293	218	686	420	608	623	544
I. Zymotic Class	2685	148	108	185	308	205	169	128	342	137	132	97	79
II. Diseases of Uncertain Seat	838	21	6	5	6	4	4	–	6	3	11	17	12
III. Tubercular Class	2394	48	54	119	109	51	40	22	138	119	276	307	268
IV. Brain and Nervous System	1707	77	30	59	46	28	23	26	59	44	39	27	22
V. Organs of Circulation	1299	6	1	4	1	1	1	2	13	19	20	23	19
VI. Respiratory Organs	2418	160	113	182	175	55	25	19	48	24	33	39	29
VII. Organs of Digestion	1320	119	51	102	89	14	9	10	26	20	25	26	25
VIII. Urinary Organs	414	2	1	–	5	3	3	2	6	5	11	10	17
IX. Organs of Generation	142	–	–	–	1	1	–	–	–	1	1	17	22
X. Organs of Locomotion	135	2	–	–	–	1	3	–	10	13	8	9	7
XI. Skin, etc.	26	5	2	3	3	3	–	–	–	–	–	–	–
XII. Malformation	66	56	5	3	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	757	692	31	34	–	–	–	–	–	–	–	–	–
XIV. Atrophy	108	–	–	–	27	7	2	3	3	4	3	3	2
XV. Age	2479	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	28	2	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	704	43	11	6	20	20	13	6	35	31	49	47	42
I. Small Pox	129	9	9	3	3	2	3	1	7	6	21	12	15
Measles	102	3	1	18	36	17	7	4	7	3	–	1	–
Scarlatina	329	4	3	22	43	44	43	18	94	29	9	6	2
Diphtheria	323	2	2	11	30	41	37	46	95	28	10	3	2
Hooping Cough	291	40	29	63	77	31	18	12	17	2	–	–	1
Croup	216	7	6	18	54	31	30	28	35	4	1	1	–
Thrush	12	7	3	2	–	–	–	–	–	–	–	–	–
Diarrhœa	349	43	34	32	38	14	7	3	9	1	1	5	–
Dysentery	75	1	2	4	4	1	–	1	1	1	1	–	–
Cholera	18	1	–	2	–	1	–	1	–	–	–	1	1
Influenza	40	1	–	–	1	–	–	–	1	–	1	–	1
Purpura	20	1	–	–	–	–	2	1	2	3	2	1	–
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	1	1	–	–	–	–	1	1
Typhus	115	1	1	–	3	1	–	3	7	9	22	11	6
Enteric Fever	374	3	5	–	6	18	12	4	45	34	53	32	34
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	41	–	1	1	3	–	3	1	5	4	7	1	3
Infantile Remittent	29	3	1	3	7	2	3	5	5	–	–	–	–
Metria	51	–	–	–	–	–	–	–	–	–	–	14	11
Rheumatic Fever	40	–	–	–	–	–	–	–	8	10	1	1	–
Erysipelas	79	18	7	4	1	–	1	–	–	2	2	3	1
Pyæmia	18	–	–	1	–	1	1	–	2	1	1	1	1
Syphilis	19	3	4	1	1	–	1	–	–	–	–	3	–
Noma	4	1	–	–	–	–	–	–	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	49	6	2	3	–	–	1	–	–	–	2	7	2
Dropsy	179	–	1	1	3	1	1	–	4	3	–	4	1
Abscess	41	8	2	1	1	1	–	–	1	–	4	2	2
Ulcer	18	1	–	–	–	–	–	–	–	–	1	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	58	6	1	–	–	–	–	–	–	–	1	–	1
Cancer	487	–	–	–	2	2	2	–	1	–	2	4	6
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	163	3	7	7	5	1	3	1	16	15	17	18	9
Tabes Mesenterica	183	17	13	22	37	19	11	5	24	9	10	5	2
Phthisis	1745	8	10	15	8	8	11	4	49	77	245	284	257
Hydrocephalus	303	20	24	75	59	23	15	12	49	18	4	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	483	494	468	512	630	705	937	1097	1453	1360	1294	760	276	83	11	15
Specified Causes	470	486	456	493	601	681	927	1088	1452	1360	1294	760	276	83	11	11
Zymotic Class	68	71	37	38	36	43	60	61	84	54	53	26	12	2	–	2
Uncertain Seat	15	18	33	40	59	86	82	112	108	90	66	24	8	1	1	–
Tubercular Class	185	145	116	99	86	67	54	47	25	11	4	1	1	–	–	2
Brain, etc.	26	41	45	49	78	90	116	153	215	214	118	65	15	1	–	1
Heart, etc.	25	42	36	56	87	106	139	198	188	174	87	39	11	–	–	1
Respiratory Organs	30	42	56	81	108	109	183	178	265	200	169	77	15	2	–	1
Digestive Organs	31	35	46	55	68	80	117	104	117	81	44	19	5	1	–	1
Urinary Organs	16	21	21	18	19	22	29	41	60	48	32	17	4	1	–	–
Generative Organs	20	19	19	10	5	5	5	2	7	2	2	3	–	–	–	–
Locomotive Organs	3	6	7	6	4	6	2	11	12	11	11	3	–	–	–	–
Skin	–	–	–	1	1	1	1	2	2	–	–	1	1	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	5	4	5	10	27	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	97	151	340	450	686	472	199	74	10	–
Sudden Deaths	–	1	–	1	2	1	4	3	2	5	4	–	2	–	–	–
Violent Deaths	48	40	35	34	38	38	38	25	27	20	18	13	3	1	–	3
Small Pox	7	10	5	2	3	3	4	2	1	1	–	–	–	–	–	–
Measles	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	3	3	2	–	2	–	1	–	–	–	–	–	–	–	–	1
Diphtheria	1	3	1	3	1	2	3	–	–	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	6	–	5	4	4	10	15	35	29	26	17	7	2	–	–
Dysentery	–	1	–	3	4	4	8	16	9	6	4	4	–	–	–	–
Cholera	3	–	–	–	2	1	–	3	2	–	–	–	–	–	–	–
Influenza	–	1	1	–	1	2	6	3	7	4	7	1	2	–	–	–
Purpura	–	1	1	–	1	1	–	1	3	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	4	5	6	3	5	3	4	6	4	1	1	1	–	–	1
Enteric Fever	27	16	8	10	11	14	6	13	13	5	3	2	–	–	–	–
Relapsing Fever	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	–	2	1	1	1	–	5	–	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	11	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	3	3	1	2	4	–	1	1	1	–	–	–	–	–
Erysipelas	3	2	1	2	1	3	7	3	4	1	10	1	2	–	–	–
Pyæmia	1	3	–	2	1	1	1	–	–	–	–	–	–	–	–	–
Syphilis	–	2	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	4	3	2	2	3	1	2	4	2	2	–	–	–	–	–
Dropsy	5	3	7	5	10	5	16	27	31	22	20	7	1	–	1	–
Abscess	2	1	–	1	1	6	4	–	–	2	2	–	–	–	–	–
Ulcer	1	–	1	1	1	2	1	1	3	3	1	–	1	–	–	–
Fistula	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	2	2	3	13	13	6	8	1	1	–	–
Cancer	6	10	22	29	45	68	57	78	57	48	35	9	4	–	–	–
Gout	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
Scrofula	7	8	8	8	8	4	6	4	5	2	1	–	–	–	–	–
Tabes Mesenterica	2	1	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Phthisis	176	135	106	89	75	61	48	43	20	9	3	1	1	–	–	2
Hydrocephalus	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	175	1	7	14	17	7	5	13	31	21	14	10	3
Apoplexy	390	3	4	4	3	3	3	4	9	9	6	1	4
Paralysis	626	1	–	–	1	1	–	–	1	1	6	–	4
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	3	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	58	–	–	2	–	–	–	–	5	2	4	7	5
Tetanus	15	6	–	1	–	–	–	–	–	3	–	–	1
Insanity	17	–	–	–	–	1	–	–	–	–	1	–	–
Convulsions	165	60	16	35	20	11	11	7	5	–	–	–	–
Brain Disease	248	6	3	3	5	5	4	2	7	8	8	8	5
V. Pericarditis	33	1	–	–	–	–	–	–	2	4	3	2	2
Aneurism	21	–	–	–	–	–	–	–	1	–	–	1	–
Heart Disease	1245	5	1	4	1	1	1	2	10	15	17	20	17
VI. Laryngitis	37	1	–	3	2	4	2	1	2	2	–	–	2
Bronchitis	1472	128	90	136	134	38	16	12	23	7	8	9	8
Pleurisy	74	1	3	1	2	2	1	–	3	2	5	2	–
Pneumonia	632	25	18	40	34	10	6	6	19	11	17	23	15
Asthma	146	–	1	1	1	–	–	–	–	–	–	1	1
Lung Disease	57	5	1	1	2	1	–	–	1	2	3	4	3
VII. Teething	113	–	5	50	55	2	1	–	–	–	–	–	–
Quinsey	20	2	2	1	1	2	1	2	5	1	–	–	–
Gastritis	55	2	4	4	3	1	–	–	2	2	1	–	1
Enteritis	209	46	29	27	20	6	2	3	5	2	6	2	4
Peritonitis	113	5	3	4	–	–	2	4	4	4	7	4	7
Ascites	19	–	–	–	–	–	1	–	–	–	1	–	1
Ulceration of Intestines	71	–	1	2	–	–	–	–	3	3	–	3	3
Hernia	30	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	97	4	1	2	1	–	1	–	1	1	4	4	1
Intussusception	13	1	1	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	227	21	4	11	7	3	–	–	3	3	2	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	52	4	–	–	2	–	–	–	2	2	1	5	–
Jaundice	64	29	–	1	–	–	1	–	–	1	–	1	–
Liver Disease	217	3	–	–	–	–	–	–	–	–	3	6	4
Spleen Disease	11	–	–	–	–	–	–	1	1	1	–	–	–
VIII. Nephritis	33	2	–	–	1	2	–	1	2	1	3	2	–
Nephria	106	–	–	–	1	–	2	–	2	1	4	3	9
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	28	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	35	–	–	–	–	–	–	–	1	2	2	2	–
Stone	29	–	–	–	–	–	–	–	–	–	–	–	2
Cystitis	54	–	–	–	–	–	–	1	–	–	–	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	125	–	1	–	3	1	1	–	1	1	2	2	5
IX. Paramenia	12	–	–	–	–	–	–	–	–	1	1	3	3
Ovarian Dropsy	20	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	76	–	–	–	–	–	–	–	–	–	–	11	16
Organs of Generation	34	–	–	–	1	1	–	–	–	–	–	2	2
X. Bone Disease	18	–	–	–	–	1	1	–	4	2	1	–	3
Rheumatism	62	–	–	–	–	–	–	–	1	–	–	2	2
Joint Disease	55	2	–	–	–	–	2	–	5	11	7	7	2
XI. Carbuncle	7	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	18	5	2	3	3	1	–	–	–	–	–	–	–
XVII. Intemperance	21	–	–	–	–	–	–	–	–	–	–	1	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	12	10	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	23	–	–	–	–	–	–	–	–	–	1	2	–
Poison	8	–	–	–	1	–	–	–	1	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	57	–	–	3	7	9	8	2	9	–	1	–	1
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	59	28	9	1	1	2	–	–	1	1	–	2	2
Drowning	211	1	–	1	10	9	2	4	12	17	19	23	18
Fracture and Contusion	253	2	–	–	1	–	1	–	10	12	23	16	17
Gunshot Wounds	10	–	–	–	–	–	1	–	1	–	2	1	–
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	26	2	–	1	–	–	1	–	1	1	3	1	3
Not Specified	573	200	44	43	48	20	12	17	23	13	10	15	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	7	1	4	3	2	5	4	2	2	–	1	–	–	–	–
Apoplexy	5	7	10	12	20	32	38	49	60	67	26	11	–	–	–	–
Paralysis	7	10	12	11	22	35	54	80	121	116	78	48	15	1	–	1
Delirium Tremens	–	–	3	2	3	–	1	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	2	4	7	5	3	3	–	3	3	1	–	–	–	–	–
Tetanus	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	2	–	–	–	2	2	2	2	3	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	12	13	13	24	17	13	18	27	24	10	5	–	–	–	–
Pericarditis	–	2	5	–	–	3	–	4	4	1	–	–	–	–	–	–
Aneurism	1	–	2	3	1	1	5	1	4	1	–	–	–	–	–	–
Heart Disease	24	40	29	53	86	102	134	193	180	172	87	39	11	–	–	1
Laryngitis	2	1	1	4	–	–	6	–	3	–	–	1	–	–	–	–
Bronchitis	11	13	19	33	47	58	84	98	154	136	136	61	12	1	–	–
Pleurisy	1	4	2	5	6	2	11	4	7	5	3	1	–	–	–	1
Pneumonia	13	20	26	26	38	40	57	51	69	40	16	9	2	1	–	–
Asthma	–	4	1	11	13	8	18	24	28	15	13	5	1	–	–	–
Lung Disease	3	–	7	2	4	1	7	1	4	4	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Gastritis	–	–	1	5	2	6	2	4	6	7	1	1	–	–	–	–
Enteritis	3	4	1	4	6	3	8	7	10	5	3	2	–	–	–	1
Peritonitis	6	4	4	8	5	4	11	6	8	8	2	3	–	–	–	–
Ascites	1	–	–	2	1	–	3	3	2	2	1	1	–	–	–	–
Ulceration of Intestines	1	4	8	7	4	5	8	2	6	6	3	2	–	–	–	–
Hernia	–	1	–	1	–	2	3	4	7	6	3	1	–	–	–	–
Ileus	2	2	5	2	8	9	6	13	8	9	7	5	1	–	–	–
Intussusception	–	–	1	1	–	–	3	2	1	1	1	–	–	–	–	–
Stricture of Intestines	1	–	–	1	–	1	2	1	–	–	–	–	1	–	–	–
Stomach Disease	4	5	11	8	15	23	26	22	27	17	8	2	2	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	4	1	3	2	6	3	4	5	4	–	–	–	–	–
Jaundice	2	2	–	–	1	2	2	5	7	6	2	1	1	–	–	–
Liver Disease	9	9	11	15	21	23	35	30	28	9	9	1	–	1	–	–
Spleen Disease	1	1	–	–	2	–	1	1	2	–	–	–	–	–	–	–
Nephritis	–	–	2	1	4	2	1	3	–	5	1	–	–	–	–	–
Nephria	5	7	8	6	9	7	7	14	6	8	3	2	2	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	2	1	3	4	7	6	1	2	–	–	–
Diabetes	2	5	1	4	1	2	4	2	4	1	2	–	–	–	–	–
Stone	1	–	1	1	1	2	2	4	5	3	3	3	–	1	–	–
Cystitis	–	1	–	1	2	3	3	5	15	8	8	6	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	6	8	8	4	2	4	11	10	26	15	9	5	–	–	–	–
Paramenia	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	2	1	2	2	2	1	3	1	1	1	–	–	–	–
Childbirth	15	16	12	5	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	1	4	3	2	3	3	1	4	1	1	2	–	–	–	–
Bone Disease	–	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	3	4	2	6	2	10	8	10	8	3	–	–	–	–
Joint Disease	3	2	3	1	1	–	–	1	4	1	3	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	1	2	1	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–
Intemperance	1	2	1	6	5	–	2	1	2	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	2	1	1	4	1	2	–	3	2	1	–	–	–	1
Poison	–	–	–	3	1	1	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	2	3	–	–	2	2	3	2	2	–	–	–	–
Hanging, etc.	1	1	–	1	–	1	2	–	3	1	–	–	–	–	–	–
Suffocation	5	1	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Drowning	19	12	10	6	11	10	13	7	3	1	–	1	–	–	–	2
Fracture and Contusion	17	20	17	13	15	16	13	11	14	10	13	8	3	1	–	–
Gunshot Wounds	–	1	–	–	–	–	2	–	–	1	–	1	–	–	–	–
Cuts and Stabs	2	–	1	–	2	3	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	3	3	1	–	2	2	1	–	–	1	–	–	–	–	–
Not Specified	13	8	12	19	29	24	10	9	1	–	–	–	–	–	–	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9155	879	257	391	452	237	156	123	367	220	325	354	288
SPECIFIED CAUSES	8860	774	236	374	429	225	149	114	352	213	321	343	285
I. Zymotic Class	1343	88	63	97	158	115	85	71	164	64	60	42	36
II. Diseases of Uncertain Seat	354	11	5	3	4	3	3	–	5	2	8	12	6
III. Tubercular Class	1192	27	33	63	50	37	18	11	70	49	129	171	143
IV. Brain and Nervous System	878	39	21	32	31	13	12	13	35	26	19	10	11
V. Organs of Circulation	680	3	–	1	–	1	1	–	8	7	13	9	6
VI. Respiratory Organs	1261	85	69	89	105	32	14	6	18	14	16	29	21
VII. Organs of Digestion	707	82	24	64	48	5	5	5	12	15	17	15	8
VIII. Urinary Organs	307	1	1	–	3	2	1	2	5	3	9	6	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	72	1	–	–	–	–	2	–	5	8	5	6	4
XI. Skin, etc.	17	3	2	2	3	3	–	–	–	–	–	–	–
XII. Malformation	35	31	2	1	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	406	378	12	16	–	–	–	–	–	–	–	–	–
XIV. Atrophy	47	–	–	–	13	4	1	1	3	3	–	2	–
XV. Age	1009	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	536	24	4	6	14	10	6	5	27	22	45	41	40
I. Small Pox	70	2	6	2	1	1	1	1	2	4	12	8	11
Measles	46	2	1	8	14	10	5	3	2	1	–	–	–
Scarlatina	168	3	1	15	21	23	21	10	50	15	2	3	–
Diphtheria	173	2	2	5	19	26	27	28	39	8	5	–	1
Hooping-cough	141	26	17	25	38	17	5	5	6	1	–	–	1
Croup	125	6	4	13	33	18	15	14	19	1	1	1	–
Thrush	5	3	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	175	23	19	19	21	6	2	2	6	–	–	4	–
Dysentery	43	1	1	3	2	–	–	–	1	1	1	–	–
Cholera	13	1	–	1	–	1	–	1	–	–	–	1	–
Influenza	18	–	–	–	1	–	–	–	1	–	1	–	1
Purpura	10	1	–	–	–	–	2	1	1	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus Fever	56	1	–	–	1	–	–	1	3	7	10	3	2
Enteric Fever	183	2	2	–	4	–	4	2	20	16	24	18	20
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	16	–	–	1	–	–	–	1	2	1	2	–	–
Infantile Remittent	13	1	1	1	1	2	1	2	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	19	–	–	–	–	–	–	–	6	4	–	1	–
Erysipelas	44	12	3	2	1	–	1	–	–	2	1	1	–
Pyæmia	9	–	–	1	–	1	1	–	1	1	–	–	–
Syphilis	12	1	4	1	1	–	–	–	–	–	–	2	–
Noma	3	1	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	2	2	2	–	–	1	–	–	–	–	4	–
Dropsy	89	–	–	–	2	1	–	–	4	2	–	2	1
Abscess	26	5	2	1	1	1	–	–	–	–	4	2	1
Ulcer	6	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	28	4	1	–	–	–	–	–	–	–	1	–	–
Cancer	177	–	–	–	1	1	2	–	1	–	1	4	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	89	1	3	6	2	1	–	1	13	7	11	9	3
Tabes Mesenterica	106	12	10	13	19	15	6	3	11	6	2	4	1
Phthisis	842	3	6	4	5	7	4	1	22	26	115	158	139
Hydrocephalus	155	11	14	40	24	14	8	6	24	10	1	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	232	228	236	253	341	357	495	547	723	661	572	329	98	23	3	8
SPECIFIED CAUSES	228	225	230	244	327	345	492	539	723	661	572	329	98	23	3	6
Zymotic Class	22	28	18	16	17	23	34	34	39	28	21	15	5	–	–	–
Uncertain Seat	7	7	11	13	15	34	39	42	46	41	25	10	2	–	–	–
Tubercular Class	94	60	51	43	47	37	21	20	12	4	2	–	–	–	–	–
Brain, etc.	16	27	26	22	42	39	56	75	110	102	64	30	5	1	–	1
Heart, etc.	11	15	25	31	50	46	79	104	97	99	46	24	4	–	–	–
Respiratory Organs	12	25	30	49	70	59	103	91	131	85	70	34	2	1	–	1
Digestive Organs	13	12	21	27	35	44	66	52	65	37	24	5	4	1	–	1
Urinary Organs	6	9	13	10	13	16	21	32	52	42	31	16	2	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	4	2	2	2	4	–	6	7	4	5	2	–	–	–	–
Skin	–	–	–	1	–	–	1	–	1	–	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	2	2	–	4	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	62	148	204	272	187	73	18	3	–
Sudden Deaths	–	1	–	1	2	1	–	3	2	1	3	–	1	–	–	–
Violent Deaths	42	35	31	29	30	32	30	18	13	14	9	5	–	1	–	3
Small Pox	3	5	2	1	2	1	3	1	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	3	1	1	2	–	–	2	–	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	–	1	3	4	5	15	18	11	10	3	–	–	–
Dysentery	–	–	–	–	3	–	5	10	7	2	3	3	–	–	–	–
Cholera	2	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–
Influenza	–	–	1	–	1	1	3	2	1	2	1	1	1	–	–	–
Purpura	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	5	3	2	4	1	3	1	2	1	1	1	–	–	–
Enteric Fever	10	10	6	6	2	9	2	7	7	–	2	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	1	1	–	1	–	5	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	1	1	1	2	–	–	1	–	–	–	–	–	–
Erysipelas	2	1	–	2	–	2	5	3	3	–	3	–	–	–	–	–
Pyæmia	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	–	–	2	3	1	2	1	2	1	–	–	–	–	–
Dropsy	2	2	5	3	–	3	9	14	20	8	7	3	1	–	–	–
Abscess	2	1	–	–	1	3	1	–	–	1	–	–	–	–	–	–
Ulcer	1	–	–	1	–	1	–	–	–	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	1	6	5	3	3	1	–	–	–
Cancer	1	2	6	9	12	23	25	25	19	23	14	4	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	7	3	3	5	5	2	1	3	2	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	86	56	46	38	40	34	20	17	10	4	1	–	–	–	–	–
Hydrocephalus	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	101	–	4	8	13	2	2	8	17	13	6	6	1
Apoplexy	203	2	4	3	3	2	2	2	7	3	3	1	3
Paralysis	294	1	–	–	1	–	–	–	1	1	1	–	1
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	28	–	–	2	–	–	–	–	3	1	3	2	1
Tetanus	10	3	–	–	–	–	–	–	–	3	–	–	1
Insanity	6	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	82	30	11	16	10	6	6	1	2	–	–	–	–
Brain Disease	144	3	2	3	4	3	2	2	5	5	5	–	4
V. Pericarditis	19	–	–	–	–	–	–	–	2	2	3	2	–
Aneurism	16	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	645	3	–	1	–	1	1	–	6	5	10	6	6
VI. Laryngitis	19	1	–	1	–	4	1	–	1	1	–	–	1
Bronchitis	716	71	53	67	80	21	8	2	8	3	3	5	7
Pleurisy	38	1	2	–	2	1	–	–	1	1	4	1	–
Pneumonia	392	9	13	21	22	6	5	4	8	7	7	21	11
Asthma	68	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	28	3	–	–	1	–	–	–	–	2	2	2	2
VII. Teething	64	–	1	32	30	1	–	–	–	–	–	–	–
Quinsey	10	–	2	1	–	1	1	1	2	1	–	–	–
Gastritis	32	2	3	3	2	–	–	–	1	1	1	–	–
Enteritis	122	33	13	17	9	3	1	2	2	2	3	–	1
Peritonitis	51	3	1	2	–	–	1	2	2	3	6	3	2
Ascites	4	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	40	–	–	–	–	–	–	–	1	2	–	2	1
Hernia	19	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	55	3	1	1	–	–	1	–	1	–	3	1	1
Intussusception	5	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Intestines	6	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	120	16	2	8	5	–	–	–	2	3	2	–	1
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	2	–	–	2	–	–	–	1	2	–	4	–
Jaundice	35	19	–	–	–	–	1	–	–	–	–	1	–
Liver Disease	112	2	–	–	–	–	–	–	–	–	1	3	2
Spleen Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	17	1	–	–	–	1	–	1	1	–	1	1	–
Nephria	67	–	–	–	1	–	1	–	2	1	4	2	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	24	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	24	–	–	–	–	–	–	–	1	1	2	2	–
Stone	23	–	–	–	–	–	–	–	–	–	–	–	2
Cystitis	47	–	–	–	–	–	–	1	–	–	–	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	101	–	1	–	2	1	–	–	1	1	2	–	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	13	–	–	–	–	–	–	–	2	2	1	–	3
Rheumatism	29	–	–	–	–	–	–	–	1	–	–	1	–
Joint Disease	30	1	–	–	–	–	2	–	2	6	4	5	1
XI. Carbuncle	4	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	12	3	2	2	3	1	–	–	–	–	–	–	–
XVII. Intemperance	14	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	5	5	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	16	–	–	–	–	–	–	–	–	–	1	2	–
Poison	8	–	–	–	1	–	–	–	1	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	29	–	–	3	4	4	4	1	7	–	1	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	39	15	4	1	1	2	–	–	–	1	–	1	2
Drowning	170	–	–	1	7	4	1	4	9	9	17	18	17
Fracture and Contusion	211	2	–	–	1	–	–	–	9	12	22	16	16
Gunshot Wounds	9	–	–	–	–	–	1	–	1	–	1	1	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	2	–	1	–	–	–	–	–	–	3	1	3
Not Specified	295	105	21	17	23	12	7	9	15	7	4	11	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	6	1	2	1	2	2	2	1	2	–	1	–	–	–	–
Apoplexy	2	5	5	4	10	14	19	23	32	30	19	5	–	–	–	–
Paralysis	4	6	8	5	9	12	26	43	60	53	34	21	5	1	–	1
Delirium Tremens	–	–	3	2	3	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	3	2	2	2	–	1	2	1	–	–	–	–	–
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	–	–	–	–	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	8	6	6	16	9	7	7	16	13	9	3	–	–	–	–
Pericarditis	–	1	4	–	–	2	–	3	–	–	–	–	–	–	–	–
Aneurism	1	–	2	2	1	1	3	1	3	1	–	–	–	–	–	–
Heart Disease	10	14	19	29	49	43	76	100	94	98	46	24	4	–	–	–
Laryngitis	–	–	1	2	–	–	4	–	2	–	–	–	–	–	–	–
Bronchitis	3	7	10	14	28	31	47	43	62	60	55	26	2	–	–	–
Pleurisy	1	1	1	5	4	1	6	1	2	1	1	–	–	–	–	1
Pneumonia	6	15	15	17	29	25	33	34	49	17	11	6	–	1	–	–
Asthma	–	2	–	10	6	2	10	12	14	6	3	2	–	–	–	–
Lung Disease	2	–	3	1	3	–	3	1	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	3	2	3	–	3	3	4	1	–	–	–	–	–
Enteritis	3	2	–	2	3	2	6	4	8	2	3	–	–	–	–	1
Peritonitis	2	1	2	5	2	2	6	–	4	2	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Ulcer. of Intestines	–	3	6	3	–	5	5	2	4	4	1	1	–	–	–	–
Hernia	–	–	–	1	–	1	2	1	5	4	3	–	–	–	–	–
Ileus	1	1	2	2	4	7	3	9	4	2	4	3	1	–	–	–
Intussusception	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	1	–	1	1	–	–	–	–	–	1	–	–	–
Stomach Disease	–	–	5	4	9	8	14	9	18	9	3	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	2	1	3	2	1	3	1	–	–	–	–	–
Jaundice	1	–	–	–	–	1	1	2	3	3	2	–	1	–	–	–
Liver Disease	4	4	5	5	12	13	22	17	12	3	6	–	–	1	–	–
Spleen Disease	1	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Nephritis	–	–	2	–	2	1	–	1	–	4	1	–	–	–	–	–
Nephria	1	2	2	4	7	6	3	11	6	5	3	2	1	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	2	1	3	3	7	6	1	1	–	–	–
Diabetes	1	2	1	–	1	1	4	1	4	1	2	–	–	–	–	–
Stone	–	–	1	1	–	–	1	4	4	3	3	3	–	1	–	–
Cystitis	–	–	–	1	1	3	3	5	13	7	7	5	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	3	5	7	3	2	3	9	7	22	14	9	5	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	1	4	–	5	5	4	4	2	–	–	–	–
Joint Disease	3	1	1	–	–	–	–	1	2	–	1	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Intemperance	1	2	–	2	4	–	1	1	2	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Want of Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	1	1	1	2	1	–	–	3	1	–	–	–	–	1
Poison	–	–	–	3	1	1	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Burns, etc.	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–
Suffocation	5	1	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Drowning	17	11	9	5	8	9	12	6	2	1	–	1	–	–	–	2
Fracture and Contusion	15	18	16	13	14	14	10	9	6	6	8	3	–	1	–	–
Gunshot Wounds	–	1	–	–	–	–	2	–	–	1	–	1	–	–	–	–
Cuts and Stabs	1	–	1	–	2	3	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	2	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Not specified	4	3	6	9	14	12	3	8	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8943	702	200	354	386	176	149	112	342	213	293	284	260
SPECIFIED CAUSES	8660	607	177	328	361	168	144	104	334	207	287	280	259
I. Zymotic Class	1342	60	45	88	150	90	84	57	178	73	72	55	43
II. Diseases of Uncertain Seat	484	10	1	2	2	1	1	–	1	1	3	5	6
III. Tubercular Class	1202	21	21	56	59	14	22	11	68	70	147	136	125
IV. Brain and Nervous System	829	38	9	27	15	15	11	13	24	18	20	17	11
V. Organs of Circulation	619	3	1	3	1	–	–	2	5	12	7	14	13
VI. Respiratory Organs	1157	75	44	93	70	23	11	13	30	10	17	10	8
VII. Organs of Digestion	613	37	27	38	41	9	4	5	14	5	8	11	17
VIII. Urinary Organs	107	1	–	–	2	1	2	–	1	2	2	4	7
IX. Organs of Generation	142	–	–	–	1	1	–	–	–	1	1	17	22
X. Organs of Locomotion	63	1	–	–	–	1	1	–	5	5	3	3	3
XI. Skin, etc.	9	2	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	31	25	3	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	351	314	19	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	61	–	–	–	14	3	1	2	–	1	3	1	2
XV. Age	1470	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	12	1	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	168	19	7	–	6	10	7	1	8	9	4	6	2
I. Small Pox	59	7	3	1	2	1	2	–	5	2	9	4	4
Measles	56	1	–	10	22	7	2	1	5	2	–	1	–
Scarlatina	161	1	2	7	22	21	22	8	44	14	7	3	2
Diphtheria	150	–	–	6	11	15	10	18	56	20	5	3	1
Hooping Cough	150	14	12	38	39	14	13	7	11	1	–	–	–
Croup	91	1	2	5	21	13	15	14	16	3	–	–	–
Thrush	7	4	1	2	–	–	–	–	–	–	–	–	–
Diarrhœa	174	20	15	13	17	8	5	1	3	1	1	1	–
Dysentery	32	–	1	1	2	1	–	1	–	–	–	–	–
Cholera	5	–	–	1	–	–	–	–	–	–	–	–	1
Influenza	22	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	10	–	–	–	–	–	–	–	1	1	1	1	–
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	1	1	–	–	–	–	1	1
Typhus	59	–	1	–	2	1	–	2	4	2	12	8	4
Enteric Fever	191	1	3	–	2	8	8	2	25	18	29	14	14
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	25	–	1	–	3	–	3	–	3	3	5	1	3
Infantile Remittent	16	2	–	2	6	–	2	3	1	–	–	–	–
Metria	51	–	–	–	–	–	–	–	–	–	–	14	11
Rheumatic Fever	21	–	–	–	–	–	–	–	2	6	1	–	–
Erysipelas	35	6	4	2	–	–	–	–	–	–	1	2	1
Pyæmia	9	–	–	–	–	–	–	–	1	–	1	1	1
Syphilis	7	2	–	–	–	–	1	–	–	–	–	1	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	23	4	–	1	–	–	–	–	–	–	2	3	2
Dropsy	90	–	1	1	1	–	1	–	–	1	–	2	–
Abscess	15	3	–	–	–	–	–	–	1	–	–	–	1
Ulcer	12	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	30	2	–	–	–	–	–	–	–	–	–	–	1
Cancer	310	–	–	–	1	1	–	–	–	–	1	–	2
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	74	2	4	1	3	–	3	–	3	8	6	9	6
Tabes Mesenterica	77	5	3	9	18	4	5	2	13	3	8	1	1
Phthisis	903	5	4	11	3	1	7	3	27	51	130	126	118
Hydrocephalus	148	9	10	35	35	9	7	6	25	8	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	251	266	232	259	289	348	442	550	730	699	722	431	178	60	8	7
SPECIFIED CAUSES	242	261	226	249	274	336	435	549	729	699	722	431	178	60	8	5
Zymotic Class	46	43	19	22	19	20	26	27	45	26	32	11	7	2	–	2
Uncertain Seat	8	11	22	27	44	52	43	70	62	49	41	14	6	1	1	–
Tubercular Class	91	85	65	56	39	30	33	27	13	7	2	1	1	–	–	2
Brain, etc.	10	14	19	27	36	51	60	78	105	112	54	35	10	–	–	–
Heart, etc.	14	27	11	25	37	60	60	94	91	75	41	15	7	–	–	1
Respiratory Organs	18	17	26	32	38	50	80	87	134	115	99	43	13	1	–	–
Digestive Organs	18	23	25	28	33	36	51	52	52	44	20	14	1	–	–	–
Urinary Organs	10	12	8	8	6	6	8	9	8	6	1	1	2	–	–	–
Generative Organs	20	19	19	10	5	5	5	2	7	2	2	3	–	–	–	–
Locomotive Organs	–	2	5	4	2	2	2	5	5	7	6	1	–	–	–	–
Skin	–	–	–	–	1	1	–	2	1	–	–	–	1	–	–	–
Malformation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	2	5	6	17	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	55	89	192	246	414	285	126	56	7	–
Sudden Deaths	–	–	–	–	–	–	4	–	–	4	1	–	1	–	–	–
Violent Deaths	6	5	4	5	8	6	8	7	14	6	9	8	3	–	–	–
Small Pox	4	5	3	1	1	2	1	1	1	–	–	–	–	–	–	–
Measles	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Croup	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	–	5	3	1	6	10	20	11	15	7	4	2	–	–
Dysentery	–	1	–	3	1	4	3	6	2	4	1	1	–	–	–	–
Cholera	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	1	3	1	6	2	6	–	1	–	–	–
Purpura	–	1	1	–	1	1	–	–	2	–	–	–	–	–	–	–
Ague	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	–	3	1	1	2	1	5	2	–	–	–	–	–	1
Enteric Fever	17	6	2	4	9	5	4	6	6	5	1	2	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Simple Continued Fever	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	11	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	2	2	–	1	2	–	1	–	1	–	–	–	–	–
Erysipelas	1	1	1	–	1	1	2	–	1	1	7	1	2	–	–	–
Pyæmia	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	3	2	–	–	–	–	3	–	1	–	–	–	–	–
Dropsy	3	1	2	2	10	2	7	13	11	14	13	4	–	–	1	–
Abscess	–	–	–	1	–	3	3	–	–	1	2	–	–	–	–	–
Ulcer	–	–	1	–	1	1	1	1	3	1	1	–	1	–	–	–
Fistula	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	2	7	8	3	5	–	1	–	–
Cancer	5	8	16	20	33	45	32	53	38	25	21	5	4	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Scrofula	–	5	5	3	3	2	5	1	3	2	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	90	79	60	51	35	27	28	26	10	5	2	1	1	–	–	2
Hydrocephalus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	74	1	3	6	4	5	3	5	14	8	8	4	2
Apoplexy	187	1	–	1	–	1	1	2	2	6	3	–	1
Paralysis	332	–	–	–	–	1	–	–	–	–	5	–	3
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	30	–	–	–	–	–	–	–	2	1	1	5	4
Tetanus	5	3	–	1	–	–	–	–	–	–	–	–	–
Insanity	11	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	83	30	5	19	10	5	5	6	3	–	–	–	–
Brain Disease	104	3	1	–	1	2	2	–	2	3	3	8	1
V. Pericarditis	14	1	–	–	–	–	–	–	–	2	–	–	2
Aneurism	5	–	–	–	–	–	–	–	1	–	–	–	–
Heart Disease	600	2	1	3	1	–	–	2	4	10	7	14	11
VI. Laryngitis	18	–	–	2	2	–	1	1	1	1	–	–	1
Bronchitis	756	57	37	69	54	17	8	10	15	4	5	4	1
Pleurisy	36	–	1	1	–	1	1	–	2	1	1	1	–
Pneumonia	240	16	5	19	12	4	1	2	11	4	10	2	4
Asthma	78	–	–	1	1	–	–	–	–	–	–	1	1
Lung Disease	29	2	1	1	1	1	–	–	1	–	1	2	1
VII. Teething	49	–	4	18	25	1	1	–	–	–	–	–	–
Quinsey	10	2	–	–	1	1	–	1	3	–	–	–	–
Gastritis	23	–	1	1	1	1	–	–	1	1	–	–	1
Enteritis	87	13	16	10	11	3	1	1	3	–	3	2	3
Peritonitis	62	2	2	2	–	–	1	2	2	1	1	1	5
Ascites	15	–	–	–	–	–	1	–	–	–	–	–	1
Ulceration of Intestines	31	–	1	2	–	–	–	–	2	1	–	1	2
Hernia	11	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	42	1	–	1	1	–	–	–	–	1	1	3	–
Intussusception	8	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	107	5	2	3	2	3	–	–	1	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	2	–	–	–	–	–	–	1	–	1	1	–
Jaundice	29	10	–	1	–	–	–	–	–	1	–	–	–
Liver Disease	105	1	–	–	–	–	–	–	–	–	2	3	2
Spleen Disease	5	–	–	–	–	–	–	1	1	–	–	–	–
VIII. Nephritis	16	1	–	–	1	1	–	–	1	1	2	1	–
Nephria	39	–	–	–	–	–	1	–	–	–	–	1	6
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	–	–	1	–	–	–
Stone	6	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	–	1	–	1	–	–	–	–	2	1
IX. Paramenia	12	–	–	–	–	–	–	–	–	1	1	3	3
Ovarian Dropsy	20	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	76	–	–	–	–	–	–	–	–	–	–	11	16
Organs of Generation	34	–	–	–	1	1	–	–	–	–	–	2	2
X. Bone Disease	5	–	–	–	–	1	1	–	2	–	–	–	–
Rheumatism	33	–	–	–	–	–	–	–	–	–	–	1	2
Joint Disease	25	1	–	–	–	–	–	–	3	5	3	2	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	2	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	5	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	–	–	3	5	4	1	2	–	–	–	–
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	20	13	5	–	–	–	–	–	1	–	–	1	–
Drowning	41	1	–	–	3	5	1	–	3	8	2	5	1
Fracture and Contusion	42	–	–	–	–	–	1	–	1	–	1	–	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	–	–	–	–	–	1	–	1	1	–	–	–
Not Specified	283	95	23	26	25	8	5	8	8	6	6	4	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	2	2	–	3	2	1	–	–	–	–	–	–	–
Apoplexy	3	2	5	8	10	18	19	26	28	37	7	6	–	–	–	–
Paralysis	3	4	4	6	13	23	28	37	61	63	44	27	10	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	4	3	1	1	–	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	–	2	2	2	–	2	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	4	7	7	8	8	6	11	11	11	1	2	–	–	–	–
Pericarditis	–	1	1	–	–	1	–	1	4	1	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Heart Disease	14	26	10	24	37	59	58	93	86	74	41	15	7	–	–	1
Laryngitis	2	1	–	2	–	–	2	–	1	–	–	1	–	–	–	–
Bronchitis	8	6	9	19	19	27	37	55	92	76	81	35	10	1	–	–
Pleurisy	–	3	1	–	2	1	5	3	5	4	2	1	–	–	–	–
Pneumonia	7	5	11	9	9	15	24	17	20	23	5	3	2	–	–	–
Asthma	–	2	1	1	7	6	8	12	14	9	10	3	1	–	–	–
Lung Disease	1	–	4	1	1	1	4	–	2	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	2	–	3	2	1	3	3	–	1	–	–	–	–
Enteritis	–	2	1	2	3	1	2	3	2	3	–	2	–	–	–	–
Peritonitis	4	3	2	3	3	2	5	6	4	6	2	3	–	–	–	–
Ascites	1	–	–	2	1	–	2	2	2	1	1	1	–	–	–	–
Ulceration of Intestines	1	1	2	4	4	–	3	–	2	2	2	1	–	–	–	–
Hernia	–	1	–	–	–	1	1	3	2	2	–	1	–	–	–	–
Ileus	1	1	3	–	4	2	3	4	4	7	3	2	–	–	–	–
Intussusception	–	–	1	–	–	–	2	–	1	1	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stomach Disease	4	5	6	4	6	15	12	13	9	8	5	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	3	1	1	1	3	1	3	2	3	–	–	–	–	–
Jaundice	1	2	–	–	1	1	1	3	4	3	–	1	–	–	–	–
Liver Disease	5	5	6	10	9	10	13	13	16	6	3	1	–	–	–	–
Spleen Disease	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	2	1	1	2	–	1	–	–	–	–	–	–
Nephria	4	5	6	2	2	1	4	3	–	3	–	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–
Diabetes	1	3	–	4	–	1	–	1	–	–	–	–	–	–	–	–
Stone	1	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–
Cystitis	–	1	–	–	1	–	–	–	2	1	1	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	3	1	1	–	1	2	3	4	1	–	–	–	–	–	–
Paramenia	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	2	1	2	2	2	1	3	1	1	1	–	–	–	–
Childbirth	15	16	12	5	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	1	4	3	2	3	3	1	4	1	1	2	–	–	–	–
Bone Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	3	2	1	2	2	5	3	6	4	1	–	–	–	–
Joint Disease	–	1	2	1	1	–	–	–	2	1	2	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	1	4	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	2	–	2	–	–	1	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	3	–	–	1	2	2	2	2	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	1	3	1	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	2	2	1	–	1	2	3	2	8	4	5	5	3	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Not Specified	9	5	6	10	15	12	7	1	1	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2177	186	32	71	94	40	34	20	62	50	77	86	88
SPECIFIED CAUSES	1886	112	25	49	73	31	27	16	47	37	65	75	81
I. Zymotic Class	291	22	12	28	30	20	18	8	25	12	24	12	12
II. Diseases of Uncertain Seat	81	1	–	–	–	–	1	2	–	–	1	2	1
III. Tubercular Class	268	2	4	8	18	2	2	2	9	10	24	40	42
IV. Brain and Nervous System	121	18	–	3	2	–	1	–	4	6	1	5	4
V. Organs of Circulation	53	–	–	–	–	–	–	–	–	–	3	1	3
VI. Respiratory Organs	223	12	6	10	12	5	4	2	3	4	5	7	6
VII. Organs of Digestion	92	1	3	–	7	1	1	–	–	–	1	1	3
VIII. Urinary Organs	31	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	3	2
X. Organs of Locomotion	31	–	–	–	–	–	–	–	2	–	–	–	1
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	52	52	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	2	1	–	–	–	–	–	–	1
XV. Age	538	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Death	2	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	70	2	–	–	2	2	–	2	4	5	5	4	4
I. Small Pox	18	1	–	–	–	–	–	–	–	2	4	1	–
Measles	16	2	2	1	4	2	2	–	3	–	–	–	–
Scarlatina	40	–	1	4	4	2	7	2	7	4	6	2	1
Diphtheria	18	–	3	1	–	2	–	4	5	2	1	–	–
Hooping Cough	46	4	5	11	12	7	4	–	3	–	–	–	–
Croup	42	13	1	8	9	4	1	2	4	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	–	–	3	–	1	2	–	–	–	–	–	–
Dysentery	9	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	11	1	–	–	–	–	–	–	–	–	–	1	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	–	1	2	1	–	2	3	2	4	–
Enteric Fever	30	–	–	–	–	–	–	–	–	1	7	3	5
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	6	–	–	–	–	–	–	–	1	–	2	–	3
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	2	–	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	34	–	–	–	–	–	–	1	–	–	1	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	1	–	–	–	–	–
Cancer	40	–	–	–	–	–	1	–	–	–	–	2	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	–	–	–	1	1	–	2	1	1
Tabes Mesenterica	13	–	–	4	4	1	1	–	1	1	–	–	1
Phthisis	224	–	1	1	7	–	–	–	6	7	21	39	40
Hydrocephalus	21	2	3	2	7	1	1	1	1	2	1	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	84	63	46	58	60	75	101	108	168	190	189	114	53	19	2	7
Specified Causes	67	51	40	53	52	58	84	104	168	190	189	114	53	19	2	4
Zymotic Class	12	4	5	6	7	3	4	4	13	5	3	1	1	–	–	–
Uncertain Seat	–	4	3	7	–	10	9	9	10	7	10	4	–	–	–	–
Tubercular Class	31	18	6	7	13	11	7	7	1	4	–	–	–	–	–	–
Brain, etc.	5	3	4	6	1	3	7	13	13	8	6	6	2	–	–	–
Heart, etc.	2	5	1	1	3	4	6	6	7	6	3	1	1	–	–	–
Respiratory Organs	4	5	6	10	7	9	21	23	18	22	14	7	1	–	–	–
Digestive Organs	4	4	2	8	11	7	5	12	6	8	5	1	1	–	–	–
Urinary Organs	–	–	3	1	2	4	2	–	3	5	5	2	2	1	–	–
Generative Organs	3	3	2	2	1	–	–	–	–	–	–	1	–	–	–	–
Locomotive Organs	–	–	1	2	2	1	3	4	6	6	2	–	1	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	24	90	115	136	91	43	17	2	2
Sudden Deaths	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	5	5	7	2	3	1	2	2	1	3	5	–	1	1	–	2
Small Pox	4	1	–	1	2	–	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	2	1	–	3	1	–	–	–	–	–	–
Dysentery	–	–	–	1	–	1	–	2	3	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	2	1	2	1	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	2	–	2	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	2	2	2	1	1	–	1	1	3	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	3	2	–	3	3	5	3	6	3	2	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	2	–	4	–	6	6	4	6	1	6	2	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	31	17	6	7	13	9	7	7	1	4	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	6	–	–	1	–	–	–	–	–	2	–	–	1
Apoplexy	22	–	–	–	–	–	–	–	2	1	1	–	–
Paralysis	41	–	–	–	–	–	–	–	–	1	–	2	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	18	14	–	1	1	–	1	–	1	–	–	–	–
Brain Disease	20	–	–	1	1	–	–	–	1	2	–	2	3
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	48	–	–	–	–	–	–	–	–	–	1	1	3
VI. Laryngitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	94	4	1	6	10	4	2	1	–	2	1	2	4
Pleurisy	27	7	2	1	1	–	1	–	3	–	1	2	–
Pneumonia	34	1	3	–	1	–	–	1	–	1	3	3	1
Asthma	60	–	–	2	–	1	–	–	–	–	–	–	1
Lung Disease	7	–	–	1	–	–	1	–	–	–	–	–	–
Teething	2	–	–	–	2	–	–	–	–	–	–	–	–
Quinsey	4	–	–	–	2	–	–	–	–	–	1	–	1
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	1	2	–	–	–	1	–	–	–	–	–	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	11	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	15	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	8	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	18	–	–	–	1	–	–	–	–	–	–	1	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	1	2	2
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	1	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	26	–	–	–	–	–	–	–	1	–	–	–	–
Joint Disease	5	–	–	–	–	–	–	–	1	–	–	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	2	–	1	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	–	–	–	–	–	1	1	–	–	–	–
Drowning	32	–	–	–	–	–	–	–	1	4	3	3	2
Fracture and Contusion	18	1	–	–	2	–	–	–	2	1	1	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	291	74	7	22	21	9	7	4	15	13	12	11	7

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	2	2	–	1	–	2	1	2	3	2	1	2	–	–	–	–
Paralysis	1	–	3	1	–	1	3	6	10	4	4	3	2	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	1	–	–	1	1	–	2	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	3	1	–	2	3	–	–	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	2	5	–	1	3	3	6	6	7	5	3	1	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	2	1	2	2	3	8	9	6	9	8	5	–	–	–	–
Pleurisy	–	–	2	1	–	2	2	1	1	–	–	–	–	–	–	–
Pneumonia	1	1	1	3	1	1	4	4	2	2	–	–	–	–	–	–
Asthma	–	2	2	3	4	3	6	8	9	10	6	2	1	–	–	–
Lung Disease	1	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	–	–	–	5	1	1	1	1	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	1	2	4	1	4	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	–	1	–	1	1	1	–	–	–	–	–	–
Jaundice	–	–	–	1	3	–	–	1	1	1	1	–	–	–	–	–
Liver Disease	–	–	1	3	4	3	3	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	2	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	–	–	1	–	1	3	1	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	2	1	3	2	6	6	2	–	1	–	–	–
Joint Disease	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	1
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	7	1	2	–	2	–	–	1	–	–	–	–	–	1
Fracture and Contusion	1	1	–	1	–	–	–	–	1	–	2	–	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	17	12	6	5	8	17	17	4	–	–	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1020	111	13	39	47	16	17	11	33	22	37	48	49
SPECIFIED CAUSES	876	71	13	25	38	10	11	10	25	18	29	41	45
I. Zymotic Class	132	15	4	12	14	7	6	6	11	6	11	5	6
II. Diseases of Uncertain Seat	30	–	–	–	–	–	1	1	–	–	1	–	–
III. Tubercular Class	132	1	3	7	11	–	1	–	7	3	8	21	24
IV. Brain and Nervous System	79	13	–	1	2	–	1	–	–	3	1	4	3
V. Organs of Circulation	31	–	–	–	–	–	–	–	–	–	2	1	3
VI. Respiratory Organs	94	6	3	5	7	2	2	1	2	1	1	5	2
VII. Organs of Digestion	42	1	3	–	2	–	–	–	–	–	–	1	2
III. Urinary Organs	26	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	14	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	33	33	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	201	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	58	1	–	–	1	1	–	2	4	5	5	4	4
I. Small Pox	10	1	–	–	–	–	–	–	–	–	3	–	–
Measles	6	1	1	–	2	–	1	–	1	–	–	–	–
Scarlatina	22	–	1	2	4	–	2	2	4	3	2	2	–
Diphtheria	9	–	1	–	–	–	–	4	3	1	–	–	–
Hooping Cough	19	3	1	3	5	4	1	–	2	–	–	–	–
Croup	18	8	–	6	2	2	–	–	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	–	–	1	–	–	1	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	1	1	1	–	1	2	2	2	–
Enteric Fever	9	–	–	–	–	–	–	–	–	–	3	–	3
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	–	2
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	15	–	–	–	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	1	–	–	–	–	1	–	–	1	1
Tabes Mesenterica	9	–	–	4	2	–	–	–	1	1	–	–	1
Phthisis	105	–	1	1	3	–	–	–	4	1	8	20	22
Hydrocephalus	13	1	2	1	6	–	1	–	1	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	29	31	23	24	29	30	49	55	72	72	84	40	23	10	1	5
SPECIFIED CAUSES	28	25	20	22	25	22	41	52	72	72	84	40	23	10	1	3
Zymotic Class	3	1	3	2	2	2	3	1	8	1	2	–	1	–	–	–
Uncertain Seat	–	–	–	2	–	2	4	6	1	3	6	3	–	–	–	–
Tubercular Class	13	10	4	3	6	3	4	2	1	–	–	–	–	–	–	–
Brain, etc.	3	1	3	4	1	3	5	11	8	5	3	2	2	–	–	–
Heart, etc.	–	3	–	1	2	3	4	2	5	3	2	–	–	–	–	–
Respiratory Organs	3	4	2	5	5	3	6	9	4	7	5	3	1	–	–	–
Digestive Organs	2	1	1	2	4	3	3	7	5	4	1	–	–	–	–	–
Urinary Organs	–	–	1	1	2	3	2	–	3	4	5	2	2	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	1	3	2	4	1	–	1	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	9	34	38	57	30	16	8	1	1
Sudden Deaths	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	4	5	6	2	2	–	2	2	1	2	2	–	–	1	–	2
Small Pox	1	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	2	1	–	2	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	–	4	–	2	1	2	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	1	4	2	1	1	4	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	9	4	3	6	3	4	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	15	–	–	–	–	–	–	–	–	1	1	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	2	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	9	–	–	1	–	1	–	–	–	–	–	–
Brain Disease	16	–	–	1	1	–	–	–	–	2	–	2	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	28	–	–	–	–	–	–	–	–	–	1	1	3
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	41	2	1	3	6	2	2	1	–	1	–	1	2
Pleurisy	13	4	1	1	–	–	–	–	2	–	–	2	–
Pneumonia	13	–	1	–	1	–	–	–	–	–	1	2	–
Asthma	24	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	1	–	–	–	1	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	1	2	–	–	–	–	–	–	–	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	5	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	1	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	1	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	1	1	–	–	–	–
Drowning	31	–	–	–	–	–	–	–	1	4	3	3	2
Fracture and Contusion	13	1	–	–	1	–	–	–	2	1	1	1	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	144	40	–	14	9	6	6	1	8	4	8	7	4

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	2	1	–	–	–	2	1	2	2	1	1	1	–	–	–	–
Paralysis	–	–	3	–	–	1	2	5	6	2	2	1	2	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	3	1	–	2	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	–	3	–	1	2	2	4	2	5	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	–	2	1	–	1	4	1	2	3	3	–	–	–	–
Pleurisy	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	1	1	2	3	–	–	–	–	–	–	–	–
Asthma	–	2	2	1	3	1	3	2	2	4	2	–	1	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	1	1	–	1	1	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	1	–	2	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	–	–	1	–	1	2	1	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	2	2	4	1	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	6	1	2	–	2	–	–	1	–	–	–	–	–	1
Fracture and Contusion	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	6	3	2	4	8	8	3	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1157	75	19	32	47	24	17	9	29	28	40	38	39
SPECIFIED CAUSES	1016	41	12	24	35	21	16	6	22	19	36	34	36
I. Zymotic Class	159	7	8	16	16	13	12	2	14	6	13	7	6
II. Diseases of Uncertain Seat	51	1	–	–	–	–	–	1	–	–	–	2	1
III. Tubercular Class	136	1	1	1	7	2	1	2	2	7	16	19	18
IV. Brain and Nervous System	42	5	–	2	–	–	–	–	4	3	–	1	1
V. Organs of Circulation	22	–	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs	129	6	3	5	5	3	2	1	1	3	4	2	4
VII. Organs of Digestion	50	–	–	–	5	1	1	–	–	–	1	–	1
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	3	2
X. Organs of Locomotion	17	–	–	–	–	–	–	–	1	–	–	–	1
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	19	19	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	1	1	–	–	–	–	–	–	1
XV. Age	337	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	1	–	–	1	1	–	–	–	–	–	–	–
I. Small Pox	8	–	–	–	–	–	–	–	–	2	1	1	–
Measles	10	1	1	1	2	2	1	–	2	–	–	–	–
Scarlatina	18	–	–	2	–	2	5	–	3	1	4	–	1
Diphtheria	9	–	2	1	–	2	–	–	2	1	1	–	–
Hooping Cough	27	1	4	8	7	3	3	–	1	–	–	–	–
Croup	24	5	1	2	7	2	1	2	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	6	–	–	2	–	1	1	–	–	–	–	–	–
Dysentery	6	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	–	–	–	–	–	–	–	–	1	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	–	–	–	–	1	–	–	1	1	–	2	–
Enteric Fever	21	–	–	–	–	–	–	–	–	1	4	3	2
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	1	–	1	–	1
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	2	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	22	–	–	–	–	–	–	1	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	2	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	1	–	–	2	–	–
Tabes Mesenterica	4	–	–	–	2	1	1	–	–	–	–	–	–
Phthisis	119	–	–	–	4	–	–	–	2	6	13	19	18
Hydrocephalus	8	1	1	1	1	1	–	1	–	1	1	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	55	32	23	34	31	45	52	53	96	118	105	74	30	9	1	2
SPECIFIED CAUSES	39	26	20	31	27	36	43	52	96	118	105	74	30	9	1	1
Zymotic Class	9	3	2	4	5	1	1	3	5	4	1	1	–	–	–	–
Uncertain Seat	–	4	3	5	–	8	5	3	9	4	4	1	–	–	–	–
Tubercular Class	18	8	2	4	7	8	3	5	–	4	–	–	–	–	–	–
Brain, etc.	2	2	1	2	–	–	2	2	5	3	3	4	–	–	–	–
Heart, etc.	2	2	1	–	1	1	2	4	2	3	1	1	1	–	–	–
Respiratory Organs	1	1	4	5	2	6	15	14	14	15	9	4	–	–	–	–
Digestive Organs	2	3	1	6	7	4	2	5	1	4	4	1	1	–	–	–
Urinary Organs	–	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–
Generative Organs	3	3	2	2	1	–	–	–	–	–	–	1	–	–	–	–
Locomotive Organs	–	–	1	2	1	1	2	1	4	2	1	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	15	56	77	79	61	27	9	1	1
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	1	–	1	1	–	–	–	1	3	–	1	–	–	–
Small Pox	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Dysentery	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	2	2	1	1	1	–	1	1	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	2	3	1	–	2	3	1	3	4	2	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	2	–	4	–	5	2	2	5	–	2	1	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	18	8	2	4	7	6	3	5	–	4	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	–	–	–	–	–	2	–	–	–
Apoplexy	7	–	–	–	–	–	–	–	2	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	5	–	1	–	–	–	–	1	–	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	1	–	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	20	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Bronchitis	53	2	–	3	4	2	–	–	–	1	1	1	2
Pleurisy	14	3	1	–	1	–	1	–	1	–	1	–	–
Pneumonia	21	1	2	–	–	–	–	1	–	1	2	1	1
Asthma	36	–	–	1	–	1	–	–	–	–	–	–	1
Lung Disease	4	–	–	1	–	–	1	–	–	–	–	–	–
VII. Teething	1	–	–	–	1	–	–	–	–	–	–	–	–
Quinsey	4	–	–	–	2	–	–	–	–	–	1	–	1
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarain Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	1	2	2
Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	1	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	13	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	1	–	–	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	5	–	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	147	34	7	8	12	3	1	3	7	9	4	4	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	1	–	–	–	–	1	1	–	1	–	–	–	–
Paralysis	1	–	–	1	–	–	1	1	4	2	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	–	–	1	1	2	4	2	3	1	1	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	–	1	3	7	5	5	7	5	2	–	–	–	–
Pleurisy	–	–	2	–	–	1	2	1	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	3	–	–	2	1	2	2	–	–	–	–	–	–
Asthma	–	–	–	2	1	2	3	6	7	6	4	2	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	–	–	–	2	–	–	1	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	1	–	3	1	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	1	3	3	2	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	1	1	2	–	4	2	1	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	6	3	3	4	9	9	1	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	14499	1362	599	1294	1783	732	475	328	826	395	495	571	517
Specified Causes	14410	1333	589	1290	1776	730	473	326	822	393	492	568	517
I. Zymotic Class	3145	143	150	388	660	331	230	157	363	100	84	113	85
II. Diseases of Uncertain Seat	332	6	–	7	9	8	4	3	8	11	7	11	6
III. Tubercular Class	2658	37	71	177	302	109	91	79	197	151	247	257	223
IV. Brain and Nervous System	1268	130	57	102	108	59	31	24	73	30	26	20	20
V. Organs of Circulation	656	6	2	1	–	–	–	1	8	8	25	24	24
VI. Respiratory Organs	3137	189	176	399	492	176	86	32	94	34	40	43	51
VII. Organs of Digestion	972	123	56	161	158	21	11	13	23	13	12	22	31
VIII. Urinary Organs	208	1	–	–	1	4	6	5	12	6	13	7	13
IX. Organs of Generation	85	–	–	–	–	–	–	–	–	–	2	20	18
X. Organs of Locomotion	98	–	–	–	–	1	–	2	15	17	11	3	3
XI. Skin, etc.	17	3	1	1	3	–	–	–	–	–	–	–	–
XII. Malformation	30	30	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	731	629	60	42	–	–	–	–	–	–	–	–	–
XIV. Atrophy	93	–	–	–	30	8	7	4	5	1	–	–	1
XV. Age	410	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	45	2	2	3	–	–	–	–	1	–	–	5	–
XVII. Violent Deaths	525	34	14	9	13	13	7	6	23	22	25	43	42
I. Small Pox	228	12	14	3	6	2	3	1	13	22	27	50	29
Measles	577	1	11	124	253	79	48	21	32	4	–	–	2
Scarlatina	577	4	7	41	64	92	82	64	170	34	5	3	4
Diphtheria	165	2	1	11	43	25	22	13	32	9	–	1	2
Hooping Cough	305	7	25	82	103	38	23	14	13	–	–	–	–
Croup	198	6	9	20	62	40	21	21	18	1	–	–	–
Thrush	3	–	1	1	–	–	1	–	–	–	–	–	–
Diarrhœa	465	75	66	81	89	23	7	3	19	3	4	2	5
Dysentery	34	1	3	–	3	–	1	1	–	–	2	–	2
Cholera	16	1	3	1	1	1	–	–	2	–	–	–	–
Influenza	21	1	–	2	–	2	–	–	3	–	–	–	1
Purpura	10	1	–	3	–	–	–	–	–	–	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	1	1	–	1	–	–	–	–
Typhus	68	–	–	–	–	–	–	–	1	1	5	12	9
Enteric Fever	249	–	1	5	19	17	14	12	46	19	29	22	17
Relapsing Fever	4	–	–	–	–	–	–	–	–	2	–	–	–
Simple Continued Fever	30	–	–	5	3	4	3	3	5	1	1	1	1
Infantile Remittent	22	–	–	3	6	4	1	2	6	–	–	–	–
Metria	46	–	–	–	–	–	–	–	–	–	3	15	9
Rheumatic Fever	13	–	–	–	–	–	–	1	1	1	2	2	–
Erysipelas	55	14	2	4	3	1	1	1	–	2	3	2	1
Pyæmia	15	–	–	–	–	1	1	–	1	1	2	2	2
Syphilis	37	18	7	2	2	1	–	–	–	–	–	–	1
Noma	3	–	–	–	2	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	3	–	–	–	–	–	–	–	–	–	1	1
Dropsy	92	–	–	1	5	7	3	3	7	8	4	6	–
Abscess	33	1	–	6	2	1	1	–	1	3	2	1	–
Ulcer	9	1	–	–	1	–	–	–	–	–	1	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	18	1	–	–	1	–	–	–	–	–	–	2	3
Cancer	165	–	–	–	–	–	–	–	–	–	–	–	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	156	2	6	9	25	11	16	10	19	18	13	12	3
Tabes Mesenterica	272	16	17	28	87	23	16	15	40	18	2	2	–
Phthisis	1760	3	14	21	51	33	18	24	98	106	232	243	220
Hydrocephalus	470	16	34	119	139	42	41	30	40	9	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	485	479	544	509	545	527	624	453	451	263	152	67	14	6	1	2
Specified Causes	483	477	540	507	539	523	624	452	451	263	152	67	14	6	1	2
Zymotic Class	64	48	48	22	39	25	27	22	21	14	9	1	–	–	–	1
Uncertain Seat	14	17	29	31	26	38	42	24	18	5	5	2	1	–	–	–
Tubercular Class	184	159	135	90	68	43	24	10	2	2	–	–	–	–	–	–
Brain, etc.	25	30	43	57	70	64	94	82	68	36	13	6	–	–	–	–
Heart, etc.	38	50	53	64	51	87	78	44	55	26	11	–	–	–	–	–
Respiratory Organs	61	62	121	134	167	169	205	157	135	75	21	14	1	2	1	–
Digestive Organs	24	36	36	27	53	40	44	31	21	7	7	1	–	1	–	–
Urinary Organs	13	11	19	21	12	11	25	12	8	4	4	–	–	–	–	–
Generative Organs	10	17	11	3	1	1	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	3	4	5	4	4	7	6	5	1	3	–	–	–	–	–
Skin	–	2	2	1	–	–	–	1	1	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	5	12	17	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	47	46	101	88	74	39	12	3	–	–
Sudden Deaths	1	3	2	6	3	4	4	4	5	–	–	–	–	–	–	–
Violent Deaths	45	37	36	41	33	20	25	13	11	4	5	3	–	–	–	1
Small Pox	23	8	9	1	3	–	1	–	1	–	–	–	–	–	–	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	6	3	11	15	11	10	9	10	8	1	–	–	–	–
Dysentery	2	4	3	–	2	2	2	2	4	–	–	–	–	–	–	–
Cholera	–	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	2	2	3	3	1	–	–	–	–	–	–
Purpura	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	12	6	5	7	2	1	1	1	–	–	–	–	–	–	–
Enteric Fever	10	7	7	5	6	3	5	3	–	1	1	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	5	2	2	3	–	3	3	3	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Syphilis	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	4	1	3	6	4	6	8	7	4	2	2	–	1	–	–	–
Abscess	3	2	–	2	2	3	1	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	1	3	1	–	1	1	1	1	–	–	–	–
Cancer	6	10	24	20	18	24	31	14	11	2	2	1	–	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	3	1	–	2	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Phthisis	182	155	131	88	66	39	23	9	2	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	200	3	9	28	32	16	15	10	34	15	8	6	4
Apoplexy	279	8	10	15	13	8	3	2	9	3	3	4	2
Paralysis	247	–	–	–	–	–	1	1	1	1	4	2	2
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	2	–	–	–	–	1	–	–	–	–	–	1	–
Epilepsy	36	–	–	–	–	1	–	2	–	6	2	2	5
Tetanus	4	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	286	117	31	46	53	20	6	7	6	–	–	–	–
Brain Disease	198	1	7	13	10	13	6	2	23	5	9	5	5
V. Pericarditis	15	–	1	–	–	–	–	–	2	–	4	–	1
Aneurism	10	–	–	–	–	–	–	–	1	–	2	–	–
Heart Disease	631	6	1	1	–	–	–	1	5	8	19	24	23
VI. Laryngitis	27	–	1	3	3	7	1	2	–	1	–	3	–
Bronchitis	2268	155	133	312	354	137	66	23	56	14	11	16	25
Pleurisy	48	–	1	1	1	1	–	–	2	1	3	6	2
Pneumonia	664	32	40	80	124	29	16	6	31	14	22	16	22
Asthma	40	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	90	2	1	3	10	2	3	1	5	4	4	2	2
VII. Teething	220	–	5	102	103	9	1	–	–	–	–	–	–
Quinsey	13	2	–	1	1	2	–	4	2	–	–	–	–
Gastritis	56	12	2	1	6	1	2	2	2	1	1	5	4
Enteritis	189	49	25	35	27	5	–	2	5	2	3	2	6
Peritonitis	39	1	1	3	1	–	1	1	2	5	3	6	3
Ascites	7	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	13	–	–	–	–	–	–	–	1	1	1	2	–
Hernia	22	2	–	2	–	–	–	–	–	–	–	–	4
Ileus	37	2	2	5	–	–	2	–	2	–	1	2	5
Intussusception	6	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	159	38	19	11	18	2	4	2	3	3	2	–	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	34	1	–	–	–	2	–	1	3	1	–	2	–
Jaundice	32	10	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	132	6	1	–	1	–	1	1	2	–	1	1	5
Spleen Disease	7	–	–	–	1	–	–	–	1	–	–	–	–
VIII. Nephritis	27	–	–	–	–	2	4	2	6	–	1	–	1
Nephria	52	–	–	–	1	1	1	–	2	3	2	2	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	1	–	–	–	1	1	–	–	1	–	–	2
Diabetes	14	–	–	–	–	–	–	–	–	–	3	1	2
Stone	5	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	13	–	–	–	–	–	–	1	–	–	–	–	1
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	79	–	–	–	–	–	–	2	3	2	7	4	4
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	63	–	–	–	–	–	–	–	–	–	2	18	15
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	1
X. Bone Disease	9	–	–	–	–	–	–	1	–	3	–	1	–
Rheumatism	39	–	–	–	–	–	–	–	1	1	6	1	1
Joint Disease	50	–	–	–	–	1	–	1	14	13	5	1	2
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	3	1	1	3	–	–	–	–	–	–	–	–
XVII. Intemperance	37	–	–	–	–	–	–	–	–	–	–	2	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	14	4	4	2	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	13	–	–	1	–	2	–	–	1	–	3	–	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	46	–	–	2	7	9	2	3	9	–	1	–	4
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	39	16	9	1	1	–	–	–	1	–	–	–	–
Drowning	104	1	–	–	1	–	–	–	4	5	2	15	15
Fracture and Contusion	226	–	1	1	2	2	4	3	7	15	19	21	19
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	23	3	–	–	–	–	1	–	1	2	–	5	–
Not Specified	89	29	10	4	7	2	2	2	4	2	3	3	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	4	5	3	2	2	2	–	1	–	–	–	–	–	–	–
Apoplexy	6	9	11	23	31	22	28	28	20	16	3	2	–	–	–	–
Paralysis	1	5	12	11	24	24	47	45	37	18	8	3	–	–	–	–
Delirium Tremens	5	3	2	1	–	2	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	1	1	3	2	3	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	7	11	15	10	11	15	9	10	2	2	1	–	–	–	–
Pericarditis	1	2	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Aneurism	2	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	35	48	49	63	51	86	77	43	54	26	11	–	–	–	–	–
Laryngitis	–	1	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	29	33	70	79	131	129	163	128	114	59	17	12	–	1	1	–
Pleurisy	3	4	4	3	7	2	3	1	1	1	–	1	–	–	–	–
Pneumonia	22	21	37	29	17	24	26	22	16	12	3	1	1	1	–	–
Asthma	1	–	3	10	4	9	4	4	2	2	1	–	–	–	–	–
Lung Disease	6	3	6	10	7	5	9	2	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	2	2	4	2	1	1	–	–	–	–	–	–	–	–
Enteritis	9	3	1	4	4	–	2	3	1	–	1	–	–	–	–	–
Peritonitis	2	1	2	–	2	1	1	1	–	2	–	–	–	–	–	–
Ascites	–	2	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	1	1	1	5	1	2	1	2	–	–	–	–	–	–	–
Ileus	1	1	1	–	3	2	1	2	2	1	2	–	–	–	–	–
Intussusception	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Stomach Disease	1	4	6	2	6	8	12	7	6	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	4	4	1	3	3	1	5	–	–	1	–	–	–	–	–
Jaundice	1	1	3	1	4	1	2	1	3	3	1	–	–	–	–	–
Liver Disease	4	13	11	13	21	19	16	7	5	1	1	1	–	1	–	–
Spleen Disease	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Nephritis	2	1	2	1	1	1	2	–	1	–	–	–	–	–	–	–
Nephria	5	4	6	7	4	3	5	1	1	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	1	1	1	2	–	1	–	1	–	–	–	–	–	–
Diabetes	–	2	3	–	–	1	2	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Cystitis	1	–	1	1	–	1	1	4	1	1	–	–	–	–	–	–
Stricture of Urethra	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	6	10	5	3	14	4	5	2	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	10	10	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	4	3	3	1	1	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	3	2	1	2	2	4	4	3	5	–	3	–	–	–	–	–
Joint Disease	1	1	2	2	1	–	2	3	–	1	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
Phlegmon	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	8	3	7	4	3	3	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Suffocation	3	–	4	1	1	1	–	–	1	–	–	–	–	–	–	–
Drowning	14	10	10	9	6	2	5	1	3	–	–	–	–	–	–	1
Fracture and Contusion	18	15	14	19	18	10	14	8	5	4	4	3	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	1	2	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	3	2	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Not Specified	2	2	4	2	6	4	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7421	761	313	696	940	354	228	155	426	219	252	292	253
SPECIFIED CAUSES	7373	741	308	695	938	353	226	155	425	218	251	289	253
I. Zymotic Class	1591	74	78	215	327	169	101	78	182	42	50	64	41
II. Diseases of Uncertain Seat	117	3	–	3	3	4	1	1	4	9	2	4	2
III. Tubercular Class	1295	23	36	94	169	51	41	34	100	77	105	114	102
IV. Brain and Nervous System	668	70	35	57	56	24	19	11	40	18	15	11	11
V. Organs of Circulation	324	3	–	1	–	–	–	1	3	4	15	10	12
VI. Respiratory Organs	1652	105	98	216	271	79	48	16	55	21	20	25	26
VII. Organs of Digestion	482	75	23	81	86	10	7	5	8	10	8	12	13
VIII Urinary Organs	148	1	–	–	1	3	4	4	8	4	8	4	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	58	–	–	–	–	–	–	1	10	12	6	2	2
XI. Skin, etc.	8	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	15	15	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	408	352	33	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	36	–	–	–	14	5	4	2	1	–	–	–	1
XV. Age	154	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	28	1	2	1	–	–	–	–	–	–	–	4	–
XVII. Violent Deaths	389	17	3	4	11	8	1	2	14	21	22	39	36
I. Small Pox	129	5	8	1	2	2	1	–	6	10	15	36	16
Measles	293	1	8	66	130	40	18	10	17	1	–	–	2
Scarlatina	302	3	1	24	35	51	39	36	92	11	3	1	3
Diphtheria	83	2	–	7	23	11	12	6	17	4	–	–	–
Hooping Cough	141	2	14	41	48	16	8	5	7	–	–	–	–
Croup	101	5	4	12	32	23	8	9	8	–	–	–	–
Thrush	2	–	–	1	–	–	1	–	–	–	–	–	–
Diarrhœa	251	42	37	53	41	11	3	2	9	2	4	1	3
Dysentery	17	1	1	–	1	–	1	1	–	–	2	–	1
Cholera	9	1	2	–	1	–	–	–	–	–	–	–	–
Influenza	9	–	–	1	–	2	–	–	1	–	–	–	1
Purpura	5	–	–	2	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	1	1	1	–	–	–	–	–	–
Typhus	38	–	–	–	–	–	–	–	1	1	2	6	4
Enteric Fever	130	–	–	2	7	9	6	6	18	11	19	16	10
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	10	–	–	1	2	–	–	2	2	–	1	1	–
Infantile Remittent	11	–	–	2	2	2	1	1	3	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	1	–	2	1	–
Erysipelas	29	5	1	2	1	1	1	–	–	2	1	1	1
Pyæmia	4	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	15	7	2	–	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	3	–	–	–	–	–	–	–	–	–	–	–
Dropsy	39	–	–	–	3	3	1	1	3	7	2	2	–
Abscess	16	–	–	3	–	1	–	–	1	2	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	–	–	–	–	–	–	1	1
Cancer	45	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	78	1	2	3	13	5	7	2	10	10	6	9	3
Tabes Mesenterica	163	8	8	17	52	14	8	9	25	14	1	1	–
Phthisis	807	2	9	13	23	13	11	7	43	49	98	104	99
Hydrocephalus	247	12	17	61	81	19	15	16	22	4	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	243	260	273	265	284	290	313	210	195	112	57	25	3	1	–	1
SPECIFIED CAUSES	243	259	272	264	280	286	313	210	195	112	57	25	3	1	–	1
Zymotic Class	31	28	21	12	22	13	14	11	11	6	1	–	–	–	–	–
Uncertain Seat	3	7	1	7	9	18	18	10	5	1	–	2	–	–	–	–
Tubercular Class	90	79	66	38	31	22	16	3	2	2	–	–	–	–	–	–
Brain, etc.	11	17	25	30	36	37	50	39	32	17	5	2	–	–	–	–
Heart, etc.	20	25	29	28	27	44	37	21	26	12	6	–	–	–	–	–
Respiratory Organs	31	44	64	78	90	94	102	71	55	28	7	6	1	1	–	–
Digestive Organs	7	19	14	13	28	25	12	9	10	5	2	–	–	–	–	–
Urinary Organs	7	9	13	17	8	10	19	9	6	4	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	–	3	3	2	2	5	4	1	–	2	–	–	–	–	–
Skin	–	1	2	1	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	1	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	18	33	36	28	14	2	–	–	–
Sudden Deaths	1	3	1	4	2	1	3	1	4	–	–	–	–	–	–	–
Violent Deaths	39	26	32	32	22	17	14	13	9	1	4	1	–	–	–	1
Small Pox	15	6	4	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	2	1	8	9	7	3	7	3	1	–	–	–	–	–
Dysentery	1	2	2	–	–	1	–	2	1	–	–	–	–	–	–	–
Cholera	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	8	3	3	4	1	1	1	1	–	–	–	–	–	–	–
Enteric Fever	7	3	2	3	3	1	4	2	–	1	–	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	4	1	1	2	–	2	2	1	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	1	3	3	2	3	3	–	–	–	–	–	–	–
Abscess	–	2	–	1	2	3	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–
Cancer	1	4	1	2	3	10	13	6	2	1	–	1	–	–	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	3	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Phthisis	89	76	63	37	29	20	15	3	2	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	97	–	5	16	13	6	8	4	17	9	5	3	1
Apoplexy	138	6	5	6	8	5	2	–	4	2	1	3	1
Paralysis	127	–	–	–	–	–	–	–	1	–	1	2	1
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	19	–	–	–	–	1	–	2	–	5	1	–	2
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	158	63	21	27	32	8	3	3	1	–	–	–	–
Brain Disease	114	1	4	8	3	4	6	2	17	2	7	2	5
V. Pericarditis	7	–	–	–	–	–	–	–	1	–	2	–	–
Aneurism	7	–	–	–	–	–	–	–	–	–	2	–	–
Heart Disease	310	3	–	1	–	–	–	1	2	4	11	10	12
VI. Laryngitis	15	–	1	2	2	4	–	2	–	–	–	2	–
Bronchitis	1150	88	75	163	194	59	38	10	33	12	4	7	9
Pleurisy	32	–	1	1	1	–	–	–	1	1	2	5	1
Pneumonia	389	16	20	49	69	16	9	3	18	8	12	10	15
Asthma	17	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	49	1	1	1	5	–	1	1	3	–	2	1	1
VII. Teething	109	–	1	50	54	3	1	–	–	–	–	–	–
Quinsey	8	2	–	1	–	1	–	3	–	–	–	–	–
Gastritis	23	8	–	–	5	–	–	–	–	1	1	2	–
Enteritis	97	27	11	16	16	4	–	1	3	1	3	1	3
Peritonitis	21	1	1	2	1	–	–	1	1	4	1	3	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	2	–
Hernia	12	2	–	2	–	–	–	–	–	–	–	–	3
Ileus	20	1	–	3	–	–	1	–	1	–	1	1	3
Intussusception	4	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	1	–
Stomach Disease	70	22	9	6	8	1	4	–	1	2	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	1	–	–	–	1	–	–	1	1	–	–	–
Jaundice	16	8	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	68	3	–	–	1	–	1	–	–	–	1	1	3
Spleen Disease	5	–	–	–	1	–	–	–	1	–	–	–	–
VIII. Nephritis	19	–	–	–	–	1	3	1	4	–	1	–	1
Nephria	37	–	–	–	1	1	1	–	1	2	2	1	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	1	–	–	–	1	–	–	–	1	–	–	1
Diabetes	9	–	–	–	–	–	–	–	–	–	2	1	1
Stone	4	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	9	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	54	–	–	–	–	–	–	2	2	1	3	2	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	8	–	–	–	–	–	–	1	–	3	–	1	–
Rheumatism	19	–	–	–	–	–	–	–	1	–	2	–	1
Joint Disease	31	–	–	–	–	–	–	–	9	9	4	1	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	9	2	1	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	–	1	–	–	–	–	1	–	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	1	6	5	–	1	4	–	–	–	3
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	17	6	–	1	1	–	–	–	1	–	–	–	–
Drowning	90	–	–	–	1	–	–	–	3	4	2	15	13
Fracture and Contusion	190	–	1	1	2	2	–	1	5	15	19	20	18
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	2	–	–	–	–	1	–	1	2	–	3	–
Not Specified	48	20	5	1	2	1	2	–	1	1	1	3	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	2	3	3	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	4	5	7	17	13	17	10	8	10	–	1	–	–	–	–
Paralysis	–	3	9	9	10	11	26	24	19	6	4	1	–	–	–	–
Delirium Tremens	4	3	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	2	2	2	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	5	7	7	9	6	5	5	1	1	–	–	–	–	–
Pericarditis	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Aneurism	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	24	26	28	27	44	36	20	26	12	6	–	–	–	–	–
Laryngitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	12	21	31	44	69	69	76	57	44	23	7	5	–	–	–	–
Pleurisy	1	3	3	2	4	2	2	1	–	1	–	–	–	–	–	–
Pneumonia	13	17	25	21	10	15	17	12	8	3	–	1	1	1	–	–
Asthma	1	–	2	4	2	4	–	1	2	1	–	–	–	–	–	–
Lung Disease	4	2	3	6	5	4	7	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	2	1	2	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	1	–	1	3	–	2	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Ileus	1	1	–	–	1	2	–	1	1	1	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	2	–	4	3	1	1	3	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	4	1	2	1	–	2	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	2	1	1	1	–	1	–	–	–	–	–	–
Liver Disease	2	8	4	7	11	15	4	1	4	1	1	–	–	–	–	–
Spleen Disease	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Nephritis	–	1	2	1	1	1	1	–	1	–	–	–	–	–	–	–
Nephria	4	3	3	6	1	2	5	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	1	1	1	2	–	1	–	1	–	–	–	–	–	–
Diabetes	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	1	1	3	1	1	–	–	–	–	–	–
Stricture of Urethra	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	5	7	4	3	10	3	3	2	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	1	1	–	2	4	2	1	–	2	–	–	–	–	–
Joint Disease	1	–	1	1	1	–	1	2	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	5	–	5	–	3	2	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	2	1	–	1	1	–	1	–	–	–	–	–	–	–
Suffocation	3	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	8	10	7	4	2	3	1	2	–	–	–	–	–	–	1
Fracture and Contusion	16	12	13	16	15	9	7	8	5	1	3	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	1	1	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	2	1	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Not Specified	–	1	1	1	4	4	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7078	601	286	598	843	378	247	173	400	176	243	279	264
SPECIFIED CAUSES	7037	592	281	595	838	377	247	171	397	175	241	279	264
I. Zymotic Class	1554	69	72	173	333	162	129	79	181	58	34	49	44
II. Diseases of Uncertain Seat	215	3	–	4	6	4	3	2	4	2	5	7	4
III. Tubercular Class	1363	14	35	83	133	58	50	45	97	74	142	143	121
IV. Brain and Nervous System	600	60	22	45	52	35	12	13	33	12	11	9	9
V. Organs of Circulation	332	3	2	–	–	–	–	–	5	4	10	14	12
VI. Respiratory Organs	1485	84	78	183	221	97	38	16	39	13	20	18	25
VII. Organs of Digestion	490	48	33	80	72	11	4	8	15	3	4	10	18
VIII. Urinary Organs	60	–	–	–	–	1	2	1	4	2	5	3	6
IX. Organs of Generation	85	–	–	–	–	–	–	–	–	–	2	20	18
X. Organs of Locomotion	40	–	–	–	–	1	–	1	5	5	5	1	1
XI. Skin, etc.	9	1	1	1	3	–	–	–	–	–	–	–	–
XII. Malformation	15	15	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	323	277	27	19	–	–	–	–	–	–	–	–	–
XIV. Atrophy	57	–	–	–	16	3	3	2	4	1	–	–	–
XV. Age	256	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	17	1	–	2	–	–	–	–	1	–	–	1	–
XVIII. Violent Deaths	136	17	11	5	2	5	6	4	9	1	3	4	6
I. Small Pox	99	7	6	2	4	–	2	1	7	12	12	14	13
Measles	284	–	3	58	123	39	30	11	15	3	–	–	–
Scarlatina	275	1	6	17	29	41	43	28	78	23	2	2	1
Diphtheria	82	–	1	4	20	14	10	7	15	5	–	1	2
Hooping Cough	164	5	11	41	55	22	15	9	6	–	–	–	–
Croup	97	1	5	8	30	17	13	12	10	1	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	214	33	29	28	48	12	4	1	10	1	–	1	2
Dysentery	17	–	2	–	2	–	–	–	–	–	–	–	1
Cholera	7	–	1	1	–	1	–	–	2	–	–	–	–
Influenza	12	1	–	1	–	–	–	–	2	–	–	–	–
Purpura	5	1	–	1	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	30	–	–	–	–	–	–	–	–	–	3	6	5
Enteric Fever	119	–	1	3	12	8	8	6	28	8	10	6	7
Relapsing Fever	3	–	–	–	–	–	–	–	–	2	–	–	–
Simple Continued Fever	20	–	–	4	1	4	3	1	3	1	–	–	1
Infantile Remittent	11	–	–	1	4	2	–	1	3	–	–	–	–
Metria	46	–	–	–	–	–	–	–	–	–	3	15	9
Rheumatic Fever	6	–	–	–	–	–	–	1	–	1	–	1	–
Erysipelas	26	9	1	2	2	–	–	1	–	–	2	1	–
Pyæmia	11	–	–	–	–	1	1	–	1	1	1	2	2
Syphilis	22	11	5	2	1	1	–	–	–	–	–	–	1
Noma	2	–	–	–	2	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	–	–	–	–	–	–	–	1	1
Dropsy	53	–	–	1	2	4	2	2	4	1	2	4	–
Abscess	17	1	–	3	2	–	1	–	–	1	2	1	–
Ulcer	6	1	–	–	1	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	1	–	–	1	–	–	–	–	–	–	1	2
Cancer	120	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	78	1	4	6	12	6	9	8	9	8	7	3	–
Tabes Mesenterica	109	8	9	11	35	9	8	6	15	4	1	1	–
Phthisis	953	1	5	8	28	20	7	17	55	57	134	139	121
Hydrocephalus	223	4	17	58	58	23	26	14	18	5	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	242	219	271	244	261	237	311	243	256	151	95	42	11	5	1	1
Specified Causes	240	218	268	243	259	237	311	242	256	151	95	42	11	5	1	1
Zymotic Class	33	20	27	10	17	12	13	11	10	8	8	1	–	–	–	1
Uncertain Seat	11	10	28	24	17	20	24	14	13	4	5	–	1	–	–	–
Tubercular Class	94	80	69	52	37	21	8	7	–	–	–	–	–	–	–	–
Brain, etc.	14	13	18	27	34	27	44	43	36	19	8	4	–	–	–	–
Heart, etc.	18	25	24	36	24	43	41	23	29	14	5	–	–	–	–	–
Respiratory Organs	30	18	57	56	77	75	103	86	80	47	14	8	–	1	1	–
Digestive Organs	17	17	22	14	25	15	32	22	11	2	5	1	–	1	–	–
Urinary Organs	6	2	6	4	4	1	6	3	2	–	2	–	–	–	–	–
Generative Organs	10	17	11	3	1	1	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	1	2	2	2	2	2	4	1	1	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	4	9	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	24	28	68	52	46	25	10	3	–	–
Sudden Deaths	–	–	1	2	1	3	1	3	1	–	–	–	–	–	–	–
Violent Deaths	6	11	4	9	11	3	11	–	2	3	1	2	–	–	–	–
Small Pox	8	2	5	–	2	–	1	–	1	–	–	–	–	–	–	–
Measles	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	4	2	3	6	4	7	2	7	7	1	–	–	–	–
Dysentery	1	2	1	–	2	1	2	–	3	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	1	2	2	2	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	3	2	3	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	3	4	5	2	3	2	1	1	–	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	13	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	1	–	1	1	2	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	2	–		–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	3	5	1	3	6	4	1	2	2	–	1	–	–	–
Abscess	3	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	2	–	–	1	1	1	–	–	–	–	–
Cancer	5	6	23	18	15	14	18	8	9	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	93	79	68	51	37	19	8	6	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	103	3	4	12	19	10	7	6	17	6	3	3	3
Apoplexy	141	2	5	9	5	3	1	2	5	1	2	1	1
Paralysis	120	–	–	–	–	–	1	1	–	1	3	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	1	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	–	–	–	–	–	1	1	2	3
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	128	54	10	19	21	12	3	4	5	–	–	–	–
Brain Disease	84	–	3	5	7	9	–	–	6	3	2	3	–
V. Pericarditis	8	–	1	–	–	–	–	–	1	–	2	–	1
Aneurism	3	–	–	–	–	–	–	–	1	–	–	–	–
Heart Disease	321	3	1	–	–	–	–	–	3	4	8	14	11
VI. Laryngitis	12	–	–	1	1	3	1	–	–	1	–	1	–
Bronchitis	1118	67	58	149	160	78	28	13	23	2	7	9	16
Pleurisy	16	–	–	–	–	1	–	–	1	–	1	1	1
Pneumonia	275	16	20	31	55	13	7	3	13	6	10	6	7
Asthma	23	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	41	1	–	2	5	2	2	–	2	4	2	1	1
VII. Teething	111	–	4	52	49	6	–	–	–	–	–	–	–
Quinsey	5	–	–	–	1	1	–	1	2	–	–	–	–
Gastritis	33	4	2	1	1	1	2	2	2	–	–	3	4
Enteritis	92	22	14	19	11	1	–	1	2	1	–	1	3
Peritonitis	18	–	–	1	–	–	1	–	1	1	2	3	2
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	–	–	–	1	–	1	–	–
Hernia	10	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	17	1	2	2	–	–	1	–	1	–	–	1	2
Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	89	16	10	5	10	1	–	2	2	1	1	–	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	–	–	–	–	1	–	1	2	–	–	2	–
Jaundice	16	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	64	3	1	–	–	–	–	1	2	–	–	–	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	–	–	1	1	1	2	–	–	–	–
Nephria	15	–	–	–	–	–	–	–	1	1	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	1	–	–	–	–	–	1
Diabetes	5	–	–	–	–	–	–	–	–	–	1	–	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	25	–	–	–	–	–	–	–	1	1	4	2	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	63	–	–	–	–	–	–	–	–	–	2	18	15
Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	1	1
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	20	–	–	–	–	–	–	–	–	1	4	1	–
Joint Disease	19	–	–	–	–	1	–	1	5	4	1	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	1	1	1	3	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	5	2	3	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	–	1	–	1	–	–	1	–	2	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	1	1	4	2	2	5	–	1	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	22	10	9	–	–	–	–	–	–	–	–	–	–
Drowning	14	1	–	–	–	–	–	–	1	1	–	–	2
Fracture and Contusion	36	–	–	–	–	–	4	2	2	–	–	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	2	–
Not Specified	41	9	5	3	5	1	–	2	3	1	2	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	2	–	2	1	1	–	1	–	–	–	–	–	–	–
Apoplexy	3	5	6	16	14	9	11	18	12	6	3	1	–	–	–	–
Paralysis	1	2	3	2	14	13	21	21	18	12	4	2	–	–	–	–
Delirium Tremens	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	6	8	3	2	9	4	5	1	1	1	–	–	–	–
Pericarditis	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	18	24	23	35	24	42	41	23	28	14	5	–	–	–	–	–
Laryngitis	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	17	12	39	35	62	60	87	71	70	36	10	7	–	1	1	–
Pleurisy	2	1	1	1	3	–	1	–	1	–	–	1	–	–	–	–
Pneumonia	9	4	12	8	7	9	9	10	8	9	3	–	–	–	–	–
Asthma	–	–	1	6	2	5	4	3	–	1	1	–	–	–	–	–
Lung Disease	2	1	3	4	2	1	2	2	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	2	–	1	2	2	1	1	–	–	–	–	–	–	–	–
Enteritis	6	2	1	3	1	–	–	2	1	–	1	–	–	–	–	–
Peritonitis	2	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	4	–	2	1	1	–	–	–	–	–	–	–
Ileus	–	–	1	–	2	–	1	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	4	2	2	5	11	6	3	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	–	1	2	1	3	–	–	1	–	–	–	–	–
Jaundice	1	1	3	–	2	–	1	–	3	2	1	–	–	–	–	–
Liver Disease	2	5	7	6	10	4	12	6	1	–	–	1	–	1	–	–
Spleen Disease	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	1	3	1	3	1	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	1	3	1	–	4	1	2	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	10	10	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	4	3	3	1	1	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	1	2	2	–	1	4	–	1	–	–	–	–	–
Joint Disease	–	1	1	1	–	–	1	1	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	3	2	4	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Drowning	–	2	–	2	2	–	2	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	3	1	3	3	1	7	–	–	3	1	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	1	3	1	2	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	3210	316	145	298	336	166	91	77	151	86	104	135	127
Specified Causes	3174	306	140	296	333	165	91	76	149	85	103	134	126
I. Zymotic Class	716	39	34	93	126	75	34	41	66	20	23	43	38
II. Diseases of Uncertain Seat	81	2	–	–	1	2	1	–	2	1	3	1	3
III. Tubercular Class	569	15	28	44	57	36	23	11	43	34	45	46	43
IV. Brain and Nervous System	305	31	10	20	18	9	9	6	7	6	5	6	4
V. Organs of Circulation	118	1	–	–	–	–	1	1	–	6	8	1	3
VI. Respiratory Organs	604	40	42	92	99	28	15	10	12	4	4	11	9
VII. Organs of Digestion	186	25	8	24	22	6	4	5	9	2	1	5	9
VIII. Urinary Organs	29	–	–	–	–	–	1	1	2	–	4	5	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	5	2
X. Organs of Locomotion	17	–	–	–	–	1	1	–	1	–	2	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	8	4	1	2	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	178	146	15	17	–	–	–	–	–	–	–	–	–
XIV. Atrophy	42	–	–	–	7	6	–	1	5	3	1	–	1
XV. Age	206	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	94	2	2	3	3	1	2	–	2	9	7	11	13
I. Small Pox	138	7	9	5	–	5	–	3	6	7	14	33	27
Measles	103	1	1	22	42	21	7	4	2	3	–	–	–
Scarlatina	86	–	–	3	15	14	13	11	26	3	1	–	–
Diphtheria	35	2	–	4	10	2	6	6	3	–	–	–	–
Hooping Cough	88	4	6	17	30	9	2	10	10	–	–	–	–
Croup	52	2	2	12	11	11	4	2	7	1	–	–	–
Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	85	14	10	22	12	1	–	1	1	–	2	–	1
Dysentery	7	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	10	–	1	2	2	1	–	–	1	–	1	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	–	1	–	–	–	–	1	3	3	1
Enteric Fever	42	–	–	1	1	8	2	3	9	4	2	5	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	2	–	–	–	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	5
Rheumatic Fever	4	–	–	–	–	–	–	–	–	1	–	–	1
Erysipelas	7	3	–	1	–	–	–	–	1	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	2
Syphilis	16	6	5	3	2	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	1
Dropsy	19	–	–	–	–	1	–	–	2	–	3	1	1
Abscess	7	–	–	–	1	1	1	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	43	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	35	2	–	4	2	1	4	–	6	5	3	1	1
Tabes Mesenterica	44	1	1	3	8	5	2	3	11	5	–	1	1
Phthisis	360	6	7	9	14	11	7	7	17	20	42	44	41
Hydrocephalus	130	6	20	28	33	19	10	1	9	4	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	117	101	104	103	112	111	144	100	125	78	47	23	8	1	–	4
Specified Causes	116	100	103	101	111	110	144	100	125	78	47	23	8	1	–	3
Zymotic Class	19	13	9	4	13	6	5	7	4	1	2	–	1	–	–	–
Uncertain Seat	6	3	4	9	10	13	6	2	7	3	2	–	–	–	–	–
Tubercular Class	41	22	23	13	18	10	10	4	3	–	–	–	–	–	–	–
Brain, etc.	12	11	17	16	19	17	23	21	24	9	4	–	–	–	–	1
Heart, etc.	8	11	9	10	10	13	12	6	8	9	–	1	–	–	–	–
Respiratory Organs	16	20	23	31	25	28	29	17	29	13	3	2	1	–	–	1
Digestive Organs	4	8	11	5	4	6	13	6	8	1	–	–	–	–	–	–
Urinary Organs	–	2	2	2	–	5	1	1	–	2	–	–	–	–	–	–
Generative Organs	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	3	–	–	5	2	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	1	1	3	3	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	33	31	40	39	36	20	6	1	–	–
Sudden Deaths	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	7	3	3	6	4	6	2	1	1	–	–	–	–	–	1
Small Pox	7	5	3	2	3	1	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	1	–	2	2	1	1	4	4	1	1	–	1	–	–	–
Dysentery	1	–	2	–	3	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	2	–	1	2	1	2	–	–	–	–	–	–	–	–
Enteric Fever	–	2	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	2	1	2	–	2	2	–	–	–	–	–	–
Abscess	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	2	–	–	1	–	2	–	–	–	–	–
Cancer	4	3	2	8	8	7	4	2	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	2	2	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	40	21	22	13	16	8	10	3	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	42	3	4	8	5	4	4	5	4	3	1	–	1
Apoplexy	53	1	–	4	–	1	3	–	1	1	1	1	1
Paralysis	88	–	–	–	–	1	–	–	–	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	1	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	54	25	6	7	11	3	1	–	1	–	–	–	–
Brain Disease	51	2	–	1	2	–	1	1	–	2	2	3	1
V. Pericarditis	2	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	113	1	–	–	–	–	1	–	–	6	8	1	3
VI. Laryngitis	6	–	–	–	3	–	–	–	–	–	–	1	–
Bronchitis	354	25	27	61	56	16	9	5	7	1	–	2	1
Pleurisy	10	–	1	–	–	–	–	–	–	–	–	2	1
Pneumonia	216	14	14	31	40	11	6	5	5	3	4	6	5
Asthma	12	–	–	–	–	1	–	–	–	–	–	–	1
Lung Disease	6	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	26	–	–	14	11	1	–	–	–	–	–	–	–
Quinsey	6	2	–	–	3	–	–	–	1	–	–	–	–
Gastritis	4	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	40	10	5	4	4	1	2	3	3	–	1	–	–
Peritonitis	19	–	1	1	–	–	–	1	2	1	–	4	1
Ascites	2	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	5	1	–	1	–	–	–	–	1	–	–	–	1
Hernia	5	–	–	1	–	–	1	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	31	7	2	2	2	3	1	–	–	1	–	–	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	12	5	–	1	–	1	–	–	1	–	–	–	–
Liver Disease	25	–	–	–	–	–	–	–	1	–	–	1	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	1	–
Nephria	16	–	–	–	–	–	1	–	1	–	2	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	2	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	7	–	–	–	–	–	–	–	–	–	–	4	1
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	1	–
X. Bone Disease	4	–	–	–	–	–	–	–	1	–	2	–	–
Rheumatism	9	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	1	1	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	1	2	–	1	–	–	1	–	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	–	1	2	–	–	–	–	1	–	–	–	–
Drowning	33	1	–	–	1	1	–	–	1	4	2	6	5
Fracture and Contusion	38	–	1	–	–	–	1	–	–	4	5	4	5
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	1
Not Specified	36	10	5	2	3	1	–	1	2	1	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	4	–	2	3	6	7	5	5	5	2	–	–	–	–	–	–
Paralysis	3	5	7	9	8	5	10	12	17	5	4	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	1	1	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	5	3	4	3	7	4	2	2	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	10	9	10	10	11	12	6	8	9	–	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	9	12	17	14	18	24	7	24	9	3	2	1	–	–	–
Pleurisy	–	–	–	3	–	1	1	1	–	–	–	–	–	–	–	–
Pneumonia	9	10	11	10	9	7	3	5	4	3	–	–	–	–	–	1
Asthma	1	–	–	1	1	2	–	4	1	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	1	1	–	–	2	2	–	1	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	1	–	2	–	1	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	1	1	1	1	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	1	–	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Liver Disease	2	2	5	–	2	1	5	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	1	1	–	3	–	1	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	2	–	–	4	1	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	3	1	1	2	–	–	–	1	1	–	–	–	–	–	–
Fracture and Contusion	1	2	2	1	2	3	5	1	–	–	–	–	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1665	185	84	163	160	73	43	29	84	55	62	70	63
SPECIFIED CAUSES	1641	179	81	161	158	73	43	28	84	54	61	69	62
I. Zymotic Class	362	25	19	44	57	30	17	10	30	11	18	29	25
II. Diseases of Uncertain Seat	37	2	–	–	1	–	1	–	2	1	2	–	–
III. Tubercular Class	279	8	16	24	30	18	11	7	29	22	19	15	19
IV. Brain and Nervous System	155	17	6	13	12	3	4	–	3	3	3	4	1
V. Organs of Circulation	56	1	–	–	–	–	–	–	–	3	4	–	2
VI. Respiratory Organs	338	24	27	56	47	15	5	6	6	2	2	7	3
VII. Organs of Digestion	101	15	6	15	9	3	2	4	7	2	–	2	1
VIII. Urinary Organs	20	–	–	–	–	–	1	1	1	–	3	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	10	–	–	–	–	1	1	–	1	–	2	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	98	85	6	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	2	3	–	–	3	1	1	–	–
XV. Age	87	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	72	–	1	1	–	–	1	–	2	9	7	10	11
I. Small Pox	85	3	5	1	–	1	–	1	1	4	10	25	20
Measles	44	1	–	9	19	9	3	–	1	2	–	–	–
Scarlatina	40	–	–	2	6	7	6	2	14	2	1	–	–
Diphtheria	15	1	–	2	4	–	2	3	2	–	–	–	–
Hooping Cough	35	2	3	8	12	1	2	3	4	–	–	–	–
Croup	30	2	2	8	8	5	2	–	3	–	–	–	–
Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	41	9	6	9	5	–	–	–	1	–	1	–	1
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	6	–	1	1	1	1	–	–	–	–	1	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	1	–	–	–	–	–	3	1	1
Enteric Fever	24	–	–	–	–	5	2	1	3	2	2	3	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	–	1
Erysipelas	5	2	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	11	5	2	3	1	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	11	–	–	–	–	–	–	–	2	–	2	–	–
Abscess	6	–	–	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	25	1	–	2	2	1	3	–	5	4	1	1	1
Tabes Mesenterica	20	–	–	1	5	1	1	1	6	3	–	–	–
Phthisis	158	3	4	6	3	5	2	6	12	12	18	14	18
Hydrocephalus	76	4	12	15	20	11	5	–	6	3	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	54	55	57	53	59	64	69	52	67	34	14	11	1	–	–	4
SPECIFIED CAUSES	53	54	56	52	59	63	69	52	67	34	14	11	1	–	–	3
Zymotic Class	9	7	6	2	7	5	2	4	2	1	2	–	–	–	–	–
Uncertain Seat	4	2	1	3	5	5	4	–	3	–	1	–	–	–	–	–
Tubercular Class	14	8	12	6	7	5	6	1	2	–	–	–	–	–	–	–
Brain, etc.	7	7	8	5	8	11	10	9	13	5	2	–	–	–	–	1
Heart, etc.	2	5	4	5	7	7	4	3	3	5	–	1	–	–	–	–
Respiratory Organs	10	10	14	21	15	17	14	14	17	4	1	–	–	–	–	1
Digestive Organs	2	4	5	3	4	2	7	3	4	1	–	–	–	–	–	–
Urinary Organs	–	2	2	2	–	4	1	–	–	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	3	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	2	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	14	15	22	17	8	10	1	–	–	–
Sudden Deaths	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	7	3	2	4	3	4	1	1	–	–	–	–	–	–	1
Small Pox	5	5	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	1	3	2	1	1	–	–	–	–	–
Dysentery	–	–	2	–	2	–	–	–	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	2	–	–	2	1	–	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	2	1	1	–	2	–	–	–	–	–	–	–
Abscess	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Cancer	2	2	–	2	3	1	3	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	14	7	11	6	6	4	6	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	20	2	3	4	3	1	2	–	1	2	1	–	1
Apoplexy	30	–	–	4	–	1	2	–	1	–	1	1	–
Paralysis	40	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	30	13	3	4	8	1	–	–	1	–	–	–	–
Brain Disease	30	2	–	1	1	–	–	–	–	1	–	2	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	53	1	–	–	–	–	–	–	–	3	4	–	2
VI. Laryngitis	3	–	–	–	1	–	–	–	–	–	–	1	–
Bronchitis	186	13	18	36	25	8	3	3	4	1	–	2	–
Pleurisy	6	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	132	10	9	20	21	7	2	3	2	1	2	3	2
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	6	3	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	2	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	22	6	4	3	2	–	–	2	2	–	–	–	–
Peritonitis	13	–	1	1	–	–	–	1	2	1	–	1	–
Ascites	2	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	4	1	–	1	–	–	–	–	1	–	–	–	–
Hernia	4	–	–	1	–	–	1	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	20	5	1	2	2	3	1	–	–	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	1	–	–	–	–	1	–	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	1	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Nephria	11	–	–	–	–	–	1	–	1	–	2	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	–	–	–	–	1	–	2	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	1	1	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	1	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	–	1	–	–	–	–	1	–	–	–	–
Drowning	27	–	–	–	–	–	–	–	1	4	2	6	4
Fracture and Contusion	32	–	1	–	–	–	–	–	–	4	5	4	5
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	1
Not Specified	24	6	3	2	2	–	–	1	–	1	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	1	2	6	3	1	3	1	–	–	–	–	–	–
Paralysis	2	4	4	1	4	2	1	6	9	3	2	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	3	2	1	3	6	2	1	1	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	4	5	7	6	4	3	3	5	–	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	1	7	10	8	9	12	5	13	3	1	–	–	–	–	–
Pleurisy	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–
Pneumonia	5	8	7	8	6	5	1	5	3	1	–	–	–	–	–	1
Asthma	–	–	–	1	1	2	–	3	1	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Peritonitis	1	1	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	3	–	2	–	3	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	3	1	–	2	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	–	2	2	1	1	3	3	–	–	–	–	–	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1545	131	61	135	176	93	48	48	67	31	42	65	64
SPECIFIED CAUSES	1533	127	59	135	175	92	48	48	65	31	42	65	64
I. Zymotic Class	354	14	15	49	69	45	17	31	36	9	5	14	13
II. Diseases of Uncertain Seat	44	–	–	–	–	2	–	–	–	–	1	1	3
III. Tubercular Class	290	7	12	20	27	18	12	4	14	12	26	31	24
IV. Brain and Nervous System	150	14	4	7	6	6	5	6	4	3	2	2	3
V. Organs of Circulation	62	–	–	–	–	–	1	1	–	3	4	1	1
VI. Respiratory Organs	266	16	15	36	52	13	10	4	6	2	2	4	6
VII. Organs of Digestion	85	10	2	9	13	3	2	1	2	–	1	3	8
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	1	3	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	5	2
X. Organs of Locomotion	7	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	6	3	1	1	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	80	61	9	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	24	–	–	–	5	3	–	1	2	2	–	–	1
XV. Age	119	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	2	1	2	3	1	1	–	–	–	–	1	2
I. Small Pox	53	4	4	4	–	4	–	2	5	3	4	8	7
Measles	59	–	1	13	23	12	4	4	1	1	–	–	–
Scarlatina	46	–	–	1	9	7	7	9	12	1	–	–	–
Diphtheria	20	1	–	2	6	2	4	3	1	–	–	–	–
Hooping Cough	53	2	3	9	18	8	–	7	6	–	–	–	–
Croup	22	–	–	4	3	6	2	2	4	1	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	44	5	4	13	7	1	–	1	–	–	1	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	1	1	–	–	–	1	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	–	1	–	2	–
Enteric Fever	18	–	–	1	1	3	–	2	6	2	–	2	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	2	–	–	–	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	5
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	5	1	3	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	8	–	–	–	–	1	–	–	–	–	1	1	1
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	2	–	–	1	–	1	1	2	–	–
Tabes Mesenterica	24	1	1	2	3	4	1	2	5	2	–	1	1
Phthisis	202	3	3	3	11	6	5	1	5	8	24	30	23
Hydrocephalus	54	2	8	13	13	8	5	1	3	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	63	46	47	50	53	47	75	48	58	44	33	12	7	1	–	–
SPECIFIED CAUSES	63	46	47	49	52	47	75	48	58	44	33	12	7	1	–	–
Zymotic Class	10	6	3	2	6	1	3	3	2	–	–	–	1	–	–	–
Uncertain Seat	2	1	3	6	5	8	2	2	4	3	1	–	–	–	–	–
Tubercular Class	27	14	11	7	11	5	4	3	1	–	–	–	–	–	–	–
Brain, etc.	5	4	9	11	11	6	13	12	11	4	2	–	–	–	–	–
Heart, etc.	6	6	5	5	3	6	8	3	5	4	–	–	–	–	–	–
Respiratory Organs	6	10	9	10	10	11	15	3	12	9	2	2	1	–	–	–
Digestive Organs	2	4	6	2	–	4	6	3	4	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Generative Organs	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	3	–	–	2	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	19	16	18	22	28	10	5	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	2	1	2	1	–	1	–	–	–	–	–	–
Small Pox	2	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	–	2	2	1	–	1	2	–	–	–	1	–	–	–
Dysentery	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Cancer	2	1	2	6	5	6	1	2	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	14	11	7	10	4	4	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	22	1	1	4	2	3	2	5	3	1	–	–	–
Apoplexy	23	1	–	–	–	–	1	–	–	1	–	–	1
Paralysis	48	–	–	–	–	1	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	1	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	24	12	3	3	3	2	1	–	–	–	–	–	–
Brain Disease	21	–	–	–	1	–	1	1	–	1	2	1	1
V. Pericarditis	1	–	–	–	–	–	–	1	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	60	–	–	–	–	–	1	–	–	3	4	1	1
VI. Laryngitis	3	–	–	–	2	–	–	–	–	–	–	–	–
Bronchitis	168	12	9	25	31	8	6	2	3	–	–	–	1
Pleurisy	4	–	1	–	–	–	–	–	–	–	–	1	1
Pneumonia	84	4	5	11	19	4	4	2	3	2	2	3	3
Asthma	3	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	17	–	–	8	8	1	–	–	–	–	–	–	–
Quinsey	4	2	–	–	1	–	–	–	1	–	–	–	–
Gastritis	3	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	18	4	1	1	2	1	2	1	1	–	1	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	–	–	3	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	2	1	–	–	–	–	–	–	–	–	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	7	2	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	7	–	–	–	–	–	–	–	–	–	–	4	1
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	1	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	2	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	6	1	–	–	1	1	–	–	–	–	–	–	1
Fracture and Contusion	6	–	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	12	4	2	–	1	1	–	–	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	–	1	2	4	1	2	4	2	1	–	–	–	–	–	–
Paralysis	1	1	3	8	4	3	9	6	8	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	1	3	–	1	2	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	6	5	5	3	5	8	3	5	4	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	8	5	7	6	9	12	2	11	6	2	2	1	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	4	2	4	2	3	2	2	–	1	2	–	–	–	–	–	–
Asthma	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Liver Disease	1	–	2	–	–	1	2	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	–	–	2	1	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	4578	419	171	286	402	134	85	67	159	87	120	173	156
Specified Causes	4569	418	169	286	402	134	84	67	158	87	120	172	156
I. Zymotic Class	810	57	48	92	175	57	38	32	60	20	24	36	17
II. Diseases of Uncertain Seat	218	4	1	1	4	–	1	–	1	2	2	5	3
III. Tubercular Class	737	8	33	44	64	25	22	12	48	28	54	77	67
IV. Brain and Nervous System	512	27	15	29	32	9	11	8	9	13	5	6	6
V. Organs of Circulation	370	1	–	–	–	–	–	–	2	6	6	9	16
VI. Respiratory Organs	825	62	40	96	84	35	5	8	20	3	6	10	10
VII. Organs of Digestion	261	23	12	15	23	2	3	–	6	2	4	6	6
VIII. Urinary Organs	125	–	1	–	–	–	2	1	4	3	8	4	10
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	6	10
X. Organs of Locomotion	36	–	–	–	1	–	1	1	3	6	4	3	–
XI. Skin, etc.	8	–	–	–	1	–	–	–	–	1	–	–	1
XII. Malformation	21	15	3	–	2	1	–	–	–	–	–	–	–
XIII. Premature Debility	211	196	8	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	28	–	–	–	10	2	–	1	1	2	1	–	–
XV. Age	214	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	154	25	8	2	5	3	1	4	4	1	6	10	10
I. Small Pox	14	–	1	–	–	–	–	1	–	3	2	1	2
Measles	135	2	2	29	61	15	10	8	7	–	–	1	–
Scarlatina	53	–	–	2	6	6	7	5	20	5	1	–	1
Diphtheria	34	–	–	1	9	9	2	6	5	–	–	2	–
Hooping Cough	92	4	4	22	32	13	10	3	4	–	–	–	–
Croup	47	2	3	5	17	9	3	4	4	–	–	–	–
Thrush	5	4	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	161	30	28	27	36	–	–	2	1	–	1	–	–
Dysentery	8	–	3	–	–	–	–	–	–	–	–	–	–
Cholera	14	–	1	1	5	–	1	–	–	–	–	1	–
Influenza	4	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	1	–	1	1	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	77	1	–	–	–	1	2	–	1	4	9	8	4
Enteric Fever	83	–	–	–	1	2	1	2	17	7	8	16	5
Relapsing Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	–	–	–	–	–	1	–	–
Infantile Remittent	5	–	–	1	2	–	1	–	1	–	–	–	–
Metria	15	–	–	–	–	–	–	–	–	–	–	4	3
Rheumatic Fever	10	–	–	–	–	–	–	–	–	1	1	1	–
Erysipelas	26	5	3	1	2	–	–	1	–	–	–	1	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	19	8	2	2	3	–	–	–	–	–	1	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	1	–	–	–	–	–	–	1	–	1	–
Dropsy	15	2	–	–	1	–	1	–	–	–	–	–	–
Abscess	11	2	–	1	3	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	1	1	–
Mortification	17	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	157	–	–	–	–	–	–	–	1	1	1	2	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	48	1	–	3	5	2	4	2	7	6	3	2	2
Tabes Mesenterica	74	4	7	9	19	9	7	3	9	3	2	–	–
Phthisis	477	1	3	2	5	3	2	2	15	16	47	74	65
Hydrocephalus	138	2	23	30	35	11	9	5	17	3	2	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	163	182	191	204	205	217	260	247	256	172	135	63	13	11	–	–
Specified Causes	163	180	191	203	205	217	260	247	256	172	135	63	13	11	–	–
Zymotic Class	20	18	26	12	17	9	10	10	17	4	8	2	1	–	–	–
Uncertain Seat	4	10	12	19	24	31	28	20	23	12	8	2	1	–	–	–
Tubercular Class	62	50	41	40	22	20	9	8	3	–	–	–	–	–	–	–
Brain, etc.	15	21	17	30	27	30	41	45	50	35	22	6	2	1	–	–
Heart, etc.	20	22	30	33	41	35	42	50	27	14	4	11	1	–	–	–
Respiratory Organs	13	24	26	26	30	52	67	58	60	48	31	10	1	–	–	–
Digestive Organs	11	11	12	15	22	16	24	13	18	9	6	1	1	–	–	–
Urinary Organs	5	10	10	10	10	5	14	13	10	3	1	1	–	–	–	–
Generative Organs	7	4	5	2	2	–	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	2	2	–	3	1	5	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	4	4	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	19	37	45	52	29	6	10	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	7	9	10	6	14	5	5	11	2	2	1	–	–	–	–
Small Pox	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	1	–	4	2	2	6	8	3	4	2	1	–	–	–
Dysentery	1	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Cholera	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	7	10	6	4	2	6	2	2	–	–	–	–	–	–	–
Enteric Fever	1	8	5	2	4	1	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	2	1	1	3	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	1	2	–	1	–	4	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	2	1	–	1	–	–	1	–	1	–	–	–	–	–
Dropsy	–	–	1	1	–	–	3	1	3	1	–	1	–	–	–	–
Abscess	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	–	2	2	4	4	2	–	–	–	–	–
Cancer	4	10	8	17	22	27	21	14	14	5	5	1	1	–	–	–
Gout	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Scrofula	2	1	1	1	1	3	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	60	49	40	38	20	17	8	7	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	59	1	8	10	11	4	6	3	5	4	–	2	–
Apoplexy	140	2	–	4	4	1	–	2	1	1	1	1	1
Paralysis	115	–	–	–	–	–	–	–	–	1	1	–	1
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	24	–	–	1	–	–	–	1	–	1	2	2	1
Tetanus	3	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	11	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	63	20	7	12	15	3	3	1	2	–	–	–	–
Brain Disease	86	3	–	2	2	1	2	1	1	6	1	1	2
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	25	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	340	1	–	–	–	–	–	–	2	6	6	9	14
VI. Laryngitis	10	1	–	3	–	–	–	–	–	–	1	–	–
Bronchitis	540	37	31	72	67	24	4	5	8	1	1	3	3
Pleurisy	19	–	–	–	–	–	–	–	2	1	1	1	4
Pneumonia	198	20	9	18	16	9	1	2	9	1	1	6	2
Asthma	21	–	–	–	–	–	–	–	1	–	1	–	–
Lung Disease	37	4	–	3	1	2	–	1	–	–	1	–	1
VII. Teething	22	–	2	7	13	–	–	–	–	–	–	–	–
Quinsey	9	1	–	–	2	–	1	–	1	–	–	–	–
Gastritis	6	1	1	–	1	–	–	–	1	–	–	–	–
Enteritis	27	8	2	3	1	1	–	–	1	–	1	1	–
Peritonitis	20	1	1	–	–	–	1	–	3	1	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	10	–	1	–	–	–	–	–	–	–	–	1	1
Hernia	13	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	16	1	–	3	–	–	–	–	–	–	1	1	–
Intussusception	3	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	52	6	4	1	2	1	1	–	–	–	–	–	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	14	2	–	–	2	–	–	–	–	–	–	–	1
Liver Disease	54	3	–	1	1	–	–	–	–	1	1	2	2
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	–	–	–	2	1	2	–	–	–	1
Nephria	43	–	–	–	–	–	–	–	1	2	5	2	5
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	6	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	10	–	–	–	–	–	–	–	–	1	3	–	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	8	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	33	–	–	–	–	–	–	–	1	–	–	2	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	–	6	6
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	4
X. Bone Disease	8	–	–	–	1	–	–	–	–	–	1	1	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	20	–	–	–	–	–	1	1	3	6	3	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	7	–	–	–	1	–	–	–	–	1	–	–	1
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	11	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	1	–	1	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	1	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	2	2	1	–	–	–	–	–	–	2
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	30	14	5	–	–	–	–	–	–	–	1	2	–
Drowning	6	–	–	–	1	1	–	–	1	1	–	–	–
Fracture and Contusion	60	–	–	–	1	1	–	2	2	–	3	7	5
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	12	–	–	–	–	–	1	1	1	–	1	1	1
Not Specified	9	1	2	–	–	–	1	–	1	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	3	–	–	–	–	–	–	1	–	–	–	–	–
Apoplexy	5	4	3	11	14	11	15	15	20	13	11	–	–	–	–	–
Paralysis	3	8	3	10	4	7	13	19	20	14	7	3	1	–	–	–
Delirium Tremens	–	2	2	2	1	1	2	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	4	–	2	2	1	1	–	–	1	–	–	–	–	–
Tetanus	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	2	2	1	1	1	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	4	2	6	7	8	9	8	7	1	2	1	1	–	–
Pericarditis	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	3	3	4	2	3	6	1	–	–	–	–	–	–	–
Heart Disease	17	21	27	30	36	33	38	44	26	14	4	11	1	–	–	–
Laryngitis	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	5	8	13	12	16	33	40	43	48	35	22	8	1	–	–	–
Pleurisy	1	–	–	3	–	1	2	1	1	–	1	–	–	–	–	–
Pneumonia	7	10	10	6	10	12	17	8	6	10	7	1	–	–	–	–
Asthma	–	–	1	4	1	1	4	2	2	3	1	–	–	–	–	–
Lung Disease	–	3	1	1	3	5	3	4	3	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	1	1	1	1	1	2	1	–	1	–	–	–	–	–	–	–
Peritonitis	1	1	1	2	1	–	3	1	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	–	1	3	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	2	1	3	3	–	3	–	–	–	–	–
Ileus	–	1	–	1	3	1	3	1	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stomach Disease	3	2	2	1	4	3	4	2	7	6	1	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	1	1	2	–	–	2	1	–	2	–	–	–	–	–	–
Liver Disease	2	2	4	6	9	7	5	1	5	–	1	1	–	–	–	–
Spleen Disease	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Nephria	2	4	6	2	4	2	2	3	2	1	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–	–
Diabetes	1	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	2	2	1	1	–	–	–	–	–
Stricture of Urethra	–	1	1	1	1	1	2	1	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	4	4	1	7	1	5	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–
Childbirth	6	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	1	5	–	–	–	–	–	–	–	–
Joint Disease	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Intemperance	–	1	2	2	–	3	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	2	2	–	–	2	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	6	5	3	6	3	4	5	2	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	2	–	–	2	–	–	1	–	–	–	–
Not Specified	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2321	246	80	174	222	71	45	31	77	42	65	93	77
SPECIFIED CAUSES	2314	246	78	174	222	71	45	31	76	42	65	92	77
I. Zymotic Class	418	35	21	55	94	29	21	10	27	10	16	21	8
II. Diseases of Uncertain Seat	90	2	–	1	4	–	1	–	1	2	1	2	1
III. Tubercular Class	385	5	19	24	38	12	10	8	24	11	25	45	31
IV. Brain and Nervous System	259	16	3	13	17	5	7	4	4	6	4	2	4
V. Organs of Circulation	192	1	–	–	–	–	–	–	1	2	3	3	8
VI. Respiratory Organs	401	36	14	63	42	21	2	3	10	2	4	3	9
VII. Organs of Digestion	124	13	5	9	14	1	2	–	1	2	2	2	3
VIII. Urinary Organs	80	–	1	–	–	–	2	1	3	1	3	1	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	26	–	–	–	1	–	–	1	2	5	3	3	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	14	10	2	–	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	130	116	7	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	–	–	1	–	–	–	–	–
XV. Age	80	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	101	12	6	2	5	2	–	3	3	1	4	10	8
I. Small Pox	11	–	1	–	–	–	–	1	–	2	1	1	2
Measles	72	2	1	17	34	6	5	3	3	–	–	1	–
Scarlatina	27	–	–	1	2	4	4	3	10	2	–	–	1
Diphtheria	16	–	–	1	6	5	2	1	–	–	–	1	–
Hooping Cough	47	4	–	13	15	8	4	1	2	–	–	–	–
Croup	29	1	3	2	13	5	2	1	2	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	71	15	13	17	16	–	–	–	–	–	1	–	–
Dysentery	5	–	2	–	–	–	–	–	–	–	–	–	–
Cholera	9	–	–	1	4	–	1	–	–	–	–	1	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	1	–	–	1	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	43	1	–	–	–	–	1	–	–	1	6	4	1
Enteric Fever	45	–	–	–	–	–	–	–	9	4	6	11	2
Relapsing Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	–	1	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	–	–	–	–	–	–	–	–	1	1	1	–
Erysipelas	10	2	1	–	1	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	14	6	–	2	2	–	–	–	–	–	1	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	1	–	–	–
Dropsy	8	1	–	–	1	–	1	–	–	–	–	–	–
Abscess	6	1	–	1	3	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	63	–	–	–	–	–	–	–	1	1	1	1	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	23	–	–	1	2	2	1	2	3	4	1	1	2
Tabes Mesenterica	44	4	4	4	11	6	5	2	4	1	2	–	–
Phthisis	240	–	2	1	2	1	1	1	7	5	20	43	29
Hydrocephalus	78	1	13	18	23	3	3	3	10	1	2	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	84	107	94	114	96	108	107	130	108	74	43	26	4	3	–	–
SPECIFIED CAUSES	84	105	94	113	96	108	107	130	108	74	43	26	4	3	–	–
Zymotic Class	10	10	12	10	7	2	6	3	7	1	2	1	–	–	–	–
Uncertain Seat	–	5	4	6	8	17	9	13	7	4	1	1	–	–	–	–
Tubercular Class	36	27	19	21	8	8	6	5	3	–	–	–	–	–	–	–
Brain, etc.	7	13	11	18	11	16	21	27	22	14	10	3	1	–	–	–
Heart, etc.	12	17	11	23	27	15	16	32	8	7	4	2	–	–	–	–
Respiratory Organs	10	14	12	15	12	25	23	23	28	17	10	3	–	–	–	–
Digestive Organs	4	3	9	5	10	8	9	7	8	3	3	1	–	–	–	–
Urinary Organs	2	7	8	6	6	3	9	10	7	3	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	1	2	–	2	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	7	15	23	12	13	3	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	6	7	6	5	10	2	2	3	2	–	1	–	–	–	–
Small Pox	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	–	1	1	3	1	–	1	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	6	4	3	1	4	1	2	–	–	–	–	–	–	–
Enteric Fever	1	6	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–
Cancer	–	5	3	5	8	16	8	7	3	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	35	27	18	21	7	8	5	4	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	29	1	1	3	5	2	5	3	3	3	–	–	–
Apoplexy	62	2	–	2	1	1	–	–	–	–	1	1	1
Paralysis	67	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	1	–	–	–	1	–	–	2	1	–
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	32	10	2	7	9	2	1	–	1	–	–	–	–
Brain Disease	37	2	–	–	2	–	1	–	–	3	–	–	2
V. Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	19	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	169	1	–	–	–	–	–	–	1	2	3	3	6
VI. Laryngitis	3	–	–	1	–	–	–	–	–	–	1	–	–
Bronchitis	258	22	10	48	35	14	2	1	5	–	1	2	3
Pleurisy	11	–	–	–	–	–	–	–	2	1	1	–	4
Pneumonia	100	10	4	11	7	5	–	2	3	1	–	1	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	23	4	–	3	–	2	–	–	–	–	1	–	1
VII. Teething	13	–	1	4	8	–	–	–	–	–	–	–	–
Quinsey	4	1	–	–	–	–	1	–	–	–	–	–	–
Gastritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	3	2	2	1	–	–	–	–	–	–	–	–
Peritonitis	9	1	–	–	–	–	1	–	1	1	1	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	1	–	2	–	–	–	–	–	–	–	–	–
Intussusception	2	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	20	3	1	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	7	1	–	–	2	–	–	–	–	–	–	–	1
Liver Disease	32	2	–	1	–	–	–	–	–	1	1	2	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	7	–	–	–	–	–	2	1	1	–	–	–	1
Nephria	23	–	–	–	–	–	–	–	1	–	2	–	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	1	1	–	1
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	–	–	1	–	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	7	–	–	–	1	–	–	–	–	–	–	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	16	–	–	–	–	–	–	1	2	5	3	2	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	6	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	1	–	1	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	2	2	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	6	3	–	–	–	–	–	–	–	–	2	–
Drowning	6	–	–	–	1	1	–	–	1	1	–	–	–
Fracture and Contusion	45	–	–	–	1	1	–	1	1	–	3	7	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	8	–	–	–	–	–	–	1	1	–	1	1	1
Not Specified	7	–	2	–	–	–	–	–	1	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	2	1	4	6	6	7	9	5	5	5	–	–	–	–	–
Paralysis	2	8	2	8	2	3	6	11	10	7	4	3	–	–	–	–
Delirium Tremens	–	2	2	2	1	1	2	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	3	–	1	–	1	1	–	–	1	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	1	1	5	3	5	5	2	–	–	1	–	–	–
Pericarditis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	–	2	3	3	2	2	4	1	–	–	–	–	–	–	–
Heart Disease	9	17	9	20	24	13	13	28	7	7	4	2	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	6	4	8	5	16	12	18	21	13	6	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Pneumonia	6	6	8	4	4	6	8	4	3	4	2	–	–	–	–	–
Asthma	–	–	–	3	1	–	–	1	–	–	1	–	–	–	–	–
Lung Disease	–	2	–	–	2	3	1	–	3	–	–	1	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Ileus	–	1	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	1	–	3	1	3	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	2	1	4	2	6	4	1	–	2	–	1	1	–	–	–	–
Spleen Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	4	5	1	1	2	1	1	2	1	–	–	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	1	–	–	2	2	1	1	–	–	–	–	–
Stricture of Urethra	–	1	1	1	1	1	2	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	2	3	–	4	1	3	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	3	5	4	3	5	1	2	2	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Not Specified	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2257	173	91	112	180	63	40	36	82	45	55	80	79
SPECIFIED CAUSES	2255	172	91	112	180	63	39	36	82	45	55	80	79
I. Zymotic Class	392	22	27	37	81	28	17	22	33	10	8	15	9
II. Diseases of Uncertain Seat	128	2	1	–	–	–	–	–	–	–	1	3	2
III. Tubercular Class	352	3	14	20	26	13	12	4	24	17	29	32	36
IV. Brain and Nervous System	253	11	12	16	15	4	4	4	5	7	1	4	2
V. Organs of Circulation	178	–	–	–	–	–	–	–	1	4	3	6	8
VI. Respiratory Organs	424	26	26	33	42	14	3	5	10	1	2	7	1
VII. Organs of Digestion	137	10	7	6	9	1	1	–	5	–	2	4	3
VIII. Urinary Organs	45	–	–	–	–	–	–	–	1	2	5	3	5
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	6	10
X. Organs of Locomotion	10	–	–	–	–	–	1	–	1	1	1	–	–
XI. Skin, etc.	6	–	–	–	1	–	–	–	–	1	–	–	1
XII. Malformation	7	5	1	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	81	80	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	5	2	–	–	1	2	1	–	–
XV. Age	134	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	53	13	2	–	–	1	1	1	1	–	2	–	2
I. Small Pox	3	–	–	–	–	–	–	–	–	1	1	–	–
Measles	63	–	1	12	27	9	5	5	4	–	–	–	–
Scarlatina	26	–	–	1	4	2	3	2	10	3	1	–	–
Diphtheria	18	–	–	–	3	4	–	5	5	–	–	1	–
Hooping Cough	45	–	4	9	17	5	6	2	2	–	–	–	–
Croup	18	1	–	3	4	4	1	3	2	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	90	15	15	10	20	–	–	2	1	–	–	–	–
Dysentery	3	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	5	–	1	–	1	–	–	–	–	–	–	–	–
Influenza	3	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	–	1	1	–	1	3	3	4	3
Enteric Fever	38	–	–	–	1	2	1	2	8	3	2	5	3
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	3	–	–	1	2	–	–	–	–	–	–	–	–
Metria	15	–	–	–	–	–	–	–	–	–	–	4	3
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	16	3	2	1	1	–	–	1	–	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	5	2	2	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	1	–	–	–	–	–	–	–	–	1	–
Dropsy	7	1	–	–	–	–	–	–	–	–	–	–	–
Abscess	5	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	12	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	94	–	–	–	–	–	–	–	–	–	–	1	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	25	1	–	2	3	–	3	–	4	2	2	1	–
Tabes Mesenterica	30	–	3	5	8	3	2	1	5	2	–	–	–
Phthisis	237	1	1	1	3	2	1	1	8	11	27	31	36
Hydrocephalus	60	1	10	12	12	8	6	2	7	2	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	79	75	97	90	109	109	153	117	148	98	92	37	9	8	–	–
Specified Causes	79	75	97	90	109	109	153	117	148	98	92	37	9	8	–	–
Zymotic Class	10	8	14	2	10	7	4	7	10	3	6	1	1	–	–	–
Uncertain Seat	4	5	8	13	16	14	19	7	16	8	7	1	1	–	–	–
Tubercular Class	26	23	22	19	14	12	3	3	–	–	–	–	–	–	–	–
Brain, etc.	8	8	6	12	16	14	20	18	28	21	12	3	1	1	–	–
Heart, etc.	8	5	19	10	14	20	26	18	19	7	–	9	1	–	–	–
Respiratory Organs	3	10	14	11	18	27	44	35	32	31	21	7	1	–	–	–
Digestive Organs	7	8	3	10	12	8	15	6	10	6	3	–	1	–	–	–
Urinary Organs	3	3	2	4	4	2	5	3	3	–	–	–	–	–	–	–
Generative Organs	7	4	5	2	2	–	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	1	–	4	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	12	22	22	40	16	3	7	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	2	4	1	4	3	3	8	–	2	–	–	–	–	–
Small Pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	–	3	2	1	5	5	2	4	1	1	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	4	2	1	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	–	2	2	–	3	1	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	–	2	–	–	–	2	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Dropsy	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	–	1	–	3	3	2	–	–	–	–	–
Cancer	4	5	5	12	14	11	13	7	11	3	4	1	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	1	1	–	1	1	3	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	25	22	22	17	13	9	3	3	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	30	–	7	7	6	2	1	–	2	1	–	2	–
Apoplexy	78	–	–	2	3	–	–	2	1	1	–	–	–
Paralysis	48	–	–	–	–	–	–	–	–	1	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	1	–	1	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	31	10	5	5	6	1	2	1	1	–	–	–	–
Brain Disease	49	1	–	2	–	1	1	1	1	3	1	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	171	–	–	–	–	–	–	–	1	4	3	6	8
VI. Laryngitis	7	1	–	2	–	–	–	–	–	–	–	–	–
Bronchitis	282	15	21	24	32	10	2	4	3	1	–	1	–
Pleurisy	8	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	98	10	5	7	9	4	1	–	6	–	1	5	1
Asthma	15	–	–	–	–	–	–	–	1	–	1	–	–
Lung Disease	14	–	–	–	1	–	–	1	–	–	–	–	–
VII. Teething	9	–	1	3	5	–	–	–	–	–	–	–	–
Quinsey	5	–	–	–	2	–	–	–	1	–	–	–	–
Gastritis	4	–	1	–	1	–	–	–	1	–	–	–	–
Enteritis	15	5	–	1	–	1	–	–	1	–	1	1	–
Peritonitis	11	–	1	–	–	–	–	–	2	–	–	1	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	1	–	–	–	–	–	–	–	–	1	1
Hernia	10	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	1	–	–	–	–	–	–	1	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	32	3	3	1	–	–	1	–	–	–	–	–	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	22	1	–	–	1	–	–	–	–	–	–	–	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	20	–	–	–	–	–	–	–	–	2	3	2	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	2	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	–	–	–	–	1	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	25	–	–	–	–	–	–	–	–	–	–	6	6
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	–	4
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	1	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	–	–	–	1	–	–	–	–	1	–	–	1
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	5	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	–	–	–	–	–	–	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	16	8	2	–	–	–	–	–	–	–	1	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	–	–	–	1	1	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	2	1	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Apoplexy	2	2	2	7	8	5	8	6	15	8	6	–	–	–	–	–
Paralysis	1	–	1	2	2	4	7	8	10	7	3	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	3	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	2	1	5	2	5	4	3	5	1	2	–	1	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	1	–	1	2	–	–	–	–	–	–	–	–
Heart Disease	8	4	18	10	12	20	25	16	19	7	–	9	1	–	–	–
Laryngitis	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	9	4	11	17	28	25	27	22	16	6	1	–	–	–
Pleurisy	1	–	–	3	–	1	1	1	–	–	–	–	–	–	–	–
Pneumonia	1	4	2	2	6	6	9	4	3	6	5	1	–	–	–	–
Asthma	–	–	1	1	–	1	4	1	2	3	–	–	–	–	–	–
Lung Disease	–	1	1	1	1	2	2	4	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	1	2	1	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	1	2	2	–	3	–	–	–	–	–
Ileus	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	2	1	–	3	3	1	1	4	4	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	1	–	2	–	–	1	–	–	2	–	–	–	–	–	–
Liver Disease	–	1	–	4	3	3	4	1	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	2	–	1	1	3	–	1	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	2	1	1	3	–	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–
Childbirth	6	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Intemperance	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	1	–	1	2	2	3	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	3281	446	147	211	280	127	86	59	132	73	89	113	91
Specified Causes	3278	446	147	211	280	127	86	59	131	73	88	113	91
I. Zymotic Class	740	82	48	80	124	57	51	29	63	17	18	17	18
II. Diseases of Uncertain Seat	98	4	1	–	1	2	1	1	2	1	–	3	1
III. Tubercular Class	459	8	17	19	25	12	8	13	19	20	43	54	37
IV. Brain and Nervous System	312	38	15	14	16	7	6	2	18	5	6	2	6
V. Organs of Circulation	189	–	–	–	–	–	–	–	4	3	3	11	7
VI. Respiratory Organs	654	50	39	65	85	44	15	8	14	7	8	5	6
VII. Organs of Digestion	190	26	10	23	22	3	2	2	4	6	3	9	3
VIII. Urinary Organs	43	1	–	–	2	–	–	–	1	3	2	3	–
IX. Organs of Generation	22	–	–	1	1	–	–	–	–	–	–	2	2
X. Organs of Locomotion	18	–	1	–	–	–	–	–	2	5	–	–	1
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	7	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	232	218	8	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	2	1	–	–	1	–	–	–	–
XV. Age	159	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	3	1	1	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	126	8	7	2	2	1	3	4	3	6	5	7	9
I. Small Pox	14	2	1	–	–	2	–	1	1	1	–	–	–
Measles	26	–	1	6	8	5	2	1	2	–	–	1	–
Scarlatina	37	1	–	1	7	4	4	5	9	5	–	–	1
Diphtheria	105	3	–	5	25	20	15	11	22	2	1	–	1
Hooping Cough	77	8	4	15	24	12	9	3	2	–	–	–	–
Croup	65	1	2	6	20	6	14	6	10	–	–	–	–
Thrush	5	4	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	213	51	31	43	34	7	5	1	5	–	–	2	–
Dysentery	22	–	–	–	1	–	–	–	–	1	–	1	–
Cholera	3	–	1	–	–	–	–	–	1	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	69	–	–	–	1	–	–	–	2	5	4	5	6
Enteric Fever	40	–	–	–	2	1	1	1	7	1	8	3	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	1	–	2	–	–	–	–	–	–	–	–	–
Metria	19	–	–	–	–	–	–	–	–	–	3	4	4
Rheumatic Fever	6	–	–	–	–	–	–	–	–	1	2	–	–
Erysipelas	9	2	1	1	1	–	–	–	1	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	18	9	7	1	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	–	–	–	–	–	–	–	–	1	–
Dropsy	30	1	–	–	–	1	1	1	–	1	–	1	1
Abscess	10	1	–	–	1	–	–	–	1	–	–	1	–
Ulcer	3	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	39	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	–	2	1	4	–	–	2	4	3	–	2	–
Tabes Mesenterica	14	2	3	–	5	1	–	1	–	1	–	1	–
Phthisis	361	1	2	2	8	3	3	2	12	16	42	51	37
Hydrocephalus	64	5	10	16	8	8	5	8	3	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	136	103	144	145	141	136	188	148	127	82	47	24	5	1	–	–
Specified Causes	135	103	144	145	141	136	188	148	127	82	47	24	5	1	–	–
Zymotic Class	25	14	19	16	11	10	19	9	5	4	3	1	–	–	–	–
Uncertain Seat	6	2	9	13	11	8	12	8	9	3	–	–	–	–	–	–
Tubercular Class	48	33	37	21	20	13	10	1	1	–	–	–	–	–	–	–
Brain, etc.	7	11	12	12	15	20	27	29	26	12	3	3	–	–	–	–
Heart, etc.	8	7	13	17	19	21	31	25	12	5	1	2	–	–	–	–
Respiratory Organs	18	16	22	36	39	45	53	40	18	13	6	2	–	–	–	–
Digestive Organs	6	7	7	11	5	6	14	8	7	5	1	–	–	–	–	–
Urinary Organs	3	4	4	3	4	1	2	4	3	2	1	–	–	–	–	–
Generative Organs	2	1	7	3	1	–	–	1	1	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	2	–	1	–	2	1	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	6	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	20	40	34	32	16	5	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	12	6	12	9	8	6	8	2	3	3	–	–	–	–	–	–
Small Pox	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	1	4	3	2	6	8	2	1	3	1	–	–	–	–	–
Dysentery	5	1	2	3	1	1	4	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	6	8	7	7	1	4	4	–	–	–	–	–	–	–	–
Enteric Fever	1	2	–	2	–	1	1	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	4	3	3	5	1	5	1	–	–	–	–	–	–
Abscess	–	–	2	1	–	1	–	1	1	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	2	1	1	–	–	2	1	1	–	–	–	–	–	–
Cancer	1	1	5	6	7	4	7	4	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	47	33	36	21	20	13	10	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	32	1	2	2	2	–	2	–	10	1	3	–	2
Apoplexy	84	2	3	5	4	3	1	–	2	1	–	1	–
Paralysis	83	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	1	1	1	1
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	71	35	10	7	9	3	2	2	3	–	–	–	–
Brain Disease	27	–	–	–	1	1	1	–	3	1	1	–	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	185	–	–	–	–	–	–	–	4	3	3	11	6
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	459	46	35	56	63	27	11	4	9	4	1	2	2
Pleurisy	6	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	171	4	4	9	22	17	4	4	5	3	7	3	4
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
VII Teething	38	–	2	15	19	2	–	–	–	–	–	–	–
Quinsey	5	–	1	2	1	–	–	–	–	–	–	–	–
Gastritis	10	–	1	2	–	–	–	–	–	–	–	–	–
Enteritis	40	19	3	3	2	–	2	–	1	3	–	–	–
Peritonitis	13	–	–	–	–	–	–	1	1	1	1	4	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	1	–	–	–	1	–	–	1	–	1	–	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	11	–	–	–	–	–	–	–	–	1	–	1	1
Intussusception	5	–	1	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	12	2	2	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	–	–	–	–	–	–	–	1	–	1
Jaundice	7	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	21	1	–	–	–	–	–	1	–	–	–	3	–
Spleen Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	4	–	–	–	2	–	–	–	1	–	–	–	–
Nephria	19	1	–	–	–	–	–	–	–	1	2	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	2	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	1	1
Organs of Generation	13	–	–	1	1	–	–	–	–	–	–	1	1
X. Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	7	–	1	–	–	–	–	–	–	1	–	–	–
Joint Disease	9	–	–	–	–	–	–	–	2	3	–	–	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	1	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	1	1	1	4	–	–	–	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	21	7	7	–	1	–	–	–	1	–	–	–	1
Drowning	16	–	–	1	–	–	1	–	–	1	1	2	1
Fracture and Contusion	50	1	–	–	–	–	1	–	2	4	1	5	4
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	9	–	–	–	–	–	–	–	–	1	3	–	–
Not Specified	3	–	–	–	–	–	–	–	1	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Apoplexy	3	2	6	6	5	7	9	10	9	2	2	1	–	–	–	–
Paralysis	2	4	3	3	4	10	15	16	13	9	1	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	3	1	2	1	3	2	–	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	8	7	13	17	18	21	29	25	12	5	1	2	–	–	–	–
Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	8	5	11	15	28	31	40	30	15	9	6	1	–	–	–	–
Pleurisy	1	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Pneumonia	8	9	9	13	10	10	9	9	3	4	–	1	–	–	–	–
Asthma	–	–	–	5	–	3	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	2	2	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	5	1	–	1	–	–	–	–	–	–
Peritonitis	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	2	–	–	–	1	1	–	1	–	–	–	–	–	–
Ileus	–	1	1	–	2	–	1	–	3	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	2	1	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Liver Disease	1	1	2	5	1	–	3	2	1	–	–	–	–	–	–	–
Spleen Disease	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	1	2	3	–	1	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	1	1	–	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	3	1	–	1	–	3	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	5	2	1	–	–	–	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	1	–	3	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Drowning	3	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	5	3	5	4	2	3	1	2	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1624	257	86	118	156	62	50	27	71	46	41	45	48
SPECIFIED CAUSES	1622	257	86	118	156	62	50	27	71	46	40	45	48
I. Zymotic Class	363	48	23	41	61	24	24	14	29	8	12	8	12
II. Diseases of Uncertain Seat	38	3	1	–	1	1	1	–	1	1	–	2	–
III. Tubercular Class	199	5	11	10	13	5	6	9	11	13	11	15	16
IV. Brain and Nervous System	167	21	10	7	15	6	4	1	12	1	5	1	3
V. Organs of Circulation	79	–	–	–	–	–	–	–	2	2	–	4	3
VI. Respiratory Organs	337	30	20	39	48	23	13	1	8	3	6	2	3
VII. Organs of Digestion	102	17	7	14	14	1	1	–	2	5	–	4	3
VIII. Urinary Organs	26	1	–	–	2	–	–	–	1	2	2	2	–
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	13	–	1	–	–	–	–	–	2	5	–	–	1
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	133	123	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	1	–	–	–	–	–	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	91	2	7	2	–	1	1	2	3	6	4	7	6
I. Small Pox	6	1	–	–	–	–	–	–	–	–	–	–	–
Measles	15	–	–	4	6	2	2	–	1	–	–	–	–
Scarlatina	18	1	–	–	5	2	3	1	3	3	–	–	–
Diphtheria	46	1	–	2	12	9	6	6	9	–	1	–	–
Hooping Cough	30	3	3	5	11	2	5	1	–	–	–	–	–
Croup	38	1	2	3	12	3	6	4	7	–	–	–	–
Thrush	3	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	104	32	12	23	12	5	2	1	1	–	–	1	–
Dysentery	7	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	3	–	1	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	1
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	–	–	–	–	–	2	4	4	4	6
Enteric Fever	26	–	–	–	1	1	–	1	3	–	6	3	5
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	1	–	2	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	6	1	1	1	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	10	5	4	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	–	1	1	–	–	1	–	1	–
Abscess	8	1	–	–	1	–	–	–	1	–	–	1	–
Ulcer	2	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	2	–	2	–	–	2	3	2	–	–	–
Tabes Mesenterica	8	2	1	–	2	–	–	1	–	1	–	1	–
Phthisis	145	1	1	1	6	2	3	–	7	10	10	14	16
Hydrocephalus	35	2	7	9	3	3	3	6	1	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	42	49	56	70	62	51	99	75	54	32	15	9	2	1	–	–
SPECIFIED CAUSES	41	49	56	70	62	51	99	75	54	32	15	9	2	1	–	–
Zymotic Class	8	7	9	7	3	5	11	2	2	2	2	1	–	–	–	–
Uncertain Seat	2	1	1	2	4	4	4	5	3	1	–	–	–	–	–	–
Tubercular Class	11	14	13	12	14	5	4	–	1	–	–	–	–	–	–	–
Brain, etc.	2	5	7	8	7	7	14	16	9	4	1	1	–	–	–	–
Heart, etc.	1	4	2	8	7	5	18	15	4	3	1	–	–	–	–	–
Respiratory Organs	8	8	11	19	15	18	27	20	8	5	1	1	–	–	–	–
Digestive Organs	1	4	1	3	1	3	9	4	5	3	–	–	–	–	–	–
Urinary Organs	–	1	1	1	2	–	2	3	3	2	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	8	17	10	9	6	2	1	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	5	9	7	7	2	7	2	2	1	–	–	–	–	–	–
Small Pox	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	2	–	2	5	1	1	2	–	–	–	–	–	–
Dysentery	2	–	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	5	4	4	2	1	3	–	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Cancer	1	–	1	–	3	1	3	3	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	14	13	12	14	5	4	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	17	1	2	–	2	–	1	–	6	–	2	–	–
Apoplexy	43	1	2	4	4	2	1	–	1	–	–	1	–
Paralysis	38	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	44	19	6	3	8	3	2	1	2	–	–	–	–
Brain Disease	19	–	–	–	1	1	–	–	3	1	1	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	75	–	–	–	–	–	–	–	2	2	–	4	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	231	27	18	35	36	13	10	–	5	1	1	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	97	3	2	4	12	10	3	1	3	2	5	2	2
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	21	–	–	8	13	–	–	–	–	–	–	–	–
Quinsey	2	–	1	1	–	–	–	–	–	–	–	–	–
Gastritis	6	–	1	2	–	–	–	–	–	–	–	–	–
Enteritis	26	12	3	2	1	–	1	–	–	3	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	1	–	–	–	1	–	–	1	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	6	–	–	–	–	–	–	–	–	1	–	1	1
Intussusception	4	–	1	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	1	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	2	–	–	–	1	–	–	–	–
Nephria	11	1	–	–	–	–	–	–	–	–	2	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	2	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	5	–	1	–	–	–	–	–	–	1	–	–	–
Joint Disease	6	–	–	–	–	–	–	–	2	3	–	–	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	1	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	1	–	2	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	2	7	–	–	–	–	–	1	–	–	–	–
Drowning	15	–	–	1	–	–	1	–	–	1	1	2	1
Fracture and Contusion	43	–	–	–	–	–	–	–	2	4	1	5	4
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	–	–	–	–	–	–	–	–	1	2	–	–
Not Specified	2	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	1	1	2	4	1	4	4	7	2	–	1	–	–	–	–	–
Paralysis	–	3	3	2	3	1	7	6	7	3	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	2	–	1	1	3	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Heart Disease	1	4	2	8	6	5	16	15	4	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	2	4	9	9	12	18	14	6	5	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	6	5	7	6	5	7	5	2	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	2	2	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	2	–	–	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	–	–	3	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	–	–	–	1	1	–	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	5	3	5	3	1	3	1	1	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1657	189	61	93	124	65	36	32	61	27	48	68	43
SPECIFIED CAUSES	1656	189	61	93	124	65	36	32	60	27	48	68	43
I. Zymotic Class	377	34	25	39	63	33	27	15	34	9	6	9	6
II. Diseases of Uncertain Seat	60	1	–	–	–	1	–	1	1	–	–	1	1
III. Tubercular Class	260	3	6	9	12	7	2	4	8	7	32	39	21
IV. Brain and Nervous System	145	17	5	7	1	1	2	1	6	4	1	1	3
V. Organs of Circulation	110	–	–	–	–	–	–	–	2	1	3	7	4
VI. Respiratory Organs	317	20	19	26	37	21	2	7	6	4	2	3	3
VII. Organs of Digestion	88	9	3	9	8	2	1	2	2	1	3	5	–
VIII. Urinary Organs	17	–	–	–	–	–	–	–	–	1	–	1	–
IX. Organs of Generation	21	–	–	–	1	–	–	–	–	–	–	2	2
X Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	–	–	–
XI Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	99	95	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	104	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	2	1	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	6	–	–	2	–	2	2	–	–	1	–	3
I. Small Pox	8	1	1	–	–	2	–	1	1	1	–	–	–
Measles	11	–	1	2	2	3	–	1	1	–	–	1	–
Scarlatina	19	–	–	1	2	2	1	4	6	2	–	–	1
Diphtheria	59	2	–	3	13	11	9	5	13	2	–	–	1
Hooping Cough	47	5	1	10	13	10	4	2	2	–	–	–	–
Croup	27	–	–	3	8	3	8	2	3	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	109	19	19	20	22	2	3	–	4	–	–	1	–
Dysentery	15	–	–	–	–	–	–	–	–	1	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	–	–	–	1	–	–	–	–	1	–	1	–
Enteric Fever	14	–	–	–	1	–	1	–	4	1	2	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	19	–	–	–	–	–	–	–	–	–	3	4	4
Rheumatic Fever	4	–	–	–	–	–	–	–	–	1	1	–	–
Erysipelas	3	1	–	–	1	–	–	–	–	–	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	4	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	22	1	–	–	–	–	–	1	–	–	–	–	1
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	26	–	–	–	–	–	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	1	2	–	–	–	1	1	–	2	–
Tabes Mesenterica	6	–	2	–	3	1	–	–	–	–	–	–	–
Phthisis	216	–	1	1	2	1	–	2	5	6	32	37	21
Hydrocephalus	29	3	3	7	5	5	2	2	2	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	94	54	88	75	79	85	89	73	73	50	32	15	3	–	–	–
SPECIFIED CAUSES	94	54	88	75	79	85	89	73	73	50	32	15	3	–	–	–
Zymotic Class	17	7	10	9	8	5	8	7	3	2	1	–	–	–	–	–
Uncertain Seat	4	1	8	11	7	4	8	3	6	2	–	–	–	–	–	–
Tubercular Class	37	19	24	9	6	8	6	1	–	–	–	–	–	–	–	–
Brain, etc.	5	6	5	4	8	13	13	13	17	8	2	2	–	–	–	–
Heart, etc.	7	3	11	9	12	16	13	10	8	2	–	2	–	–	–	–
Respiratory Organs	10	8	11	17	24	27	26	20	10	8	5	1	–	–	–	–
Digestive Organs	5	3	6	8	4	3	5	4	2	2	1	–	–	–	–	–
Urinary Organs	3	3	3	2	2	1	–	1	–	–	–	–	–	–	–	–
Generative Organs	2	1	7	3	1	–	–	1	1	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	–	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	5	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	12	23	24	23	10	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	4	1	3	2	1	4	1	–	1	2	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	3	1	2	4	3	1	–	1	1	–	–	–	–	–
Dysentery	3	1	1	3	1	1	3	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	1	4	3	5	–	1	4	–	–	–	–	–	–	–	–
Enteric Fever	–	1	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	5	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	4	3	1	4	1	4	1	–	–	–	–	–	–
Abscess	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	2	1	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	–	1	4	6	4	3	4	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	36	19	23	9	6	8	6	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—Females. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	15	–	–	2	–	–	1	–	4	1	1	–	2
Apoplexy	41	1	1	1	–	1	–	–	1	1	–	–	–
Paralysis	45	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	1	–
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	16	4	4	1	–	–	1	1	–	–	–	–
Brain Disease	8	–	–	–	–	–	1	–	–	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	110	–	–	–	–	–	–	–	2	1	3	7	4
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	228	19	17	21	27	14	1	4	4	3	–	2	1
Pleurisy	6	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	74	1	2	5	10	7	1	3	2	1	2	1	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	17	–	2	7	6	2	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	7	–	1	1	–	1	–	1	–	–	–	–
Peritonitis	9	–	–	–	–	–	–	1	–	1	1	3	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	1	–	–	–	–	–	1	–	–	–	2	–
Spleen Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	12	–	–	–	1	–	–	–	–	–	–	1	1
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	–	1	2	–	–	–	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	9	5	–	–	1	–	–	–	–	–	–	–	1
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	1	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	1	–	–	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	2	1	4	2	4	3	5	3	7	2	1	1	–	–	–	–
Paralysis	2	1	–	1	1	9	8	10	6	6	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	1	1	–	–	2	–	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	3	11	9	12	16	13	10	8	2	–	2	–	–	–	–
Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	3	7	6	19	19	22	16	9	4	5	–	–	–	–	–
Pleurisy	1	1	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Pneumonia	3	3	4	6	4	5	2	4	1	4	–	1	–	–	–	–
Asthma	–	–	–	4	–	2	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	–	–	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	1	1	2	3	1	–	–	2	–	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	3	1	–	1	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	5	2	1	–	–	–	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2120	209	76	137	181	90	49	30	111	60	69	74	77
Specified Causes	2115	209	76	137	181	90	49	29	110	59	68	74	76
I. Zymotic Class	450	31	27	45	80	50	30	15	57	12	16	7	6
II. Diseases of Uncertain Seat	97	4	–	–	1	1	1	–	5	4	1	4	3
III. Tubercular Class	303	10	5	18	23	10	6	2	25	16	35	29	34
IV. Brain and Nervous System	246	24	7	17	15	8	–	6	9	7	3	7	1
V. Organs of Circulation	116	–	–	–	1	–	–	–	–	–	4	1	3
VI. Respiratory Organs	336	25	21	36	44	14	9	4	5	4	2	6	8
VII. Organs of Digestion	135	11	8	17	14	3	1	1	3	3	–	1	6
VIII. Urinary Organs	60	–	–	–	–	1	–	–	2	1	2	10	5
IX. Organs of Generation	17	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	18	–	–	–	–	–	–	–	1	5	1	1	1
XI. Skin, etc.	3	1	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	12	10	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	93	84	6	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	3	–	1	–	1	–	–	–	–
XV. Age	150	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	71	9	1	–	–	2	1	1	2	7	3	5	4
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	21	–	–	3	8	3	4	1	2	–	–	–	–
Scarlatina	104	–	–	2	14	19	14	3	41	7	1	1	–
Diphtheria	25	–	–	3	4	4	6	1	3	2	1	–	1
Hooping Cough	83	6	8	20	29	10	3	3	4	–	–	–	–
Croup	26	1	1	4	9	5	1	4	1	–	–	–	–
Thrush	7	6	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	61	9	12	10	8	–	1	1	–	1	2	–	–
Dysentery	8	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	2	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	33	1	–	–	–	1	–	1	2	1	3	2	1
Enteric Fever	33	–	–	1	3	1	1	1	2	–	8	2	1
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	3	–	–	–	1	1	–	–	–	1	–	–	–
Infantile Remittent	7	–	–	–	1	5	–	–	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	10	1	–	–	2	–	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis	13	6	5	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	1	–	–	–	1	–	–	–	–	–	1	2
Dropsy	21	1	–	–	1	–	–	–	4	3	–	3	–
Abscess	6	1	–	–	–	–	–	–	–	1	1	–	–
Ulcer	9	–	–	–	–	–	1	–	1	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	44	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	–	–	3	1	1	–	–	1	2	3	1	2
Tabes Mesenterica	17	1	1	–	6	2	1	–	6	–	–	–	–
Phthisis	208	–	–	4	4	2	–	1	11	11	31	28	32
Hydrocephalus	58	9	4	11	12	5	5	1	7	3	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	63	61	69	49	76	60	91	99	146	93	83	49	12	6	–	–
Specified Causes	63	61	69	49	76	60	91	99	146	93	83	49	12	6	–	–
Zymotic Class	6	8	8	6	8	5	9	9	5	5	4	1	–	–	–	–
Uncertain Seat	3	7	3	5	7	11	13	9	6	5	3	1	–	–	–	–
Tubercular Class	21	13	22	8	10	4	5	4	2	–	1	–	–	–	–	–
Brain, etc.	3	10	8	8	11	10	16	16	32	14	10	3	–	1	–	–
Heart, etc.	7	2	8	3	11	8	21	15	19	6	3	3	1	–	–	–
Respiratory Organs	5	9	6	8	14	10	11	16	32	20	18	7	2	–	–	–
Digestive Organs	3	3	5	6	6	8	6	11	5	8	4	2	–	–	–	–
Urinary Organs	3	1	2	3	3	1	2	6	9	4	3	2	–	–	–	–
Generative Organs	2	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	–	1	1	–	–	1	–	3	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	8	31	27	36	30	8	5	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	4	4	1	4	2	1	4	5	1	1	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	1	–	–	1	–	2	2	1	5	2	1	–	–	–	–
Dysentery	1	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	3	3	5	2	–	2	1	–	–	–	–	–	–	–
Enteric Fever	–	–	3	3	–	1	3	2	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	2	1	1	1	–	2	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	1	1	–	1	3	–	–	–	–	–	–	–	–
Abscess	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	2	1	–	–	–	–	–	2	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	2	1	–	1	–	–	–	–	–
Cancer	1	–	1	4	6	8	10	4	3	4	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	20	13	22	7	8	3	4	4	2	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	24	1	–	3	3	4	–	1	3	4	1	1	1
Apoplexy	54	1	–	–	–	–	–	–	–	–	–	1	–
Paralysis	49	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	1	–	1	–	1	1	3	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	59	22	7	12	10	3	–	1	4	–	–	–	–
Brain Disease	40	–	–	2	2	–	–	3	2	1	1	2	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	107	–	–	–	1	–	–	–	–	–	4	1	3
VI. Laryngitis	10	–	–	2	2	1	–	–	2	1	–	1	1
Bronchitis	251	18	19	31	39	10	9	2	2	2	–	2	1
Pleurisy	6	–	–	–	–	–	–	–	–	1	–	1	–
Pneumonia	55	4	2	3	3	3	–	2	1	–	2	2	6
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	3	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	30	–	3	14	11	2	–	–	–	–	–	–	–
Quinsey	8	4	–	1	–	–	–	1	–	–	–	–	–
Gastritis	6	–	–	1	–	–	–	–	1	–	–	–	2
Enteritis	11	–	1	–	1	1	1	–	–	1	–	–	–
Peritonitis	10	1	–	–	1	–	–	–	–	1	–	1	3
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	8	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	20	2	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	1	3	–	–	–	–	–	2	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	3	–	–	–	–	–	–	–	1	–	–	1
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	15	–	–	–	–	1	–	–	1	–	–	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	1	1	2
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	–	–	–	–	–	–	–	1	–	6	2
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Bone Disease	4	–	–	–	–	–	–	–	1	–	–	1	–
Rheumatism	8	–	–	–	–	–	–	–	–	1	–	–	1
Joint Disease	6	–	–	–	–	–	–	–	–	4	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	1	–	1	–	–	–	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	10	4	1	–	–	–	–	–	–	–	2	–	–
Drowning	14	–	–	–	–	1	–	–	1	3	1	1	–
Fracture and Contusion	25	1	–	–	–	–	1	–	1	4	–	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	3	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	–	–	–	–	–	–	1	1	1	1	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	–	2	2	3	2	5	7	9	12	3	5	2	–	–	–	–
Paralysis	–	3	2	1	5	2	6	4	16	3	4	1	–	1	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	2	1	2	2	2	2	3	7	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	3	–	2	2	1	–	–	–	–	–	–	–
Heart Disease	7	2	8	3	8	8	19	12	18	6	3	3	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	5	3	3	8	6	7	13	27	16	18	6	2	–	–	–
Pleurisy	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	2	3	2	4	4	3	2	2	2	2	–	1	–	–	–	–
Asthma	–	–	–	1	–	1	–	1	2	2	–	–	–	–	–	–
Lung Disease	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	1	2	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	1	–	3	–	1	1	–	–	–	–	–
Ileus	–	–	2	1	2	–	2	3	1	3	1	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	–	1	1	1	2	1	1	–	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	2	–	1	–	2	2	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	1	–	1	1	1	1	2	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	–	1	1	1	2	–	–	5	5	2	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	1	–	–	–	1	–	3	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	2	–	2	–	1	–	4	1	1	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1029	111	46	77	108	48	22	18	58	38	29	30	36
SPECIFIED CAUSES	1028	111	46	77	108	48	22	18	57	38	29	30	36
I. Zymotic Class	222	18	14	25	39	26	16	9	27	7	6	3	2
II. Diseases of Uncertain Seat	46	3	–	–	1	1	–	–	4	2	1	2	2
III. Tubercular Class	146	6	4	11	13	7	1	1	11	11	14	14	16
IV. Brain and Nervous System	124	12	3	7	14	3	–	3	5	4	1	2	–
V. Organs of Circulation	59	–	–	–	–	–	–	–	–	–	1	1	2
VI. Respiratory Organs	172	11	12	23	31	6	3	4	3	3	1	–	5
VII. Organs of Digestion	62	6	7	10	8	1	–	1	2	–	–	1	3
VIII. Urinary Organs	32	–	–	–	–	1	–	–	2	–	1	3	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	10	–	–	–	–	–	–	–	1	4	1	–	1
XI. Skin, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	49	44	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	–	1	–	–	–	–	–	–
XV. Age	44	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	47	4	1	–	–	2	1	–	2	7	3	4	2
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	–	–	2	4	1	1	1	–	–	–	–	–
Scarlatina	62	–	–	1	10	9	9	2	23	6	–	1	–
Diphtheria	13	–	–	2	1	2	3	1	2	1	1	–	–
Hooping Cough	35	2	3	12	10	6	1	1	–	–	–	–	–
Croup	13	–	1	2	4	2	1	3	–	–	–	–	–
Thrush	5	5	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	31	5	8	5	5	–	–	1	–	–	–	–	–
Dysentery	4	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	1	–	–	–	–	–	–	–	–	–	2	1
Enteric Fever	16	–	–	1	2	–	1	–	1	–	4	–	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	1	1	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	–	1	4	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis	5	4	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	–	–	–	1	–	–	–	–	–	1	2
Dropsy	12	1	–	–	1	–	–	–	4	2	–	1	–
Abscess	2	–	–	–	–	–	–	–	–	–	1	–	–
Ulcer	6	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	–	1	1	1	–	–	1	2	1	1	2
Tabes Mesenterica	10	1	–	–	5	1	–	–	3	–	–	–	–
Phthisis	90	–	–	2	3	1	–	1	4	6	12	13	14
Hydrocephalus	33	5	4	8	4	4	1	–	3	3	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	28	29	36	23	38	29	36	40	64	33	32	13	4	3	–	–
SPECIFIED CAUSES	28	29	36	23	38	29	36	40	64	33	32	13	4	3	–	–
Zymotic Class	2	5	5	3	2	2	1	5	1	1	2	1	–	–	–	–
Uncertain Seat	1	3	1	2	3	5	3	2	4	3	2	1	–	–	–	–
Tubercular Class	8	5	11	4	5	1	2	1	–	–	–	–	–	–	–	–
Brain, etc.	2	8	3	5	6	6	10	6	13	7	4	–	–	–	–	–
Heart, etc.	4	–	6	1	4	4	10	11	11	3	1	–	–	–	–	–
Respiratory Organs	2	3	2	5	10	3	4	9	14	7	8	2	1	–	–	–
Digestive Organs	–	2	2	2	2	5	1	3	2	3	1	–	–	–	–	–
Urinary Organs	1	–	2	1	3	1	2	2	6	–	3	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	10	8	11	8	2	3	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	4	–	3	1	1	–	3	–	–	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	–	–	1	–	–	–	–	1	2	1	–	–	–	–
Dysentery	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	2	1	1	1	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	2	2	–	–	–	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	2	1	–	–	–	–	–	2	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	2	3	–	–	1	3	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	5	11	3	4	–	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	12	1	–	1	3	2	–	–	2	3	–	–	–
Apoplexy	27	1	–	–	–	–	–	–	–	–	–	1	–
Paralysis	25	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	1	–	–	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	30	10	3	5	9	1	–	–	2	–	–	–	–
Brain Disease	21	–	–	1	2	–	–	2	1	–	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	52	–	–	–	–	–	–	–	–	–	1	1	2
VI. Laryngitis	7	–	–	1	1	1	–	–	2	1	–	–	1
Bronchitis	122	6	10	20	29	5	3	2	1	1	–	–	1
Pleurisy	3	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	30	3	2	2	1	–	–	2	–	–	1	–	3
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	2	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	17	–	3	8	5	1	–	–	–	–	–	–	–
Quinsey	5	2	–	1	–	–	–	1	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	1	–	–	–	1
Enteritis	3	–	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	5	1	–	–	1	–	–	–	–	–	–	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	10	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	1	2	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	6	–	–	–	–	1	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	2
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	–	–	–	–	–	–	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	1	–	–	1
Joint Disease	5	–	–	–	–	–	–	–	–	3	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	4	–	1	–	–	–	–	–	–	–	2	–	–
Drowning	13	–	–	–	–	1	–	–	1	3	1	1	–
Fracture and Contusion	20	1	–	–	–	–	1	–	1	4	–	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	2	1	4	3	3	6	2	1	–	–	–	–	–
Paralysis	–	3	2	1	1	2	4	2	6	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	2	–	2	1	1	4	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–
Heart Disease	4	–	6	1	2	4	8	9	10	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	1	1	4	–	2	7	11	5	8	2	1	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	2	1	–	3	4	2	1	1	1	1	–	–	–	–	–	–
Asthma	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	1	–	–	1	1	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	–	–	1	–	2	–	–	1	4	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	2	–	1	–	1	–	2	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1091	98	30	60	73	42	27	12	53	22	40	44	41
SPECIFIED CAUSES	1087	98	30	60	73	42	27	11	53	21	39	44	40
I. Zymotic Class	228	13	13	20	41	24	14	6	30	5	10	4	4
II. Diseases of Uncertain Seat	51	1	–	–	–	–	1	–	1	2	–	2	1
III. Tubercular Class	157	4	1	7	10	3	5	1	14	5	21	15	18
IV. Brain and Nervous System	122	12	4	10	1	5	–	3	4	3	2	5	1
V. Organs of Circulation	57	–	–	–	1	–	–	–	–	–	3	–	1
VI. Respiratory Organs	164	14	9	13	13	8	6	–	2	1	1	6	3
VII. Organs of Digestion	73	5	1	7	6	2	1	–	1	3	–	–	3
VIII. Urinary Organs	28	–	–	–	–	–	–	–	–	1	1	7	2
IX. Organs of Generation	17	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	3	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	44	40	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	1	–	–	–	–
XV. Age	106	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	5	–	–	–	–	–	1	–	–	–	1	2
I. Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	12	–	–	1	4	2	3	–	2	–	–	–	–
Scarlatina	42	–	–	1	4	10	5	1	18	1	1	–	–
Diphtheria	12	–	–	1	3	2	3	–	1	1	–	–	1
Hooping Cough	48	4	5	8	19	4	2	2	4	–	–	–	–
Croup	13	1	–	2	5	3	–	1	1	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	30	4	4	5	3	–	1	–	–	1	2	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	–	–	–	–	1	–	1	2	1	3	–	–
Enteric Fever	17	–	–	–	1	1	–	1	1	–	4	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	1	2
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	6	–	–	–	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	8	2	4	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	–	–	–	1	–	2	–
Abscess	4	1	–	–	–	–	–	–	–	1	–	–	–
Ulcer	3	–	–	–	–	–	1	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	32	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	2	–	–	–	–	–	–	2	–	–
Tabes Mesenterica	7	–	1	–	1	1	1	–	3	–	–	–	–
Phthisis	118	–	–	2	1	1	–	–	7	5	19	15	18
Hydrocephalus	25	4	–	3	8	1	4	1	4	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	35	32	33	26	38	31	55	59	82	60	51	36	8	3	–	–
SPECIFIED CAUSES	35	32	33	26	38	31	55	59	82	60	51	36	8	3	–	–
Zymotic Class	4	3	3	3	6	3	8	4	4	4	2	–	–	–	–	–
Uncertain Seat	2	4	2	3	4	6	10	7	2	2	1	–	–	–	–	–
Tubercular Class	13	8	11	4	5	3	3	3	2	–	1	–	–	–	–	–
Brain, etc.	1	2	5	3	5	4	6	10	19	7	6	3	–	1	–	–
Heart, etc.	3	2	2	2	7	4	11	4	8	3	2	3	1	–	–	–
Respiratory Organs	3	6	4	3	4	7	7	7	18	13	10	5	1	–	–	–
Digestive Organs	3	1	3	4	4	3	5	8	3	5	3	2	–	–	–	–
Urinary Organs	2	1	–	2	–	–	–	4	3	4	–	1	–	–	–	–
Generative Organs	2	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	–	–	1	–	2	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	7	21	19	25	22	6	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	2	–	1	1	1	–	4	2	1	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	2	2	1	4	–	–	–	–	–	–
Dysentery	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	2	1	2	4	1	–	1	1	–	–	–	–	–	–	–
Enteric Fever	–	–	1	1	–	1	3	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	–	–	–	–	3	–	–	–	–	–	–	–	–
Abscess	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	1	–	1	3	4	5	10	4	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	8	11	4	4	3	2	3	2	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	2	–	2	–	1	1	1	1	1	1
Apoplexy	27	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	1	–	–	–	1	–	3	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	12	4	7	1	2	–	1	2	–	–	–	–
Brain Disease	19	–	–	1	–	–	–	1	1	1	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	1	–	–	–	–	–	3	–	1
VI. Laryngitis	3	–	–	1	1	–	–	–	–	–	–	1	–
Bronchitis	129	12	9	11	10	5	6	–	1	1	–	2	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	25	1	–	1	2	3	–	–	1	–	1	2	3
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	13	–	–	6	6	1	–	–	–	–	–	–	–
Quinsey	3	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	1	–	–	–	–	–	–	–	–	1
Enteritis	8	–	–	–	–	1	1	–	–	1	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	1	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	7	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	1	–	–	–	–	–	1	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	–	–	–	–	–	–	–	1	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	–	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	1	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	–	–	–	–	1	–	3	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	2	4
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	1	1
X. Bone Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	1	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	4	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	5	–	–	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	–	–	–	–	–	–	1	–	1	1	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1873.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Apoplexy	–	–	1	1	1	1	4	6	6	1	4	2	–	–	–	–
Paralysis	–	–	–	–	4	–	2	2	10	2	2	1	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	1	–	2	–	1	2	3	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	3	2	2	2	6	4	11	3	8	3	2	3	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	2	2	4	6	5	6	16	11	10	4	1	–	–	–
Pleurisy	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	2	1	–	1	1	1	1	1	–	1	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	1	–	3	–	1	1	–	–	–	–	–
Ileus	–	–	1	–	1	–	2	2	–	2	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	–	–	–	–	1	2	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	–	–	–	4	1	2	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	2	1	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2220	207	84	180	234	142	83	71	160	74	61	111	100
Specified Causes	2164	184	81	173	230	139	80	70	158	73	60	111	99
I. Zymotic Class	698	28	32	70	101	82	40	41	87	27	25	54	36
II. Diseases of Uncertain Seat	64	–	–	–	5	3	1	2	1	1	–	–	2
III. Tubercular Class	272	6	2	14	24	7	8	7	25	20	24	30	27
IV. Brain and Nervous System	185	13	3	9	12	9	7	5	13	5	2	4	4
V. Organs of Circulation	100	–	–	1	–	–	1	2	1	1	2	2	3
VI. Respiratory Organs	319	26	21	44	40	23	14	6	13	2	3	7	5
VII. Organs of Digestion	122	7	7	19	28	7	2	1	4	6	–	2	7
VIII. Urinary Organs	30	–	–	1	–	1	1	1	2	1	–	1	3
IX. Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	2	4
X. Organs of Locomotion	10	–	–	–	1	–	–	–	2	2	1	–	1
XI. Skin, etc.	5	1	1	–	–	–	–	–	1	–	–	–	–
XII. Malformation	5	4	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	112	89	11	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	36	–	–	–	16	5	2	2	4	2	–	–	–
XV. Age	74	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	1	1	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	112	9	3	1	3	2	4	3	4	6	3	9	7
I. Small Pox	198	10	13	5	5	7	2	7	24	14	18	36	23
Measles	89	1	2	21	32	16	6	5	5	–	–	–	–
Scarlatina	131	–	3	5	20	30	17	13	31	7	–	2	2
Diphtheria	40	–	–	5	10	6	3	6	6	2	–	1	–
Hooping Cough	39	3	4	12	9	5	2	2	2	–	–	–	–
Croup	31	–	2	4	7	13	2	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	56	9	5	10	11	3	–	–	1	–	–	–	2
Dysentery	2	–	–	–	–	–	–	–	–	–	–	1	–
Cholera	6	1	1	–	3	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	–	–	–	–	–	–	–	1	2	3
Enteric Fever	31	–	–	–	–	–	4	1	9	2	3	5	2
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	26	1	1	4	2	2	3	4	6	1	–	–	–
Infantile Remittent	3	–	–	1	1	–	–	–	1	–	–	–	–
Metria	10	–	–	–	–	–	–	–	–	–	1	6	1
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	2	1	–
Erysipelas	11	2	–	2	1	–	–	–	2	1	–	–	1
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	3	1	1	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	23	–	–	–	2	3	1	1	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	1	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	–	2	–	–	–	–	–	–	–	1
Cancer	26	–	–	–	1	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	35	3	–	5	6	1	3	2	4	4	2	2	–
Tabes Mesenterica	7	–	–	1	–	–	–	–	4	–	1	1	–
Phthisis	192	1	–	1	10	2	1	1	11	15	21	27	27
Hydrocephalus	38	2	2	7	8	4	4	4	6	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	78	70	78	61	69	72	77	58	76	32	20	14	4	1	–	3
Specified Causes	78	70	76	61	67	70	77	58	76	32	20	14	4	1	–	2
Zymotic Class	21	13	9	5	4	2	7	–	5	5	1	2	–	–	–	1
Uncertain Seat	1	6	7	5	6	7	3	5	7	1	1	–	–	–	–	–
Tubercular Class	18	19	5	12	6	6	3	4	3	1	1	–	–	–	–	–
Brain, etc.	5	4	12	8	13	11	15	9	15	5	1	–	1	–	–	–
Heart, etc.	4	4	9	10	9	11	15	8	11	4	2	–	–	–	–	–
Respiratory Organs	9	8	13	8	16	13	16	11	10	7	2	2	–	–	–	–
Digestive Organs	4	4	5	2	4	7	1	3	2	–	–	–	–	–	–	–
Urinary Organs	2	2	2	2	–	3	3	2	1	–	2	–	–	–	–	–
Generative Organs	3	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	13	20	9	10	9	3	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	11	7	10	6	6	8	4	3	1	–	–	1	–	–	–	1
Small Pox	15	11	3	2	2	–	–	–	–	–	–	–	–	–	–	1
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	–	–	4	–	3	4	–	2	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	4	3	1	3	2	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	2	2	1	–	–	–	–	–	–
Cancer	1	4	5	4	2	4	2	–	3	–	–	–	–	–	–	–
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	18	18	5	12	6	4	3	4	3	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	35	1	–	3	4	5	4	3	6	3	1	1	1
Apoplexy	50	–	–	–	1	1	–	1	–	–	–	1	2
Paralysis	33	–	–	–	–	–	1	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	24	7	2	5	3	3	1	–	3	–	–	–	–
Brain Disease	33	5	1	1	4	–	1	1	4	2	–	1	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	97	–	–	1	–	–	1	2	1	1	2	2	3
VI. Laryngitis	5	1	–	–	–	–	–	–	1	–	–	1	–
Bronchitis	188	17	14	29	24	15	10	5	3	1	1	–	2
Pleurisy	5	–	–	–	–	–	–	–	–	1	–	2	–
Pneumonia	98	7	6	14	15	7	2	1	8	–	2	2	3
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	16	1	1	1	1	1	2	–	1	–	–	2	–
VII. Teething	40	–	–	13	23	3	1	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	5	–	–	–	1	–	–	–	–	–	–	–	1
Enteritis	17	3	5	3	1	3	–	–	1	–	–	–	–
Peritonitis	15	–	–	–	1	–	–	–	–	3	–	1	3
Ascites	4	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	1	–	–	–	–	–	–	1	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	2	2	1	–	1	–	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	1	–	–	–	–	2
Jaundice	4	1	–	–	–	–	–	–	–	1	–	1	–
Liver Disease	9	1	–	1	–	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	1	–	–	1	–	–	–	–
Nephria	6	–	–	–	–	–	–	1	1	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	1	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	–	–	–	–	1	–	–	1	–	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	13	–	–	–	–	–	–	–	–	–	–	1	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	7	–	–	–	1	–	–	–	2	2	1	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	4	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	9	7	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	19	–	–	1	3	2	–	2	2	1	1	1	2
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	2	1	–	–	–	–	–	–	–	–	–	1
Drowning	24	–	–	–	–	–	–	–	1	1	–	2	–
Fracture and Contusion	46	–	–	–	–	–	3	–	–	4	2	5	3
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	–	1
Not Specified	56	23	3	7	4	3	3	1	2	1	1	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	2	6	3	7	4	6	2	7	4	1	–	1	–	–	–
Paralysis	–	–	2	2	4	4	8	5	6	1	–	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	2	–	1	2	–	2	2	–	–	–	–	–	–	–
Pericarditis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	3	4	9	9	9	11	14	8	11	4	2	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	2	1	3	5	11	10	11	9	7	6	1	1	–	–	–	–
Pleurisy	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	6	6	8	–	3	2	3	1	–	–	1	1	–	–	–	–
Asthma	–	–	–	2	1	–	2	1	1	–	–	–	–	–	–	–
Lung Disease	1	1	–	1	–	1	–	–	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ileus	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	–	1	–	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	2	2	–	1	2	2	–	–	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	4	3	1	2	2	–	1	1	–	–	–	–	–	–	1
Fracture and Contusion	5	3	5	4	3	3	4	1	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	–	2	2	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1589	117	50	99	135	78	58	33	127	55	70	59	45
Specified Causes	1569	106	48	98	134	78	57	32	127	55	69	59	45
I. Zymotic Class	398	11	11	28	65	53	45	29	78	18	11	7	5
II. Diseases of Uncertain Seat	63	1	–	–	3	1	1	–	4	2	1	1	1
III. Tubercular Class	269	6	8	14	23	8	2	2	23	19	39	35	18
IV. Brain and Nervous System	148	9	5	5	3	3	1	–	5	5	3	1	4
V. Organs of Circulation	66	–	–	–	1	–	1	–	–	1	4	1	4
VI. Respiratory Organs	217	14	11	33	14	4	4	1	9	3	4	3	3
VII. Organs of Digestion	120	11	8	13	18	4	–	–	4	2	3	5	2
VIII. Urinary Organs	13	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	1	4	4
X. Organs of Locomotion	10	–	–	–	–	–	–	–	–	3	–	–	2
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	60	50	5	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	7	1	1	–	2	–	–	–	–
XV. Age	127	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	47	1	–	–	–	4	2	–	1	2	3	2	1
I. Small Pox	9	1	1	–	–	–	1	–	–	–	–	3	1
Measles	25	1	–	6	10	4	1	1	1	–	1	–	–
Scarlatina	214	–	3	5	34	37	35	22	60	13	4	–	–
Diphtheria	15	–	–	1	3	3	1	1	4	1	1	–	–
Hooping Cough	9	2	–	1	5	1	–	–	–	–	–	–	–
Croup	25	–	–	6	5	7	4	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	39	3	7	8	5	–	–	1	1	–	1	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	1	–	1	1	1
Enteric Fever	11	–	–	–	1	–	1	1	2	1	1	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	10	1	–	–	1	–	1	1	3	2	–	–	–
Infantile Remittent	6	–	–	–	–	1	1	1	3	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	1	3	2
Rheumatic Fever	3	–	–	–	–	–	–	–	1	1	–	–	1
Erysipelas	8	2	–	1	1	–	–	–	–	–	1	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	25	–	–	–	1	–	1	–	4	2	–	–	–
Abscess	6	–	–	–	1	1	–	–	–	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	25	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	1	–	–	–	3	1	–	–
Tabes Mesenterica	31	1	4	2	9	3	1	1	4	1	2	2	–
Phthisis	202	1	2	5	4	2	1	1	14	15	36	33	18
Hydrocephalus	30	4	2	7	10	2	–	–	5	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	50	31	42	66	56	61	73	79	83	54	36	21	7	2	–	2
Specified Causes	50	31	42	66	55	60	73	79	83	54	36	21	7	2	–	2
Zymotic Class	6	1	3	5	–	3	5	4	4	4	–	–	2	–	–	–
Uncertain Seat	2	4	4	7	5	6	6	4	6	3	–	1	–	–	–	–
Tubercular Class	22	12	4	16	7	4	4	1	–	–	–	–	–	–	–	2
Brain, etc.	5	3	7	6	12	8	13	14	17	11	7	1	–	–	–	–
Heart, etc.	2	2	6	6	7	5	8	7	8	3	–	–	–	–	–	–
Respiratory Organ	4	3	9	11	10	14	21	24	13	3	–	2	–	–	–	–
Digestive Organs	4	3	5	6	7	11	5	3	4	–	1	–	1	–	–	–
Urinary Organs	2	–	–	3	2	1	–	2	–	1	1	–	–	–	–	–
Generative Organs	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	14	28	29	27	17	4	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	4	6	3	6	3	3	2	–	–	–	–	–	–	–
Small Pox	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	2	2	2	2	3	–	–	1	–	–	–
Dysentery	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Cholera	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Enteric Fever	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	3	2	3	1	1	–	2	5	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	1	2	4	3	5	4	2	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	21	12	4	16	7	4	3	1	–	–	–	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	1	–	–	1	1	–	–	–	3	1	–	–
Apoplexy	40	2	3	2	1	–	–	–	2	–	–	–	–
Paralysis	53	–	–	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	–	1	1	1
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	5	2	3	1	2	–	–	–	–	–	–	–
Brain Disease	21	–	–	–	–	–	1	–	3	1	1	–	1
V. Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	64	–	–	–	1	–	–	–	–	1	4	1	4
VI. Laryngitis	5	–	–	1	–	–	1	–	1	1	–	–	–
Bronchitis	159	13	7	31	11	4	2	1	5	–	1	1	1
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	40	1	4	1	3	–	1	–	3	2	3	1	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	26	–	2	11	13	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	31	6	3	2	4	3	–	–	2	1	–	–	1
Peritonitis	10	–	–	–	–	–	–	–	1	–	1	4	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	2	2	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	1	–	–	1	–	–	–	–	–	1	–	–
Liver Disease	19	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	4	4
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	4	–	–	–	–	–	–	–	–	3	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	–	–	1	–	1	1	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	2	–	–	–	–	–	1	1
Fracture and Contusion	17	–	–	–	–	2	–	–	–	1	3	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	20	11	2	1	1	–	1	1	–	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	1	2	3	3	2	2	5	5	3	1	–	–	–	–	–
Paralysis	–	–	2	2	3	4	10	5	10	8	6	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	2	1	1	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	–	5	2	1	3	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	6	6	7	5	7	7	8	3	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	2	2	5	8	5	10	18	18	9	3	–	2	–	–	–	–
Pleurisy	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	3	2	3	1	2	3	2	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	3	–	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	1	2	2	2	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines.	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	2	–	2	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	1	–	–	–	–	1	–	1	–	–	–
Liver Disease	2	1	3	2	1	6	1	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	2	3	1	1	1	1	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1084	131	52	82	113	50	30	16	33	17	26	32	32
Specified Causes	1081	131	51	81	112	50	30	16	33	17	26	32	32
I. Zymotic Class	215	13	14	32	37	21	17	5	11	5	6	5	5
II. Diseases of Uncertain Seat	39	–	–	–	2	–	–	–	–	–	–	–	–
III. Tubercular Class	160	7	4	14	24	8	5	3	9	6	12	18	8
IV. Brain and Nervous System	109	12	5	6	5	4	2	1	1	1	2	2	2
V. Organs of Circulation	61	–	–	1	–	–	–	–	2	1	–	–	2
VI. Respiratory Organs	221	30	17	19	32	12	5	6	6	–	4	2	2
VII. Organs of Digestion	79	6	6	7	6	4	–	1	1	2	–	1	4
VIII. Urinary Organs	18	–	–	–	–	–	–	–	–	1	–	1	3
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	–	3
X. Organs of Locomotion	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	2	–	1	–	1	–	–	–	–	–	–	–	–
XII. Malformation	1	–	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	64	60	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	1	–	–	–	–	–	–	1
XV. Age	50	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	3	2	–	1	–	1	–	2	1	2	3	2
I. Small Pox	3	–	1	1	–	–	–	–	–	–	–	–	–
Measles	25	1	2	5	10	1	4	–	1	–	–	–	1
Scarlatina	13	–	–	1	3	2	1	3	2	–	–	1	–
Diphtheria	4	–	–	–	1	1	1	–	–	–	–	–	–
Hooping Cough	24	2	2	6	8	3	2	–	1	–	–	–	–
Croup	25	–	1	2	6	9	4	–	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	48	9	7	15	7	1	1	–	–	–	–	–	–
Dysentery	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	–	–	1	–	–	2	3	–	2	4
Enteric Fever	17	–	–	–	–	2	1	–	1	1	5	1	–
Relapsing Fever	1	–	–	–	–	–	1	–	–	–	–	–	–
Simple Continued Fever	4	–	–	–	1	1	–	1	–	–	–	–	–
Infantile Remittent	4	–	–	–	–	–	2	1	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	1	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	2	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	5	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	3	1	–	1	–	1	–	–	–	–
Tabes Mesenterica	20	5	2	2	4	1	–	1	2	1	1	–	–
Phthisis	89	–	–	–	–	1	1	1	4	5	11	18	8
Hydrocephalus	44	2	2	9	19	6	3	1	2	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	34	43	36	47	40	48	42	54	56	28	27	13	2	–	–	–
Specified Causes	34	43	36	47	40	48	42	54	56	28	27	13	2	–	–	–
Zymotic Class	9	4	7	4	3	2	2	7	2	1	2	1	–	–	–	–
Uncertain Seat	1	1	3	2	4	4	4	5	2	7	2	2	–	–	–	–
Tubercular Class	6	14	4	8	4	3	2	1	–	–	–	–	–	–	–	–
Brain, etc.	1	3	1	3	5	11	9	9	12	7	4	1	–	–	–	–
Heart, etc.	2	2	5	5	5	9	10	7	4	3	3	–	–	–	–	–
Respiratory Organs	5	5	7	11	3	12	6	16	10	2	4	5	–	–	–	–
Digestive Organs	5	4	6	5	7	4	3	1	4	1	1	–	–	–	–	–
Urinary Organs	–	2	1	1	1	1	–	2	3	1	1	–	–	–	–	–
Generative Organs	2	5	–	2	1	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	19	6	10	4	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	2	5	5	1	2	–	–	–	–	–	–	–	–	–
Small Pox	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	2	1	2	1	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	1	3	2	1	–	2	–	–	1	–	–	–	–	–
Enteric Fever	1	–	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	1	1	–	1	–	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	1	2	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	1	–	2	1	2	3	4	3	1	3	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	12	4	8	4	3	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	1	–	–	2	–	–	1	–	1	1	–	1
Apoplexy	14	–	–	–	1	–	–	–	–	–	–	–	1
Paralysis	43	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	26	10	5	5	2	2	2	–	–	–	–	–	–
Brain Disease	16	1	–	1	–	2	5	–	1	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	58	–	–	1	–	–	–	–	2	1	–	–	2
VI. Laryngitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	158	22	15	16	27	9	3	2	1	–	1	–	–
Pleurisy	6	–	–	–	1	–	–	–	–	–	–	1	1
Pneumonia	50	4	2	3	4	3	2	4	4	–	3	1	1
Asthma	2	–	–	–	–	–	–	–	1	–	–	–	–
Lung Disease	4	3	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	4	4	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	3	2	1	1	1	–	–	–	–	–	1	1
Peritonitis	9	1	–	–	–	–	–	–	1	1	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	1	3	–	–	–	–	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	1	1	2	1	–	–	–	–	1	–	–	–
Liver Disease	15	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	–	–	–	–	1	–	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	9	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	1
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	1	–	–	2	2
Fracture and Contusion	14	–	–	–	–	–	1	–	–	1	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	–	1	1	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	–	–	1	2	1	3	2	–	–	1	–	–	–	–
Paralysis	1	–	–	3	4	5	7	5	10	4	4	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	4	1	1	–	3	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Heart Disease	2	2	4	4	5	9	10	7	3	3	3	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	7	6	2	7	5	14	9	2	4	4	–	–	–	–
Pleurisy	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	3	–	5	–	3	1	2	1	–	–	1	–	–	–	–
Asthma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	–	1	2	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Stomach Disease	–	–	2	2	2	1	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	2	1	3	3	–	2	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	1	1	1	–	2	2	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	2	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	3	3	–	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	637	61	16	20	22	13	7	5	21	23	19	19	21
Specified Causes	634	59	16	20	22	13	7	5	21	23	19	19	21
I. Zymotic Class	87	14	3	6	7	3	4	2	8	4	4	1	6
II. Diseases of Uncertain Seat	21	–	–	–	–	–	–	1	–	–	–	..	–
III. Tubercular Class	109	–	3	2	5	2	–	2	8	9	9	12	6
IV. Brain and Nervous System	81	3	2	2	1	1	–	–	2	3	3	–	6
V. Organs of Circulation	61	–	–	–	1	–	–	–	–	–	2	1	1
VI. Respiratory Organs	92	5	6	7	5	5	2	–	1	2	–	2	–
VII. Organs of Digestion	39	3	2	3	3	–	–	–	1	1	–	–	1
VIII. Urinary Organs	12	–	–	–	–	1	–	–	1	2	–	–	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	1	–
X. Organs of Locomotion	2	–	–	–	–	–	1	–	–	–	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	31	31	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	67	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	1	–	–	–	1	–	–	–	2	1	2	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	–	2	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	1	–	–	–	–
Diphtheria	5	–	–	–	1	–	–	–	2	2	–	–	–
Hooping Cough	2	–	–	–	2	–	–	–	–	–	–	–	–
Croup	7	–	–	–	3	2	1	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	10	3	3	–	–	–	1	–	–	–	–	–
Dysentery	5	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	–	–	–	1	1	1	1	1	2	1	–	3
Enteric Fever	8	–	–	–	–	–	–	–	3	–	2	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	2	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	1	–	–	–	–	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	1	–	–	–	–	1	1	–	1	1	1
Tabes Mesenterica	13	–	1	–	4	1	–	1	4	2	–	–	–
Phthisis	79	–	–	–	–	–	–	–	–	6	8	11	5
Hydrocephalus	9	–	1	2	1	1	–	–	3	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	24	27	32	28	39	27	34	33	58	35	29	15	6	3	–	–
Specified Causes	24	27	32	28	38	27	34	33	58	35	29	15	6	3	–	–
Zymotic Class	1	1	6	2	4	–	4	3	4	–	–	–	–	–	–	–
Uncertain Seat	2	2	3	3	4	2	2	1	–	–	–	–	1	–	–	–
Tubercular Class	10	13	12	7	4	–	1	–	4	–	–	–	–	–	–	–
Brain, etc.	1	3	1	4	7	5	2	9	12	8	5	1	–	–	–	–
Heart, etc.	3	4	1	4	3	6	10	6	14	3	1	–	1	–	–	–
Respiratory Organs	1	2	5	5	8	6	8	6	8	3	2	1	2	–	–	–
Digestive Organs	1	1	3	1	2	5	5	2	3	2	–	–	–	–	–	–
Urinary Organs	–	–	–	1	1	1	–	1	2	–	1	1	–	–	–	–
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	2	10	18	19	12	2	3	–	–
Sudden Deaths	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	4	1	1	1	2	1	1	3	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	1	–	1	2	2	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Caucer	–	2	3	2	3	1	1	–	–	–	–	–	1	–	–	–
Gont	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	13	12	7	3	–	1	–	4	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	2	–	1	–	–
Apoplexy	15	–	–	–	–	–	–	–	–	–	–	–	2
Paralysis	27	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	1	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	5	1	1	1	1	1	–	–	–	–	–	–	–
Brain Disease	24	2	1	1	–	–	–	–	–	2	2	–	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	56	–	–	–	1	–	–	–	–	–	2	1	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	60	3	5	6	5	3	1	–	–	1	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	27	1	1	1	–	2	1	–	1	1	–	2	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	6	–	1	2	3	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	1	–	–	–
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	1	–	–	–	1	–	–	–
Fracture and Contusion	12	–	–	–	–	–	–	–	–	1	1	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1873.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	1	–	3	3	2	1	–	–	–	–	–
Paralysis	–	–	–	2	5	1	1	3	7	3	4	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	–	3	–	1	2	3	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Heart Disease	2	4	–	3	3	6	9	6	13	3	1	–	1	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	4	1	5	3	4	4	7	2	1	1	2	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pneumonia	–	2	1	3	2	2	3	2	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	2	–	1	1	3	–	2	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	1	1	1	1	1	–	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

		DEATHS in 1873.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1873	39°·2	35°·4	39°·7	44°·8	46°·9	55°·9	58°·5	56°·4	51°·4	44°·3	41°·2	42°·5	46°·3
	SCOTLAND	6587	7242	7614	6762	6959	6210	6150	5583	5339	5730	5950	6731	76,857
	PRINCIPAL TOWN DISTRICTS .	2441	2790	2859	2567	2651	2449	2486	2216	2176	2379	2352	2638	30004
	LARGE TOWN DISTRICTS . .	720	849	941	821	915	732	708	634	673	711	755	885	9344
	SMALL TOWN DISTRICTS . .	1493	1593	1724	1497	1551	1425	1413	1294	1135	1241	1316	1531	17213
	MAINLAND-RURAL DISTRICTS .	1725	1780	1851	1680	1647	1459	1402	1277	1215	1238	1365	1498	18137
	INSULAR-RURAL DISTRICTS .	208	230	239	197	195	145	141	162	140	161	162	179	2159
	DIVISIONS.													
1	NORTHERN	206	197	219	204	208	149	152	138	150	152	138	155	2068
2	NORTH-WESTERN	260	309	334	262	249	225	195	194	168	195	229	209	2829
3	NORTH-EASTERN	631	638	680	583	644	524	538	461	459	510	518	599	6785
4	EAST-MIDLAND	1055	1096	1165	1017	993	946	948	918	840	853	872	999	11702
5	WEST-MIDLAND	511	484	542	501	524	444	419	393	375	407	452	473	5525
6	SOUTH-WESTERN	2635	3133	3266	2967	3085	2724	2775	2520	2370	2573	2680	3047	33775
7	SOUTH-EASTERN	931	976	981	852	876	866	812	701	727	785	802	931	10240
8	SOUTHERN	358	409	427	376	380	332	311	258	250	255	259	318	3933
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	45	35	40	39	38	31	25	37	28	36	32	46	432
2	Orkney	50	56	69	55	52	34	29	29	32	34	36	42	518
3	Caithness	82	65	80	69	84	54	60	48	58	47	35	41	723
4	Sutherland	29	41	30	41	34	30	38	24	32	35	35	26	395
	II. NORTH-WESTERN.													
5	Ross and Cromarty . . .	118	133	149	117	108	104	106	95	62	79	103	87	1261
6	Inverness	142	176	185	145	141	121	89	99	106	116	126	122	1568
	III. NORTH-EASTERN.													
7	Nairn	7	20	13	8	14	14	18	13	11	8	16	13	155
8	Elgin (or Moray) . . .	69	72	80	67	69	64	56	51	47	50	59	52	736
9	Banff	88	99	115	89	88	97	72	67	67	65	59	76	982
10	Aberdeen	414	383	419	368	417	310	352	287	310	348	343	410	4361
11	Kincardine	53	64	53	51	56	39	40	43	24	39	41	48	551
	IV. EAST MIDLAND.													
12	Forfar	488	504	540	446	461	437	482	456	403	393	391	470	5471
13	Perth	232	267	242	234	211	195	196	178	175	200	215	208	2553
14	Fife	274	265	326	289	277	263	223	221	214	222	222	268	3064
15	Kinross	21	18	13	12	12	17	13	10	13	11	5	13	158
16	Clackmannan	40	42	44	36	32	34	34	53	35	27	39	40	456
	V. WEST MIDLAND.													
17	Stirling	211	189	211	192	191	190	176	135	148	160	176	169	2148
18	Dumbarton	127	123	115	124	147	118	95	95	91	115	128	156	1434
19	Argyll	141	136	185	155	148	105	120	125	103	105	122	118	1563
20	Bute	32	36	31	30	38	31	28	38	33	27	26	30	380
	VI. SOUTH-WESTERN.													
21	Renfrew	425	529	545	506	464	435	458	453	439	542	534	507	5837
22	Ayr	384	420	458	412	448	388	371	386	325	381	366	477	4816
23	Lanark	1826	2184	2263	2049	2173	1901	1946	1681	1606	1650	1780	2063	23122
	VII. SOUTH-EASTERN.													
24	Linlithgow	87	99	82	69	95	80	65	55	62	72	70	89	925
25	Edinburgh	640	670	664	619	609	633	574	516	547	574	585	676	7307
26	Haddington	75	97	97	54	61	56	71	46	48	62	53	59	779
27	Berwick	63	52	71	64	50	46	50	42	31	43	54	50	616
28	Peebles	14	12	21	19	25	17	19	11	14	8	12	17	189
29	Selkirk	52	46	46	27	36	34	33	31	25	26	28	40	424
	VIII. SOUTHERN.													
30	Roxburgh	70	90	87	95	85	79	89	58	55	79	60	93	940
31	Dumfries	158	160	158	149	152	135	118	117	100	94	96	107	1544
32	Kirkcudbright	64	83	94	72	62	64	51	36	62	47	54	56	745
33	Wigtown	66	76	88	60	81	54	53	47	33	35	49	62	704

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray and Birsay.
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
71*b*	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328*b*	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther-Easter	Parts of Anstruther-Easter and Kilrenny.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	*Fortrose.	
130	Drainie	–	*Lossiemouth.
164	Rathven	–	*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251 [1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar	–	Stonehaven.
258 [1]	Fetteresso	–	Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry	–	Carnoustie.
280	Craig	Montrose.	
282 [4]	St Andrews (Dundee)	–	Broughty-Ferry.
310	Monifieth	–	Do.
316	Panbride	–	Carnoustie.
371	Lecropt	–	Bridge of Allan.
374	Logie	Stirling.	Do.
385	Muckhart	–	Dollar.
386 *a*	Muthill	–	Crieff.
389	Rattray	–	Blairgowrie
400	Abdie	–	Suburban of Newburgh.
405	Auchterderran	–	Lochgelly.
408	Ballingry	–	Do.
427	Elie	–	Suburban of Earlsferry.
436	Kilconquhar	*Earlsferry.	Do.
438	Kilrenny	Anstruther-Easter.	
456	Scoonie	–	*Leven.
459	Wemyss	–	Buckhaven.
466	Clackmannan	–	Alloa.
475	Campsie	–	*Lennoxtown.
478	Dunipace	–	Denny.
488	St Ninians	–	Bannockburn.
493	Bonhill	–	*Alexandria.
494	Cardross	–	*Renton.
500	New or East Kilpatrick	–	*Milngavie.
503	Row	–	*Helensburgh.
523	Kilmore and Kilbride	*Oban.	
559 [1]	Abbey	Paisley.	
559 [2]	Do. (Landward)	–	Barrhead.
560	Cathcart	–	Busby. Crosshill (Suburban of Glasgow).
562	Eastwood	–	*Pollokshaws and Thornliebank.
564	Greenock (East)	Port-Glasgow.	
571	Mearns	–	Busby.
576 [1]	Old Ardrossan	–	Saltcoats.
577	Auchinleck	–	Cumnock.
593	Galston	–	Newmilns.
597	Kilmarnock	–	Hurlford.
603	Loudoun	–	Galston and Newmilns.
611	Riccarton	Kilmarnock.	Hurlford.
613	Sorn	–	*Catrine.
615	Stevenston	–	Saltcoats.
621	Avondale	–	*Strathaven.
622 [2]	Shettleston	–	Tollcross.
625 [1]	Bothwell	–	*Bellshill.
625 [2]	Holytown	–	Calderbank.
628	Cambusnethan	–	*Newmains and Wishaw.
639	Dalziel	–	Motherwell.
643	East Kilbride	–	Busby.
646 [1]	Govan Church	–	Suburban of Glasgow.
646 [2]	Partick	–	Hillhead, Whiteinch, and Suburban of Glasgow,
647	Hamilton	–	Larkhall and Motherwell.
651 [2]	New Monkland (Landward)	–	Suburban of Airdrie.
652	Old Monkland		
	(1) Western District	–	Baillieston, and Tollcross.
	(2) Middle District	–	Coatbridge and Rosehall.
	(3) Eastern District	–	Do. do. and Calderbank.
654	Rutherglen	–	Cambuslang.
664	Carriden	–	Bo'ness.
673 [2]	Fauldhouse	–	*Crofthead.
689	Inveresk	*Musselburgh.	
691	Lasswade	–	Penicuik.
727	Ayton	–	Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael	–	Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton	–	Castle-Douglas.
876	Minnigaff	–	Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame	–	Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, 145
Abernethy . 326
Abernethy, and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, . 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphny, . 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813
Buchanan, 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, . 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy & Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Crieck (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 6
Dennistoun, 644
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland) . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, . 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld . 349
Dunlop, 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . 190
Dyke, . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738

* The actual number of Districts is 1032—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Edzell, . . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Haggs, 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Inverkip, . 567
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355a
Insch (Aberd'n), 203
Inverallan, . 128
Inveraray, . 513
Inverarity, 292
Inveravon . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone & Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 378
Mains, . 307
Makerston 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, 622

Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, 225
New Galloway, 868
Newhills, . 226
Newington, 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Menteith, . 388
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96
Rousay and Egilsay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St 'Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Mary, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple . 700
Tenandry . 394
Terregles . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,

FOR HER MAJESTY'S STATIONERY OFFICE.

WELLCOME
LIBRARY
INSTITUTE